

```
<?xml version="1.0" encoding="utf-8"?>
<ItemFilter xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
  <name>Runemaster FIRE</name>
  <filterIcon>2</filterIcon>
  <filterIconColor>12</filterIconColor>
  <description />
  <lastModifiedInVersion>0.9.2.3</lastModifiedInVersion>
  <lootFilterVersion>2</lootFilterVersion>
  <rules>
    <Rule>
      <type>HIDE</type>
      <conditions />
      <color>0</color>
      <isEnabled>true</isEnabled>
      <levelDependent>false</levelDependent>
      <minLvl>0</minLvl>
      <maxLvl>0</maxLvl>
      <emphasized>false</emphasized>
      <nameOverride />
    </Rule>
    <Rule>
      <type>HIGHLIGHT</type>
      <conditions>
        <Condition i:type="SubTypeCondition">
          <type>
            <EquipmentType>HELMET</EquipmentType>
          </type>
          <subTypes>
            <int>40</int>
            <int>22</int>
          </subTypes>
        </Condition>
        <Condition i:type="AffixCondition">
          <affixes>
            <int>25</int>
            <int>52</int>
            <int>690</int>
            <int>548</int>
            <int>693</int>
            <int>682</int>
            <int>381</int>
          </affixes>
          <comparsion>ANY</comparsion>
          <comparsionValue>0</comparsionValue>
        </Condition>
      </conditions>
    </Rule>
  </rules>
</ItemFilter>
```

```

    <minOnTheSameItem>2</minOnTheSameItem>
    <combinedComparsion>ANY</combinedComparsion>
    <combinedComparsionValue>1</combinedComparsionValue>
    <advanced>false</advanced>
  </Condition>
</conditions>
<color>5</color>
<isEnabled>true</isEnabled>
<levelDependent>false</levelDependent>
<minLvl>0</minLvl>
<maxLvl>0</maxLvl>
<emphasized>false</emphasized>
<nameOverride />
</Rule>
<Rule>
  <type>HIGHLIGHT</type>
  <conditions>
    <Condition i:type="SubTypeCondition">
      <type>
        <EquipmentType>BODY_ARMOR</EquipmentType>
      </type>
      <subTypes>
        <int>41</int>
        <int>22</int>
        <int>23</int>
      </subTypes>
    </Condition>
    <Condition i:type="AffixCondition">
      <affixes>
        <int>25</int>
        <int>52</int>
        <int>549</int>
        <int>381</int>
        <int>693</int>
        <int>680</int>
      </affixes>
      <comparsion>ANY</comparsion>
      <comparsionValue>0</comparsionValue>
      <minOnTheSameItem>2</minOnTheSameItem>
      <combinedComparsion>ANY</combinedComparsion>
      <combinedComparsionValue>1</combinedComparsionValue>
      <advanced>false</advanced>
    </Condition>
  </conditions>

```

```

<color>5</color>
<isEnabled>true</isEnabled>
<levelDependent>>false</levelDependent>
<minLvl>0</minLvl>
<maxLvl>0</maxLvl>
<emphasized>>false</emphasized>
<nameOverride />
</Rule>
<Rule>
  <type>HIGHLIGHT</type>
  <conditions>
    <Condition i:type="SubTypeCondition">
      <type>
        <EquipmentType>BELT</EquipmentType>
      </type>
      <subTypes>
        <int>4</int>
        <int>6</int>
        <int>2</int>
      </subTypes>
    </Condition>
    <Condition i:type="AffixCondition">
      <affixes>
        <int>330</int>
        <int>12</int>
        <int>25</int>
        <int>52</int>
        <int>36</int>
        <int>97</int>
      </affixes>
      <comparsion>ANY</comparsion>
      <comparsionValue>0</comparsionValue>
      <minOnTheSameItem>2</minOnTheSameItem>
      <combinedComparsion>ANY</combinedComparsion>
      <combinedComparsionValue>1</combinedComparsionValue>
      <advanced>>false</advanced>
    </Condition>
  </conditions>
  <color>5</color>
  <isEnabled>true</isEnabled>
  <levelDependent>>false</levelDependent>
  <minLvl>0</minLvl>
  <maxLvl>0</maxLvl>
  <emphasized>>false</emphasized>

```

```

    <nameOverride />
</Rule>
<Rule>
  <type>HIGHLIGHT</type>
  <conditions>
    <Condition i:type="SubTypeCondition">
      <type>
        <EquipmentType>BOOTS</EquipmentType>
      </type>
      <subTypes>
        <int>6</int>
        <int>9</int>
        <int>5</int>
      </subTypes>
    </Condition>
    <Condition i:type="AffixCondition">
      <affixes>
        <int>505</int>
        <int>502</int>
        <int>36</int>
        <int>52</int>
        <int>25</int>
        <int>97</int>
        <int>28</int>
      </affixes>
      <comparsion>ANY</comparsion>
      <comparsionValue>0</comparsionValue>
      <minOnTheSameItem>2</minOnTheSameItem>
      <combinedComparsion>ANY</combinedComparsion>
      <combinedComparsionValue>1</combinedComparsionValue>
      <advanced>>false</advanced>
    </Condition>
  </conditions>
  <color>5</color>
  <isEnabled>true</isEnabled>
  <levelDependent>>false</levelDependent>
  <minLvl>0</minLvl>
  <maxLvl>0</maxLvl>
  <emphasized>>false</emphasized>
  <nameOverride />
</Rule>
<Rule>
  <type>HIGHLIGHT</type>
  <conditions>

```

```

<Condition i:type="SubTypeCondition">
  <type>
    <EquipmentType>GLOVES</EquipmentType>
  </type>
  <subTypes>
    <int>7</int>
    <int>5</int>
    <int>4</int>
  </subTypes>
</Condition>
<Condition i:type="AffixCondition">
  <affixes>
    <int>502</int>
    <int>86</int>
    <int>36</int>
    <int>4</int>
    <int>25</int>
  </affixes>
  <comparsion>ANY</comparsion>
  <comparsionValue>0</comparsionValue>
  <minOnTheSameItem>2</minOnTheSameItem>
  <combinedComparsion>ANY</combinedComparsion>
  <combinedComparsionValue>1</combinedComparsionValue>
  <advanced>false</advanced>
</Condition>
</conditions>
<color>5</color>
<isEnabled>true</isEnabled>
<levelDependent>false</levelDependent>
<minLvl>0</minLvl>
<maxLvl>0</maxLvl>
<emphasized>false</emphasized>
<nameOverride />
</Rule>
<Rule>
  <type>HIGHLIGHT</type>
  <conditions>
    <Condition i:type="SubTypeCondition">
      <type>
        <EquipmentType>WAND</EquipmentType>
      </type>
      <subTypes>
        <int>10</int>
        <int>9</int>

```

```

    </subTypes>
  </Condition>
  <Condition i:type="AffixCondition">
    <affixes>
      <int>12</int>
      <int>6</int>
      <int>49</int>
      <int>9</int>
      <int>56</int>
    </affixes>
    <comparsion>ANY</comparsion>
    <comparsionValue>0</comparsionValue>
    <minOnTheSameItem>2</minOnTheSameItem>
    <combinedComparsion>ANY</combinedComparsion>
    <combinedComparsionValue>1</combinedComparsionValue>
    <advanced>false</advanced>
  </Condition>
</conditions>
<color>5</color>
<isEnabled>true</isEnabled>
<levelDependent>false</levelDependent>
<minLvl>0</minLvl>
<maxLvl>0</maxLvl>
<emphasized>false</emphasized>
<nameOverride />
</Rule>
<Rule>
  <type>HIGHLIGHT</type>
  <conditions>
    <Condition i:type="SubTypeCondition">
      <type>
        <EquipmentType>RELIC</EquipmentType>
      </type>
      <subTypes>
        <int>26</int>
        <int>25</int>
      </subTypes>
    </Condition>
    <Condition i:type="AffixCondition">
      <affixes>
        <int>6</int>
        <int>12</int>
        <int>502</int>
        <int>25</int>
      </affixes>
    </Condition>
  </conditions>

```

```

        <int>628</int>
        <int>553</int>
        <int>330</int>
    </affixes>
    <comparsion>ANY</comparsion>
    <comparsionValue>0</comparsionValue>
    <minOnTheSameItem>2</minOnTheSameItem>
    <combinedComparsion>ANY</combinedComparsion>
    <combinedComparsionValue>1</combinedComparsionValue>
    <advanced>false</advanced>
</Condition>
</conditions>
<color>5</color>
<isEnabled>true</isEnabled>
<levelDependent>false</levelDependent>
<minLvl>0</minLvl>
<maxLvl>0</maxLvl>
<emphasized>false</emphasized>
<nameOverride />
</Rule>
<Rule>
    <type>HIGHLIGHT</type>
    <conditions>
        <Condition i:type="SubTypeCondition">
            <type>
                <EquipmentType>CATALYST</EquipmentType>
            </type>
            <subTypes>
                <int>12</int>
                <int>11</int>
                <int>9</int>
            </subTypes>
        </Condition>
        <Condition i:type="AffixCondition">
            <affixes>
                <int>12</int>
                <int>6</int>
                <int>84</int>
                <int>38</int>
                <int>34</int>
            </affixes>
            <comparsion>ANY</comparsion>
            <comparsionValue>0</comparsionValue>
            <minOnTheSameItem>2</minOnTheSameItem>

```

```

    <combinedComparsion>ANY</combinedComparsion>
    <combinedComparsionValue>1</combinedComparsionValue>
    <advanced>false</advanced>
  </Condition>
</conditions>
<color>5</color>
<isEnabled>true</isEnabled>
<levelDependent>false</levelDependent>
<minLvl>0</minLvl>
<maxLvl>0</maxLvl>
<emphasized>false</emphasized>
<nameOverride />
</Rule>
<Rule>
  <type>HIGHLIGHT</type>
  <conditions>
    <Condition i:type="SubTypeCondition">
      <type>
        <EquipmentType>RING</EquipmentType>
      </type>
      <subTypes>
        <int>8</int>
        <int>1</int>
        <int>10</int>
        <int>9</int>
        <int>2</int>
      </subTypes>
    </Condition>
    <Condition i:type="AffixCondition">
      <affixes>
        <int>12</int>
        <int>38</int>
        <int>502</int>
        <int>330</int>
        <int>25</int>
      </affixes>
      <comparsion>ANY</comparsion>
      <comparsionValue>0</comparsionValue>
      <minOnTheSameItem>2</minOnTheSameItem>
      <combinedComparsion>ANY</combinedComparsion>
      <combinedComparsionValue>1</combinedComparsionValue>
      <advanced>false</advanced>
    </Condition>
  </conditions>

```

```
<color>5</color>
<isEnabled>true</isEnabled>
<levelDependent>>false</levelDependent>
<minLvl>0</minLvl>
<maxLvl>0</maxLvl>
<emphasized>>false</emphasized>
<nameOverride />
</Rule>
<Rule>
  <type>HIGHLIGHT</type>
  <conditions>
    <Condition i:type="SubTypeCondition">
      <type>
        <EquipmentType>AMULET</EquipmentType>
      </type>
      <subTypes>
        <int>8</int>
        <int>3</int>
        <int>9</int>
        <int>7</int>
      </subTypes>
    </Condition>
    <Condition i:type="AffixCondition">
      <affixes>
        <int>12</int>
        <int>32</int>
        <int>6</int>
        <int>25</int>
        <int>38</int>
        <int>84</int>
      </affixes>
      <comparsion>ANY</comparsion>
      <comparsionValue>0</comparsionValue>
      <minOnTheSameItem>2</minOnTheSameItem>
      <combinedComparsion>ANY</combinedComparsion>
      <combinedComparsionValue>1</combinedComparsionValue>
      <advanced>>false</advanced>
    </Condition>
  </conditions>
  <color>5</color>
  <isEnabled>true</isEnabled>
  <levelDependent>>false</levelDependent>
  <minLvl>0</minLvl>
  <maxLvl>0</maxLvl>
```

```
<emphasized>false</emphasized>
<nameOverride />
</Rule>
<Rule>
  <type>HIDE</type>
  <conditions>
    <Condition i:type="RarityCondition">
      <rarity>MAGIC</rarity>
    </Condition>
  </conditions>
  <color>0</color>
  <isEnabled>true</isEnabled>
  <levelDependent>false</levelDependent>
  <minLvl>0</minLvl>
  <maxLvl>0</maxLvl>
  <emphasized>false</emphasized>
  <nameOverride />
</Rule>
<Rule>
  <type>HIGHLIGHT</type>
  <conditions>
    <Condition i:type="AffixCondition">
      <affixes>
        <int>36</int>
        <int>105</int>
        <int>107</int>
        <int>124</int>
        <int>256</int>
        <int>189</int>
        <int>549</int>
        <int>682</int>
        <int>680</int>
        <int>693</int>
        <int>628</int>
        <int>548</int>
        <int>690</int>
        <int>182</int>
        <int>553</int>
        <int>246</int>
        <int>142</int>
        <int>381</int>
      </affixes>
      <comparsion>ANY</comparsion>
      <comparsionValue>0</comparsionValue>
    </Condition>
  </conditions>
</Rule>
```

```

    <minOnTheSameItem>1</minOnTheSameItem>
    <combinedComparsion>ANY</combinedComparsion>
    <combinedComparsionValue>1</combinedComparsionValue>
    <advanced>>false</advanced>
  </Condition>
</conditions>
<color>8</color>
<isEnabled>true</isEnabled>
<levelDependent>>false</levelDependent>
<minLvl>0</minLvl>
<maxLvl>0</maxLvl>
<emphasized>>false</emphasized>
<nameOverride />
</Rule>
<Rule>
  <type>HIGHLIGHT</type>
  <conditions>
    <Condition i:type="AffixCondition">
      <affixes>
        <int>676</int>
        <int>677</int>
        <int>678</int>
        <int>679</int>
        <int>673</int>
        <int>674</int>
        <int>675</int>
        <int>710</int>
        <int>711</int>
        <int>712</int>
        <int>713</int>
        <int>714</int>
      </affixes>
      <comparsion>ANY</comparsion>
      <comparsionValue>0</comparsionValue>
      <minOnTheSameItem>1</minOnTheSameItem>
      <combinedComparsion>ANY</combinedComparsion>
      <combinedComparsionValue>1</combinedComparsionValue>
      <advanced>>false</advanced>
    </Condition>
  </conditions>
  <color>12</color>
  <isEnabled>true</isEnabled>
  <levelDependent>>false</levelDependent>
  <minLvl>0</minLvl>

```

```
<maxLvl>0</maxLvl>
<emphasized>false</emphasized>
<nameOverride />
</Rule>
<Rule>
  <type>SHOW</type>
  <conditions>
    <Condition i:type="RarityCondition">
      <rarity>UNIQUE SET EXALTED</rarity>
    </Condition>
  </conditions>
  <color>0</color>
  <isEnabled>true</isEnabled>
  <levelDependent>false</levelDependent>
  <minLvl>0</minLvl>
  <maxLvl>0</maxLvl>
  <emphasized>false</emphasized>
  <nameOverride />
</Rule>
</rules>
</ItemFilter>
```