

SSU Scan Information

Scan Info:

Version:"2.5.0.15"

Date:"02.27.2019"

Time:"00:00:18.2681470"

Scanned Hardware

Computer:

BaseBoard Manufacturer:"MSI"

BIOS Mode:"UEFI"

BIOS Version/Date:"American Megatrends Inc. 1.A0 , 06/30/2018"

CD or DVD:"Not Available"

Embedded Controller Version:"255.255"

Platform Role:"Desktop"

Processor:"Intel(R) Core(TM) i7-7700K CPU @ 4.20GHz , GenuineIntel"

Secure Boot State:"Off"

SMBIOS Version:"3.0"

Sound Card:"NVIDIA Virtual Audio Device (Wave Extensible) (WDM)"

Sound Card:"Аудио устройства USB"

Sound Card:"Realtek High Definition Audio"

Sound Card:"NVIDIA High Definition Audio"

Sound Card:"Аудио устройства USB"

Sound Card:"DFX Audio Enhancer"

System Manufacturer:"MSI"

System Model:"MS-7A59"

System SKU:"Default string"

System Type:"x64-based PC"

- "Display"

Intel ® Graphics Driver Version:"Not Available"

- "NVIDIA GeForce GTX 1080"

Adapter Compatibility:"NVIDIA"

Adapter DAC Type:"Integrated RAMDAC"

Adapter RAM:"4,00 GB"

Availability:"Running or Full Power"

Bits Per Pixel:"32"

Caption:"NVIDIA GeForce GTX 1080"

ColInstallers:"oem59.inf,Section001,Integrated RAMDAC,GeForce GTX 1080"

Color Table Entries:"4294967296"

Dedicated Video Memory:"Not Available"

Driver:"nvlddmkm.sys"

Driver Date:"02.19.2019 04:00"

Driver

Path:"C:\WINDOWS\system32\DriverStore\FileRepository\nvmdi.inf_amd64_3b97b64bf877b381\nvlddmkm.sys"

Driver Provider:"NVIDIA"

Driver Version:"25.21.14.1917"

INF:"oem59.inf"
INF Section:"Section001"
Install Date:"Not Available"
Installed

Drivers:"C:\WINDOWS\System32\DriverStore\FileRepository\nvmdi.inf_amd64_3b97b64bf877b381\nvldumdx.dll,C:\WINDOWS\System32\DriverStore\FileRepository\nvmdi.inf_amd64_3b97b64bf877b381\nvldumdx.dll,C:\WINDOWS\System32\DriverStore\FileRepository\nvmdi.inf_amd64_3b97b64bf877b381\nvldumdx.dll,C:\WINDOWS\System32\DriverStore\FileRepository\nvmdi.inf_amd64_3b97b64bf877b381\nvldumdx.dll"

Last Error Code:"Not Available"
Last Error Code Description:"Not Available"
Last Reset:"Not Available"
Location:"PCI bus 1, device 0, function 0"
Manufacturer:"NVIDIA"
Microsoft DirectX* Version:"DirectX 12"
Monochrome:"No"
Number of Colors:"4294967296"
Number of Video Pages:"Not Available"
PNP Device

ID:"PCI\VEN_10DE&DEV_1B80&SUBSYS_33671462&REV_A1\4&39014AC4&0&0008"

Power Management Capabilities:"Not Available"
Power Management Supported:"Not Available"
Refresh Rate - Current:"60 Hz"
Refresh Rate - Maximum:"75 Hz"
Refresh Rate - Minimum:"50 Hz"
Resolution:"1920 X 1080"
Scan Mode:"Noninterlaced"
Service Name:"nvlddmkm"
Status:"OK"
Video Architecture:"VGA"
Video Memory:"Unknown"
Video Processor:"GeForce GTX 1080"

- "Memory"

Physical Memory (Available):"9,42 GB"
Physical Memory (Installed):"16 GB"
Physical Memory (Total):"15,96 GB"

- "BANK 1"

Capacity:"8 GB"
Channel:"ChannelA-DIMM1"
Configured Clock Speed:"2667 MHz"
Configured Voltage:"1200 millivolts"
Data Width:"64 bits"
Form Factor:"DIMM"
Interleave Position:"First position"
Manufacturer:"029E"
Maximum Voltage:"Not Available"

Memory Type:"Unknown"
Minimum Voltage:"Not Available"
Part Number:"CMK16GX4M2A2400C16"
Serial Number:"00000000"
Status:"Not Available"
Type:"Not Available"

- "BANK 3"

Capacity:"8 GB"
Channel:"ChannelB-DIMM1"
Configured Clock Speed:"2667 MHz"
Configured Voltage:"1200 millivolts"
Data Width:"64 bits"
Form Factor:"DIMM"
Interleave Position:"Second position"
Manufacturer:"029E"
Maximum Voltage:"Not Available"
Memory Type:"Unknown"
Minimum Voltage:"Not Available"
Part Number:"CMK16GX4M2A2400C16"
Serial Number:"00000000"
Status:"Not Available"
Type:"Not Available"

- "Motherboard"

Availability:"Running or Full Power"
BIOS:"1.A0, ALASKA - 1072009"
Caption:"Материнская плата"

- "Chipset": "Intel(R)"

Link:"<http://www.intel.com/content/www/us/en/search.html?keyword=>"

Date:"06.29.2018 05:00"
Install Date:"Not Available"
Last Error Code:"Not Available"
Last Error Code Description:"Not Available"
Manufacturer:"MSI"
Model:"Not Available"
Part Number:"Not Available"
PNP Device ID:"Not Available"
Power Management Capabilities:"Not Available"
Power Management Supported:"Not Available"
Product:"Z270 SLI (MS-7A59)"
Serial Number:"H316239247"
Status:"OK"
Version:"1.0"

- "Networking"

Intel ® Network Connections Install Options:"ANS,DMIX"
Intel ® Network Connections Version:"23.1.100.0"
Intel ® PROSet/Wireless Software Version:"Not Available"

- "Intel(R) Ethernet Connection (2) I219-V"
Availability:"Running or Full Power"
- "Caption":"Intel(R) Ethernet Connection (2) I219-V"

Link:"[http://www.intel.com/content/www/us/en/search.html?keyword=Ethernet+Connection+\(2\)+I219+V](http://www.intel.com/content/www/us/en/search.html?keyword=Ethernet+Connection+(2)+I219+V)"

ColInstallers:"NicCo4.dll,NicColInstallerEntry"
 Default IP Gateway:"192.168.31.1"
 DHCP Enabled:"Yes"
 DHCP Lease Expires:"02.28.2019 02:49"
 DHCP Lease Obtained:"02.27.2019 02:49"
 DHCP Server:"192.168.31.1"
 Driver:"e1d65x64.sys"
 Driver Date:"12.27.2017 12:00"
 Driver Path:"C:\WINDOWS\system32\DRIVERS\e1d65x64.sys"
 Driver Provider:"Intel"
 Driver Version:"12.17.8.9"
 ETrackID:"0x00000000"
 Index:"0003"
 INF:"oem49.inf"
 INF Section:"E15B8.10.0.1"
 Install Date:"Not Available"
 Installed:"Yes"
 IP Address:"192.168.31.166;fe80::4cce:3b78:aa6a:5b45"
 IP Subnet:"255.255.255.0;64"
 Last Error Code:"Not Available"
 Last Error Code Description:"Not Available"
 Last Reset:"02.27.2019 02:49"
 Location:"PCI bus 0, device 31, function 6"
 MAC Address:"4C:CC:6A:F9:8E:00"
 Manufacturer:"Intel"
 Media Type:"Copper"
 Net Connection ID:"Ethernet"
 NetCfgInstanceId:"{19C5C45A-6138-4BEA-AA66-E5B32087DB4C}"
 Number of VLANs:"0"
 NVM Version:"0x00000000"
 Part Number:"FFFFFF-0FF"
 PNP Device
 ID:"PCI\VEN_8086&DEV_15B8&SUBSYS_7A591462&REV_00\3&11583659&0&FE"
 Port:"Not Available"
 Power Management (Low Power):"Active: Yes, Enable: Yes"
 Power Management (Wake On LAN):"Active: Yes, Enable: Yes"
 Power Management (Wake on Magic Packet):"Active: Yes,
 EnableWakeOnMagicPacketOnly: No"
 Power Management Capabilities:"Not Available"
 Power Management Supported:"No"

Product Type:"Intel(R) Ethernet Connection (2) I219-V"
Service Name:"e1dexpress"
Status:"Link Up - This device is not linked at its maximum capable speed"
Team Name:"Not in a team"
Temperature:"Not Supported"
Type:"Ethernet 802.3"
- "Service Bindings"
 cFosSpeed for faster Internet connections (NDIS 6):
 IP версии 4 (TCP/IPv4):
 IP версии 6 (TCP/IPv6):
 VMware Bridge Protocol:
 Драйвер протокола LLDP (Майкрософт):
 Клиент для сетей Microsoft:
 Общий доступ к файлам и принтерам для сетей Microsoft:
 Ответчик обнаружения топологии канального уровня:
 Отвечающее устройство обнаружения топологии канального уровня:
 Планировщик пакетов QoS:

- "Settings"
 *FlowControl:Flow Control:"Rx & Tx Enabled (3)"
 *InterruptModeration:Interrupt Moderation:"Enabled (1)"
 *IPChecksumOffloadIPv4:IPv4 Checksum Offload:"Rx & Tx Enabled (3)"
 *JumboPacket:Jumbo Packet:"Disabled (1514)"
 *LsoV2IPv4:Large Send Offload V2 (IPv4):"Enabled (1)"
 *LsoV2IPv6:Large Send Offload V2 (IPv6):"Enabled (1)"
 *NumRssQueues:Maximum Number of RSS Queues:"2 Queues (2)"
 *PMARPOffload:Protocol ARP Offload:"Enabled (1)"
 *PMNSOffload:Protocol NS Offload:"Enabled (1)"
 *PriorityVLANTag:Packet Priority & VLAN:"Packet Priority & VLAN Enabled

(3)"

 *ReceiveBuffers:Receive Buffers:"256 (256)"
 *RSS:Receive Side Scaling:"Enabled (1)"
 *SpeedDuplex:Speed & Duplex:"100 Mbps Full Duplex (4)"
 *TCPChecksumOffloadIPv4:TCP Checksum Offload (IPv4):"Rx & Tx
Enabled (3)"
 *TCPChecksumOffloadIPv6:TCP Checksum Offload (IPv6):"Rx & Tx
Enabled (3)"
 *TransmitBuffers:Transmit Buffers:"512 (512)"
 *UDPChecksumOffloadIPv4:UDP Checksum Offload (IPv4):"Rx & Tx
Enabled (3)"
 *UDPChecksumOffloadIPv6:UDP Checksum Offload (IPv6):"Rx & Tx
Enabled (3)"

 *WakeOnMagicPacket:Wake on Magic Packet:"Enabled (1)"
 *WakeOnPattern:Wake on Pattern Match:"Enabled (1)"
 AdaptiveIFS:Adaptive Inter-Frame Spacing:"Disabled (0)"
 ConnectionName:ConnectionName:"Ethernet (Ethernet)"
 EEELinkAdvertisement:Energy Efficient Ethernet:"On (1)"

EnablePME:Enable PME:"Enabled (1)"
ITR:Interrupt Moderation Rate:"Adaptive (65535)"
LinkNegotiationProcess:Legacy Switch Compatibility Mode:"Disabled (1)"
LogLinkStateEvent:Log Link State Event:"Enabled (51)"
MasterSlave:Gigabit Master Slave Mode:"Auto Detect (0)"
NetworkAddress:Locally Administered Address:
ReduceSpeedOnPowerDown:Reduce Speed On Power Down:"Enabled (1)"
SipsEnabled:System Idle Power Saver:"Disabled (0)"
ULPMode:Ultra Low Power Mode:"Enabled (1)"
WaitAutoNegComplete:Wait for Link:"Auto Detect (2)"
WakeOnLink:Wake on Link Settings:"Disabled (0)"

- "TAP-ProtonVPN Windows Adapter V9"

Availability:"Running or Full Power"
Caption:"TAP-ProtonVPN Windows Adapter V9"
ColInstallers:"Not Available"
Default IP Gateway:"Not Available"
DHCP Enabled:"Yes"
DHCP Lease Expires:"Not Available"
DHCP Lease Obtained:"Not Available"
DHCP Server:"Not Available"
Driver:"\tapprotonvpn.sys"
Driver Date:"05.30.2018 12:00"
Driver Path:"C:\WINDOWS\system32\drivers\taprotonvpn.sys"
Driver Provider:"TAP-ProtonVPN Windows Provider V9"
Driver Version:"9.0.0.23"
Index:"0015"
INF:"oem56.inf"
INF Section:"\tapprotonvpn.ndi"
Install Date:"Not Available"
Installed:"Yes"
IP Address:"Not Available"
IP Subnet:"Not Available"
Last Error Code:"Not Available"
Last Error Code Description:"Not Available"
Last Reset:"02.27.2019 02:49"
Location:"Not Available"
MAC Address:"00:FF:9F:26:51:94"
Manufacturer:"TAP-ProtonVPN Windows Provider V9"
Media Type:
Net Connection ID:"Ethernet 4"
NetCfgInstanceId:"{9F265194-E558-4F6E-B340-6665A8AB0FBF}"
Number of VLANs:"0"
PNP Device ID:"ROOT\NET\0002"
Port:"Not Available"
Power Management (Low Power):"Not Available"
Power Management (Wake On LAN):"Not Available"

Power Management (Wake on Magic Packet):"Not Available"

Power Management Capabilities:"Not Available"

Power Management Supported:"No"

Product Type:"TAP-ProtonVPN Windows Adapter V9"

Service Name:"tapprotonvpn"

Status:"Enabled"

Team Name:"Not in a team"

Temperature:

Type:"Ethernet 802.3"

- "Service Bindings"

cFosSpeed for faster Internet connections (NDIS 6):

IP версии 4 (TCP/IPv4):

IP версии 6 (TCP/IPv6):

VMware Bridge Protocol:

Драйвер протокола LLDP (Майкрософт):

Клиент для сетей Microsoft:

Общий доступ к файлам и принтерам для сетей Microsoft:

Ответчик обнаружения топологии канального уровня:

Отвечающее устройство обнаружения топологии канального уровня:

Планировщик пакетов QoS:

- "Settings"

AllowNonAdmin:Non-Admin Access:"Allowed (1)"

MediaStatus:Media Status:"Application Controlled (0)"

MTU:MTU:"1500 (1500)"

- "TAP-Windows Adapter V9"

Availability:"Running or Full Power"

Caption:"TAP-Windows Adapter V9"

ColInstallers:"Not Available"

Default IP Gateway:"Not Available"

DHCP Enabled:"No"

DHCP Lease Expires:"Not Available"

DHCP Lease Obtained:"Not Available"

DHCP Server:"Not Available"

Driver:"tap0901.sys"

Driver Date:"04.21.2016 12:00"

Driver Path:"C:\WINDOWS\system32\drivers\tap0901.sys"

Driver Provider:"TAP-Windows Provider V9"

Driver Version:"9.0.0.21"

Index:"0002"

INF:"oem44.inf"

INF Section:"tap0901.ndi"

Install Date:"Not Available"

Installed:"Yes"

IP Address:"Not Available"

IP Subnet:"Not Available"

Last Error Code:"Not Available"

Last Error Code Description:"Not Available"
Last Reset:"02.27.2019 02:49"
Location:"Not Available"
MAC Address:"00:FF:40:14:20:9D"
Manufacturer:"TAP-Windows Provider V9"
Media Type:
Net Connection ID:"Ethernet 2"
NetCfgInstanceId:"{4014209D-8B12-44D7-B37C-510C879834D9}"
Number of VLANs:"0"
PNP Device ID:"ROOT\NET\0000"
Port:"Not Available"
Power Management (Low Power):"Not Available"
Power Management (Wake On LAN):"Not Available"
Power Management (Wake on Magic Packet):"Not Available"
Power Management Capabilities:"Not Available"
Power Management Supported:"No"
Product Type:"TAP-Windows Adapter V9"
Service Name:"tap0901"
Status:"Enabled"
Team Name:"Not in a team"
Temperature:
Type:"Ethernet 802.3"
- "Service Bindings"
 cFosSpeed for faster Internet connections (NDIS 6):
 IP версии 4 (TCP/IPv4):
 IP версии 6 (TCP/IPv6):
 VMware Bridge Protocol:
 Драйвер протокола LLDP (Майкрософт):
 Клиент для сетей Microsoft:
 Общий доступ к файлам и принтерам для сетей Microsoft:
 Ответчик обнаружения топологии канального уровня:
 Отвечающее устройство обнаружения топологии канального уровня:
 Планировщик пакетов QoS:
- "Settings"
 AllowNonAdmin:Non-Admin Access:"Allowed (1)"
 MediaStatus:Media Status:"Application Controlled (0)"
 MTU:MTU:"1500 (1500)"
- "VMware Virtual Ethernet Adapter for VMnet1"
 Availability:"Running or Full Power"
 Caption:"VMware Virtual Ethernet Adapter for VMnet1"
 Coinstallers:"vnetinst.dll,VNL_AdapterCoinstaller"
 Default IP Gateway:"Not Available"
 DHCP Enabled:"Yes"
 DHCP Lease Expires:"02.27.2019 03:19"
 DHCP Lease Obtained:"02.27.2019 02:49"
 DHCP Server:"192.168.220.254"

Driver:"vmnetadapter.sys"
Driver Date:"08.15.2017 12:00"
Driver Path:"C:\WINDOWS\system32\DRIVERS\vmnetadapter.sys"
Driver Provider:"VMware, Inc."
Driver Version:"14.0.0.0"
Index:"0013"
INF:"oem33.inf"
INF Section:"VMnetAdapter1.Install"
Install Date:"Not Available"
Installed:"Yes"
IP Address:"192.168.220.1;fe80::2814:7264:a48c:8c08"
IP Subnet:"255.255.255.0;64"
Last Error Code:"Not Available"
Last Error Code Description:"Not Available"
Last Reset:"02.27.2019 02:49"
Location:"Not Available"
MAC Address:"00:50:56:C0:00:01"
Manufacturer:"VMware, Inc."
Media Type:
Net Connection ID:"VMware Network Adapter VMnet1"
NetCfgInstanceId:"{5CE4E2F1-D49F-4C64-9164-863700FCB5C5}"
Number of VLANs:"0"
PNP Device ID:"ROOT\VMWARE\0000"
Port:"Not Available"
Power Management (Low Power):"Not Available"
Power Management (Wake On LAN):"Not Available"
Power Management (Wake on Magic Packet):"Not Available"
Power Management Capabilities:"Not Available"
Power Management Supported:"No"
Product Type:"VMware Virtual Ethernet Adapter for VMnet1"
Service Name:"VMnetAdapter"
Status:"Enabled"
Team Name:"Not in a team"
Temperature:
Type:"Ethernet 802.3"
- "Service Bindings"
 IP версии 4 (TCP/IPv4):
 IP версии 6 (TCP/IPv6):
 Драйвер протокола LLDP (Майкрософт):
 Клиент для сетей Microsoft:
 Общий доступ к файлам и принтерам для сетей Microsoft:
 Ответчик обнаружения топологии канального уровня:
 Отвечающее устройство обнаружения топологии канального уровня:
- "Settings"
 *PriorityVLANTag:Priority / VLAN tag:"Priority & VLAN Enabled (3)"
 *WakeOnMagicPacket:Wake on magic packet:"Enabled (1)"

*WakeOnPattern:Wake on pattern match:"Enabled (1)"
EnableWakeOnLan:Wake on LAN:"Enabled (1)"
- "VMware Virtual Ethernet Adapter for VMnet8"
Availability:"Running or Full Power"
Caption:"VMware Virtual Ethernet Adapter for VMnet8"
Coinstallers:"vnetinst.dll,VNL_AdapterCoinstaller"
Default IP Gateway:"Not Available"
DHCP Enabled:"Yes"
DHCP Lease Expires:"02.27.2019 03:19"
DHCP Lease Obtained:"02.27.2019 02:49"
DHCP Server:"192.168.8.254"
Driver:"vmnetadapter.sys"
Driver Date:"08.15.2017 12:00"
Driver Path:"C:\WINDOWS\system32\DRIVERS\vmnetadapter.sys"
Driver Provider:"VMware, Inc."
Driver Version:"14.0.0.0"
Index:"0014"
INF:"oem33.inf"
INF Section:"VMnetAdapter8.Install"
Install Date:"Not Available"
Installed:"Yes"
IP Address:"192.168.8.1;fe80::7145:3a64:8ab7:3d9a"
IP Subnet:"255.255.255.0;64"
Last Error Code:"Not Available"
Last Error Code Description:"Not Available"
Last Reset:"02.27.2019 02:49"
Location:"Not Available"
MAC Address:"00:50:56:C0:00:08"
Manufacturer:"VMware, Inc."
Media Type:
Net Connection ID:"VMware Network Adapter VMnet8"
NetCfgInstanceId:"{FA22A51E-50D3-443E-BABA-62F45E80B782}"
Number of VLANs:"0"
PNP Device ID:"ROOT\VMWARE\0001"
Port:"Not Available"
Power Management (Low Power):"Not Available"
Power Management (Wake On LAN):"Not Available"
Power Management (Wake on Magic Packet):"Not Available"
Power Management Capabilities:"Not Available"
Power Management Supported:"No"
Product Type:"VMware Virtual Ethernet Adapter for VMnet8"
Service Name:"VMnetAdapter"
Status:"Enabled"
Team Name:"Not in a team"
Temperature:
Type:"Ethernet 802.3"

- "Service Bindings"
 - IP версии 4 (TCP/IPv4):
 - IP версии 6 (TCP/IPv6):
 - Драйвер протокола LLDP (Майкрософт):
 - Клиент для сетей Microsoft:
 - Общий доступ к файлам и принтерам для сетей Microsoft:
 - Ответчик обнаружения топологии канального уровня:
 - Отвечающее устройство обнаружения топологии канального уровня:
- "Settings"
 - *PriorityVLANTag:Priority / VLAN tag:"Priority & VLAN Enabled (3)"
 - *WakeOnMagicPacket:Wake on magic packet:"Enabled (1)"
 - *WakeOnPattern:Wake on pattern match:"Enabled (1)"
 - EnableWakeOnLan:Wake on LAN:"Enabled (1)"
- "Operating System"
 - .Net Framework Version:"2.0,3.0,3.5,4.0,4.7"
 - Boot Device:"\Device\HarddiskVolume5"
 - Internet Browser:"Google Chrome,72.0, Internet Explorer,11.316"
 - Locale:"Россия"
 - OS Manufacturer:"Microsoft Corporation"
 - OS Name:"Майкрософт Windows 10 Pro"
 - Other OS Description:"Not Available"
 - Page File:"D:\pagefile.sys"
 - Page File Space:"16,00 GB"
 - Physical Memory (Available):"9,43 GB"
 - Physical Memory (Installed):"16 GB"
 - Physical Memory (Total):"15,96 GB"
 - System Directory:"C:\WINDOWS\system32"
 - Version:"10.0.17763 Build 17763"
 - Virtual Memory (Available):"22,82 GB"
 - Virtual Memory (Total):"31,96 GB"
 - Windows Directory:"C:\WINDOWS"
- "Installed Updates"
 - KB2151757:"Microsoft Visual C++ 2010 Redistributable - x64 10.0.40219 [27.02.2019]"
 - KB2151757:"Microsoft Visual C++ 2010 Redistributable - x86 10.0.40219 [27.02.2019]"
 - KB2467173:"Microsoft Visual C++ 2010 Redistributable - x86 10.0.40219 [27.02.2019]"
 - KB2467173:"Microsoft Visual C++ 2010 Redistributable - x64 10.0.40219 [27.02.2019]"
 - KB2468871:"Microsoft .NET Framework 4 Client Profile [Not Available]"
 - KB2468871:"Microsoft .NET Framework 4 Extended [Not Available]"
 - KB2468871v2:"Microsoft .NET Framework 4 Client Profile [Not Available]"
 - KB2468871v2:"Microsoft .NET Framework 4 Extended [Not Available]"
 - KB2478063:"Microsoft .NET Framework 4 Client Profile [Not Available]"
 - KB2478063:"Microsoft .NET Framework 4 Extended [Not Available]"

KB2533523:"Microsoft .NET Framework 4 Extended [Not Available]"
KB2533523:"Microsoft .NET Framework 4 Client Profile [Not Available]"
KB2544514:"Microsoft .NET Framework 4 Extended [Not Available]"
KB2544514:"Microsoft .NET Framework 4 Client Profile [Not Available]"
KB2600211:"Microsoft .NET Framework 4 Extended [Not Available]"
KB2600211:"Microsoft .NET Framework 4 Client Profile [Not Available]"
KB2600217:"Microsoft .NET Framework 4 Extended [Not Available]"
KB2600217:"Microsoft .NET Framework 4 Client Profile [Not Available]"
KB4470502:"Update [12/13/2018]"
KB4470788:"Security Update [12/13/2018]"
KB4480056:"Update [1/9/2019]"
KB4480979:"Security Update [1/9/2019]"
KB4483452:"Update [2/18/2019]"
KB4487038:"Security Update [2/18/2019]"
KB4487044:"Security Update [2/18/2019]"
KB982573:"Microsoft Visual C++ 2010 Redistributable - x86 10.0.40219
[27.02.2019]"
KB982573:"Microsoft Visual C++ 2010 Redistributable - x64 10.0.40219
[27.02.2019]"
SP1:"Microsoft Visual C++ 2010 Redistributable - x86 10.0.40219 [Not
Available]"
SP1:"Microsoft Visual C++ 2010 Redistributable - x64 10.0.40219 [Not
Available]"
- "Processor"
- "Intel(R) Core(TM) i7-7700K CPU @ 4.20GHz"
Architecture:"x64"
ATPO:"Not Available"
Availability:"Running or Full Power"
Caption:"Intel64 Family 6 Model 158 Stepping 9"
- "Chipset Name": "Intel(R) Core(TM) i7-7700K CPU @ 4.20GHz"

Link:"<http://www.intel.com/content/www/us/en/search.html?keyword=Core+i7+7700K+CPU+>"

CPU Speed:"4,2 GHz"
Current Voltage:"1.7 volts"
Driver:"Not Available"
Driver Date:"04.21.2009 12:00"
Driver Path:"C:\WINDOWS\system32\drivers\intelppm.sys"
Driver Provider:"Microsoft"
Driver Version:"10.0.17763.1"
Ext. Family:"Not Available"
Family:"Intel Core™ i7-2760QM"
FPO:"Not Available"
INF:"cpu.inf"
INF Section:"IntelPPM_Inst.NT"
Install Date:"Not Available"
Last Error Code:"Not Available"

Level 1 Cache:"4 x 256 KB"
Level 2 Cache:"4 x 1024 KB"
Level 3 Cache:"8 MB"
Load:"11%"
Manufacturer:"GenuineIntel"
Model:"158"
Name:"Intel(R) Core(TM) i7-7700K CPU @ 4.20GHz"
Number of Cores:"4"
Number of Cores Enabled:"4"
Number of Logical Processors:"8"
Part Number:"To Be Filled By O.E.M."
Power Management Capabilities:"Not Available"
Power Management Supported:"No"
Processor ID:"BFEBFBFF000906E9"
Revision:"Not Available"
Serial Number:"To Be Filled By O.E.M."
Service Name:"intelppm"
Status:"OK"
Stepping:"9"
Version:"Not Available"

- "Storage"

- "Flash USB Disk USB Device"

Capabilities:"Random Access, Supports Writing, Supports Removable Media"
Caption:"Flash USB Disk USB Device"
Cylinder - Total:"979"
Description:"Дисковый накопитель"
Driver:"Not Available"
Driver Date:"06.21.2006 12:00"
Driver Version:"10.0.17763.1"
Error Code:"Device is working properly"
Firmware Revision:"2.D0"
Heads - Total:"255"
Index:"4"
INF:"disk.inf"
Install Date:"Not Available"
Interface Type:"USB"
Manufacturer:"(Стандартные дисковые накопители)"
Model:"Flash USB Disk USB Device"
Name:"\\.\PHYSICALDRIVE4"
Partitions:"1"
Physical Sector Size:"512"
PNP Device

ID:"USBSTOR\DISK&VEN_FLASH&PROD_USB_DISK&REV_2.D0\372701103A6D140525
553&0"

Policies:"Read Retention Priority=EqualPriority, Write Retention
Priority=EqualPriority, Scalar Prefetch=Not Available, Block Prefetch=Not Available"

Sectors - Per Track:"63"
Sectors - Total:"15727635"
Serial Number:"372701103A6D140525553"
Size:"7,50 GB"
Size – Available:"7,44 GB"
Status:"OK"
Tracks - Per Cylinder:"255"
Tracks - Total:"249645"
- "G:"

Availability:"Not Available"
Caption:"G:"
Compression Method:"Not Compressed"
Description:"Съемный диск"
File System:"FAT32"
Name:"ESD-USB"
Serial Number:"280C1BCE"
Size:"7,4833984375 GB"
Size – Available:"7,43687438964844 GB"
Status:"Not Available"
Volume Dirty:"Yes"

- "INTEL SSDSC2CT060A3"
Capabilities:"Random Access, Supports Writing, SMART Notification"
- "Caption":"Intel SSD 330 Series"

Link:"<http://www.intel.com/content/www/us/en/search.html?keyword=Intel+SSD+330+Series>"

Cylinder - Total:"7297"
Description:"Дисковый накопитель"
Driver:"Not Available"
Driver Date:"06.21.2006 12:00"
Driver Version:"10.0.17763.1"
Error Code:"Device is working properly"
- "Firmware Revision":"300i"

Link:"<http://www.intel.com/content/www/us/en/support/solid-state-drives/000017245.html?wapkw=ssd+firmware>"

Heads - Total:"255"
Index:"0"
INF:"disk.inf"
Install Date:"Not Available"
Interface Type:"SCSI"
Manufacturer:"(Стандартные дисковые накопители)"
Model:"INTEL SSDSC2CT060A3"
Name:"\\.\PHYSICALDRIVE0"
Partitions:"3"
Physical Sector Size:"512"

PNP Device

ID:"SCSI\DISK&VEN_INTEL&PROD_SSDSC2CT060A3\4&2FDEC8F5&0&000000"

Policies:"Read Retention Priority=EqualPriority, Write Retention

Priority=EqualPriority, Scalar Prefetch=Not Available, Block Prefetch=Not Available"

SCSI Bus:"0"

SCSI LUN:"0"

SCSI Port:"0"

Sectors - Per Track:"63"

Sectors - Total:"117226305"

Serial Number:"CVMP2235019N060AGN"

Size:"55,90 GB"

Size – Available:"0.0 bytes"

SMART Attributes:"Self-Test: 48 minutes, OK, Short Self-Test: 1 minutes, OK"

Status:"OK"

Tracks - Per Cylinder:"255"

Tracks - Total:"1860735"

- "SMART"

0x05 Reallocated Sector Count:1:"0"

0x0C Power Cycle Count:3920:"0"

0xC0 Unsafe Shutdown Count:1511:"0"

0xE1 Host Writes:14,79 TB:"0"

0xE8 Available Reserved Space:0:"10"

0xE9 Media Wearout Indicator:0:"0"

0xF1 Total LBAs Written:14,79 TB:"0"

0xF2 Total LBAs Read:12,01 TB:"0"

0xF9 Total NAND Writes:15632:"0"

- "KINGSTON SV300S37A120G"

Capabilities:"Random Access, Supports Writing, SMART Notification"

Caption:"KINGSTON SV300S37A120G"

Cylinder - Total:"14593"

Description:"Дисковый накопитель"

Driver:"Not Available"

Driver Date:"06.21.2006 12:00"

Driver Version:"10.0.17763.1"

Error Code:"Device is working properly"

Firmware Revision:"60AABBF0"

Heads - Total:"255"

Index:"1"

INF:"disk.inf"

Install Date:"Not Available"

Interface Type:"SCSI"

Manufacturer:"(Стандартные дисковые накопители)"

Model:"KINGSTON SV300S37A120G"

Name:"\\.\PHYSICALDRIVE1"

Partitions:"3"

Physical Sector Size:"512"

PNP Device

ID:"SCSI\DISK&VEN_KINGSTON&PROD_\4&2FDEC8F5&0&000100"

Policies:"Read Retention Priority=EqualPriority, Write Retention

Priority=EqualPriority, Scalar Prefetch=Not Available, Block Prefetch=Not Available"

SCSI Bus:"0"

SCSI LUN:"0"

SCSI Port:"0"

Sectors - Per Track:"63"

Sectors - Total:"234436545"

Serial Number:"50026B725A0B4B02"

Size:"111,79 GB"

Size – Available:"45,60 GB"

SMART Attributes:"Self-Test: 48 minutes, OK, Short Self-Test: 1 minutes, OK"

Status:"OK"

Tracks - Per Cylinder:"255"

Tracks - Total:"3721215"

- "C:"

Availability:"Not Available"

Caption:"C:"

Compression Method:"Not Compressed"

Description:"Локальный несъемный диск"

File System:"NTFS"

Name:"Not Available"

Serial Number:"26F73FAB"

Size:"111,186740875244 GB"

Size – Available:"45,5977210998535 GB"

Status:"Not Available"

Volume Dirty:"No"

- "SMART"

0x01 Raw Read Error Rate:6205054:"0"

0x05 Reallocated Sector Count:0:"0"

0x09 Power-On Hours:8995:"0"

0x0C Power Cycle Count:1737:"0"

0xAB Program Fail Count:0:"0"

0xAC Erase Fail Count:0:"0"

0xB5 Program Fail Count Total:0:"0"

0xB6 Erase Fail Count:0:"0"

0xBB Uncorrectable Error Count:0:"0"

0xBD High Fly Writes:68722688032:"0"

0xC2 Internal Device Temperature:32° C:"0"

0xC3 Hardware ECC Recovered:6205054:"0"

0xC4 Reallocation Count:0:"0"

0xC9 Soft Read Error Rate:6205054:"0"

0xCC Soft ECC Correction:6205054:"0"

0xE6 Drive Life Protection Status:100:"0"

0xE7 Temperature:1° C:"0"

0xF4 Total LBAs Read Expanded:11731123:"0"

- "SAMSUNG HD501LJ"

Capabilities:"Random Access, Supports Writing, SMART Notification"

Caption:"SAMSUNG HD501LJ"

Cylinder - Total:"60801"

Description:"Дисковый накопитель"

Driver:"Not Available"

Driver Date:"06.21.2006 12:00"

Driver Version:"10.0.17763.1"

Error Code:"Device is working properly"

Firmware Revision:"CR100-10"

Heads - Total:"255"

Index:"3"

INF:"disk.inf"

Install Date:"Not Available"

Interface Type:"SCSI"

Manufacturer:"(Стандартные дисковые накопители)"

Model:"SAMSUNG HD501LJ"

Name:"\\.\PHYSICALDRIVE3"

Partitions:"1"

Physical Sector Size:"512"

PNP Device

ID:"SCSI\DISK&VEN_SAMSUNG&PROD_HD501LJ\4&2FDEC8F5&0&000300"

Policies:"Read Retention Priority=EqualPriority, Write Retention

Priority=EqualPriority, Scalar Prefetch=Not Available, Block Prefetch=Not Available"

SCSI Bus:"0"

SCSI LUN:"0"

SCSI Port:"0"

Sectors - Per Track:"63"

Sectors - Total:"976768065"

Serial Number:"S0MUJ1DP801702"

Size:"465,76 GB"

Size – Available:"347,51 GB"

SMART Attributes:"Self-Test: 150 minutes, OK, Short Self-Test: 2 minutes, OK"

Status:"OK"

Tracks - Per Cylinder:"255"

Tracks - Total:"15504255"

- "D:"

Availability:"Not Available"

Caption:"D:"

Compression Method:"Not Compressed"

Description:"Локальный несъемный диск"

File System:"NTFS"

Name:"Not Available"

Serial Number:"42C30913"

Size:"465,743160247803 GB"

Size – Available:"347,507026672363 GB"

Status:"Not Available"

Volume Dirty:"No"

- "SMART"

0x01 Raw Read Error Rate:0:"0"

0x03 Spin Up Time:7424:"0"

0x04 Start/Stop Count:13262:"0"

0x05 Reallocated Sector Count:2:"0"

0x07 Seek Error Rate:0:"0"

0x08 Seek Timer Performance:0:"0"

0x09 Power-On Hours:14855:"0"

0x0A Spin Retry Count:0:"0"

0x0B Calibration Retry Count:0:"0"

0x0C Power Cycle Count:5433:"0"

0xBB Uncorrectable Error Count:2:"0"

0xBC Reported Command Timeouts:0:"0"

0xBE Temperature - Current:38° C:"0"

0xBE Temperature - Highest:Not Available:"0"

0xBE Temperature - Lowest:Not Available:"0"

0xC2 Internal Device Temperature:38° C:"0"

0xC3 Hardware ECC Recovered:34432:"0"

0xC4 Reallocation Count:2:"0"

0xC5 Current Pending Errors Count:0:"0"

0xC6 Uncorrectable Sector Count:0:"0"

0xC7 CRC Error Count:0:"0"

0xC8 Write Error Rate:0:"0"

0xC9 Soft Read Error Rate:0:"0"

0xCA Data Address Mark Errors:270:"0"

- "ST1000DX002-2DV162"

Capabilities:"Random Access, Supports Writing, SMART Notification"

Caption:"ST1000DX002-2DV162"

Cylinder - Total:"121601"

Description:"Дисковый накопитель"

Driver:"Not Available"

Driver Date:"06.21.2006 12:00"

Driver Version:"10.0.17763.1"

Error Code:"Device is working properly"

Firmware Revision:"CC41"

Heads - Total:"255"

Index:"2"

INF:"disk.inf"

Install Date:"Not Available"

Interface Type:"SCSI"

Manufacturer:"(Стандартные дисковые накопители)"

Model:"ST1000DX002-2DV162"

Name:"\\.\PHYSICALDRIVE2"

Partitions:"1"
Physical Sector Size:"4096"
PNP Device
ID:"SCSI\DISK&VEN_ST1000DX&PROD_002-2DV162\4&2FDEC8F5&0&000200"
Policies:"Read Retention Priority=EqualPriority, Write Retention
Priority=EqualPriority, Scalar Prefetch=Not Available, Block Prefetch=Not Available"
SCSI Bus:"0"
SCSI LUN:"0"
SCSI Port:"0"
Sectors - Per Track:"63"
Sectors - Total:"1953520065"
Serial Number:"Z4YFH44H"
Size:"931,51 GB"
Size – Available:"278,26 GB"
SMART Attributes:"Self-Test: 119 minutes, OK, Short Self-Test: 1 minutes, OK"
Status:"OK"
Tracks - Per Cylinder:"255"
Tracks - Total:"31008255"
- "E:"
Availability:"Not Available"
Caption:"E:"
Compression Method:"Not Compressed"
Description:"Локальный несъемный диск"
File System:"NTFS"
Name:"Not Available"
Serial Number:"DADDBD85"
Size:"931,496089935303 GB"
Size – Available:"278,255149841309 GB"
Status:"Not Available"
Volume Dirty:"No"
- "SMART"
0x01 Raw Read Error Rate:176863576:"0"
0x03 Spin Up Time:0:"0"
0x04 Start/Stop Count:124:"0"
0x05 Reallocated Sector Count:0:"0"
0x07 Seek Error Rate:4298200217:"0"
0x09 Power-On Hours:295:"0"
0x0A Spin Retry Count:0:"0"
0x0C Power Cycle Count:79:"0"
0xB7 SATA Downshift Count:0:"0"
0xB8 End-to-End Error Detection Count:0:"0"
0xBB Uncorrectable Error Count:0:"0"
0xBC Reported Command Timeouts:0:"0"
0xBD High Fly Writes:0:"0"
0xBE Temperature - Current:39° C:"0"
0xBE Temperature - Highest:39° C:"0"

0xBE Temperature - Lowest:39° C:"0"
0xBF G-sense Rate/Servo Tracking:0:"0"
0xC0 Unsafe Shutdown Count:10:"0"
0xC1 Load/Unload Cycle Count:1161:"0"
0xC2 Internal Device Temperature:39° C:"0"
0xC5 Current Pending Errors Count:0:"0"
0xC6 Uncorrectable Sector Count:0:"0"
0xC7 CRC Error Count:0:"0"
0xF0 Head Flying Hours:226:"0"
0xF1 Total LBAs Written:3597585869:"0"
0xF2 Total LBAs Read:55111135866:"0"

...#SSU#...