

Quarter 1: July 30 - October 2, 2026

1st Term: July 30 - Oct 2 July 23 - 24, 27 - 29 - Staff Development July 30 - 1st Day of School Sept 7 - School Holiday Oct 5 - 9 - School Holiday Oct 12 - Student Holiday Benchmark Window: Sept 28 - Oct 2 (4x4)	Standards of Mathematical Practice Make sense of problems and persevere in solving them. Reason abstractly and quantitatively. Construct viable arguments and critique the reasoning of others. Model with Mathematics. Use appropriate tools strategically. Attend to precision. Look for and make use of structure. Look for and express regularity in repeated reasoning. <i>*The above skills and concepts should be embedded in lessons throughout the year.</i>
1) <u>Appropriate Units of Measure/Real Number Operations</u> (*2 Days: 2 Teaching; Assessed on 1st Test) N-Q.1 Use units as a way to understand problems and to guide the solution of multi-step problems; choose and interpret units consistently in formulas; choose and interpret the scale and the origin in graphs and data displays. N-Q.2 Define appropriate quantities for the purpose of descriptive modeling. N-Q.3 Choose a level of accuracy appropriate to limitations on measurement when reporting quantities. N-RN.3 Explain why the sum or product of two rational numbers is rational; the sum of a rational number and an irrational number is irrational; and the product of a nonzero rational number and an irrational number is irrational. Key Topic Vocabulary: Irrational, Measurement, Model, Unit, Rational	
Q1: Read, Write, Think, and Discuss in every class, every day.	
2) <u>Polynomial Operations</u> (*5 Days: 3 Teaching, 1 Review, 1 Summative Assessment) A-SSE.1 Interpret expressions that represent a quantity in terms of its context. ★ a. Interpret parts of an expression, such as terms, factors, and coefficients. A-APR.1 Understand that polynomials form a system analogous to the integers, namely, they are closed under the operations of addition, subtraction, and multiplication; add, subtract, and multiply polynomials	

*denotes suggested time to account for teaching, formative assessment, review, and summative assessment

★These standards are specific modeling standards.

RCSD Algebra I Pacing Guide 2026-2027

A-SSE.2 Use the structure of an expression to identify ways to rewrite it. *For example, see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$, thus recognizing it as a difference of squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$.* (No Factoring in this unit) (NOT ASSESSED ON BM 1)

Key Topic Vocabulary: Binomial, Coefficient, Degree, Factor, Monomial, Order of a Polynomial, Polynomial, Power, Quadratic, Trinomial

Q1: Read, Write, Think, and Discuss in every class, every day.

3) Solving Multi-Step Equations/Inequalities and Rearranging Formulas (Literal Equations) (6 Days: 4 Teaching, 1 Review, 1 Summative Assessment)

A-REI.1 Explain each step in solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution. Construct a viable argument to justify a solution method.

A-REI.10 Understand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line). (Linear Focus)

A-CED.1 Create equations and inequalities in one variable and use them to solve problems. *Include equations arising from linear and quadratic functions, and exponential functions.* ★ (Linear Focus)

A-CED.2 Create equations in two variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales. ★ (Linear Focus)

A-CED.4 Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations. *For example, rearrange Ohm's law $V = IR$ to highlight resistance R .* ★

A-REI.3 Solve linear equations and inequalities in one variable, including equations with coefficients represented by letters.

Key Topic Vocabulary: Boundary Line, Coefficient, Constraint(s), Equality, Equation, Half-Plane, Inequality, Inequality Symbols, Inverse Operation, Linear Equation, Number Line, Solution, Test Point, Variable, Viable

Q1: Read, Write, Think, and Discuss in every class, every day.

4) Functions (Intro)/Linear Functions(10 Days: 8 Teaching, 1 Review, 1 Summative Assessment)

F-IF.1 Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range. If f is a function and x is an element of its domain, then $f(x)$ denotes the output of f corresponding to the input x . The graph of f is the graph of the equation $y = f(x)$.

RCSD Algebra I Pacing Guide 2026-2027

F-IF.2 Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context.

F-IF.4 For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. *Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; and end behavior*★

F-IF.5 Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. *For example, if the function $h(n)$ gives the number of person-hours it takes to assemble n engines in a factory, then the positive integers would be an appropriate domain for the function.*★
(Linear Focus)

F-IF.7 Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases.★

a. Graph functions (*linear* and quadratic) and show intercepts, maxima, and minima. (Linear Focus & XY Relationships)

F-IF.6 Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph.★

F-BF.1 Write a function that describes a relationship between two quantities.★

a. Determine an explicit expression or steps for calculation from a context. (Linear Focus)

Key Topic Vocabulary: Coordinate Plane, Domain, Function, Function Notation, Input, Ordered Pair, Output, Range, Relation, Slope, Average Rate of Change, Equal Intervals, Slope, Slope-Intercept Form, Standard Form, X-Intercept, Y-Intercept, Zero

Quarter 2: October 13 - December 18, 2026

2nd Term: Oct 13 - Dec 18 Nov 23 - 27 - Thanksgiving Break Dec 14 - 18 - Exams Dec 18 - 60% Day Dec 21 - 31 - Christmas Break Benchmark Window: Nov 16-20 (4x4) December 7-18	Standards of Mathematical Practice Make sense of problems and persevere in solving them. Reason abstractly and quantitatively. Construct viable arguments and critique the reasoning of others. Model with Mathematics. Use appropriate tools strategically. Attend to precision. Look for and make use of structure. Look for and express regularity in repeated reasoning. <i>*The above skills and concepts should be embedded in lessons throughout the year.</i>
Q2: Read, Write, Think, and Discuss in every class, every day.	
5) Systems of Linear Equations & Inequalities (6 Days: 4 Teaching, 1 Review, 1 Summative Assessment) F-BF.1 Write a function that describes a relationship between two quantities. ★ a. Determine an explicit expression or steps for calculation from a context. (Linear Focus) A-CED.1 Create equations and inequalities in one variable and use them to solve problems. <i>Include equations arising from linear and quadratic functions, and exponential functions</i> ★ A-CED.2 Create equations in two variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales. ★ A-CED.3 Represent constraints by equations or inequalities, and by systems of equations and/or inequalities, and interpret solutions as viable or non-viable options in a modeling context. <i>For example, represent inequalities describing nutritional and cost constraints on combinations of different foods.</i> ★ A-REI.5 Given a system of two equations in two variables, show and explain why the sum of equivalent forms of the equations produces the same solution as the original system. A-REI.6 Solve systems of linear equations exactly using algebraic processes and approximately (e.g., graphically) while focusing on pairs of linear equations in two variables. A-REI.11 Explain why the x-coordinates of the points where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$; find the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where $f(x)$ and/or $g(x)$ are linear, quadratic, absolute value, and exponential functions. ★	

RCSD Algebra I Pacing Guide 2026-2027

A-REI.12 Graph the solutions to a linear inequality in two variables as a half-plane (excluding the boundary in the case of a strict inequality), and graph the solution set to a system of linear inequalities in two variables as the intersection of the corresponding half-planes.

Key Topic Vocabulary: Elimination, Equivalent, Excluded Solutions, Included Solutions, Intersection, Overlapping Shaded Region, Point of Intersection, Shaded Region, Solution, Solution set, Substitution

Q2: Read, Write, Think, and Discuss in every class, every day.

6) **Exponential Functions** (8 Days: 6 Teaching, 1 Review, 1 Summative Assessment)

F-IF.2 Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context.

F-IF.3 Use the fact that sequences are functions whose domain is a subset of the integers to identify sequences and generate their explicit formulas.

F-IF.4 For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. *Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; and end behavior* ★ (Linear & Exponential Focus)

F-IF.5 Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. *For example, if the function $h(n)$ gives the number of person-hours it takes to assemble n engines in a factory, then the positive integers would be an appropriate domain for the function.* ★ (Exponential Focus)

F-BF.1 Write a function that describes a relationship between two quantities. ★ (Exponential Focus)

a. Determine an explicit expression or steps for calculation from a context.

F-LE.1 Distinguish between situations that can be modeled with linear functions and with exponential functions. ★

a. Prove that linear functions grow by equal differences over equal intervals, and that exponential functions grow by equal factors over equal intervals.

b. Recognize situations in which one quantity changes at a constant rate per unit interval relative to another.

c. Recognize situations in which a quantity grows or decays by a constant percent rate per unit interval relative to another.

F-LE.2 Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship, or two input-output pairs (including reading these from a table). ★

F-LE.5 Interpret the parameters in a linear or exponential function in terms of a context.

A-CED.1 Create equations and inequalities in one variable and use them to solve problems. *Include equations arising from **linear** and quadratic functions, and exponential functions.* ★ (Exponential Focus)

RCSD Algebra I Pacing Guide 2026-2027

A-REI.10 Understand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line). (Exponential Focus)

A-CED.2 Create equations in two variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.

A-SSE.1 Interpret expressions that represent a quantity in terms of its context.

b. Interpret complicated expressions by viewing one or more of their parts as a single entity. For example, interpret $P(1+r)^n$ as the product of P and a factor not depending on P .

A-SSE.3 Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression. ★

c. Use the properties of exponents to transform expressions for exponential functions. *For example, the expression 1.15^t can be rewritten as $(1.15^{1/12})^{12t} \approx 1.01212^t$ to reveal the approximate equivalent monthly interest rate if the annual rate is 15%.*

A-REI.11 Explain why the x -coordinates of the points where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$; find the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where $f(x)$ and/or $g(x)$ are **linear**, *quadratic*, absolute value, and **exponential functions**. ★ L

Key Topic Vocabulary: Base, Exponential, Exponential Decay, Exponential Growth, Leading Coefficient, Growth Factor

Quarter 3: January 5 - March 5, 2027

3rd Term: Jan 5 - Mar 5 Jan 1 - Christmas Break Jan 4 - Staff PD - Student Holiday Jan 5 - Students Return Jan 18 - School Holiday Feb 15 - School Holiday Mar 8 - 12 - Spring Break Mar 26, 29 - Student Holiday Benchmark Window: February 16 - March 5	Standards of Mathematical Practice Make sense of problems and persevere in solving them. Reason abstractly and quantitatively. Construct viable arguments and critique the reasoning of others. Model with Mathematics. Use appropriate tools strategically. Attend to precision. Look for and make use of structure. Look for and express regularity in repeated reasoning. <i>*The above skills and concepts should be embedded in lessons throughout the year.</i>
Q3: Read, Write, Think, and Discuss in every class, every day.	
7) Quadratic Functions (<u>Key Features, Equations, & Transformations</u>) (8 Days: 6 Teaching, 1 Review, 1 Summative Assessment) F-IF.4 For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. <i>Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; and end behavior.</i> ★ (Quadratic Focus) F-IF.5 Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. <i>For example, if the function $h(n)$ gives the number of person-hours it takes to assemble n engines in a factory, then the positive integers would be an appropriate domain for the function.</i> ★ (Quadratic Focus) F-IF.7 Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases. ★ a. Graph functions (linear and quadratic) and show intercepts, maxima, and minima. F-IF.8 Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function. (<i>Vertex, Factored, Standard/Non-standard form of a quadratic</i>) F-IF.9 Compare properties of two functions, each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). <i>For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum.</i>	

RCSD Algebra I Pacing Guide 2026-2027

F-BF.3 Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$, $k f(x)$, $f(kx)$, and $f(x + k)$ for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. (Quadratic Focus)

F-IF.6 Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph. ★

F-BF.1 Write a function that describes a relationship between two quantities. ★

a. Determine an explicit expression or steps for calculation from a context. (Quadratic Focus)

Key Topic Vocabulary: Axis of Symmetry, Coefficient, Discriminant, Maximum, Minimum, Periodicity, Quadratic, Root, Solution, Vertex, X-intercept, Zero(s)

Q3: Read, Write, Think, and Discuss in every class, every day.

8) Solving Quadratics (8 Days: 6 Teaching, 1 Review, 1 Summative Assessment)

F-IF.8 Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.

a. Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of context.

A-APR.1 Understand that polynomials form a system analogous to the integers, namely, they are closed under the operations of addition, subtraction, and multiplication; add, subtract, and multiply polynomials

A-SSE.2 Use the structure of an expression to identify ways to rewrite it. *For example, see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$, thus recognizing it as a difference of squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$.*

A-REI.10 Understand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line).

A-SSE.3 Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression. ★

a. Factor a quadratic expression to reveal the zeros of the function it defines.

b. Complete the square in a quadratic expression to reveal the maximum or minimum value of the function it defines.

A-APR.3 Identify zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial (limit to 1st- and 2nd-degree polynomials).

A-CED.1 Create equations and inequalities in one variable and use them to solve problems. *Include equations arising from linear and quadratic functions, and exponential functions* ★

RCSD Algebra I Pacing Guide 2026-2027

A-CED.2 Create equations in two variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales. ★

A-APR.3 Identify zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial (limit to 1st- and 2nd-degree polynomials).

A-REI.4 Solve quadratic equations in one variable.

a. Use the method of completing the square to transform any quadratic equation in x into an equation of the form $(x-p)^2=q$ that has the same solutions. Derive the quadratic formula from this form.

b. Solve quadratic equations by inspection (e.g., for $x^2=49$), taking square roots, completing the square, the quadratic formula and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions.

Key Topic Vocabulary: Coefficient, Complete the Square, Discriminant, Perfect Square, Quadratic, Quadratic Formula, Root, Solution, Trinomial, X-intercept, Zero(s)

Q3: Read, Write, Think, and Discuss in every class, every day.

9) **Other Function Types** (2 Days: 2 Teaching, Formatively Assessed)

F-IF.7 Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases. ★

- a. Graph functions (linear and **quadratic**) and show intercepts, maxima, and minima.
b. Graph **square root** and **piecewise-defined functions**, including **absolute value functions**.

F-IF.4 For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. *Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; and end behavior.* ★

A-REI.11 Explain why the x -coordinates of the points where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$; find the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where $f(x)$ and/or $g(x)$ are linear, **quadratic**, **absolute value**, and **exponential functions**. ★

Key Topic Vocabulary: Absolute Value, Additive Inverse, Axis of Symmetry, Base, Exclusive, Inclusive, Interval Notation, Piecewise Function, Power, Rational Function, Set Notation, Square Root Function

Quarter 4: March 15 - May 21, 2027

4th Term: Mar 15 - May 21 May 17 - 21 - Exams May 21 - 60% Day May 21 - Last Teacher Day MAAP Window: April 26 - May 21	Standards of Mathematical Practice Make sense of problems and persevere in solving them. Reason abstractly and quantitatively. Construct viable arguments and critique the reasoning of others. Model with Mathematics. Use appropriate tools strategically. Attend to precision. Look for and make use of structure. Look for and express regularity in repeated reasoning. <i>*The above skills and concepts should be embedded in lessons throughout the year.</i>
Q4: Read, Write, Think, and Discuss in every class, every day.	
11) Statistics (9 Days: 7 Teaching, 1 Review, 1 Summative Assessment) S-ID.1 Represent and analyze data with plots on the real number line (dot plots, histograms, and box plots).★ S-ID.2 Use statistics appropriate to the shape of the data distribution to compare center (median, mean) and spread (interquartile range, standard deviation) of two or more different data sets.★ S-ID.3 Interpret differences in shape, center, and spread in the context of the data sets, accounting for possible effects of extreme data points (outliers).★ S-ID.5 Summarize categorical data for two categories in two-way frequency tables. Interpret relative frequencies in the context of the data (including joint, marginal, and conditional relative frequencies). Recognize possible associations and trends in the data.★ S-ID.6 Represent data on two quantitative variables on a scatter plot, and describe how the variables are related.★ a. Fit a function to the data; use functions fitted to data to solve problems in the context of the data. <i>Use given functions or choose a function suggested by the context. Emphasize linear, quadratic, and exponential models.</i>⁶ b. Informally assess the fit of a function by plotting and analyzing residuals. c. Fit a linear function for a scatter plot that suggests a linear association. S-ID.7 Interpret the slope (rate of change) and the intercept (constant term) of a linear model in the context of the data.★ S-ID.8 Compute (using technology) and interpret the correlation coefficient of a linear fit.★ S-ID.9 Distinguish between correlation and causation.★	

RCSD Algebra I Pacing Guide 2026-2027

Key Topic Vocabulary: Box Plot, Causation, Correlation, Correlation Coefficient, Dot Plot, Empirical Rule, Exponential Regression, Extrapolate, First Quartile (Q_1), Histogram, Interquartile Range, Line of Best Fit, Linear Regression, Maximum, Mean, Measures of Central Tendency and Spread, Median, Minimum, Mode, Outlier, Predict, Quadratic Regression, Range, Scatter Plot, Skewed, Standard Deviation, Symmetric, Third Quartile (Q_3)

****** Please refer to the [MDE Scaffolding Document/Algebra I](#) to fully review the standards and what it takes to demonstrate mastery.**