

# 叠甲

- 首先使用mod存在封号的风险,请酌情使用,被封号了可不要怪我哦!
- 其次是您自主阅读并自主使用mod,如果封号与本文作者(本猫),各mod作者,各mod承载器作者,各mod修复器作者无关
- 第三阅读并使用mod则表示您已经知晓相应风险,请自行考虑是否需要使用,如被封号是您自己的责任
- 最后如果您以了解所有风险且完全不在意封号并且同意上面三点.  
祝你玩的开心,欸嘿 (虽说不同意我也管不着就是了反正被封了别来找我就是了)

导读 - 注意这里没有现成的mod只有教程,要mod自己找去(哦我还给你喂到嘴里等着嘛 😊)不要还没看完就觉得麻烦/多,然后跑来私信问我,"能不能直接发现成的"我也很怕麻烦

哦然后这是mod的网址<https://gamebanana.com/>

下面请根据左边导航菜单选择需要的部分,为了以防大家不愿意(懒得)往下拉,下面则是导读目录

1.0 原神相关内容

2.0 绝区零相关内容

3.0 鸣潮相关内容

隐藏内容:主要为如何开启NSFW选项,mod显示异常等各種可能出现的问题

将在附录添加怎么找mod (虽然我觉得没必要但是貌似还是有不少不长眼睛的)


注:附录将在隐藏内容后即最后攻略结尾

## 1.0 原神Mod教程

### 1.1 下载mod承载器

1、首先到Github下载GI-Model-Importer

<https://github.com/SilentNightSound/GI-Model-Importer>



点击右侧Releases, 下载最新版。

Mods	20
ShaderCache	20
ShaderFixes	20
3DMigoto Loader.exe	20
d3d11.dll	20
d3dcompiler_46.dll	20
d3dx.ini	20
nvapi64.dll	20
README.txt	20
uninstall.bat	20

3dmigoto-GIMI-for-development.zip是方便开发者使用, 如果不打算自己制作mod

，下载下边的3dmigoto-GIMI-for-playing-mods.zip版，会有更快的速度。

## 1.2 下载mod

去<https://gamebanana.com/> 搜索需要的mod下载后解压缩到本地(mods文件夹)，但不能解压到游戏文件夹下，不然会有游戏数据错误的提示，无法游戏。

注意： gamebanana需要登录后去设置开启NSFW选项才会显示NSFW内容




Mod的文件夹名可以随意修改，但每个人物只能有一个MOD，不能重复。(重复会出现混乱)

## 1.3 设置mod承载器

用记事本打开”d3dx.ini”文件

编辑>查找>target (会出现多个选项自行查找筛选)



```

;allow_check_interface
;allow_create_device
;allow_platform_update=1

;-----[Loader]-----
; Target process to load into. You can optionally include part of the directory
; structure in case the game's executable name is generic.
target = D:\miHoYo Launcher\games\Genshin Impact Game\YuanShen.exe

; This tells the loader where to find 3DMigoto. This DLL must be located
; in the same directory as 3DMigoto Loader.exe and will be loaded in the target
; process under the same name. If d3d11.dll doesn't work try 3dmigoto.dll
module = d3d11.dll

; Uncomment to always elevate the loader to support games that run as admin.
; This will display a UAC prompt so only enable it if you actually need it.
require_admin = true

; Automatically launch the game from the loader. If you put the executable name
; here than the loader will need to be located in the game directory. You can
; use the full path, but that is not recommended to ship any fixes with since

```

将后边的地址改为你的游戏的地址, 注意不是启动器的地址, 国际版是 GenshinImpact.exe, 国服是YuanShen.exe 修改好后保存。

## 1.4 下载mod修复器

注意请下载最新版本

[5.0 Fix All Character Mods! \[Genshin Impact\] \[Modding Tools\] \(gamebanana.com\)](https://gamebanana.com/mods/50000000000000000000000000000000)


下载后解压到承载器文件夹中即可

注:最新修复器为网页中最新版本即可(即可能在5.0/后续版本中修复器最新还是4.7,当前最新也是4.7,截止2024/10/4 5.0版本末期)

📁 Mods	2024/8/31 21:58	文件夹		
📁 ShaderCache	2023/4/3 15:04	文件夹		
📁 ShaderFixes	2023/4/3 3:01	文件夹		
📅 3DMigoto Loader	2022/7/26 23:33	应用程序	28 KB	
📄 d3d11.dll	2022/7/30 1:56	应用程序扩展	3,246 KB	
📄 d3d11_log	2024/9/1 23:04	文本文档	3,735 KB	
📄 d3dcompiler_46.dll	2022/7/1 0:25	应用程序扩展	3,783 KB	
📄 d3dx	2024/8/31 21:59	配置设置	57 KB	
📄 d3dx_user	2024/9/1 23:04	配置设置	1 KB	
📅 genshin_update_mods_47_ecf92	2024/8/17 16:41	应用程序	5,818 KB	
📄 nvapi_log	2024/9/1 23:04	文本文档	1 KB	
📄 nvapi64.dll	2022/7/1 0:25	应用程序扩展	181 KB	
📄 README	2022/7/30 2:01	文本文档	1 KB	
📄 uninstall	2022/7/1 0:25	Windows 批处理...	3 KB	

运行修复器

双击运行修复器 运行后是cmd命令行窗口



```
Found 258ab074 -----> Already updated for 4.4 , 4.5 and 4.6
Found 8ddd3ae9 -----> Already updated for 4.4 , 4.5 and 4.6
Found ced409c1 -----> Already updated for 4.4 , 4.5 and 4.6
File: D:\原神mod\原神mod\3dmigoto GIMI (for playing mods)\3dmigoto\Mods\魈\merged.ini had no matches. Skipping
Found 06c11756 -----> Already updated for 4.4 , 4.5 and 4.6
Found 9f64bf2d -----> Already updated for 4.4 , 4.5 and 4.6
Found 258ab074 -----> Already updated for 4.4 , 4.5 and 4.6
Found 8ddd3ae9 -----> Already updated for 4.4 , 4.5 and 4.6
Found ced409c1 -----> Already updated for 4.4 , 4.5 and 4.6
File: D:\原神mod\原神mod\3dmigoto GIMI (for playing mods)\3dmigoto\Mods\魈\XiaoWithDress\DISABLEDXiao.ini had no matches
. Skipping
Found 06c11756 -----> Already updated for 4.4 , 4.5 and 4.6
Found 9f64bf2d -----> Already updated for 4.4 , 4.5 and 4.6
Found 258ab074 -----> Already updated for 4.4 , 4.5 and 4.6
Found 8ddd3ae9 -----> Already updated for 4.4 , 4.5 and 4.6
Found ced409c1 -----> Already updated for 4.4 , 4.5 and 4.6
File: D:\原神mod\原神mod\3dmigoto GIMI (for playing mods)\3dmigoto\Mods\魈\XiaoWithoutDress\DISABLEDXiao.ini had no matches
. Skipping
Found 226f076e -----> Already updated for 4.4 , 4.5 and 4.6
Found 6867e0b8 -----> Already updated for 4.4 , 4.5 and 4.6
File: D:\原神mod\原神mod\3dmigoto GIMI (for playing mods)\3dmigoto\Mods\黑皮赛诺\CynoMod\Cyno.ini had no matches. Skipping
File: D:\原神mod\原神mod\3dmigoto GIMI (for playing mods)\3dmigoto\Mods\黑皮赛诺\CynoMod\CynoOverrides.ini had no matches. Skipping
File: D:\原神mod\原神mod\3dmigoto GIMI (for playing mods)\3dmigoto\Mods\黑皮赛诺\CynoMod\ORFix.ini had no matches. Skipping
File: D:\原神mod\原神mod\3dmigoto GIMI (for playing mods)\3dmigoto\ShaderFixes\3dvision2sbs.ini had no matches. Skipping
File: D:\原神mod\原神mod\3dmigoto GIMI (for playing mods)\3dmigoto\ShaderFixes\mouse.ini had no matches. Skipping
File: D:\原神mod\原神mod\3dmigoto GIMI (for playing mods)\3dmigoto\ShaderFixes\upscale.ini had no matches. Skipping
Done!
```


运行完后显示**DONE**点右上角关闭即可

注意

不用每次启动都运行修复器但是一旦添加新mod则需要运行修复器

## 1.5 运行

做好这些之后就可以运行3DMigoto Loader.exe了，运行后是cmd命令行窗口，



```
----- 3DMigoto GIMI Loader -----
d3d11.dll description: "3Dmigoto - d3d11.dll"
3DMigoto Version 1.3.16
Loaded D:\3DMigoto ready - Now run the game.
```


注意不要手动关闭窗口缩小到后台使用官方启动器启动即可

显示 **Now run the game** 就表示准备好了

并且这不会自动启动游戏, 需要你手动启动游戏。想要更换mod直接将解压后的mod文件夹放进mods下, 进入游戏如果mod没有显示按F10加载即可, 部分mod存在可替换部件, 详情参考对应mod的使用说明。

如果有一般会在写着”**read me**”或者后缀为”配置设置”的文件中, 双击用记事本打开后

[KeySwap]中会写有按键设置



## 补充/可能出现的问题

4.7后新增”角色动态高精度”,需要保持关闭状态,若不关闭将会使所有mod失效



同一角色mod不可同时出现在mods文件夹中否则会导致mod失效


最后需要说明的是,虽然我在国服从3.0用到5.0都没问题,但使用**mod**依然存在封号的风险,请酌情使用,被封号了可不要怪我哦!

## 2.0 绝区零Mod教程

### 2.1 下载mod 承载器

注意不可与原神共用

推荐下载地址: [ZZMI - Zenless Zone Model Importer \[Zenless Zone Zero\] \[改装工具\] \(gamebanana.com\)](https://gamebanana.com/mods/123456)




development是方便开发者使用, 仅游玩建议使用for playing 版本  
和原一样, 请不要将文件解压到游戏本体文件夹中

### 2.2 下载mod修复器

请下载当前最新版本

[ZZZ 1.1 角色修复 \[Zenless Zone Zero\] \[改装工具\] \(gamebanana.com\)](https://gamebanana.com/mods/123456)

下载后解压到修复器文件夹下即可



## 运行修复器

双击运行修复器 运行后是cmd命令行窗口

显示

Done!

Press "Enter" to quit...即可

## 注意

不用每次启动都运行修复器但是一旦添加新mod则需要运行修复器

## 2.3 下载mod

去<https://gamebanana.com/> 搜索需要的mod下载后解压缩到本地(mods文件夹), 但不能解压到游戏文件夹下, 不然会有游戏数据错误的提示, 无法游戏。


注意: gamebanana需要登录后去设置开启NSFW选项才会显示NSFW内容



Mod的文件夹名可以随意修改, 但每个人物只能有一个MOD, 不能重复。(重复会出现混乱)

## 2.4 运行

做好这些之后就可以运行3DMigoto Loader.exe了, 运行会弹出cmd命令行窗口,




注意不要手动关闭窗口缩小到后台使用官方启动器启动即可

## 补充

根据3dm作者声明zzz不需要设置*d3dx.ini*文件

请先尝试直接运行如果不行再按照原神的方法更改路径



```
文件 编辑 查看
;.ini | Wriothesley | README.txt | d3dx.ini d3dx. x
; can set a default mode by altering $ShaderFixes\3division2\shc.ini\mode in the
; [Constants] section
;include = ShaderFixes\3division2\shc.ini
;
; Settings used by the external 3DMigoto Loader
;
[Loader]
; Target process to load into. You can optionally include part of the directory
; structure in case the game's executable name is generic.
; !!!IMPORTANT!!! Try seeing if this works before changing it to the full ZZZ path
; In 99% of cases this should work without needing to make any changes
target = ZenlessZoneZero.exe
;
; This tells the loader where to find 3DMigoto. This DLL must be located
; in the same directory as 3DMigoto Loader.exe and will be loaded in the target
; process under the same name. If d3d11.dll doesn't work try 3dmigoto.dll
module = d3d11.dll
;
; Uncomment to always elevate the loader to support games that run as admin.
; This will display a UAC prompt so only enable it if you actually need it.
require_admin = true

```

行 47, 列 29 | 57,044 个字符 | 100% | Windows (CRLF) | UTF-8

如果mod无法运行或损坏请优先检查以下几点

- 同一角色mod不可同时出现在mods文件夹中否则会导致mod失效
- 新添加的mod是否运行过修复器,且修复器是否为最新版本
- 可尝试更改 d3dx.ini 文件中的路径(路径格式一般为C:\miHoYo Launcher\games\ZenlessZoneZero Game\ZenlessZoneZero.exe)  
更改时请仔细核对自己的下载路径

最后还是那句话，虽然我在原和zzz都打了mod，但使用mod依然存在封号的风险，请酌情使用，被封号了可不要怪我哦！

(反正别带着uid到处乱发就基本没啥事,封号了我可不管啊)

# 3.0 鸣潮Mod教程

## 3.1 准备工作

1. 下载并安装最新的 Microsoft Visual C++ Redistributable

[Latest supported Visual C++ Redistributable downloads | Microsoft Learn](#)

根据自己电脑的操作系统选择下载(可在设置>系统>系统信息>系统类型中查看)

The screenshot shows the Microsoft Learn page for the latest Visual C++ Redistributable. The sidebar on the left has a 'Version' dropdown set to 'Visual Studio 2022' and a 'Filter by title' input field. Below these are several links: 'Redistribute Components By Using Merge Modules', 'Redistribute Visual C++ ActiveX Controls', 'Redistribute the MFC Library', 'Redistribute an ATL application', 'Latest Supported Visual C++ Redistributable Downloads' (which is highlighted), 'Deployment examples', 'Redistribute web client applications', 'ClickOnce deployment for Visual C++ applications', 'Run a C++ -clr application on a previous runtime version', 'C++ Attributes for COM and .NET', 'Attribute programming FAQ', 'Attributes by group', 'Attributes by usage', 'Attributes alphabetical reference', and a 'Download PDF' button. The main content area has a note about finding the version in Windows File Explorer properties. It then displays a table titled 'Latest Microsoft Visual C++ Redistributable Version' with three rows: ARM64, X86, and X64. Each row contains a link and a note. The X64 note specifies that the package contains both ARM64 and X64 binaries, making it easy to install required Visual C++ ARM64 binaries when the X64 Redistributable is installed on an ARM64 device. At the bottom, there is a link to download other versions, including long term servicing release channel (LTSC) versions.

Architecture	Link	Notes
ARM64	<a href="https://aka.ms/vs/17/release/vc_redist.arm64.exe">https://aka.ms/vs/17/release/vc_redist.arm64.exe</a>	Permalink for latest supported ARM64 version
X86	<a href="https://aka.ms/vs/17/release/vc_redist.x86.exe">https://aka.ms/vs/17/release/vc_redist.x86.exe</a>	Permalink for latest supported x86 version
X64	<a href="https://aka.ms/vs/17/release/vc_redist.x64.exe">https://aka.ms/vs/17/release/vc_redist.x64.exe</a>	Permalink for latest supported x64 version. The X64 Redistributable package contains both ARM64 and X64 binaries. This package makes it easy to install required Visual C++ ARM64 binaries when the X64 Redistributable is installed on an ARM64 device.

下载后安装即可

2. 强制 Wuthering Waves 在 DX11 模式下加载

找到且打开下面的文件夹

\Wuthering Waves Game\Engine\Plugins\Runtime\Nvidia\

删除文件夹 Streamline

3. 在以下位置更改角色 LOD 设置: Engine.ini

打开位于以下文件夹中: Engine.ini

\Wuthering Waves\Wuthering Waves Game

\Client\Saved\Config\WindowsNoEditor\

名称	修改日期	类型	大小
ApexDestruction	2024/9/2 20:07	配置设置	1 KB
Compat	2024/9/2 20:07	配置设置	1 KB
ControlRig	2024/9/2 20:07	配置设置	1 KB
CrashSight	2024/5/22 2:11	配置设置	1 KB
DeviceProfiles	2024/9/2 20:07	配置设置	1 KB
EditorScriptingUtilities	2024/9/2 20:07	配置设置	1 KB
Engine	2024/9/2 20:17	配置设置	4 KB
GameplayAbilities	2024/9/2 20:07	配置设置	1 KB
GameplayTags	2024/9/2 20:07	配置设置	1 KB
GameUserSettings	2024/9/2 20:17	配置设置	2 KB
Hardware	2024/9/2 20:07	配置设置	1 KB
HoudiniNiagara	2024/9/2 20:07	配置设置	1 KB

然后将下面的文字添加到文件底部

[ConsoleVariables]

r.Kuro.SkeletalMesh.LODDistanceScale=25  
r.Streaming.FullyLoadUsedTextures=1

添加完后记得保存

```


Paths=../../Client/Plugins/TpSafe/Content
Paths=../../Engine/Plugins/AssetChecker/Content
Paths=../../Engine/Plugins/Editor/SpeedTreeImporter/Content
Paths=../../Engine/Plugins/Experimental/ChaosClothEditor/Content
Paths=../../Engine/Plugins/Experimental/ChaosNiagara/Content
Paths=../../Engine/Plugins/Experimental/ChaosSolverPlugin/Content
Paths=../../Engine/Plugins/MagicLeap/MagicLeapPassableWorld/Content
Paths=../../Engine/Plugins/MagicLeap/MagicLeap/Content
Paths=../../Engine/Plugins/MegascansPlugin/Content
Paths=../../Client/Plugins/KuroTDM/Content
Paths=../../Client/Plugins/MagtModule/Content
Paths=../../Client/Plugins/Kuro/KuroCloudGame/Content
Paths=../../Engine/Plugins/Developer/PixelDebug/Content
Paths=../../Engine/Plugins/PWPlugin/Content
Paths=../../Engine/Plugins/BlueprintFileUtils/Content
Paths=../../Client/Plugins/Kuro/WeLingPipeSDK/Content
Paths=../../Engine/Plugins/Runtime/Intel/XeSS/Content
Paths=../../Engine/Plugins/Runtime/Nvidia/NRD/Content

[ConsoleVariables]
r.Kuro.SkeletalMesh.LODDistanceScale=25
r.Streaming.FullyLoadUsedTextures=1

```

### 3.2 下载WWMI


[WWMI \(Wuthering Waves Model Importer\) \[呼啸山浪\] \[改装工具\] \(gamebanana.com\)](#)



解压到任何方便的位置但切记不要解压到游戏文件目录下

### 3.3 设置WWMI


使用记事本打开在 WWMI 文件夹中的d3dx.ini



根据 鸣潮游戏启动器文件夹的位置进行更改, 例如大部分人如果根据默认安装程序应该是这个路径(自定义安装路径的自己找一下后面都是一样的):

```
launch = C:\Games\WutheringWaves\Wuthering Waves  
Game\Client\Binaries\Win64\Client-Win64-Shipping.exe
```

我的长这样:




```
文件 编辑 查看
|
;-----[Loader]-----;
; Automatically launch the game from the loader:
launch = D:\WutheringWaves\Wuthering Waves Game\Client\Binaries\Win64\Client-Win64-
Shipping.exe
; Target process to load into:
target = Client-Win64-Shipping.exe
; This tells the loader where to find 3DMigoto. This DLL must be located
; in the same directory as 3DMigoto Loader.exe and will be loaded in the target
; process under the same name. If d3d11.dll doesn't work try 3dmigoto.dll
module = d3d11.dll
; Uncomment to always elevate the loader to support games that run as admin.
; This will display a UAC prompt so only enable it if you actually need it.
require_admin = true
; Delay this many extra seconds after confirming that 3DMigoto was loaded in
行 1, 列 1 | 55,259 个字符 | 100% | Windows (CRLF) | UTF-8
```

### 3.4 Mod 安装

去mod网站上下载自己所需要的mod压缩包,将压缩包解压到WWMI的  
Mods文件夹中  
(推荐使用7-zip解压)  
<https://gamebanana.com/> 传说中的香蕉网


注意: gamebanana需要登录后去设置开启NSFW选项才会显示NSFW内容

解压后文件如图所示




### 3.5 下载WWMI修复器

[另一个呼啸山庄 1.2 完整修复 \[呼啸山庄的浪潮\] \[改装工具\] \(gamebanana.com\)](#)



下载后直接解压到WWMI下即可



## 运行修复器

双击运行修复器 运行后会弹出cmd命令行窗口

显示


Done即可

## 注意

不用每次启动都运行修复器但是一旦添加新mod则需要运行修复器

## 3.6 运行

做好这些之后就可以运行WWMI Loader.exe了，运行会弹出cmd命令行窗口



注意不要手动关闭窗口缩小到后台使用官方启动器启动即可

## 老生常谈

最后还是那句话,使用mod依然存在封号的风险,请酌情使用,被封号了可不要怪我哦!

**(切记别带着uid到处乱发就基本没啥事,封号了我可不管哦)**

隐藏内容

## 关于NFSW

很多人遇到为啥按照教程走了却找不到对应mod呢


其中90%原因来自于

1. 你没登录
2. 你登录了但是没有打开NFSW浏览权限

(请注意请务必不要使用百度浏览器,推荐使用谷歌浏览器)

- 首先登录

[游戏香蕉 | 游戏 Mod 社区 - 始于 2001 年 \(gamebanana.com\)](http://gamebanana.com)



根据实际情况选择登录(Login)或注册(Sign up)

- 其次在网站右上角找到Setting选项(倒数第一个)鼠标拖在上面会显示名字



## Content Visibility Settings

You can choose to see, hide or be warned of submissions that contains sensitive material such as nudity and profanity. This allows you to control what you see and what you don't see. It also allows moderators to ensure that submissions are appropriately rated. If you find an improperly rated submission, you can report it.

- Show - Content will always be visible to you.
- Warn - Previews will be blurred and a warning notice will be shown on the submission page.
- Hide - Content will not be shown to you.

	Show	Warn	Hide
Crude or Profane	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sexual Themes	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sexual Content	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Blood and Gore	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Alcohol Use	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Tobacco Use	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Drug Use	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Flashing Lights & Patterns	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Skimpy Attire	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Partial Nudity <small>18+</small>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

点击显示

最后页尾点击Save即可

## 关于MOD无法正常显示


请仔细检查以下几点

- 是否在启动游戏前打开承载器,且没有手动关闭承载器
- 是否在添加新模型/首次添加模型后运行最新版修复器
- 检查mods文件中是否存在同一个角色拥有大于1的模组数量  
(mods文件中单个角色最多只能拥有一个模组)
- 检查承载器路径是否正确 (即 *d3dx.ini* 文件中的描述,参考各项中对承载器设置的描述)


## 附录

如何寻找mod, 下面将以鸣潮为例


首先登录香蕉网 (登录细节请参考“隐藏内容-关于NFSW”)  
登录后主页大致是这样的,点击搜索游戏(图中红圈处)



输入对应游戏的英文名, 我们这里输入“Wuthering Waves” (鸣潮)  
点击搜索下面就会出结果



进来后下滑右侧就能看见“skin”(皮肤)




点进来后依旧是先下滑右侧区域可以选择你想探索/搜索的角色模型  
其中绿色且显示 NSFW Shown 则表示你已经正常登录且在设置中已经开启了可  
浏览NSFW内容选项

而如果画面被遮挡且下面由橙色为主色调显示 NSFW Not Shown 则有两种可能

1.你没有登录

2.你登录了但没有在设置中开启NSFW选项  
(登录 & NSFW详情请参考“隐藏内容”)



最后附上给长了眼睛的旅行者/绳将/漂泊者附上安东的“???”(好吧主要应该是绳将)

[https://www.patreon.com/posts/108753957?utm\\_campaign=postshare\\_fan&utm\\_content=android\\_share](https://www.patreon.com/posts/108753957?utm_campaign=postshare_fan&utm_content=android_share)

## 图库

给不想下mod又想看的,不过这里基本只会放做的视频封面或者碰巧没删的罢了,别有太多期待

<https://docs.google.com/document/d/1APUh1A3YaiSkpAhOoSGXu7ZV3X-dEEM08OE77hTk85Y/edit?usp=sharing>