



Floor Plan



Wall Heights and Roof Slope [Rise and Run]




HOW TO TAKE A SCREENSHOT WITH:

- CHROMEBOOK & DESKTOP: Window Key + Shift + S and then use Ctrl V → Paste
 - Click and drag out a rectangular area on screen that you would like to use and click capture

North Rake Wall [Garage Door and Side Window] → Insert Screenshot of Framing

- A rake wall is a wall that follows the slope of a roof, rather than being straight up and down like a standard wall.



When Calculating Length Round Up to the Nearest Foot

- For our materials take off we are only calculating the following.

Size	Use	Length Feet	Qty
2x6	Studs [A → Z...]		
2x6	Wall, Sill, Top: PLATES [PLT 1-2-3]		
2x6	Jack Studs [Red → Support Door and Window Headers]		
2x10	Header [HDR1-2-3 Red → Beam for Door and Window Openings]		

Exterior Sheathing Cut List [Shrink Image to this Size]

4x8	Sheathing [Count up Total Sheets and ½ Sheets Needed Round Up	Number of Sheets:

South Rake Wall [3 Identical Windows] → Insert Screenshot of Framing

- A rake wall is a wall that follows the slope of a roof, rather than being straight up and down like a standard wall.

Insert Screenshot of Material and Cutlist

--	--

West Standard Wall [Entrance Door and Side Utility Door] → Insert Screenshot of Framing - A standard wall is a wall that has studs that are all the height and matching flat top and bottom plates. It is rectangular in shape.	Insert Screenshot of Material and Cutlist

East Standard Wall [Plain Wall] → Insert Screenshot of Framing - A standard wall is a wall that has studs that are all the height and matching flat top and bottom plates. It is rectangular in shape.	Insert Screenshot of Material and Cutlist