Amyloid toxicity in Alzheimer's disease

Physical activity and risk of cognitive decline: a meta-analysis of prospective studies - Sofi - 2011 - Journal of Internal Medicine - Wiley Online Library

Regulation of beta-amyloid production in neurons by astrocyte-derived cholesterol | PNAS

Intracerebroventricular Injection of Amyloid-β Peptides in Normal Mice to Acutely Induce Alzheimer-like Cognitive Deficits - PMC

Hippocampal Injections of Oligomeric Amyloid β-peptide (1–42) Induce Selective Working Memory Deficits and Long-lasting Alterations of ERK Signaling Pathway

Intracerebroventricular injection of beta-amyloid in mice is associated with long-term cognitive impairment in the modified hole-board test - ScienceDirect

Intra-gastrointestinal amyloid-β1–42 oligomers perturb enteric function and induce Alzheimer's disease pathology

BDNF: A Newly Described Mediator of Angiogenesis - PMC

<u>Traumatic Brain Injury and Alzheimer's Disease: The Cerebrovascular Link - PMC</u>

Herpes simplex virus infection causes cellular beta-amyloid accumulation and secretase upregulation

Antivirals reduce the formation of key Alzheimer's disease molecules in cell cultures acutely infected with herpes simplex virus type 1

Clinical and Bacterial Markers of Periodontitis and Their Association with Incident All-Cause and Alzheimer's Disease Dementia in a Large National Survey

<u>Tau blocks traffic of organelles, neurofilaments, and APP vesicles in neurons and enhances oxidative stress</u>

A specific amyloid-β protein assembly in the brain impairs memory | Nature

Brain-derived neurotrophic factor in Alzheimer's disease and its pharmaceutical potential

<u>Infectious origin of Alzheimer's disease: Amyloid beta as a component of brain antimicrobial immunity - PMC</u>

Bacterial infection and Alzheimer's disease: a meta-analysis