KAPSABET HIGH SCHOOL



233/1 CHEMISTRY PAPER 1



TIME: 2 HOURS

2021 TRIAL 3 OCT/NOVEMBER INTERNAL EXAMINATION

Kenya Certificate of Secondary Education (K.C.S.E.)

Name		Adm No
Stream	•••••	Date
Sign		
	233/1	
	CHEMISTRY	
	PAPER 1	

Kenya Certificate of Secondary Education (K.C.S.E)

TIME: 2 HOURS

INSTRUCTIONS TO CANDIDATES:


- (i) Write your **name** and **index number** in the spaces provided **above**.
- (ii) Sign and write the date of examination in the spaces provided above.
- (iii) Answer **ALL** the questions in the spaces provided.
- (iv) Mathematical tables and silent electronic calculators may be used.
- (v) All working **must be** clearly shown where necessary.
- (vi) Candidates should check the question paper to ascertain that all the pages are printed as indicated and that no questions are missing

Page 1 of 14

For Examiner's Use Only

Questions	Maximum Score	Candidate's Score
1 –30	80	

1. The samples of equal volumes of water were put in 100cm³ conical flasks and heated for 5 minutes on a Bunsen flame. It was observed that sample 1 registered a low temperature than sample II




(a) Name flame I (1mk)

(b) State one disadvantage of using flame I for heating (1mk)

2. Study the diagram below and answer the questions that follow.

The diagram shows the method used to separate component of mixture P

Page 2 of 14



(a) Name X	(1mk)
(b) What is the name given to the method used in separation of mixture P	(½mk)
(c) What would happen if the inlet and outlet of water were interchanged ½mk)	(
(d) Which physical property is used to separate mixture P	(1mk)

Solid	Cold Water	Hot Water
P	soluble	soluble
Q	insoluble	insoluble
R	Insoluble	soluble

How would you obtain pure samples of R,P and Q

3. The table below shows the solubility of three solids P, Q, and R.

(2mks)

Page **3** of **14**

• • • • • • • • • • • • • • • • • • • •					•••••	•••••			•••••
tate why a v	water molecule	 e H₂O can	combine	with H ⁺	ion to	form H ₂	 O+ ion	• • • • • • • •	(
			•••••						
			•••••						
he P ^H value	s of some solu	tions are ş	given belo	ow					
H	14.0	1.0		8.0		6.5		7.0	
olution	M the solution w	L		N		P		Z	
) Which so	olution would	be used	as an an	ti-acid fo	or treat	ing stor	nach ups	 set. Gi	 ve for (
•	olution would	be used	as an an	ti-acid fo	or treat	ing stor	nach ups	set. Gi	
answer									
answer	olution would								
he data belo		ectronic c	configura	tion of so	ome sel	ected at	oms and	ions	
he data belo	ow gives the el	ectronic c	configurat	tion of so	ome sel	ected at	oms and	ions G+	 H
he data belo	ow gives the el	ectronic c	configurat	tion of so	ome sel	ected at	oms and	ions G+	H 2.8.
he data belo Atom/ion Electronic c	ow gives the el	ectronic c	configurat B 2.4	tion of so	ome sel	ected at	oms and	ions G+	H 2.8.

(c)	Select an element that belong to group 2 and period four	(1mk)
(d)) Write the formula of the compound formed when D and F react	(1mk)
	Helium is used instead of hydrogen in balloons for metrological research. Imk)	
	Zinc metal and hydrochloric acid reacts according to the following equation $Zn_{(s)} + 2HCl_{(aq)}$ \longrightarrow $ZnCl_{2(aq)} + H_{2(g)}$	
1.	.96g of Zinc metal were reacted with 100cm ³ of 0.2M hydrochloric acid Determine the reagent that was in excess Zn=65.2; Molar gas volume at s.t.p 22.4 liters	(2mks)
		•••••
		•••••
		• • • • • • • •
(b (1mk	b) Calculate the total volume of hydrogen gas that was liberated a	
	Give the IUPAC names of the following compounds $CH_3CH_2CH_2CH_3$	(1mk)
	CH ₃	
(i: (1mk		
Page	5 of 14	

KAPSABET BOYS HICH SCHOOL

(i) Write an eq	oric acid uation of the reactio	on which takes place	e	(1mk)
(ii) Determine	he number of mole			(1mk)
(iii) Calculate (2mks)	the mass of pota	ssium chloride in	the mixture (K=39.0;	C=12.0; O=16.0
11. Study the flow	chart below and an	swer the questions	that follow	
j		letal M		
Dilute Hydrochloric	acid —	+	Calaurdana	
Diffuse Try di ocinione			Colourlesss gas	
White ppt soluble	Process I	tion E Process 2		
in excess	Ammonia solution added		→ White ppt soluble in e	excess
	drop wise	NaOH adde drop wise	ed	
(i) Iden	ify metal M:			(1mk)
(ii) Colo	urless gas:			(1mk)
` '	•	at leads to the for	rmation of white preci	pitate in process
(1m	9			
 12. a) Define	the	term	dynamic	equilibrium
(1mk)				
	•••••	•••••		
Page 6 of 14				

	$2CrO^{2}_{4[aq]} + 2H^{+}[aq]$ $Cr_{2}O7^{2}_{[aq]} + H_{2}O_{\{l\}}$	
	Yellow orange	
St	ate and explain the observation made when NaOH is added to the equilibrium mixture	(2mks)
••		
3. Few c	rops of hydrochloric acid were added into a test tube containing lead {II} Nitrate solution	1
a)	State one observation made	(1mk)
 b)	Write an ionic equation of the reaction that occurred in the test tube	(1mk)
	npound of carbon, hydrogen and oxygen contains 57.15% carbon, 4.76% hydroge st oxy gen. If its relative molecular mass is 126, find its molecular formula. (C =	
1, O =		12, H = (3mks)
1, O =		
1, O =	: 16)	

	At 40°C	At 60°C
CuSO ₄	28	38
Pb(NO ₃) ₂	79	98

A mixture containing 35g of CuSO $_4$ and 78g of Pb(NO $_3$) $_2$ in 100g of water at 60°C was cooled to 40°C.

i)	Whi	ch salt crystallized out? Give a reason.	(2 marks)
ii)) Calc	culate the mass of the salt that crystallized out.	(1 mark)
16. a)	 Disti	inguish between strong and concentrated acid	(1mk)
b):		olution of ammonia in methylbenzene has no effects on red litmus paper whation of ammonia in water turns red litmus paper blue. Explain	(2mks)
17. Na	me th	he process which takes place when	
	i.	Iodine changes directly from solid to gas	(1mk)
	ii.	${\rm Fe^{2^+}}_{(aq)}$ changes to ${\rm Fe^{3^+}}_{(aq)}$	(1mk)
Page 8	of 14		

KAPSABET BOYS HICH SCHOOL

	iii.	White sug (1mk)	gar chang	ges to blacl	k when mixed	with con	ncentrated	l sulphurio	c (VI) acid
		t stage of the	_	_	mixture of sodi	um hydro	ogen carbo	onate and	
a)	State tl	ne method	of separa	tion used					(1mk)
b)	Write (1mk)	an	equa	ition	showing	how	lime	is	slaked
c)	Name (1mk)	the	by-		recycled	in	the	above	process
19. T	he diagra	am below is	a section o	of a model o	f the structure of	element I	 (
		_]			
		_							
		_				-			
Key charg	ged nucle	us				J			
electi	ron								
					+ +				
					+				
					+ +				
					+				
					+				
					+ +				
					+				
Page	9 of 14								

	+	
	+	
	+	
	+	
	+	
	+	
a)	State the type of bonding that exist in K	(1mk)
b)	In which group of the periodic table does element K belong. (2mks)	Give a reason
20. Stu	udy the diagram below and answer the questions that follow	
	Sodium metal	
	Sodium metal Cold water	
`		
a)	State two observations made in the above experiment when sodium read mks)	t with water (2
		•••••
b)	Write a chemical equation for the reaction that takes place	(1mk)
		••••••
21. (a)	Explain why permanent hardness in water cannot be removed by boiling	(2mks)
-11 (vi)	2. promise vary permanent introduces at white continuous remains a second of seconds	(=====)
		•••••
Page 1	0 of 14	
	KAPSABET BOYS HICH SCHOOL	

+

(1m		ame two methods that can be used to remove permanent hardr	ness from water
22.	Write	e an equation to show the effect of heat on the nitrate of: -	(2mks)
	i)	Potassium	
	(ii)	Silver	
23. 9	Study th	ne diagram below and use it to answer the questions that follow.	
		Mixture of Copper II Oxide and Carbon → Gas P Heat	
	(a) State	e the observation made in the combustion tube.	(1mk)
	(b) Writ	te an equation for the reaction that took place in the combustion tube.	(1mk)
		ne gas P	(1mk)
24.	Sulp	hur exists in two crystalline forms.	
Page	e 11 of 14	4	
		KAPSABET BOYS HICH SCHOOL	

a) Name one crystalline form of Sulphur.	
b) State two uses of Sulphur.	(2mks)

25. Bond energies for some bonds are tabulated below: -

BOND	BOND ENERGY KJ/mol
H - H	436
C = C	610
C- H	410
C - C	345

Use the bond energies to estimate the enthalpy for the reaction.				
$C_2H_{4(g)} + H_{2(g)} \longrightarrow C_2H_{6(g)}$				

Page 12 of 14

••
••
(s)
•••
•••
••
ks)
<s) </s)

	(a)	Name substance Q.	(1mk)
	(b)	Complete the set-up to show how oxygen gas is collected.	(1mk)
	(c)	Write the equation for the reaction that occur.	(1mk)
		gents that can be used to prepare chlorine gas are potassium manganate I hydrochloric acid.	
		e an equation for the reaction.	(1mk)
	b)Give	the formula of another reagent that can be used instead of potassium man	ganate (VII). (1mk)
((c) Usin	ng an equation illustrate how chlorine bleach coloured substances.	(2mks)
	•••••		••••••
	•••••		