


Macros Overview

Stoplight Elements for Confluence is a macros that enable you to use Stoplight Elements on Confluence Cloud content. For more information about Stoplight Elements you can find on this url [Stoplight](#)

Add a macro to a page (Stoplight Elements)

To add "Stoplight Elements" to a Confluence page, complete the following steps:

1. Navigate to the page you would like to edit.
2. Click the Edit icon in the top-right of the page
3. Select **Insert** and type "Stoplight" in the Confluence editor.



4. Select the required macro in the Select Macro screen, e.g. select Stoplight Elements

5. Customize your content using the macro parameters.

 Stoplight Elements 

Provide a configuration for Stoplight.

Stoplight document type

URL 

API Description Url

OpenAPI document URL, supporting http://, https://, and documents containing \$ref to other http(s) documents.

Base Path

Helps when using router: 'history' but docs are in a subdirectory like https://example.com/docs/api.

Try It Cors Proxy

Pass the URL of a CORS proxy used to send requests to the Try It feature. The provided url is prepended to the URL of an actual request.


Logo

6. A macro placeholder displays on the page.
7. Click **Publish** to see the macro rendered on the page.

Add a macro to a page (Stoplight Elements Dev Portal)


To add "Stoplight Elements" to a Confluence page, complete the following steps:

1. Navigate to the page you would like to edit.
2. Click the Edit icon in the top-right of the page
3. Select **Insert** and type "Stoplight" in the Confluence editor.



4. Select the required macro in the Select Macro screen, e.g. select Stoplight Elements Dev Portal

5. Customize your content using the macro parameters.



The screenshot shows a web form titled "Stoplight Elements Dev Portal" with a close button (X) in the top right corner. Below the title, there is a heading "Provide a configuration for Stoplight." followed by four input fields, each with a label and a description:

- Project Id**: The input field contains the text "cHJqOjYwNjYx". Below it, the text reads: "Find the Project ID in the Project Settings screen on Stoplight".
- Platform Url**: The input field contains the text "https://stoplight.io/". Below it, the text reads: "By default this is https://stoplight.io/ and this default will be fine for most people. Some enterprise customers might need to change it."
- Base Path**: The input field is empty. Below it, the text reads: "Helps when using router: 'history' but docs are in a subdirectory like https://example.com/docs/api."
- Try It Cors Proxy**: The input field is empty. Below it, the text reads: "Pass the URL of a CORS proxy used to send requests to the Try It feature. The provided url is prepended to the URL of an actual request."

6. A macro placeholder displays on the page.
7. Click **Publish** to see the macro rendered on the page.

Edit a macro

To edit a macro, complete the following steps:

1. Navigate to the page you would like to edit.
2. Click the Edit icon in the top right of the page.
3. Click the macro placeholder, then click the Edit icon.
4. Make the required changes.

Delete a macro

To remove a macro from a page, click the macro placeholder, then click the Trash icon.