

SGLG Form CM 2A Accounting Office

#### **CERTIFICATION**

This is to certify that the City/Municipality of <u>LUBANG</u>, <u>OCCIDENTAL MINDORO</u> has the following (*Please supply the required information*.):

• CY 2024 LDRRM Fund: Appropriation

Estimated revenue from regular sources	:	PhP 124,849,491.00
Amount allocated for LDRRMF CY 2024	:	PhP 6,242,474.55
In percent	:	5%

Fund appropriated for Gender and Development, CY 2024

Amount allocated	:	PhP 6,242,474.55
Amount disbursed (as of Dec. 31, 2024)	:	PhP 5,614,863.86
In percent	:	89.95%

Fund appropriated for Senior Citizens and PWDs PAPs, CY 2024

Amount allocated	:	PhP 1,248,494.91
Amount disbursed (as of Dec. 31, 2024)	:	PhP 1,243,977.72
In percent	:	99.64%

• CY 2024 LCPC: Fund Appropriation

IRA/NTA amount in CY 2024	:	PhP 117,809,241.00
Amount allocated for LCPC in CY 2024	:	PhP 1,178,092.41
In percent	:	1%

• CY 2024 LCPC: Fund Disbursement

Amount disbursed (as of Dec. 31, 2024)	•	PhP 1,032,399.01
In percent	:	87.63%





Disbursement of fund appropriated for the conservation and preservation of cultural property,
 CY 2024 (Cut-off: December 31, 2024)

Amount allocated for programs, projects and activities related to conserving and preserving cultural property in CY 2024	•	PhP 1,500,000.00
Amount disbursed	:	PhP 1,283,333.03
In percent	:	85.56%

• Disbursement of fund for LYDO functions and operations, CY 2024 (Cut-off: December 31, 2024)

Amount allocated for LYDO functions and operations in CY 2024		PhP 20,000.00
Amount disbursed	:	PhP 20,000.00
In percent	:	100%

This Certification is issued for the purpose of the Seal of Good Local Governance assessment.

Issued on the 24th day of February, 2025.

Certified by:	Attested by:
CARINA V. DAULAT	MICHAEL L. ORAYANI
Signature over Printed Name City/Municipal Accountant	Signature over Printed Name City/Municipal Mayor

Official Release of this Certification (Please affix official LGU stamp below)





SGLG Form CM 2B Business Permit and Licensing Office

City/Municipality of	• •	Income Class	:	
Province		Region	:	

#### **INSTRUCTIONS**

For the DILG City Director or C/MLGOO:


- 1. Ask the BPLO for the month and day of CY 2023 1st quarter with the highest volume of transactions for business permits for both new and renewal.
- 2. Review database, record book or copy of application forms.
- 3. Get sample transactions, at least 50% each for new business and renewal. The maximum number of samples for each is 20.
- 4. Record the samples and their processing time.

#### PROCESSING TIME IN ISSUING A BUSINESS OR MAYOR'S PERMIT

	New I	Business			Busines	s Renewal	
highe	(month and day) with st volume of transaction siness permits:			•	onth and day) with olume of transaction for permits:		
Total	number of transactions:			Total nun	nber of transactions:		
Samp	le Transactions:			Sample 7	Transactions:		
	Application No.	Not more than a from application			Application No.		3 working days on to release?
		Yes	No			Yes	No
1.				1.			
2.				2.			
3.				3.			
4.	Click here to enter text.			4.			
5.	Click here to enter text.			5.			
6.	Click here to enter text.			6.			
7.	Click here to enter text.			7.			
8.	Click here to enter text.			8.			
9.	Click here to enter text.			9.			
10.	Click here to enter text.			10.			







	Click here to enter text.		11.		
12.	Click here to enter text.		12.		
13.	Click here to enter text.		13.		
14.	Click here to enter text.		14.		
15.	Click here to enter text.		15		
16.	Click here to enter text.		16.		
17.	Click here to enter text.		17.		
18.	Click here to enter text.		18.		
19.	Click here to enter text.		19.		
	Click here to enter text.		20.		

Notes: Application filed on Day 1 should be released not later than Day 3. Weekends not counted. Attach additional pages, if necessary





#### Integration of Barangay Clearance in the Business Permit Process:

% of barangays have integrated the issuance of barangay clearance in the LGU's Business Permit process. Attached is the list of barangays which complied with the requirement.

#### Summary of tracked economic data:

Economic Data	2022	2023
Total number of new businesses		
Total number of business renewals		
Capital investments derived from registered new businesses		
Employees derived from registered new businesses and business renewals		

This Form is issued for the purpose of the Seal of Good Local Governance assessment.	
Issued on the day of	, 2024.
Collected by:	Certified by:
Signature over Printed Name City Director or C/MLGOO	Signature over Printed Name Business Permit and Licensing Officer
Attested by:	
	Signature over Printed Name City/Municipal Mayor

Official Release of this Certification (Please affix the official LGU stamp below)







SGLG Form CM 2B Business Permit and Licensing Office (attachment)


Barangays with Barangay Clearance integrated to the LGU Business Permit Process

#	Name of Barangay	Issuance Number	Date of Approval
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
		Total Number of Barangays	
		Number of Barangays w/ barangay clearance integrated to the LGU's business permit process	
		% of Barangays w/ barangay clearance integrated to the LGU's business permit process	

 $(Attach\ additional\ pages,\ if\ necessary.)$ 







SGLG Form CM 2C Budget Office

### **CERTIFICATION**


This is to certify that the City/Municipality of _		has budge	t
appropriation for its (please tick available item(s)):			
ocal Disaster Risk Reduction and Management F	Plan		
☐ Approved Local Disaster Risk Reduction	and Management	(LDRRM) Plan covering CY 2024 as	
integrated into the CY 2024 Annual Inves	stment Program and	d Annual Budget.	
☐ Approved Local Disaster Risk Reduction	and Management	(LDRRM) Plan covering CY 2023 as	
integrated into the CY 2023 Annual Inves	stment Program and	d Annual Budget.	
Personal Services			
Additionally, the City/Municipality also has the	e following informati	on based on the approved CY 2024	annua
pudget:	· ·		
(1) Total Income from regular sources realize	zed in the next	PhP	
(2) Total appropriations for Personal Service	es (PS)	PhP	
Percentage (Item 2/Item 1)*100		%	
This Certification is issued for the purpose of		ocal Governance assessment.	
Issued on the day of	_, 2024.		
Certified by:	Attested	by:	
Signature over Printed Name City/Municipal Budget Officer		Signature over Printed Name City/Municipal Mayor	

Official Release of this Certification

(Please affix the official LGU stamp below)







SGLG Form CM 2D DepEd Representative

	This is to certify that the City/Municip	pality of	JULITA	has the following status of
impleme	entation (Please supply the required o	data):		
LSB Pla	an Completion in CY 2024			
	100% of programs, project, and activ	vities (PAPs) u	inder the LSB Plan	are completed.
item(s))		eted, or its fu	nd utilized for the	following items (tick the appropriate
	<ul> <li>□ Operation and maintenar</li> <li>□ Construction and repair of the pair of the pair</li></ul>	of school build periodicals ational Feeding ntary schools	lings g Program for unde	ernourished children in public day care,
Local S	school Board Activities			
	The Local School Board met at least	once in these	e months in CY 202	4:
	☐ January		☐ July	
	☐ February		☐ August	
	☐ March		☐ September	
	☐ April		☐ October	
	□ May		☐ November	
	☐ June		□ December	






This Certification is issued for the purpose of the Seal of Good Local Governance assessment.		
day of	, 2024.	
	Certified By:	
	RHODORA A. ARCEÑO District Supervisor	_
		day of, 2024.  Certified By:  RHODORA A. ARCEÑO

Signature over Printed Name
DepEd Schools Division Superintendent/
designated Representative to LSB

Official Release of this Certification (Please affix stamp of Records Section/Officer below)







SGLG Form CM 2E DILG Field Office


### **CERTIFICATION**

This is to certify that t	he City/Municipality of	has (Please tick
available item(s)):		
GAD Plan and Budget for CY 20	)24	
No.: 2016-01	nd was found fully compliant in form and con	tent per PCW-DILG-DBM-NEDA JMC
<ul><li>☐ Has been submitted to</li><li>☐ No submission</li></ul>	DILG for review	
GAD Plan and Budget for CY 20	123	
<ul><li>☐ Has been reviewed a</li><li>No.: 2016-01</li><li>☐ Has been submitted to</li><li>☐ No submission</li></ul>	nd was found fully compliant in form and con	tent per PCW-DILG-DBM-NEDA JMC
In addition, I confirm the	correctness of the information/conditions con	ntained in the attached Documentation
template (Certified Form 2E – Pho	oto Documentation).	
This Certification is issue	d for the purpose of the Seal of Good Local C	Governance assessment.
Issued on the day o	f, 2024.	
Certif	ied by:	
		_
	Signature over Printed Name City Director or City/Municipal LGOO	
	Official Release of this Certification	

(Please affix the stamp of the DILG RO/PO below)







SGLG Form CM 2F Disaster Risk Reduction and Management Office

### **CERTIFICATION**


This is to certify that the City/Municipality of supply required data):	has the following (Please
and Mitigation (Current Fund) were a warm of barangays with Evacuation Info	gainst the CY 2023 70% component for Disaster Preparedness completed. Attached is the list of PAPs for CY 2023; ormation Guides; and munity-Based Disaster Risk Reduction and Management st of barangays with approved CBDRRM Plans;
This Certification is issued for the purpose of	f the Seal of Good Local Governance assessment.
Issued on the day of, 2	024.
Certified By:	Attested by:
Signature over Printed Name City/Municipal Risk Reduction and Management Officer	Signature over Printed Name City/Municipal Mayor

Official Release of this Certification

(Please affix the official LGU stamp below)







SGLG Form CM 2F Disaster Risk Reduction and Management Office (attachment)


**Barangays with approved CBDRRM Plans** 

#	Name of Barangay	Period/years covered by CBDRRM Plan
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
	Total Number of Barangays	
	Number of Brgys. w/ CBDRRM Plan covering CY 2024	
	% of Barangays with CBDRRMP	

(Attach additional pages, if necessary.)







SGLG Form CM 2F Disaster Risk Reduction and Management Office (attachment)

**Notes:** Kindly include in the accomplishment rate the planned PAPs that were eventually implemented through other funding sources (e.g., grants/assistance from National Government Agencies) and those completed until December 31, 2023, even if the funds for them are yet to be disbursed. Attach additional pages if necessary.


PAPs planned to be charged under the CY 2023 70% component for Disaster Preparedness and Mitigation (Current Fund)

CY 2023 70% component for Disaster Preparedness and Mitigation (Current Fund)			
#	Name of PAPs	Kindly tick if implemented/completed on or before Dec. 31, 2023	
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
	Total Number of PAPs for CY 2023		
	Number of Planned PAPs completed on or before Dec. 31, 2023		
	% Accomplishment		

(Attach additional pages, if necessary.)







SGLG Form CM 2G Engineering Office

This is to certify that the City/Municipality of	has the following (Please
supply required data and photo documentation. You may add rema	rks for each photo.):
A. Local Government Building	
Complete Address:	
	Photo of the Ramp with the Grab Bars Wide Angle Shot, showing whole ramp *if no ramps, photo showing ground level entrance/ dropped curb/ lift
	Width (in meters):
	Other Remarks (if any):
	Photo of the Ramp with the Gradient Finder Test (result should be shown)
	Gradient:
	Other Remarks (if any):





	Photo of the Ramp Flooring
	Refer to the Guidance on Non-skid/Slip Resistance Flooring Flooring Material:
	Slip-Resistance (if dry and unpolished)  □ Very Good □ Good □ Fair □ Poor to Fair □ Very Poor to Fair  Slip-Resistance (if wet) □ Very Good □ Good □ Fair □ Poor to Fair □ Very Poor to Fair □ Other Remarks (if any):
	Photo of the PWD CR (Wide Shot)  Must show the toilet with grab bar and wheelchair inside
	Floor Area of the PWD CR: (in m²):  Has at least 2.25 m² turning space with a minimum dimension of 1.50m for wheelchairs?  ☐ Yes ☐ No
<u>'</u>	Other Remarks (if any):





Photo of the PWD CR's entrance
Width of the entrance (in meters): Other Remarks (if any):
Photo of the Flooring of the PWD CR
Refer to the Guidance on Non-skid/Slip Resistance Flooring Flooring Material:





	Photo of the Signages (Directional and information signs showing the location of ramps, elevator, PWD CRs)
	Photo of the Parking Space for PWDs
	Other PWD-friendly space/facility/equipment (If any)
B. LG-managed tertiary educational facility/technical v	ocational education and training center
Name of Facility:Address:	





Photo of the Ramp with the Grab Bars Wide Angle Shot, showing whole ramp *if no ramps, photo showing ground level entrance/ dropped curb/ lift
Width (in meters): Other Remarks (if any):
Photo of the Ramp with the Gradient Finder Test (result should be shown)
Gradient: Other Remarks (if any):
Photo of the Ramp Flooring  Refer to the Guidance on Non-skid/Slip Resistance Flooring Flooring Material:





Other Remarks (if any):
Photo of the PWD CR (Wide Shot)  Must show the toilet with grab bar and wheelchair inside
Floor Area of the PWD CR: (in m²):
Has at least 2.25 m² turning space with a minimum dimension of 1.50m for wheelchairs?  ☐ Yes ☐ No
Other Remarks (if any):
Photo of the PWD CR's entrance
Width of the entrance (in meters):
Other Remarks (if any):





Photo of the Flooring of the PWD CR
Refer to the Guidance on Non-skid/Slip Resistance Flooring Flooring Material:  Slip-Resistance (if dry and unpolished)  Very Good  Fair  Poor to Fair  Very Poor to Fair  Slip-Resistance (if wet)  Very Good  Fair  Poor to Fair  Other Remarks (if any):
Photo of the Signages (Directional and information signs showing the location of ramps, elevator, PWD CRs)





	Photo of the Parking Space for PWDs
	Other PWD-friendly space/facility/equipment (If any)
C. LGU Health Facility	
Name of Facility:	
Address:	la provida piaturas of different structures. If anh and
Kindly provide at least two photos per feature. As much as possible structure is available, pictures should be taken from different persp	e, provide pictures of different structures. If only one pectives OR should show different minimum requirements.
STAIRS (if applicable)	
	Minimum Requirements:
	☐Tread surfaces are made of slip-resistant material.





1	
	<ul> <li>□ Slanted nosings are used to projecting nosings. Open stringers are avoided.</li> <li>□ The leading edge of each step on both the runner and riser is marked with a paint or non-skid material that has a color and gray value which is in high contrast to the gray value of the rest of the stairs.</li> <li>□ A tactile strip 0.30 m. wide shall be installed before hazardous areas such as sudden changes in floor levels and at the top and bottom of stairs.</li> <li>Other Remarks (if any):</li> </ul>
WALKWAYS	





	Minimum Requirements:
	<ul> <li>□ Gradient is no more than 1:20 or 5%.</li> <li>□ Maximum cross gradient of 1:100</li> <li>□ Minimum width of 1.20 meters</li> <li>□ Gratings are not located along walkways. However, when occurring along walkways, grating openings have a maximum dimension of 13 mm x 13 mm and shall not project more than 6.5 mm above the level of the walkway.</li> <li>□ Continuing surface without abrupt pitches in angle or interruptions by cracks or breaks creating edges above 6.50 mm.</li> <li>□ In lengthy or busy walkways, spaces are provided at some point along the route so that a wheelchair may pass another or turn around. These spaces have a minimum dimension of 1.50m and should be spaced at a maximum distance of 12:00 m between stops.</li> <li>□ Walkways should as much as possible follow straightforward routes with right-angle turns.</li> <li>□ Branches of trees or shrubs do not overhang walkways or paths.</li> <li>□ Walkway headroom is not less than 2.0 m and preferably higher.</li> <li>□ Passageways for the disabled are not obstructed by street furniture, bollards, signposts, or columns along the defined route.</li> <li>Other Remarks (if any):</li> </ul>
CORRIDORS	
	Minimum Requirements:
	<ul> <li>☐ Have a minimum clear width of 1.20 m. Waiting areas and other facilities or spaces do not obstruct the minimum clearance requirement.</li> <li>☐ Recesses or turnabout spaces are provided for wheelchairs to turn around or to enable another wheelchair to pass. These spaces have a minimum area of 1.50m x 1.50m and are spaced at a maximum of 12.00 m.</li> <li>☐ Turnabout spaces are provided at or within 3.50 m. of every dead end.</li> <li>☐ Maintained level and provided with a slip-resistant surface.</li> </ul>





	Other Remarks (if any):
DOORS AND BUILDING ENTRANCES	
	<ul> <li>Minimum Requirements:</li> <li>☐ All doors have a minimum clear width of 0.80 m.</li> <li>☐ Clear openings are measured between the surface of the fully open door at the hinge and the door jamb at the stop.</li> <li>☐ Doors are operable by a pressure or force not more than 4.0kg. The closing device pressure on interior door does not exceed 1kg.</li> <li>☐ A minimum clear level space of 1.50m x 1.50m is provided before and extending beyond a door. EXCEPTION: Where a door shall open onto but not into a corridor, the required clear, level space on the corridor side of the door may be a minimum of 1.20 m. corridor width.</li> <li>☐ Outswinging doors are provided at storage rooms, closets, and accessible restroom stalls.</li> <li>☐ Entrances are accessible from arrival and departure points to the interior lobby.</li> <li>☐ Entrances with vestibules are provided a level area with at least a 1.80 m depth and a 1.50 m width.</li> </ul>
	Other Required Features (if applicable):  Put "N/A"as a remark if the feature is not applicable.  □ Protection should be provided from doors that swing into corridors. Remarks:
	are accessible. Remarks:  In case entrances are not on the same level of the site arrival grade, ramps are provided as access to the entrance level. Remarks:





	Other Remarks (if any):
WASHDOOMS AND TOILETS	
WASHROOMS AND TOILETS	
WASHROOMS AND TOILETS	Minimum Requirements:  □ Permit easy passage of a wheelchair and allow the occupant to enter a stall, close the door and transfer to the water closet from either a frontal or lateral position.  □ Accessible water closet stalls have a minimum area of 1.70 x 1.80mts. One movable grab bar and one fixed to the adjacent wall are installed at the accessible water closet stall for lateral mounting. Fixed grab bars on both sides of the wall are installed for stalls for frontal mounting.  □ A turning space of 2.25 sq.m. with a minimum dimension of 1.50 m. for wheelchair is provided for water closet stalls for lateral mounting.  □ All accessible public toilets shall have accessories such as mirrors, paper dispensers, towel racks and fittings such as faucets mounted at heights reachable by a person in a wheelchair.  □ At least one (1) accessible water closets on each floor level or on that part of a floor level accessible to the disabled where the total number of water closets per set on that level is 20 OR at least two (2) where the number of water closets exceeds 20.  □ The signage for men's washroom door is an equilateral triangle with a vertex pointing upward, and those for women shall be a circle. The edges of the triangle is 0.30 m long as should be the diameter of the circle. These signages should at least be 7.5 mm thick and the color and gray value of the doors. The words "men" and "women" or the appropriate stick figures appear on the washroom doors for the convenience of the fully sighted.  □ Maximum height of water closets is 0.45 m. Flush controls have a maximum height of 1.20 mts.  □ Maximum height of lavatories is 0.80 m. with a knee recess of 0.60 - 0.70 m. vertical clearance and 0.50 m. depth.  □ Urinals have an elongated lip or through type. The maximum height of the lip is 0.48 m.





RAMPS	
	Minimum Requirements: Put "N/A"as a remark if the optional feature is not applicable.
	<ul> <li>□ Changes in level have ramp, except when served by a dropped curb, an elevator or other mechanical device.</li> <li>□ Ramps shall have a minimum clear width of 1.20 m.</li> <li>□ The maximum gradient is 1:12.</li> <li>□ The length of a ramp does not exceed 6:00 m. if the gradient is 1:12. If applicable, longer ramps whose gradient is 1:12 are provided with landings not less than 1.50 m.</li> <li>□ A level area not less than 1.80 m. is provided at the top and bottom of any ramp.</li> <li>□ Handrails are provided on both sides of the ramp at 0.70m. and 0.90 m. from the ramp level.</li> <li>□ Ramps are equipped with curbs on both sides with a minimum height of 0.10 m.</li> </ul>
	Other Required Feature (if applicable):  Put "N/A"as a remark if the optional feature is not applicable.  □ Any ramp with a rise greater than 0.20 m. and leads down towards an area where vehicular traffic is possible has a railing across the full width of its lower end, not less than 1.80 meters from the foot of the
	ramp. Remarks:
	Other Remarks (if any):
PARKING AREAS	
	Minimum Requirements:  ☐ Met the recommended ratio for parking spaces provided in the technical notes ☐ Parking spaces allow enough space for a person to transfer to a wheelchair from a vehicle. ☐ Located as close as possible to building entrances or to accessible entrances. ☐ Whenever and wherever possible, accessible parking spaces should be perpendicular or to an angle to the road or circulation aisles. ☐ Slots have a minimum width of 3.70 m.





	<ul> <li>A walkway from accessible spaces of 1.20 m. clear width is provided between the front ends of parked cars.</li> <li>Pavement markings, signs or other means are provided to delineate parking spaces for the handicapped.</li> <li>Parking spaces for the disabled are not located at ramped or sloping areas.</li> <li>Other Required Feature (if applicable):         <ul> <li>Put "N/A"as a remark if the optional feature is not applicable.</li> <li>Dropped curbs or curb cut-outs are provided to the parking level where access walkways are raised.</li></ul></li></ul>
HANDRAILS	
	Minimum Requirements:
	<ul> <li>☐ Handrails are installed at both sides of ramps and stairs and at the outer edges of dropped curbs. Handrails at dropped curbs are installed beyond the width of any crossing so as not to obstruct pedestrian flow.</li> <li>☐ Handrails are installed at 0.90m and 0.70m above steps or ramps. Handrails for protection at great heights are installed at 1.0m to 1.06m.</li> <li>☐ A 0.30 m long extension of the handrail are provided at the start and end of ramps and stairs.</li> <li>☐ Handrails that require full grip have a dimension of 30mm to 50 mm.</li> <li>☐ Handrails attached to walls have a clearance no less than 50mm from the wall. Handrails on ledges should have a clearance not less than 40mm.</li> </ul>





	Other Remarks (if any):
SWITCHES, CONTROLS, BUZZERS	
	Minimum Requirements:  ☐ Manual switches shall be positioned within 1.20 m to 1.30 m above the floor, at least at the PWD washrooms and toilets ☐ Manual switches should be located no further than 0.20 from the latch side of the door, at least at the PWD washrooms and toilets  Other Remarks (if any):
FLOOR FINISHES	
	Minimum Requirements:  ☐ CR and ramp flooring have grooves.





	☐ Corrugated floor for the blind.
	Other Remarks (if any):
DRINKING/WATER FOUNTAINS	
	Minimum Requirements:  ☐ Has one (1) fountain for every 2,000sq.m. of floor area or one (1) on each floor. ☐ Waterspout is at the front and shall be push button controlled if wall mounted. ☐ Maximum height – 0.85 from floor to rim.  OR ☐ Has other equipment being used to provide easy access to safe drinking water, please specify:





Minimum Requirements:
Minimum Requirements:
<ul> <li>☐ Has a clear, unobstructed space of 1.50 x 1.50m in front of wall-mounted and free-standing units and at alcoves/recesses.</li> <li>☐ Door width is at least 0.80m.</li> <li>☐ Coin slots, dialing controls, receivers and instructional signs are located at 1.10 (max) above the floor.</li> <li>OR</li> <li>☐ Has other publicly accessible telecommunication device, please specify:</li> </ul>
Other Remarks (if any):





	Minimum Requirements (at least one of the item below should be applicable):  □ 4 to 50 seats − 2 wheelchair seating space □ 51 to 300 seats − 4 wheelchair seating space □ 301 to 500 seats − 6 wheelchair seating space  Other Remarks (if any):
SIGNAGES	
	Minimum Requirements:
	<ul> <li>□ Directional and information signs are located at points conveniently seen even by a person on a wheelchair and those with visual impairments.</li> <li>□ Signs are kept simple and easy to understand. Signages are made of contrasting colors and contrasting gray matter to make detection and reading easy.</li> <li>□ The international symbol for access is used to designate routes and facilities that are accessible.</li> <li>□ Signs on walls and doors are located at a maximum height of 1.60m. and a minimum height of 1.40m.</li> </ul>





	<ul> <li>☐ Signages labelling public rooms and places have raised symbols, letters or numbers with minimum height of 1 mm. Braille symbols should be included in signs indicating public places and safety routes.</li> <li>☐ Text on signboards have a dimension that people with less than normal visual acuity can read at a certain distance.</li> <li>Other Required Feature (if applicable):         Put "N/A" as a remark if the optional feature is not applicable.     </li> </ul>	
	☐ Should a sign protrude into a walkway or route, a minimum headroom of 2.0 meters should be provided. <i>Remarks</i> :	
	Other Remarks (if any):	
ELEVATOR (if applicable)		
	Minimum Requirements:	
	<ul> <li>□ Accessible elevators are located not more than 30.00 m. from the entrance and can easily be located with the aid of signs.</li> <li>□ Accessible elevators shall have a minimum dimension of 1.10 m. x 1.40 m.</li> <li>□ Button controls are provided with braille signs to indicate floor level at each floor, at the door frames of elevator doors. Braille-type signs are placed so that blind persons can be able to discern what floor the elevator car has stopped and from what level they are embarking from.</li> <li>□ Button sizes at elevator control panels have a minimum diameter of 20 mm and should have a maximum depression depth of 1 mm.</li> </ul>	
	Other Remarks (if any):	






Certified by:		
	gnature over Printed Name y/Municipal Engineer	Signature over Printed Name City/Municipal PDAO Head/Focal Person
	Attested	by:
	Signature over Pri City/Municipa	

Official Release of this Certification (Please affix the official LGU stamp below)







SGLG Form CM 2H Planning and Development Office

This is to certify that the City/Municipality of	has the following (Please
tick available condition(s) and/or supply required information):	
A. Report on PAPs Completion (Cut-off: December 31, 2023)	
PAPs	Percent Completion (in %)
CY 2023 GAD Plan's PAPs	
CY 2023 PAPs for Senior Citizens and PWDs	
CY 2023 PAPs funded out of the 1% of NTA allocation for the Local Council for the Protection of Children	
B. On Presence of Illegal Dwelling Units (Indicator for Cities only, but Munthis out)  ☐ Illegal dwelling units exist within LGU jurisdiction	icipalities are encouraged to also fil
* In case illegal dwelling units exist, reference document for housing, programs of the LGU is:	resettlement and relocation
<ul> <li>□ Approved City Shelter Plan</li> <li>□ Approved Resettlement and Relocation Action Plan</li> <li>□ Resettlement PAPs incorporated in CY 2023 Annual Investr</li> <li>□ None</li> </ul>	ment Program
Please indicate the percentage of accomplished CY 2023 targets:	%






Other Remarks (if any):	
This Certification is issued for the purpose of the the Local Governance Performance Management Systen	Seal of Good Local Governance (SGLG) assessment and (LGPMS) LGU profiling.
Issued on the day of, 2024.	
Certified by:	Attested by:
Signature over Printed Name City/Municipal Planning and Development Officer	Signature over Printed Name City/Municipal Mayor

Official Release of this Certification (Please affix the official LGU stamp below)







SGLG Form CM 21 Local PNP Office/ Station

This is to certify that the City/Municipality of	has the following	
nplishments and data (Please tick applicable items of	only):	
☐ The LGU has provided logistical support to	the PNP Local Police Office/Station in CY 2023.	
Accordingly, the following are the forms of	support given (please tick applicable choices only):	
☐ Ammunition	☐ Police station	
☐ Communication	☐ Supplies	
☐ Vehicle	☐ Others (please specify):	
☐ The LGU has supported the organization tanods, and/or any similar unit.	of the Barangay Peacekeeping Action Teams, baranga	ay
Relatively, the LGU has (please supply	required data):	
% of barangays with organized B	PATs, barangay tanods and/or similar unit; and	
% of the barangays with trained E	BPATs, barangay tanods and/or similar unit.	
Please see attached list of barangays for	or further information.	
Other Remarks (if any):		






This Certification is issued for the purpose of the Seal of Good Local Governance assessment.		
Issued on the day	of, 2024.	
Certified By:		
	Signature over Printed Name	
	Chief, Local PNP Office/Station	
F	Official Release of this Certification lease affix the stamp of the Records Section/Officer below	








SGLG Form CM 2I Local PNP Office/ Station (attachment) Attach additional pages, if necessary.

#	Name of Barangay	With Organized BPATs, barangay tanods and/or similar unit	With trained BPATs, barangay tanods and/or similar unit*
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
	Total No. of Barangays in the LGU		
	Total No. of Brgys. with organized BPATs, barangay tanods and/or similar unit		
	Total No. of Brgys. with trained BPATs, barangay tanods and/or similar unit		

<sup>\*</sup>Trainings conducted/ received from 2018 onwards







SGLG Form CM 2J Social Welfare and Development Office

This is	s to certify that the City/Municipality of	has the following	
ccomplishme	ents and data (please supply the followin	g information):	
☐ Comp	oonent Barangays have their respectiv	e violence against women (VAW) desks. Please provide th	
percei	ntage of barangays with VAW desks:	<u> </u>	
	ponent Barangays have their VAWC re	ports. Please provide the necessary information below:	
F	Percentage of barangays with VAWC q	uarterly reports submitted to the LSWDO in CY 2023	
	Quarter % of Barangays		
	1 <sup>st</sup> Quarter		
	2 <sup>nd</sup> Quarter		
	3 <sup>rd</sup> Quarter		
	4 <sup>th</sup> Quarter		
_			
Other	Remarks (if any):		





#### **Early Childhood Care and Development**


	%	of	barangays	with	established	daycare/child	development	centers.	Attached	is	the	list	of
barang	ays	wh	ich complied	d with	the requirem	ent; and							

% of ECCD-trained daycare teachers. (for profiling)

#	Name of Barangays	Kindly tick if barangay has an established daycare/child development center	Kindly tick if barangay has daycare teacher/s that are ECCD-trained (for profiling)
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
	Number of Barangays		
	Number of Barangays with established daycare/child development center		







Number of Barangays with ECCD-trained daycare	
teacher/s	


(Attach additional pages, if necessary.)

This Certification is issued for the purpose of the Seal of Good Local Governance assessment.				
Issued on the day of	_, 2024.			
Certified by:	Attested by:			
Signature over Printed Name City/Municipal Social Welfare and Development Officer	Signature over Printed Name City/Municipal Mayor			

Official Release of this Certification (Please affix the official LGU stamp below)







SGLG Form CM 2M Local Environment and Natural Resources Office

This is to certify that the City/Municipality of	has the following (Please supply
required data):	
Open/Controlled Dumpsite (if applicable)	
$\square$ No operating open/controlled dumpsite	
☐ Operates a controlled/open dumpsite, LGU/private entity-	owned, used as waste disposal facility
☐ Has a Safe Closure and Rehabilitation Plan for controlled/	open dumpsite that is (please tick applicable
condition):  Approved; Date of approval:	
With percent-completion of:	as of
☐ Currently being drafted with DENR's technical a	assistance
Access to Materials Recovery Facility  """ % of barangays have access to a Materials Recovery of barangays covered is attached.  """ Has planned programs on increasing operational MRFs	Facility (MRF) with a recording system. A list
$\square$ Has planned programs on expanding its operation of a s	ingle MRF servicing multiple Barangays
$\hfill \Box$ Other initiatives to expand access to MRF. Please specif	fy:
Access to Sanitary Landfill (SLF)	
☐ Has an LGU-owned and operated Sanitary Landfill (SLF)	(completed and operational)
$\square$ Has an LGU-owned Sanitary Landfill (SLF) being construction	cted
$\square$ Forged partnership with a government/private entity for the	e use of an SLF as final waste disposal facility
Name of Partner Entity/Facility:	
☐ Operates a Temporary Residual Containment Area	
☐ With the proposed construction of an SLF budgeted unde	er the LGU's Approved 10-Year SWM Plan






$\square$ Has access to a Waste-to-Energy facility duly re	egistered with the Department of Energy (DOE).
(Attach MOV from DOE, if available)	
$\Box$ Other initiatives to access an authorized SLF or	r to completely address residual wastes. Please
specify (Attach additional certification/MOVs fro	m DENR indicating that the LGU's
facility/technology/initiatives lead to zero residua	al wastes OR the LGU's technology/facility/initiatives
completely address its residual wastes, if availa	ble):
Segregated Collection Efforts	
% of barangays are covered by segregated col	lection. A list of barangays covered is attached.
Proof of Segregated Collection:	
☐ Has ordinance on segregated collection	
$\square$ Has separate schedule for the collection of the d	lifferent types of wastes
☐ Has separate trucks or haulers for specific types	of wastes
This Certification is issued for the purpose of the Seal of Good	Local Governance assessment.
Issued on the day of, 2024.	
Certified By:	Attested by:
Signature over Printed Name City/Municipal Environment and Natural Resources	Signature over Printed Name City/Municipal Mayor

Official Release of this Certification (Please affix the official LGU stamp below)



Officer





SGLG Form CM 2M Local Environment and Natural Resources Office (attachment) Attach additional pages, if necessary.

#	Name of Barangay	With Access to an MRF with recording system	Covered with segregated collection
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
	Total No. of Barangays in the LGU		
	Total No. of Brgys. with access to an MRF		
	Total No. of Brgys. covered with segregated collection		



