PARUL UNIVERSITY

Faculty of Engineering and Technology

PARUL INSTITUTE OF ENGINEERING AND TECHNOLOGY

Computer Science and Engineering -Cyber Security

Software Engineering (303105253)

IVth Semester

Laboratory Manual

INDEX

1.	Project definition and objective of the specified module and perform requirement Engineering Process.
2.	Identify Suitable Design and Implementation model from the different software Engineering models.
3.	Prepare a Software Requirement Specification (SRS) for the selected module.
4.	Develop a Software project management planning (SPMP) for the specific Module.
5.	Does Cost Estimation use Different Software Cost Estimation Models.
6.	Prepare System Analysis and System Design of Identified Requirement specification using structure design as DFD with Data Dictionary and Structure chart for the Specific module.
7.	Designing the module using Object Oriented approach including Usecase Diagram with scenarios, Class Diagram and, State Diagram, Sequence Diagram and Activity Diagram
8.	Defining Coding Standards and walk through.
9.	Write the test cases for the identified module.
10	Demonstrate the use of different Testing Tools with comparison.
11.	Define security and quality aspects of the identified module.

Project Title: Attendance Management System

Definition: Attendance Management keeps track of your employee hours. It is the system you use to document the time your employees work and the time they take off. Attendance Management can be done by recording employee hours on paper, using spreadsheets, punching time cards, or using online attendance software for your company.

Information: Attendance management is the act of managing attendance or presence in a work setting to minimize loss due to employee down time. Attendance control has traditionally been approached using time clocks, timesheets, and time tracking software, but attendance management goes beyond this to provide a working environment which maximizes and motivates employee attendance. Recently it has become possible to collect attendance data automatically through using real-time location systems, which also allow for cross-linking between attendance data and performance.

Attendance management takes place in all educational campuses be they university

Objectives: It facilitates to access the attendance information of a particular student in a particular class. This system will also help in evaluating attendance eligibility criteria of a student.

Purpose: The purpose of developing attendance management system is to computerized the tradition way of taking attendance.

Functions:

- i. Administrator
- ii. User(Teacher & Student)

Administrator: Administrator has the rights to manage student details, add a new student, provide register number for all students, assign each student a course etc. Administrator can update his profile, and also can give help to teachers and students.

User: There are 2 users

- a. **Student:** Student does the login and sees profile. Attendance Details etc.
- b. **Teacher:** Add student, view the student details and take attendance student.

Features

- Manage attendance of all the students and staff from one place.
- Manage basic attendance, day boarding attendance, lunch attendance and snacks attendance for students if the school provides day boarding facilities.
- Simple and easy interface for filling attendance of all staff and students.
- The administrator can keep a note of staff attendance and keep a record of the same.
- As staff attendance is linked with the payroll module, it allows automatic calculation of working days and generates pay slips for all the staff members.



- Cumulative term, mid-term and annual attendance report can be generated.
- Integrated with holiday management modules that holidays are already assigned in the attendance.
- Facility to import and export the student and staff attendance for a specific period.

Aim: Identify Suitable Design and Implementation model from the different software engineering model


Spiral Model

In each phase of the Spiral Model, the features of the product dated and analyzed, and the risks at that point in time are identified and are resolved through prototyping. Thus, this model is much more flexible compared to other SDLC models.

Spiral model is one of the most important Software Development Life Cycle models, which provides support for Risk Handling. In its diagrammatic representation, it looks like a spiral with many loops. The exact number of loops of the spiral is unknown and can vary from project to project. Each loop of the spiral is called a Phase of the software development process. The exact number of phases needed to develop the product can be varied by the project manager depending upon the project tricks. As the project manager dynamically determines the number of phases, so the project manager has an important role to develop a product using the spiral model.

Justification for choosing Spiral Model

The spiral model is a systems development lifecycle (SDLC) method used for risk management that combines the iterative development process model with elements of the Waterfall model. The spiral model is used by software engineers and is favored for large, expensive and complicated projects.





Justification for not choosing Waterfall Model

- ❖ Once an application is in the testing stage, it is very difficult to go backand change something that was not well-thought out in the concept stage.
- ❖ Networking software is produced until late during the lifecycle.
- ❖ High amounts of risk and uncertainty.
- Not a good model for complex and object-oriented projects.
- Poor model for long and ongoing projects.
- ❖ Not suitable for the projects where requirements are at a moderate to high risk of changing.

Justification for not choosing Incremental Model

- ❖ Needs good planning and design.
- ❖ Need so clear and complete definition of the who le system before it can be broken down and built incrementally.
- ❖ Total cost is higher than waterfall.

Justification for not choosing Prototype Model

- ❖ This model is costly.
- * It has poor documentation because of continuously changing customer requirements.
- ❖ There may be too much variation in requirements
- Customers sometimes demand the actual product to be delivered soon after seeing an early prototype

Justification why Spiral Model is better than any other model

- ❖ In each phase of the Spiral Model, the features of the product dated and analysed, and the risks at that point in time are identified and are resolved through prototyping.
- ❖ Thus, this model is much more flexible compared to other SDLC models.



Aim: Study Software Requirement engineering, Student should include SRS document for current semester project.

SRS (Software requirement specification)

ASSUMPTION:

1. Users are already registered.

Requirement1: Registration

Req1.1: Enter the details of user (as admin)

Input: details of user (external).

Output: save the details in system (internally)

Req1.2: Register of members done by admin

Input: Enter the details of members by admin Output: save the details in system (internally)

Requirement 2: Show information of

adminReq2.1: User information

Input: user id and password (internal)

Output: username, email, phone no, address personal information

Req2.2: Account information

Input: account information

Output: name, date, personal information

Requirement 3: Show information of

userReq3.1: User information

Input: user id and password (internal)

Output: username, email, phone no, address personal information attendance

Req3.2: Firm information

Input: account information

Output: name, date, personal information, attendance



Requirement4: Delete user(only by admin).

Input: user name and password(external).

Output: Deletion status.

Requirement 5: Modification of the user attendance by

adminReq5.1: Marking daily attendance Input: user name (External).

Output: user status.

Requirement 6: View status of every user under admin control **Requirement 7:** Managing the user according to their specific role.

Requirement8: User are not allowed to make changes in some categories

Requirement9: User can make changes in personal information

Req9.1: Add new changes when required

Input: new changes save(external).

Output: addition status.

Req 9.2: Change the new details already present.

Input: Changes to be updated (external).

Output: updating status.

SOFTWAREQUALITYATTRIBUTES

Accuracy:

The level of accuracy in the proposed system will be higher. All operation would be done correctly and it ensures that whatever information is coming from the center is accurate.

Reliability:

The reliability of the system will be high due to the above stated reason. The reason for the increased reliability of the system is that now the rewound be proper storage of the information

No Redundancy:

In the system the utmost care would be that no information is repeated anywhere, in the storage or otherwise. This would assure economic use of storage space and consistency in the data stored.

Immediate retrieval of the information:

The main objective of the system is to provide for a quick and efficient retrieval of information. Any type of information would be available whenever the user requires.



Easy to operate:

The system should be easy to operate and should be such that it can be developed within a short period of time and fir in the limited budget of the user.

3) External Interfaces:

3.1) Hardware Interfaces:

All the components able to be executed on personal computer with Windows OS and MacOs. Following are some minimum hardware requirement for the system which will be compatible with the OS.

Hard disk-1TB

RAM-2GB

Processor: Intel core i3 7th gen

Wi-fi Printer

3.2) Software Interfaces:

All the Interfaces will be ASP X pages running within the internet Browser. The system will be hosted in web server and languages and database used are-

- 1)C++
- 2) Mongo DB
- 3) Os-Windows 7 or above and for Mac os Mavericks

3.3) Connection Protocols and interfaces:

This project can compatible with all platforms. Connections to the system will be over TCP/IP connection, project supports all types of web browsers.

3.4) User Interface-

The user interface screen shall respond within 5 seconds

Aim: Study Software project management planning. Student should write SPMP document for current semester project.

Scheduling in project management is the listing of activities, deliverables, and milestones within a project.

Seven Principle of Software Scheduling:

1) Compartmentalization-

The project must be compartmentalized into a number of manageable activities an stacks. To accomplish compartmentalization, both the product and process are decomposed.

2) Inter dependency-

The inter dependency of each compartmentalized activity or task must be determined. Some tasks must occur in sequence while others can occur in parallel

3) Time allocation-

Each task to be scheduled must be allocated some number of work units

4) Effort validation-

Every project has a defined number of staff members. As time allocation occurs. The project manager must ensure that no more than the allocated number of People has been scheduled at any given time.

5) Defined responsibilities-

Every task should be assigned to a specific team member.

6) Defined Outcomes-

Every task should have a defined outcome, normally a work product

7) Defined milestones-

Every task or group of tasks should be associated with a project

Scheduling methods:-

Two project scheduling methods that can be applied to software development.



- Program Evaluation and Review Technique (PERT)
- Critical Path Method (CPM)

Both techniques are driven by informational ready developed in earlier project planning activities:

- Estimates of effort
- A decomposition of the product function
- The selection of the appropriate process model and task set
- Decomposition of the tasks that are selected


PERT and **CPM** provides quantitative tools that allow you to:

- Determine the critical path—the chain of tasks that determines the duration of the project
- Establish "most likely" time estimates for individual tasks by applying statistical models
- Calculate "boundary times" that define a "time window" for a particular task

WHAT IS GANTT CHART:-Gantt chart, commonly used in project management, is one of the most popular and useful ways of showing activities (tasks or events) displayed against time. On the left of the chart is a list of the activities and along the top is a suitable time scale. Each activity is represented by a bar; the position and length of the bar reflects the start date, duration and end date of the activity. This allows you to see at a glance:

- What the various activities are
- When each activity begins and ends
- How long each activity is scheduled to last
- Where activities overlap with other activities, and by how much
- The start and end date of the whole project

Gantt chart





Aim: Do cost and Effort Estimation using Software Cost Estimation Model

Objectives: To make use of COCOMO model to find out the cost of software development.

Organic: A development project can be considered of organic type, if the project deals with developing a well understood application program, the size of the development team is reasonably small, and the team members are experienced in developing similar types of projects

Model	Project Size	Nature of Project		Dead Line	Development Environment
Organic	Typically 2-50 KLOC	Small Size Project, Experienced developers in the familiar environment, E.g. Payroll, Inventory projects etc.	Littl	Not Tight	Familiar & In-house

COCOMO (Constructive Cost Estimation Model) was proposed by Boehm

According to Boehm, software cost estimation should be done through three stages:

- Basic COCOMO,
- Intermediate COCOMO, and
- Complete COCOMO

We are going for basic **COCOMO Model**

Basic COCOMO Model: The basic COCOMO model gives an approximate estimate of the project parameters. The basic COCOMO estimation model is given by the following expressions:

EFFORT=a1 * (KLOC)^a2 PM

Tdev= b1x(EFFORT)^b2 Months

- KLOC is the estimated size of the software product expressed in Kilo Lines of Code,
- a1,a2,b1, b2are constants for each category of software products,
- Tdev is the estimated time to develop the software, expressed in months,
- Effort is the total effort required to develop the software product, expressed in person months(PMs).
- Every line of source text should be calculated as one LOC irrespective of the actual number of instructions on that line
- If a single instructions an several lines (say n lines), it is considered to be n LOC



• The values of a1, a2, b1, b2 for different categories of products (i.e., organic, semi detached, and embedded) as given by Boehm.

Cost Estimation of Software

Requirements:

External Input =

7ExternalOutput=2

No of Inquires – Status, Member information, Profit/loss

No of External Files-Data bases

No of External Interfaces=Client Machine

Count Total = 55

Value Adjustment Factors (VAF)

F1: Does the system require reliable backup & recovery?

F2: Are data communications required?

F3: Are the redistributed processing functions?

F4:Is performance critical?

F5: Will the system run in an existing, heavily utilized operational environment?

F6: Does the system require online data entry? 2

F7:Does the online data entry require the input transaction to be built over multiple screen so operation? 3



F8: Are the master files updated online?

F9: Are the inputs, outputs, files or inquiries complex?1

F10: Is the internal processing complex?

F11: Is the code designed to be reusable?

F12: Are the conversion and installation included in design?

F13: Is the system design for multiple installations in different organizations?

F14: Is the application designed to facilitate change and ease of use by the user?

$$\Sigma$$
FI=5+5+1+3+2+3+4+1+1+2+1+1+2+4=34

Function Point=Count Total * $[0.65*0.01(\Sigma Fi)]$

Function Point =55*[0.65*0.01(34)]

Function Point = 54.45 FP

Now 1FP = 75 LOC in C++

So, for 54.45 FP = 54.45*75 = 4083.750 LOC

Which is approximately

So, by the Basic COCOMO model the Effort and Development time required for our Organic type Software is

 $Tdev = b1x(EFFORT)^b2Months$

 $=2.5 \times (115)^{0.38}$


=15Months

If the salary of the developer is Rs. 10,000/-then the cost of development will be Rs.1,15,000/-




Aim: Prepare System Analysis and System Design of identified Requirement specification using structure design as DFD with data dictionary and Structure chart for the specific module

Data Flow Diagram Level1: For Manage Students




Level1: For Manage Lecturer






Level1: For Manage Parent




Level1: For Manage Admin






Level1: For Manage Attendance




Level2: For Manage Program






Level2: For Manage Course




Level2: For Manage Class






Aim: Designing the module using Object Oriented approach including Use case Diagram with scenarios, Class Diagram and State Diagram, Collaboration Diagram, Sequence Diagram and Activity Diagram

Class Diagram: A Class diagram which is a type of static structure diagram that describes the structure of a system by showing the system's classes, their attributes, operations (or methods), and the relationships among objects.





Use Case Diagram: A use case diagram is a graphical depiction of a user's possible interactions with a system. A use case diagram shows various use cases and different types of users the system has and will often be accompanied by other types of diagrams as well. The use cases are represented by either circles or ellipses.






State Diagram: A state diagram is a type of diagram used in computer science and related fields to describe the behavior of systems. State diagrams require that the system described is composed of a finite number of states; sometimes, this is indeed the case, while at other times this is area so abstraction.







Sequence Diagram: A sequence diagram is a Unified Modeling Language (UML) diagram that illustrates the sequence of messages between objects in an interaction. A sequence diagrams how the sequence of messages passed between objects. Sequence diagrams can also show the control structures between objects.





Aim: Defining Coding Standards and walk through.

Coding Standard:

Coding conventions are a set of guidelines for a specific programming language that recommend programming style, practices, and methods for each aspect of a program written in that language. These conventions usually cover file organization, indentation, comments, declarations, statements, white space, naming conventions, programming practices, programming principles, programming rules of thumb, architectural best practices, etc. These are guidelines for software structural quality. Software programmers are highly recommended to follow the SE guidelines to help improve the readability of the source code and make software maintenance easier.

Coding conventions are only applicable to the human maintainers and peer reviewers of a software project. Conventions may be formalized in a documented set of rules that an entire team or company follows, or may be as informal as the habitual coding practice so fan individual. Coding conventions are not enforced by compilers.

Why Are Coding Standards Important?

There as on why coding standards are important is that they help to ensure safety, security, and reliability Every development team should use one. Even the most experienced developer could introduce a coding defect.

- without realizing it. And that one defect could lead to a minor glitch. Or worse, a serious security breach. There are four key benefits of using coding standards:
- 1. Compliance with industry standards (e.g. ISO).
- 2. Consistent code quality—no matter who writes the code.
- 3. Software security from the start.
- 4. Reduced development costs and accelerated time to market.

Drawbacks of not having proper coding conventions for a team

Without predefined conditions that all team member should follow can result in the following:

Reduced engineers motivation

- Increased development time
- Complex code base structure



Common Aspects of Coding Standard:

- Naming Conventions: The naming convention is how your packages, classes methods, variables, etc. should be named.(eg. Camel Case, Pascal Caseorsnake_case)
- File and folder Naming and Organization: This is how your file and folder should be named and structured
- Formatting and Indentation: the code should be written in a standardized format and indentation.
- Commenting and Documenting: This makes it easy for there viewer of your code to better understand codes methods and declarations.
- Classes and Functions: This specifies how classes and functions should behave.
- Testing: This specifies which approach and tools should be used to test the codes
 - Limited use of globals: These rules tell about which types of data that can be declared global and the data that can't be.
 - Standard headers for different modules: For better understanding and maintenance of the code, the header of different modules should follow some standard format and information. The header format must contain below things that is being used in various companies like Name of module, Date of Module creation, Author of the Module, Modification History, Global variables accessed or modified by the module
 - Naming conventions for local variables, global variables, constants and functions:

Meaningful and understandable variables name helps anyone to understand the reason of using it. Local variables should be named using camel case lettering starting with small letter (e.g. local Data)where as Global variables names should start with a capital



Faculty of Engineering & TechnologySubject-Name: Software EngineeringSubject-Code:203105 204

B.TechCSEYear:3RDSemester:5TH

letter (e.g. Global Data). Constant names should be formed using capital letters only(e.g. CONSDATA). It is better to avoid the use of digits in variable names. The names of the function should be written in camel case starting with small letters. The name of the function must describe the reason of using the function clearly and briefly.

• Error return values and exception handling conventions:

All functions that encounter in error condition should either return a 0 or 1 for simplifying the debugging. All braces should start from a new line and the code following the end of braces also start from a newline.

• Avoid using a coding style that is too difficult to understand:

Code should be easily understandable. The complex code makes maintenance and debugging difficult and expensive.

Google Code of Conduct

- 1. Serve Our
 - Users
- 1. Integrit

y

- 2. Usefulness
- 3. Privacy and Freedom of Expression
- 4. Responsiveness
- 5. Take Action
- 2. Respect Each Other
 - 1. Equal Opportunity Employment
 - 2. Positive Environment
 - 3. Drugs and Alcohol
 - 4. Safe Workplace
 - 5. Dog Policy
- 3. Avoid Conflicts of Interest
 - 1. Personal Investments
 - 2. Outside Employment and Inventions
 - 3. Outside Board Memberships
 - 4. Business Opportunities
 - 5. Friends and Relatives; Co-Worker Relationships
 - 6. Gifts, Entertainment and Payments
 - 7. Reporting
- 4. Preserve Confidentiality
 - 1. Confidential Information
 - 2. Google Partners
 - 3. Competitors; Former Employers
 - 4. Outside Communications and Research
- 5. Protect Google's Assets
 - 1. Intellectual Property
 - 2. Company Equipment

Faculty of Engineering 8 TechnologySubject-Name: Software EngineeringSubject-Code:203105 304

- 3. The Network
- 4. Physical Security
- 5. Use of Google's Equipment and Facilities
- 6. Employee Data



- 6. Ensure Financial Integrity and Responsibility
 - 1. Spending Google's Money
 - 2. Signing a Contract
 - 3. Recording Transactions
 - 4. Reporting Financial or Accounting Irregularities
 - 5. Hiring Suppliers
 - 6. Retaining Records
- 7. Obey the Law
 - 1. Trade Controls
 - 2. Competition Laws
 - 3. Insider Trading Laws
 - 4. Anti-Bribery Laws"

What is Code Review?

Code review is a software quality assurance process in which software's source code is analyzed manually by a team or by using an automated code review tool. The motive is purely, to find bugs, resolve errors, and for most times, improving code quality. Reviewing the code base makes sure that every software or new feature developed within the company is of high quality. Code review is an essential process that every software company must follow, so were searched the best practices for reviewing code.

Best Code Review Technique

Every company has its own process of performing code review but we look into four of the best and most code review techniques.

1. Instant Code Reviewing Technique


The most direct form of reviewing code is the Instant Code review technique. In this, the developer is writing code while the reviewer sits beside reading the code simultaneously and correcting it on the go. Also known as pair programming, this process is best suited for highly complex programs where two minds can solve the problem much quicker and efficiently.

While this process looks favorable for companies but in reality, the time and workforce needed by this technique make it unfavorable. Two or more people working on code together means less average lines per developer.

Interruption for corrections also halts the flow of work for the author of the code and the learning curve for a developer in constant support or solution is presented right away by a reviewer for a complex problem.

2. Ad-hoc (synchronous) Code Reviewing Technique

Also known as "Over the Shoulder" code-review process. It is the most commonly used process with around 75% of companies participating in ad-hoc reviews. In this type of synchronous method, the coder produces the code





and then asks the reviewer to review the code. The reviewer joins the coder at the screen, reviews the code while discussing it, over the shoulder. It is implemented wisely because it is informal and spontaneous. The process is successful only if the reviewer is available at the time or it disrupts the coder's speed. Three team members checking the code quality. This method has a high probability of missing errors and glitches as most of the time, the reviewer lacks the knowledge of the goal of the task. Immediate review missed to bring out better results as a team would have in their refinement sessions together with tasks discussed upfront.

The ad-hoc review usually results in only a developer knowing the goal of the project. The major problem of this process is forced context-switching. Imagine working on a complex software yourself, and then being called by your junior member for an ad-hoc review. You would have to leave your station immediately to review the code of your co-worker. Having to leave your work suddenly can create exhaustion and frustration.

3. Meeting Based Code Reviewing Technique

This is the least commonly used process with only 44% using it once a month. In meeting based code review, coders complete their work, and a meeting is called. The whole tech team sits, commenting, and attempting to improve the code together. It is a temporary process as it is highly unlikely to perform constantly considering the amount of time, loss of workforce for the time, decreased efficiency and in ability to get the whole team together.

A team performing meeting based code review process

Meeting based code reviews make sense only when the whole team is in experienced with the code review process. It involves assembling the entire team in a room, sharing ideas and solving problems for a few times. This helps every team member to understand the process much clearer. With just over half of the companies using this, this process is not adequate as a code quality assurance standard.

4. Tool Based Code Reviewing Technique

This process is not done by a team together, at least not on the same screen. It is also called an asynchronous code review. In this, once the code gets finished, the coder makes it available for others to review. The reviewer will review the code on their screen commenting, or even amending the errors in the codes. Then notifying the coder who on her agenda will improve it. When there are no changes, the code is marked with no comments for improvements and the software gets approved.



Aim: Write the test cases for the identified module.

The testing process cannot take place without prior communication with the programmers of the software. This is because the testers cannot start testing the software unless they know what the code does and how it works. Similarly, communicating with other software testers is also important. It helps to understand:

- 1. What to test?
- 2. What resources will be needed?
- 3. What will the schedule be?

The software test plan is the principal way through which software testers communicate their intent to the code developers. The test case is the heart of a test plan. A test case is a document that describes a set of data inputs and operating conditions required to run a test, together with the expected results of the run.

The tester should run the software according to the test case documentation and then compare the actual results with the expected results noted in the documents.

If the obtained results are in complete agreement with the expected results, then it indicates that no error has been identified. The result of such a test case is said to be 'pass'.

A potential error is said to be identified when some or all of the results do not agree with the expected results. In such cases, the test case will have the status 'fail'

Test Cases	Explanation	Result
LOGIN	To check if only admin and teacher and student will be able to login after filling in the correct details in the available fields. Check if it was successful	
PREVIEW	To check if the admin and doctor will be able to visit the irrespective Dashboard	Pass



CHECKATTEN DANCE	To check if the admin and teacher will be able to check the attendance system. Check if it was successful.	Pass
ADDMEMBERS	To check if the admin can add students of different classes and teachers of different classes. Check if it was successful.	Pass
CHECK EVENTS	To check if the admin, teacher or student can check event. If it was Successful	Pass

Test	Test case Objective	Test Case	Input	Expected Output	Results
Case		Description			
ID					
1	To check the interface link	Click on the	Button	To be directed to the	Pass
	between the login page and the	LOGIN	Clicked	Homepage	
	homepage	Button	Button	Remains Unchanged	
			Not		
			Clicked		
2	To check the interface link	Click on the	Button	To be directed to	Pass
	between the home page and the	Dashboard	Clicked	Dashboard	
	dashboard page	Button	Button	Remains Unchanged	
			not		
			Clicked		
3	To check the interface link	Click on the	Button	To be directed to	Pass
	between the Dashboard Page	Attendance	Clicked	Attendance Page	
	and Attendance Page	Button	Button	Remains Unchanged	
			Not		
			Clicked		
4	To check the interface link	Click on	Button	To be directed to	Pass
	between the Attendance page	View/Add	Clicked	View/Add Attendance	
	and View/Add attendance			Window	
			Button	Remains Unchanged]
			not		
			Clicked		



Aim: Demonstrate the use of different Testing Tools with comparison

Selenium IDE:

Selenium IDE (Integrated Development Environment) is the simplest tool in the Selenium Suite. It is a Firefox add-on that creates tests very quickly through its record-and-playback functionality. This feature is similar to that of QTP. It is effortless to install and easy to learn. Because of its simplicity, Selenium IDE should only be used as a prototyping tool, not an over all solution for developing and maintaining complex test suites.

Selenium IDE: Why it is Good?

- Large community.
- Simultaneous tests.
- Mobile support.

Selenium IDE: Where's the catch?

- Not beginner-friendly.
- No image verification.

Test Complete: Why it is Good?

- Ease of use.
- Customization.
- Timely updates.
- Support of desktop apps.

Test Complete: Where's the catch?

• No Mac support.

Katal on Studio: Why it is Good?



- Good for both pros and non-techies.
- Unified bundle.
- Abundance of tutorials.
- Visualized reports.

Katal on Studio: Where's the catch?

- Poor language support.
- Small (although growing) community.
- Unified Functional Testing (UFT): Why it is Good?
- Automated tests from manual.
- Collaboration capabilities.

Unified Functional Testing (UFT): Where's the catch?

- Only one language supported.
- Price.
- Only Windows support.

Watir: Why it is Good?

• Choice of languages.

Watir: Where's the catch?

- May be too simple.
- Small community



Comparison between different software testing tools

	Price	Platform	Supported languages	Tested apps	Coding skills required	Learning curve
Selenium	Free	Windows/ Mac/Linux	Java, Python, C#, PHP, JavaScript, Ruby, Perl	Web, mobile (with Appium)	Advanced skills	
TestComplete		Windows	VB, JavaScript, Jscript, C++, C#, Delphi, Angular, Ruby on Rails, PHP	Web. mobile. desktop	Minimum skills/Advanced skills for pro scripting	Mild
Tricentis Tosca	Custom, high (according to online discussions)	Windows	JavaScript	Web, mobile, desktop	Minimum skills/Advanced skills for pro scripting	Mild
Katalon Studio	Free	Windows/Mac	Java/Groovy	Web, mobile	Minimum skills/Advanced skills for pro scripting	Mild
UFT		Windows	VBScript	Web. mobile. desktop	Minimum skills/Advanced skills for pro scripting	Moderate
Watir	Free	Windows	Ruby (Java/.Net alternatively)	Web	Minimum skills	Mild
Ranorex	\$2800/\$850	Windows	C#, VB.Net, Iron Python	Web, mobile, desktop	Minimum skills/Advanced skills for pro scripting	Moderate



Installation of Selenium:

- 1) Download the setup from the www.selenium.org
- 2) Check the version of the chrome.

 Open Chrome Browser ->Help ->About Google Chrome
- 3) Open Chrome driver.exe downloads where you will see the latest Chrome Driver for the latest google chrome version. We will download version–75 of chrome driver.exe
- 4) Download the chromedriver.exe file for the respective OS and copy that .exe file into your local. Copied the downloaded .exe
- 5) The path of the chrome driver (C:\webdriver\chromedriver.exe) will be used in our program.

Selenium Setup With Chrome Driver

Now that we are done with setting up of Chrome Driver, we will launch the Eclipses of software for executing our Selenium codes.


Below are the steps to follow to create and execute our Selenium codes on Eclipse.


Create A New Maven Project

This step will let you create an empty Maven project in which you can execute your Selenium codes.


All you need to do is to click on File->New->Others->Maven Project.













In the above img, we have added the group id and artifact id. The same will be reflected or required in your pom.xml after you have clicked on the finish button.








Project Build Path And Importing Jars

The next step is to download the jar files and import them in your project. You can download all the selenium jars from the google or the official maven site


After you have downloaded all the jars, you need to follow the below steps in order.

•	Right-click on your	Maven Project an	nd click on Proper	rties.	





• Click on Java Build Path->Libraries -> Add Jars->Apply and Close. Adding Jars in Java Build Path



University parul 1e example of Facebook. Whenever you try automating University, Chrome, you will see the following alert.

```
☑ HandlingAlerts.java ☎
   package tests;
 3⊖ import org.openqa.selenium.By;
 4 import org.openqa.selenium.WebDriver;
   import org.openqa.selenium.WebElement;
 6 import org.openga.selenium.chrome.ChromeDriver;
 8 public class HandlingAlerts {
        public static void main(String[] args) {
100
11
            // TODO Auto-generated method stub
12
            System.setProperty("webdriver.chrome.driver"
                                                           "C:\\webdriver\\chromedriver.exe");
           WebDriver driver = new ChromeDriver();
            driver.get("https://www.facebook.com");
           WebElement element = driver.findElement(By.xpath("//*[@id = 'email']"));
15
16
           element.sendKeys("Your Email Id or Phone Number");
17
           WebElement element2 = driver.findElement(By.xpath("//*[@id = 'pass']"));
18
19
           element2.sendKeys("Your Password");
20
21
           element2.submit();
24 }
```

In the above script, we have passed our Chrome Driver path as an argument in the system. setProperty(). This will let the Web Driver to control Google Chrome.

Upon executing the above script, we will be logged into Facebook using the email id and password. However, an alert will pop up which would further deny any operation that we will do on the website through our script.

Final output:

Parul[™]





Aim: Define security and quality aspects of the identified module.

Software Quality shows how good and reliable a product is. To convey an associate degree example, think about functionally correct software. It performs all functions as laid out in the SRS document. But, it has an associate degree virtually unusable program. even though it should be functionally correct, we tend not to think about it to be a high-quality product.

Another example is also that of a product that will have everything that the users need but has an associate degree virtually incomprehensible and not maintainable code. Therefore, the normal construct of quality as "fitness of purpose" for code merchandise isn't satisfactory.

Factors of Software Quality

The modern read of high-quality associates with software many quality factors like the following:

- 1. **Portability:** A software is claimed to be transportable, if it may be simply created to figure in several package environments, in several machines, with alternative code merchandise, etc.
- 2. **Usability:** A software has smart usability if completely different classes of users (i.e. knowledgeable and novice users) will simply invoke the functions of the merchandise.
- 3. **Reusability:** A software has smart reusability if completely different modules of the merchandise will simply be reused to develop new merchandise.
- 4. **Correctness:** Software is correct if completely different needs as laid out in the SRS document are properly enforced.
- 5. **Maintainability:** A software is reparable, if errors may be simply corrected as and once they show up, new functions may be simply added to the merchandise, and therefore the functionalities of the merchandise may be simply changed, etc
- 6. **Reliability.** Software is more reliable if it has fewer failures. Since software engineers do not deliberately plan for their software to fail, reliability depends on the number and type of mistakes they make. Designers can improve reliability by ensuring the



University_{res} occur, the system can handle them or can recover easily.

7. **Efficiency.** The more efficient software is, the less it uses of CPU-time, memory, disk space, <u>network bandwidth</u>, and other resources. This is important to customers in order to reduce their costs of running the software, although with today's powerful computers, CPU time, memory and disk usage are less of a concern than in years gone by.

Software Quality Management System

Software Quality Management System contains the methods that are used by the authorities to develop products having the desired quality.

Managerial Structure

Quality System is responsible for managing the structure as a whole. Every Organization has a managerial structure.

Individual Responsibilities

Each individual present in the organization must have some responsibilities that should be reviewed by the top management and each individual present in the system must take this seriously.

Quality System Activities

The activities which each quality system must have been

- 1. Project Auditing.
- 2. Review of the quality system.
- 3. It helps in the development of methods and guidelines.

Evolution of Quality Management System

Quality Systems are basically evolved over the past some years. The evolution of a Quality Management System is a four-step process.

- 1. The main task of <u>quality control</u> is to detect defective devices, and it also helps in finding the cause that leads to the defect. It also helps in the correction of bugs.
- 2. Quality Assurance helps an organization in making good quality products. It also helps in improving the quality of the product by passing the products through security checks.
- 3. <u>Total Quality Management(TQM)</u> checks and assures that all the procedures must be continuously improved regularly through process measurements.

