

```
@utlspn inv_forecasts_forecast_description_xu2
```

```
COLUMN max_col NEW_VALUE max_col_position
```

```
SELECT MAX(column_position) max_col
FROM    n_view_column_templates
WHERE   view_label = 'INV_Forecasts';
```

```
COLUMN max_where NEW_VALUE max_where_position
```

```
SELECT MAX(where_clause_position) max_where
FROM    n_view_where_templates
WHERE   view_label = 'INV_Forecasts';
```

```
COLUMN max_from NEW_VALUE max_from_position
```

```
SELECT MAX(from_clause_position) max_from
FROM    n_view_table_templates
WHERE   view_label = 'INV_Forecasts';
```

```
INSERT INTO n_view_table_templates(
    view_label, query_position, table_alias, from_clause_position,
    application_label, table_name, product_version,
    base_table_flag, key_view_label, subquery_flag, created_by,
    creation_date, last_updated_by, last_update_date)
VALUES(
    'INV_Forecasts', -- view_label
    1, -- query_position
    'MFD', -- table_alias
    (&max_from_position + 1), -- from_clause_position
    'MRP', -- application_label
    'MRP_FORECAST_DESIGNATORS', -- table_name
    '12+', -- product_version
    'N', -- base_table_flag
    NULL, -- key_view_label
    'N', -- subquery_flag
    'A Pellow', -- created_by
    TO_DATE('09-DEC-11'), -- creation_date
    'A Pellow', -- last_updated_by
    TO_DATE('09-DEC-11')) -- last_update_date
;
```

```
INSERT INTO n_view_table_templates(
```

```

    view_label, query_position, table_alias, from_clause_position,
application_label, table_name, product_version,
    base_table_flag, key_view_label, subquery_flag, created_by,
creation_date, last_updated_by, last_update_date)
VALUES (
    'INV_Forecasts', -- view_label
    2, -- query_position
    'MFD', -- table_alias
    (&max_from_position + 1), -- from_clause_position
    'MRP', -- application_label
    'MRP_FORECAST_DESIGNATORS', -- table_name
    '12+', -- product_version
    'N', -- base_table_flag
    NULL, -- key_view_label
    'N', -- subquery_flag
    'A Pellow', -- created_by
    TO_DATE('09-DEC-11'), -- creation_date
    'A Pellow', -- last_updated_by
    TO_DATE('09-DEC-11')) -- last_update_date
;

```

```

INSERT INTO n_view_table_templates(
    view_label, query_position, table_alias, from_clause_position,
application_label, table_name, product_version,
    base_table_flag, key_view_label, subquery_flag, created_by,
creation_date, last_updated_by, last_update_date)
VALUES (
    'INV_Forecasts', -- view_label
    3, -- query_position
    'MFD', -- table_alias
    (&max_from_position + 1), -- from_clause_position
    'MRP', -- application_label
    'MRP_FORECAST_DESIGNATORS', -- table_name
    '12+', -- product_version
    'N', -- base_table_flag
    NULL, -- key_view_label
    'N', -- subquery_flag
    'A Pellow', -- created_by
    TO_DATE('09-DEC-11'), -- creation_date
    'A Pellow', -- last_updated_by
    TO_DATE('09-DEC-11')) -- last_update_date
;

```

```

INSERT INTO n_view_where_templates(
    view_label, query_position, where_clause_position, where_clause,
    product_version, created_by, creation_date,
    last_updated_by, last_update_date)
VALUES (
    'INV_Forecasts', -- view_label
    1, -- query_position
    (&max_where_position + 1), -- where_clause_position
    'AND FODAT.Forecast_Designator = MFD.Forecast_Designator(+)', --
where_clause
    '12+', -- product_version
    'A Pellow', -- created_by
    TO_DATE('09-DEC-11'), -- creation_date
    'A Pellow', -- last_updated_by
    TO_DATE('09-DEC-11')) -- last_update_date
;

```

```

INSERT INTO n_view_where_templates(
    view_label, query_position, where_clause_position, where_clause,
    product_version, created_by, creation_date,
    last_updated_by, last_update_date)
VALUES (
    'INV_Forecasts', -- view_label
    2, -- query_position
    (&max_where_position + 1), -- where_clause_position
    'AND FODAT.Forecast_Designator = MFD.Forecast_Designator(+)', --
where_clause
    '12+', -- product_version
    'A Pellow', -- created_by
    TO_DATE('09-DEC-11'), -- creation_date
    'A Pellow', -- last_updated_by
    TO_DATE('09-DEC-11')) -- last_update_date
;

```

```

INSERT INTO n_view_where_templates(
    view_label, query_position, where_clause_position, where_clause,
    product_version, created_by, creation_date,
    last_updated_by, last_update_date)
VALUES (
    'INV_Forecasts', -- view_label
    3, -- query_position
    (&max_where_position + 1), -- where_clause_position
    'AND FODAT.Forecast_Designator = MFD.Forecast_Designator(+)', --

```

```

where_clause
    '12+', -- product_version
    'A Pellew', -- created_by
    TO_DATE('09-DEC-11'), -- creation_date
    'A Pellew', -- last_updated_by
    TO_DATE('09-DEC-11')) -- last_update_date
;

INSERT INTO n_view_where_templates(
    view_label, query_position, where_clause_position, where_clause,
    product_version, created_by, creation_date,
    last_updated_by, last_update_date)
VALUES(
    'INV_Forecasts', -- view_label
    1, -- query_position
    (&max_where_position + 2), -- where_clause_position
    'AND FODAT.Organization_Id = MFD.Organization_Id(+)', --
where_clause
    '12+', -- product_version
    'A Pellew', -- created_by
    TO_DATE('09-DEC-11'), -- creation_date
    'A Pellew', -- last_updated_by
    TO_DATE('09-DEC-11')) -- last_update_date
;

INSERT INTO n_view_where_templates(
    view_label, query_position, where_clause_position, where_clause,
    product_version, created_by, creation_date,
    last_updated_by, last_update_date)
VALUES(
    'INV_Forecasts', -- view_label
    2, -- query_position
    (&max_where_position + 2), -- where_clause_position
    'AND FODAT.Organization_Id = MFD.Organization_Id(+)', --
where_clause
    '12+', -- product_version
    'A Pellew', -- created_by
    TO_DATE('09-DEC-11'), -- creation_date
    'A Pellew', -- last_updated_by
    TO_DATE('09-DEC-11')) -- last_update_date
;

INSERT INTO n_view_where_templates(

```

```

    view_label, query_position, where_clause_position, where_clause,
product_version, created_by, creation_date,
    last_updated_by, last_update_date)
VALUES (
    'INV_Forecasts', -- view_label
    3, -- query_position
    (&max_where_position + 2), -- where_clause_position
    'AND FODAT.Organization_Id = MFD.Organization_Id(+)', --
where_clause
    '12+', -- product_version
    'A Pellew', -- created_by
    TO_DATE('09-DEC-11'), -- creation_date
    'A Pellew', -- last_updated_by
    TO_DATE('09-DEC-11')) -- last_update_date
;

INSERT INTO n_view_column_templates(
    view_label, query_position, column_label, table_alias,
column_expression, column_position, column_type,
    description, group_by_flag, format_class, gen_search_by_col_flag,
product_version, created_by, creation_date,
    last_updated_by, last_update_date)
VALUES (
    'INV_Forecasts', -- view_label
    1, -- query_position
    'Forecast_Description', -- column_label
    'MFD', -- table_alias
    'Description', -- column_expression
    (&max_col_position + 1), -- column_position
    'COL', -- column_type
    'Item forecast description', -- description
    'N', -- group_by_flag
    'STRING', -- format_class
    'N', -- gen_search_by_col_flag
    '12+', -- product_version
    'A Pellew', -- created_by
    TO_DATE('09-DEC-11'), -- creation_date
    'A Pellew', -- last_updated_by
    TO_DATE('09-DEC-11')) -- last_update_date
;

INSERT INTO n_view_column_templates(
    view_label, query_position, column_label, table_alias,

```

```

column_expression, column_position, column_type,
    description, group_by_flag, format_class, gen_search_by_col_flag,
product_version, created_by, creation_date,
    last_updated_by, last_update_date)
VALUES (
    'INV_Forecasts', -- view_label
    2, -- query_position
    'Forecast_Description', -- column_label
    'MFD', -- table_alias
    'Description', -- column_expression
    (&max_col_position + 1), -- column_position
    'COL', -- column_type
    'Item forecast description', -- description
    'N', -- group_by_flag
    'STRING', -- format_class
    'N', -- gen_search_by_col_flag
    '12+', -- product_version
    'A Pellew', -- created_by
    TO_DATE('09-DEC-11'), -- creation_date
    'A Pellew', -- last_updated_by
    TO_DATE('09-DEC-11')) -- last_update_date
;

```

```

INSERT INTO n_view_column_templates(
    view_label, query_position, column_label, table_alias,
column_expression, column_position, column_type,
    description, group_by_flag, format_class, gen_search_by_col_flag,
product_version, created_by, creation_date,
    last_updated_by, last_update_date)
VALUES (
    'INV_Forecasts', -- view_label
    3, -- query_position
    'Forecast_Description', -- column_label
    'MFD', -- table_alias
    'Description', -- column_expression
    (&max_col_position + 1), -- column_position
    'COL', -- column_type
    'Item forecast description', -- description
    'N', -- group_by_flag
    'STRING', -- format_class
    'N', -- gen_search_by_col_flag
    '12+', -- product_version
    'A Pellew', -- created_by

```

```
TO_DATE('09-DEC-11'), -- creation_date  
'A Pellow', -- last_updated_by  
TO_DATE('09-DEC-11')) -- last_update_date  
;
```

```
COMMIT;
```

```
@utlspoff
```