

A.Force and displacement are in the same direction
B.Force and displacement are perpendicular
C.Force produces no displacement
D.Displacement is opposite to the force*
Ans:D
5. The nuclear radius of an atom is of the order of:
A.10 ⁻¹⁵ m*
B.10 ⁻² m
C.10 ⁻¹⁰ m
D.10 ⁻⁶ m
Ans:A
6.Nitric acid is industrially prepared by:
A.Contact process
B.Ostwald process*
C.Haber process
D.Solvay process
Ans:B
7. Primary, secondary and tertiary alcohole can be distinguished by:
A.Hinsberg test
B.Silver mirror test
C.lodoform test

8. The electrode potential of standard hydrogen electrode is: **B.1** V C.0 V* D.1.1 V Ans:C 9. Which of the following is a water soluble vitamin? A.Vitamin C* **B.Vitamin D** C.Vitamin A D.Vitamin K Ans:A 10. The intermolecular hydrogen bonding present in: A.HCI B.CH₄ $C.HB_r$ D.HF* Ans:D

11. Chipko movement is connected with:

A.Forest conservation*
B.Plant breeding
C.Project tiger
D.Biotechnology
Ans:A
12.Edible Part of coconut is:
A.Epicarp
B.Endocarp
C.Endodermis
D.Endosperm*
Ans:D
13.Minamata disease is due to pollution of:
A.Organic waste into drinking water
B.Oil spill in water
C.Industrial waste mercury into fishing water*
D.Arsenic into the atmosphere
Ans:C
14. Restriction enzymes are used in genetic engineering because they:
A.Can join DNA fragments
B.Can cut DNA at specific sequence*
C.Can protect DNA from harmful proteins

D.Can multiply DNA fragments
Ans:B
15.Rice crop was destroyed by a fungus which resulted in severe famin of Bengal in 1942.It was due to:
A.Phytophthora
B.Rhizopus
C.Puccinia
D.Helminthosporium*
Ans:D
16.Nitrogen base common to DNA and RNA is:
A.Thymine
B.Uracil
C.Adenine*
D.Both A and B
Ans:C
17.A non-nucleated cell in human body:
A.Erythrocyte*
B.Leucocyte
C.Chondrocyte
D.Octeocyte
Ans:A
18. The pathogen responsible for Malaria is:

A.Bacteria
B.Mosquito
C.Virus
D.Protozoan*
Ans:D
19. Digestive enzyme common to salivary glands and pancreas is:
A.Trypsin
B.Amylase*
C.Chymotrypsin
D.Renin
Ans:B
20.Example for heterocrine gland in human is:
A.Pancreas*
B.Parathyroid
C.Virus
D.Protozoan
Ans:A
21.Most corumon causative agent for urinary tract infection is:
A.Escherichia coli*
A.Escherichia coli* B.Streptococcus

D.Entamoeba Hystolytica
Ans:A
22. The increased blood flow to the pelvic organs in pregnancy render a bluish colour is called:
A.Osiander's sign
B.Jacquemier's sign*
C.Hegar's sign
D.Goodell's sign
Ans:B
23. The antidote for magnesium sulphate in eclampsia in pregnancy is:
A.Sodium chloride
B.Calcium carbonate
C.Calcium chloride
D.Calcium gluconate*
Ans:D
24.The normal pH of urine is:
A.4 to 8*
B.10 to 12
C.1 to 3
D.14 to 18
Ans:A

25.Trendelenburg position is provided for a patient with following conditions'EXCEPT':

Conditions Excel 1.
A.Following spinal anesthesia
B.Preventing shock
C.During thoracentesis*
D.Retaining fluids in retention enema
Ans:C
26. Whipple procedure is the surgical management of:
A.Ca Colon
B.Ca Stomach
C.Ca Esophagus
D.Ca Pancreas*
Ans:D
27.Collection of air in the subcutaneous issue:
A.Melanoma
B.Empyema
C.Emphysema*
D.Pyo derma
Ans:C
28. Humidifier attached to a oxygen source helps to:
A.Prevent transmission of microorganism
B.Prevent dryness of mucous membrane*
WWW.FACEBOOK.COM/EXAMCHOICES.IN, IF YOU SHARE TO YOUR FRIENDS.

C.Prevent irritation on the skin

D.Prevent fire hazard

Ans:B

29. Massaging the insulin injection site leads to:
A.Unpredictable absorption*
B.Bruising of the site
C.Tissue damage
D.Infection of injection site
Ans:A
30.Normal serum potassium level:
A.6.0 to 8.0 meq/litre
B.3.5 to 5.0 meq/litre*
C.0.5 to 2.0 meq/litre
D.10 to 12 meq/litre
Ans:B
31.Normal intracranial pressure:
A.0 to 5 mm Hg

B.40 to 50 mm Hg

C.20 to 35 mm Hg

D.0 to 15 mm Hg*

Ans:D

32.Dialation of renal pelvis is known as:
A.Glomerulonephritis
B.Pyeonephritis
C.Hydronephrosis*
D.Nephrotic syndrome
Ans:C
33.Largest cranial nerve is:
A.Trigeminal nerve*
B.Olfactory nerve
C.Glossopharyngeal nerve
D.Hypoglossal nerve
Ans:A
34. Melatonin is a hormone secreted by:
A.Thyroid gland
B.Pineal gland*
C.Pituitary gland
D.Adenoid gland
Ans:B
35. Route of administration of BCG vaccination is:
A.Intra dermal*
B.Intra muscular

C.Sub cutaneous
D.Oral
Ans:A
36.Kaposi sarcoma is common in:
A.Hepatitis
B.Psoriasis
C.Dermatitis
D.AIDS*
Ans:D
37.Geriatric Medicine is a speciality that focus on:
A.Adolescent population
B.Female population
C.Elderly population*
D.Male population
Ans:C
38.ECG changes in cardiac ischemia is:
A.ST segment depression*
B.Physiologic Q wave
C.ST segment elevation
D.Pathologic Q wave
Ans:A

39. The occupational disease caused by inhalation of cotton fibre dust over a long period of time:

A.Bagassosis	
B.Anthracosis	
C.Silicosis	
D.Byssinosis*	
Ans:D	
40.An epidemic outbreak of disease in bird population:	
A.Enzootic	
B.Epornithic*	
C.Pandemic	
D.Epizootic	
Ans:B	
41. The concept public health was born in:	
A.Greek	
B.China	
C.Rome*	
D.Egypt	
Ans:C	
42.Father of Indian surgery:	
A.Charaka	
B.Susrutha*	

C.Atraya
D.Vaghbata
Ans:B
43. First anti psychotic drug used in schizophrenia
A.Lithium
B.Amitriptylline
C.Chlorpromazine*
D.Imipramine
Ans:C
44.Dread of high places is called:
A.Agoraphobia
B.Zoophobia
C.Claustrophobia
D.Acrophobia*
Ans:D
45. The hyper pigmented patch on the cheeks and face of the pregnant woman is known as:
A.Chloasma*
B.Palmer's sign
C.Snow
D.Hegar's sign
Ans:A

THANKS FOR YOUR SUPPORT.VISIT <u>WWW.EXAMCHOICES.IN</u> 46. The HCG level in normal pregnancy reach a peak in: A.60 to 70 days* B.20 to 30 days C.40 to 50 days D.0 to 10 days Ans:A 47.A specific type of imaging that uses a low dose X-ray system to examine breast: A.Angiography **B.Cholangiography** C.Mammography* D.Bronchography Ans:C 48.Inflammation of the cornea is called: A.Corneal ulcers B.Keratitis* **C.Uveitis D.Blepheritis** Ans:B 49. Hearing loss associated with aging is known as: A.Menier's disease

WWW.FACEBOOK.COM/EXAMCHOICES.IN, IF YOU SHARE TO YOUR FRIENDS.

B.Otosclerosis

C.Labrinthitis
D.Presbycosis*
Ans:D
50.An example of proton pump inhibitor:
A.Cotrimoxazole
B.Pandaprazole*
C.Flucanazole
D.Mebandazole
Ans:B
51.Therapeutic blood level of lithium is:
A.30 to 150 mg/litre
B.13 to 20 mg/litre
C.0.8 to 1.2 meq/litre*
D.2.0 to 4.0 meq/litre
Ans:C
52. The World Environment Day is celebrated on:
A.June 5 th *
B.June 15 th
C.July 5 th
D.July 15 th
Ans:A

53.An example of calcium channel blocker:

A.Atrovastatin
B.Atenolol
C.Clopidogrel
D.Amlodipine*
Ans:D
54.Thiamine deficiency can lead to:
A.Rickets
B.Night blindness
C.Xerophthalmia
D.Beri-Beri*
Ans:D
55.Prevention of Food Adulteration Act was enacted by the Indian parliament in the year:
A.1963
B.1954*
C.1949
D.1989
Ans:B
56.Smallpox was officially declared eradicated from the entire world by world health organization in the year:
A.1980*

THANKS FOR YOUR SUPPORT.VISIT <u>WWW.EXAMCHOICES.IN</u>
B.1970
C.1960
D.1990
Ans:A
57. Multi drug resistant Tuberculosis is one that is at least resistant to:
A.Thioacetazone and Ethambutol
B.Ciprofloxacin and Ofloxacin
C.Isoniazid and Rifampicin*
D.Pyarazinamide and Streptomycin
Ans:C
58. The following is NOT an extra pyramidal symptom:
58.The following is NOT an extra pyramidal symptom: A.Parkinsonism
A.Parkinsonism
A.Parkinsonism B.Anhedonia*
A.Parkinsonism B.Anhedonia* C.Dystonia
A.Parkinsonism B.Anhedonia* C.Dystonia D.Akathisia
A.Parkinsonism B.Anhedonia* C.Dystonia D.Akathisia Ans:B 59.A type of delusion in which patient reports of non-existence of self
A.Parkinsonism B.Anhedonia* C.Dystonia D.Akathisia Ans:B 59.A type of delusion in which patient reports of non-existence of self or world:

WWW.FACEBOOK.COM/EXAMCHOICES.IN, JF YOU SHARE TO YOUR FRIENDS.

D.Delusional perception

٨	n	_		$\boldsymbol{\Gamma}$
н	ш	· >	_	ι.

60. One gram protein gives:

A.4 calories*

B.9 calories

C.6 calories

D.10 calories

Ans:A

61.After snake bite which of the following one is not a correct management?

A.Calm and reassure the victim

B.Inmobilize the affected part

C.Wash the wound with normal saline

D.Make a wound on the bite site to drain the blood*

Ans:D

62.Difficulty in swallowing is termed as:

A.Anorexia

B.Dyspepsia

 $C. Dysphagia \\ ^*$

D.Nausea

Ans:C

63. Normal blood urea level:

A.5 to 10 mg/dl

B.50 to 60 mg/dl
C.70 to 80 mg/dl
D.20 to 40 mg/dl*
Ans:D
64. The body temperature of a patient admitted with typhoid fever is 38 degree Celsius, convert it into Fahrenheit:
A.100.4*
B.101.4
C.102.4
D.103.4
Ans:A
65.The first mammary secretion is called:
A.Prolactin
B.Colostrum*
C.Lactogen
D.Relaxin
Ans:B
66.Pap smear is used to diagnose:
A.Malaria
B.Cancer of the cervix*
C.Cancer stomach
D.Tuberculosis

Ans:B

67. The syndrome caused by excess production of glucocorticoid:

A.Cushing syndrome*

B. Nephrotic syndrome

C.Compartment syndrome

D.Diabetes mellitus

Ans:A

68. The most important Essential Fatty Acid(EFA) is:

A. Eichosapentaenoic acid

B.Linoleinic acid

C.Arachidonic acid

D.Linoleic acid*

Ans:D

69.Bitots spots is seen in deficiency of:

A.Vitamin B

B.Vitamin C

C.Vitamin A*

D.Vitamin D

Ans:C

70. Kegal exercise is a:

A.Pelvic floor muscle exercise*

B.Shoulder exercise

C.Abdominal muscle exercise D.Chest exercise Ans:A 71. End stage renal disease occur when the Glomerular Filtration Rate(GFR)is: A.Less than 25 ml/minute B.Less than 15 ml/minute* C.Less than 35 ml/minute D.Less than 45 ml/minute Ans:B 72. World Breast week is on: A.September 1 to 7 B.September 15 to 21 C.August 1 to 7* D.August 15 to 21 Ans:C 73. Dose of Vitamin K given to a neonate after birth is: A.0.2 mg B.1.5 mg C.1 mg D.0.5 mg* Ans:D WWW.FACEBOOK.COM/EXAMCHOICES.IN, IF YOU SHARE TO YOUR FRIENDS.

74. Baby friendly hospital initiative was launched in the year: A.1991* B.1981 C.1984 D.1994 Ans:A 75. Causative agent of whooping cough: A.Coxiella burntii **B.**Borrelia recurrentis C.Xenospyila Braziliensis D.Bordettella pertusis* Ans:D 76. Health survey and planning committee is popularly known as: A.Bhore committee B.Mudaliar committee* C.Mukerji Committee D.Kartar Sing committee Ans:B 77. Gross painless chronic haematuria is common in: A.Ca Prostate B.Renal injury

WWW.FACEBOOK.COM/EXAMCHOICES.IN, IF YOU SHARE TO YOUR FRIENDS.

C.Ca bladder*

D.Hydronephrosis
Ans:C
78.Inflammation of gall bladder is known as:
A.Cystitis
B.Gastritis
C.Cholecystitis*
D.Gastroenteritis
Ans:C
79.Pathological imitation of speech of one person by another:
A.Stereotypy
B.Echolalia*
C.Cataplexy
D.Echopraxia
Ans:B
80. Eight stages of psychosocial development was forwarded by:
A.Piaget
B.Kraepelin
C.Freud
D.Erikson*
Ans:D

WWW.FACEBOOK.COM/EXA	MCHOICES IN IE VOIL 6	THARE TO VOLID EDIEND	ac.	