

<----->

[Mar 23 20:01:34] VERBOSE[4067] chan_sip.c: [Mar 23 20:01:34] --- (8 headers 0 lines) ---
[Mar 23 20:01:34] NOTICE[4067] chan_sip.c: Outbound Registration: Expiry for nat5.babytel.ca is 55 sec (Scheduling reregistration in 40 s)
[Mar 23 20:01:34] VERBOSE[4067] chan_sip.c: [Mar 23 20:01:34] Really destroying SIP dialog '5e070a0021f200c72308ddad6fe2521c@192.168.0.99' Method: REGISTER
[Mar 23 20:02:01] VERBOSE[20423] manager.c: [Mar 23 20:02:01] == Manager 'sendcron' logged on from 127.0.0.1
[Mar 23 20:02:01] VERBOSE[20423] manager.c: [Mar 23 20:02:01] == Manager 'sendcron' logged off from 127.0.0.1
[Mar 23 20:02:06] VERBOSE[20436] manager.c: [Mar 23 20:02:06] == Manager 'sendcron' logged on from 127.0.0.1
[Mar 23 20:02:06] VERBOSE[20436] manager.c: [Mar 23 20:02:06] == Manager 'sendcron' logged off from 127.0.0.1
[Mar 23 20:02:10] VERBOSE[4067] chan_sip.c: [Mar 23 20:02:10]
<--- SIP read from UDP:192.168.0.15:39462 --->
REGISTER sip:192.168.0.99 SIP/2.0
v: SIP/2.0/UDP
96.48.222.193:39462;rport;branch=z9hG4bKPjiUEFUHN08Wvs9xG2Q9tzRMOxFYJ323dO
Route: <sip:192.168.0.99;transport=udp;lr>
Max-Forwards: 70
f: <sip:201@192.168.0.99>;tag=HVPwJ.kg.9MW6PypcpObrVPGC3I3B-Uh
t: <sip:201@192.168.0.99>
i: QIsF0rZ0wYvzKC9S2P0rWhnYGsQ9FQbl
CSeq: 56288 REGISTER
User-Agent: CSipSimple_v1-16/r2457
m: <sip:201@96.48.222.193:39462;ob>;+sip.ice
Expires: 900
Allow: PRACK, INVITE, ACK, BYE, CANCEL, UPDATE, INFO, SUBSCRIBE, NOTIFY, REFER, MESSAGE, OPTIONS
l: 0

<----->

[Mar 23 20:02:10] VERBOSE[4067] chan_sip.c: [Mar 23 20:02:10] --- (13 headers 0 lines) ---
[Mar 23 20:02:10] VERBOSE[4067] chan_sip.c: [Mar 23 20:02:10] Sending to 192.168.0.15:39462 (NAT)
[Mar 23 20:02:10] VERBOSE[4067] chan_sip.c: [Mar 23 20:02:10]
<--- Transmitting (NAT) to 192.168.0.15:39462 --->
SIP/2.0 401 Unauthorized
Via: SIP/2.0/UDP
96.48.222.193:39462;branch=z9hG4bKPjiUEFUHN08Wvs9xG2Q9tzRMOxFYJ323dO;received=192.168.0.15;rport=39462

From: <sip:201@192.168.0.99>;tag=HVPwJ.kg.9MW6PypcpObrVPGC3I3B-Uh
To: <sip:201@192.168.0.99>;tag=as0986faf4
Call-ID: QIsF0rZ0wYvzKC9S2P0rWhnYGsQ9FQbl
CSeq: 56288 REGISTER
Server: Asterisk PBX 1.8.29.0-vici
Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY, INFO,
PUBLISH, MESSAGE
Supported: replaces, timer
WWW-Authenticate: Digest algorithm=MD5, realm="asterisk", nonce="10600450"
Content-Length: 0

<----->

[Mar 23 20:02:10] VERBOSE[4067] chan_sip.c: [Mar 23 20:02:10] Scheduling destruction of
SIP dialog 'QIsF0rZ0wYvzKC9S2P0rWhnYGsQ9FQbl' in 32000 ms (Method: REGISTER)

[Mar 23 20:02:10] VERBOSE[4067] chan_sip.c: [Mar 23 20:02:10]

<--- SIP read from UDP:192.168.0.15:39462 --->

REGISTER sip:192.168.0.99 SIP/2.0

v: SIP/2.0/UDP

96.48.222.193:39462;rport;branch=z9hG4bKPjFJRByukZpWWN.Yy96.AgRxdujCJ1ujhA

Route: <sip:192.168.0.99;transport=udp;lr>

Max-Forwards: 70

f: <sip:201@192.168.0.99>;tag=HVPwJ.kg.9MW6PypcpObrVPGC3I3B-Uh

t: <sip:201@192.168.0.99>

i: QIsF0rZ0wYvzKC9S2P0rWhnYGsQ9FQbl

CSeq: 56289 REGISTER

User-Agent: CSipSimple_v1-16/r2457

m: <sip:201@96.48.222.193:39462;ob>;+sip.ice

Expires: 900

Allow: PRACK, INVITE, ACK, BYE, CANCEL, UPDATE, INFO, SUBSCRIBE, NOTIFY, REFER,
MESSAGE, OPTIONS

Authorization: Digest username="201", realm="asterisk", nonce="10600450",

uri="sip:192.168.0.99", response="44f70f6c20eabb9294543f678dff3a38", algorithm=MD5

l: 0

<----->

[Mar 23 20:02:10] VERBOSE[4067] chan_sip.c: [Mar 23 20:02:10] --- (14 headers 0 lines) ---

[Mar 23 20:02:10] VERBOSE[4067] chan_sip.c: [Mar 23 20:02:10] Sending to
192.168.0.15:39462 (NAT)

[Mar 23 20:02:10] VERBOSE[4067] chan_sip.c: [Mar 23 20:02:10]

<--- Transmitting (NAT) to 192.168.0.15:39462 --->

SIP/2.0 403 Forbidden

Via: SIP/2.0/UDP
96.48.222.193:39462;branch=z9hG4bKPjFJRByukZpWWN.Yy96.AgRxdujCJ1ujhA;received=192.168.0.15;rport=39462
From: <sip:201@192.168.0.99>;tag=HVPwJ.kg.9MW6PypcpObrVPGC3I3B-Uh
To: <sip:201@192.168.0.99>;tag=as0986faf4
Call-ID: QIsF0rZ0wYvzKC9S2P0rWhnYGsQ9FQbl
CSeq: 56289 REGISTER
Server: Asterisk PBX 1.8.29.0-vici
Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY, INFO, PUBLISH, MESSAGE
Supported: replaces, timer
Content-Length: 0

<----->

[Mar 23 20:02:10] NOTICE[4067] chan_sip.c: Registration from '<sip:201@192.168.0.99>' failed for '192.168.0.15:39462' - Wrong password

[Mar 23 20:02:10] VERBOSE[4067] chan_sip.c: [Mar 23 20:02:10] Scheduling destruction of SIP dialog 'QIsF0rZ0wYvzKC9S2P0rWhnYGsQ9FQbl' in 32000 ms (Method: REGISTER)

[Mar 23 20:02:14] NOTICE[4067] chan_sip.c: -- Re-registration for 1234567890@nat5.babytel.ca

[Mar 23 20:02:14] VERBOSE[4067] chan_sip.c: [Mar 23 20:02:14] REGISTER 11 headers, 0 lines

[Mar 23 20:02:14] VERBOSE[4067] chan_sip.c: [Mar 23 20:02:14] Reliably Transmitting (NAT) to 198.38.7.34:5065:

REGISTER sip:sip.babytel.ca SIP/2.0

Via: SIP/2.0/UDP 99.99.99.99:5060;branch=z9hG4bK3accf210;rport

Max-Forwards: 70

From: <sip:1234567890@sip.babytel.ca>;tag=as07c833c5

To: <sip:1234567890@sip.babytel.ca>

Call-ID: 5e070a0021f200c72308ddad6fe2521c@192.168.0.99

CSeq: 280 REGISTER

User-Agent: Asterisk PBX 1.8.29.0-vici

Authorization: Digest username="1234567890", realm="sip.babytel.ca", algorithm=MD5, uri="sip:sip.babytel.ca", nonce="5510a8453331f115b4139300247f78fac6f8df9f", response="c07d0615dae2e2b438de21c19b32cdd3"

Expires: 120

Contact: <sip:1234567890@99.99.99.99:5060>

Content-Length: 0

[Mar 23 20:02:14] VERBOSE[4067] chan_sip.c: [Mar 23 20:02:14]

<--- SIP read from UDP:198.38.7.34:5065 --->
SIP/2.0 200 OK
To: <sip:1234567890@sip.babytel.ca>;tag=Sh5zkG75pu
From: <sip:1234567890@sip.babytel.ca>;tag=as07c833c5
Via: SIP/2.0/UDP 99.99.99.99:5060;branch=z9hG4bK3accf210;rport
Call-ID: 5e070a0021f200c72308ddad6fe2521c@192.168.0.99
CSeq: 280 REGISTER
Contact: <sip:1234567890@99.99.99.99:5060>;expires=55
Content-Length: 0

<----->

[Mar 23 20:02:14] VERBOSE[4067] chan_sip.c: [Mar 23 20:02:14] --- (8 headers 0 lines) ---
[Mar 23 20:02:14] NOTICE[4067] chan_sip.c: Outbound Registration: Expiry for nat5.babytel.ca
is 55 sec (Scheduling reregistration in 40 s)
[Mar 23 20:02:14] VERBOSE[4067] chan_sip.c: [Mar 23 20:02:14] Really destroying SIP dialog
'5e070a0021f200c72308ddad6fe2521c@192.168.0.99' Method: REGISTER
[Mar 23 20:02:42] VERBOSE[4067] chan_sip.c: [Mar 23 20:02:42] Really destroying SIP dialog
'QlsF0rZ0wYvzKC9S2P0rWhnYGsQ9FQbl' Method: REGISTER
[Mar 23 20:02:54] NOTICE[4067] chan_sip.c: -- Re-registration for
1234567890@nat5.babytel.ca
[Mar 23 20:02:54] VERBOSE[4067] chan_sip.c: [Mar 23 20:02:54] REGISTER 11 headers, 0
lines
[Mar 23 20:02:54] VERBOSE[4067] chan_sip.c: [Mar 23 20:02:54] Reliably Transmitting (NAT)
to 198.38.7.34:5065:
REGISTER sip:sip.babytel.ca SIP/2.0
Via: SIP/2.0/UDP 99.99.99.99:5060;branch=z9hG4bK043b03eb;rport
Max-Forwards: 70
From: <sip:1234567890@sip.babytel.ca>;tag=as07c833c5
To: <sip:1234567890@sip.babytel.ca>
Call-ID: 5e070a0021f200c72308ddad6fe2521c@192.168.0.99
CSeq: 281 REGISTER
User-Agent: Asterisk PBX 1.8.29.0-vici
Authorization: Digest username="1234567890", realm="sip.babytel.ca", algorithm=MD5,
uri="sip:sip.babytel.ca", nonce="5510a8453331f115b4139300247f78fac6f8df9f",
response="c07d0615dae2e2b438de21c19b32cdd3"
Expires: 120
Contact: <sip:1234567890@99.99.99.99:5060>
Content-Length: 0

[Mar 23 20:02:54] VERBOSE[4067] chan_sip.c: [Mar 23 20:02:54]
<--- SIP read from UDP:198.38.7.34:5065 --->

SIP/2.0 200 OK

To: <sip:1234567890@sip.babytel.ca>;tag=jy0n5ZYdTr

From: <sip:1234567890@sip.babytel.ca>;tag=as07c833c5

Via: SIP/2.0/UDP 99.99.99.99:5060;branch=z9hG4bK043b03eb;rport

Call-ID: 5e070a0021f200c72308ddad6fe2521c@192.168.0.99

CSeq: 281 REGISTER

Contact: <sip:1234567890@99.99.99.99:5060>;expires=55

Content-Length: 0

<----->

[Mar 23 20:02:54] VERBOSE[4067] chan_sip.c: [Mar 23 20:02:54] --- (8 headers 0 lines) ---

[Mar 23 20:02:54] NOTICE[4067] chan_sip.c: Outbound Registration: Expiry for nat5.babytel.ca is 55 sec (Scheduling reregistration in 40 s)

[Mar 23 20:02:54] VERBOSE[4067] chan_sip.c: [Mar 23 20:02:54] Really destroying SIP dialog '5e070a0021f200c72308ddad6fe2521c@192.168.0.99' Method: REGISTER

[Mar 23 20:03:01] VERBOSE[20538] manager.c: [Mar 23 20:03:01] == Manager 'sendcron' logged on from 127.0.0.1

[Mar 23 20:03:01] VERBOSE[20538] manager.c: [Mar 23 20:03:01] == Manager 'sendcron' logged off from 127.0.0.1

[Mar 23 20:03:06] VERBOSE[20553] manager.c: [Mar 23 20:03:06] == Manager 'sendcron' logged on from 127.0.0.1

[Mar 23 20:03:06] VERBOSE[20553] manager.c: [Mar 23 20:03:06] == Manager 'sendcron' logged off from 127.0.0.1

[Mar 23 20:03:34] NOTICE[4067] chan_sip.c: -- Re-registration for 1234567890@nat5.babytel.ca

[Mar 23 20:03:34] VERBOSE[4067] chan_sip.c: [Mar 23 20:03:34] REGISTER 11 headers, 0 lines

[Mar 23 20:03:34] VERBOSE[4067] chan_sip.c: [Mar 23 20:03:34] Reliably Transmitting (NAT) to 198.38.7.34:5065:

REGISTER sip:sip.babytel.ca SIP/2.0

Via: SIP/2.0/UDP 99.99.99.99:5060;branch=z9hG4bK0ebdfd06;rport

Max-Forwards: 70

From: <sip:1234567890@sip.babytel.ca>;tag=as07c833c5

To: <sip:1234567890@sip.babytel.ca>

Call-ID: 5e070a0021f200c72308ddad6fe2521c@192.168.0.99

CSeq: 282 REGISTER

User-Agent: Asterisk PBX 1.8.29.0-vici

Authorization: Digest username="1234567890", realm="sip.babytel.ca", algorithm=MD5, uri="sip:sip.babytel.ca", nonce="5510a8453331f115b4139300247f78fac6f8df9f", response="c07d0615dae2e2b438de21c19b32cdd3"

Expires: 120

Contact: <sip:1234567890@99.99.99.99:5060>

Content-Length: 0

[Mar 23 20:03:34] VERBOSE[4067] chan_sip.c: [Mar 23 20:03:34]

<--- SIP read from UDP:198.38.7.34:5065 --->

SIP/2.0 200 OK

To: <sip:1234567890@sip.babytel.ca>;tag=4tqkZ3hdPP

From: <sip:1234567890@sip.babytel.ca>;tag=as07c833c5

Via: SIP/2.0/UDP 99.99.99.99:5060;branch=z9hG4bK0ebdfd06;rport

Call-ID: 5e070a0021f200c72308ddad6fe2521c@192.168.0.99

CSeq: 282 REGISTER

Contact: <sip:1234567890@99.99.99.99:5060>;expires=55

Content-Length: 0

<----->

[Mar 23 20:03:34] VERBOSE[4067] chan_sip.c: [Mar 23 20:03:34] --- (8 headers 0 lines) ---

[Mar 23 20:03:34] NOTICE[4067] chan_sip.c: Outbound Registration: Expiry for nat5.babytel.ca is 55 sec (Scheduling reregistration in 40 s)

[Mar 23 20:03:34] VERBOSE[4067] chan_sip.c: [Mar 23 20:03:34] Really destroying SIP dialog '5e070a0021f200c72308ddad6fe2521c@192.168.0.99' Method: REGISTER

[Mar 23 20:04:01] VERBOSE[20645] manager.c: [Mar 23 20:04:01] == Manager 'sendcron' logged on from 127.0.0.1

[Mar 23 20:04:01] VERBOSE[20645] manager.c: [Mar 23 20:04:01] == Manager 'sendcron' logged off from 127.0.0.1

[Mar 23 20:04:06] VERBOSE[20661] manager.c: [Mar 23 20:04:06] == Manager 'sendcron' logged on from 127.0.0.1

[Mar 23 20:04:06] VERBOSE[20661] manager.c: [Mar 23 20:04:06] == Manager 'sendcron' logged off from 127.0.0.1

[Mar 23 20:04:14] NOTICE[4067] chan_sip.c: -- Re-registration for 1234567890@nat5.babytel.ca

[Mar 23 20:04:14] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:14] REGISTER 11 headers, 0 lines

[Mar 23 20:04:14] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:14] Reliably Transmitting (NAT) to 198.38.7.34:5065:

REGISTER sip:sip.babytel.ca SIP/2.0

Via: SIP/2.0/UDP 99.99.99.99:5060;branch=z9hG4bK63cff7fd;rport

Max-Forwards: 70

From: <sip:1234567890@sip.babytel.ca>;tag=as07c833c5

To: <sip:1234567890@sip.babytel.ca>

Call-ID: 5e070a0021f200c72308ddad6fe2521c@192.168.0.99

CSeq: 283 REGISTER

User-Agent: Asterisk PBX 1.8.29.0-vici

Authorization: Digest username="1234567890", realm="sip.babytel.ca", algorithm=MD5,
uri="sip:sip.babytel.ca", nonce="5510a8453331f115b4139300247f78fac6f8df9f",
response="c07d0615dae2e2b438de21c19b32cdd3"

Expires: 120

Contact: <sip:1234567890@99.99.99.99:5060>

Content-Length: 0

[Mar 23 20:04:14] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:14]

<--- SIP read from UDP:198.38.7.34:5065 --->

SIP/2.0 401 Unauthorized

Via: SIP/2.0/UDP 99.99.99.99:5060;branch=z9hG4bK63cff7fd;rport

From: <sip:1234567890@sip.babytel.ca>;tag=as07c833c5

To: <sip:1234567890@sip.babytel.ca>;tag=565f116d19e87a80f1ee49bb477d47a1.9523

Call-ID: 5e070a0021f200c72308ddad6fe2521c@192.168.0.99

CSeq: 283 REGISTER

WWW-Authenticate: Digest realm="sip.babytel.ca",

nonce="5510aa76234dc97e8bc05795dd9b785f125bebd3", stale=true

Content-Length: 0

<----->

[Mar 23 20:04:14] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:14] --- (8 headers 0 lines) ---

[Mar 23 20:04:14] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:14] Responding to challenge,
registration to domain/host name nat5.babytel.ca

[Mar 23 20:04:14] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:14] REGISTER 11 headers, 0
lines

[Mar 23 20:04:14] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:14] Reliably Transmitting (NAT)
to 198.38.7.34:5065:

REGISTER sip:sip.babytel.ca SIP/2.0

Via: SIP/2.0/UDP 99.99.99.99:5060;branch=z9hG4bK056d2b98;rport

Max-Forwards: 70

From: <sip:1234567890@sip.babytel.ca>;tag=as07c833c5

To: <sip:1234567890@sip.babytel.ca>

Call-ID: 5e070a0021f200c72308ddad6fe2521c@192.168.0.99

CSeq: 284 REGISTER

User-Agent: Asterisk PBX 1.8.29.0-vici

Authorization: Digest username="1234567890", realm="sip.babytel.ca", algorithm=MD5,
uri="sip:sip.babytel.ca", nonce="5510aa76234dc97e8bc05795dd9b785f125bebd3",

response="46719a4c44a0faff02a3a51d70fd3a01"

Expires: 120

Contact: <sip:1234567890@99.99.99.99:5060>

Content-Length: 0

[Mar 23 20:04:14] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:14]
<--- SIP read from UDP:198.38.7.34:5065 --->
SIP/2.0 200 OK
Via: SIP/2.0/UDP 99.99.99.99:5060;branch=z9hG4bK056d2b98;rport
From: <sip:1234567890@sip.babytel.ca>;tag=as07c833c5
To: <sip:1234567890@sip.babytel.ca>;tag=565f116d19e87a80f1ee49bb477d47a1.2fd7
Call-ID: 5e070a0021f200c72308ddad6fe2521c@192.168.0.99
CSeq: 284 REGISTER
Contact: <sip:1234567890@99.99.99.99:5060>;expires=55
Content-Length: 0

<----->

[Mar 23 20:04:14] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:14] --- (8 headers 0 lines) ---
[Mar 23 20:04:14] NOTICE[4067] chan_sip.c: Outbound Registration: Expiry for nat5.babytel.ca
is 55 sec (Scheduling reregistration in 40 s)
[Mar 23 20:04:14] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:14] Really destroying SIP dialog
'5e070a0021f200c72308ddad6fe2521c@192.168.0.99' Method: REGISTER
[Mar 23 20:04:20] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:20]
<--- SIP read from UDP:192.168.0.15:39462 --->
REGISTER sip:192.168.0.99 SIP/2.0
v: SIP/2.0/UDP
96.48.222.193:39462;rport;branch=z9hG4bKPjxxgszEwpy3AmisXA1T7zwqZJkY6kJEzs
Route: <sip:192.168.0.99;transport=udp;lr>
Max-Forwards: 70
f: <sip:201@192.168.0.99>;tag=ApATEaGh.fotw.IBJLY.sBI0QCcNlekq
t: <sip:201@192.168.0.99>
i: MI9z0rVyW7Vewl5Li7DNviFYKW90G2-f
CSeq: 41043 REGISTER
User-Agent: CSipSimple_v1-16/r2457
m: <sip:201@96.48.222.193:39462;ob>;+sip.ice
Expires: 900
Allow: PRACK, INVITE, ACK, BYE, CANCEL, UPDATE, INFO, SUBSCRIBE, NOTIFY, REFER,
MESSAGE, OPTIONS
l: 0

<----->

[Mar 23 20:04:20] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:20] --- (13 headers 0 lines) ---
[Mar 23 20:04:20] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:20] Sending to
192.168.0.15:39462 (NAT)
[Mar 23 20:04:20] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:20]

<--- Transmitting (NAT) to 192.168.0.15:39462 --->
SIP/2.0 401 Unauthorized
Via: SIP/2.0/UDP
96.48.222.193:39462;branch=z9hG4bKPjxxgszEwpy3AmisXA1T7zwqZJkY6kJEzs;received=192.168.0.15;rport=39462
From: <sip:201@192.168.0.99>;tag=ApATEaGh.fotw.IBJLY.sBI0QCcNlekq
To: <sip:201@192.168.0.99>;tag=as0b5a6970
Call-ID: MI9z0rVyW7VewI5Li7DNviFYKW90G2-f
CSeq: 41043 REGISTER
Server: Asterisk PBX 1.8.29.0-vici
Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY, INFO, PUBLISH, MESSAGE
Supported: replaces, timer
WWW-Authenticate: Digest algorithm=MD5, realm="asterisk", nonce="27ff5c5e"
Content-Length: 0

<----->

[Mar 23 20:04:20] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:20] Scheduling destruction of SIP dialog 'MI9z0rVyW7VewI5Li7DNviFYKW90G2-f' in 32000 ms (Method: REGISTER)

[Mar 23 20:04:20] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:20]

<--- SIP read from UDP:192.168.0.15:39462 --->

REGISTER sip:192.168.0.99 SIP/2.0

v: SIP/2.0/UDP

96.48.222.193:39462;rport;branch=z9hG4bKPjsrPHkn79F1QDiWygTRJk4nZJeBs6vquJ

Route: <sip:192.168.0.99;transport=udp;lr>

Max-Forwards: 70

f: <sip:201@192.168.0.99>;tag=ApATEaGh.fotw.IBJLY.sBI0QCcNlekq

t: <sip:201@192.168.0.99>

i: MI9z0rVyW7VewI5Li7DNviFYKW90G2-f

CSeq: 41044 REGISTER

User-Agent: CSipSimple_v1-16/r2457

m: <sip:201@96.48.222.193:39462;ob>;+sip.ice

Expires: 900

Allow: PRACK, INVITE, ACK, BYE, CANCEL, UPDATE, INFO, SUBSCRIBE, NOTIFY, REFER, MESSAGE, OPTIONS

Authorization: Digest username="201", realm="asterisk", nonce="27ff5c5e", uri="sip:192.168.0.99", response="fa415d3432e77edcf4d42564c99f886b", algorithm=MD5

l: 0

<----->

[Mar 23 20:04:20] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:20] --- (14 headers 0 lines) ---

[Mar 23 20:04:20] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:20] Sending to 192.168.0.15:39462 (NAT)
[Mar 23 20:04:20] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:20] <--- Transmitting (NAT) to 192.168.0.15:39462 --->
SIP/2.0 403 Forbidden
Via: SIP/2.0/UDP
96.48.222.193:39462;branch=z9hG4bKPjsrpHkn79F1QDiWygTRJk4nZJeBs6vquJ;received=192.168.0.15;rport=39462
From: <sip:201@192.168.0.99>;tag=ApATEaGh.fotw.IBJLY.sBI0QCcNlekq
To: <sip:201@192.168.0.99>;tag=as0b5a6970
Call-ID: MI9z0rVyW7Vewl5Li7DNviFYKW90G2-f
CSeq: 41044 REGISTER
Server: Asterisk PBX 1.8.29.0-vici
Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY, INFO, PUBLISH, MESSAGE
Supported: replaces, timer
Content-Length: 0

<----->

[Mar 23 20:04:20] NOTICE[4067] chan_sip.c: Registration from '<sip:201@192.168.0.99>' failed for '192.168.0.15:39462' - Wrong password

[Mar 23 20:04:20] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:20] Scheduling destruction of SIP dialog 'MI9z0rVyW7Vewl5Li7DNviFYKW90G2-f' in 32000 ms (Method: REGISTER)

[Mar 23 20:04:31] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:31]

<--- SIP read from UDP:192.168.0.15:39462 --->

REGISTER sip:192.168.0.99 SIP/2.0

v: SIP/2.0/UDP

96.48.222.193:39462;rport;branch=z9hG4bKPjMGr9fpCdrOEpP2nEs3gQAvFmdUW2Lbfa

Route: <sip:192.168.0.99;transport=udp;lr>

Max-Forwards: 70

f: <sip:201@192.168.0.99>;tag=d1NCnqkKC1htgHCO7NPZWDDW9NMg4HVb

t: <sip:201@192.168.0.99>

i: 3NZ7oM-9I8z1sfrDhepwa-drx0QL9tIK

CSeq: 27274 REGISTER

User-Agent: CSipSimple_v1-16/r2457

m: <sip:201@96.48.222.193:39462;ob>;+sip.ice

Expires: 900

Allow: PRACK, INVITE, ACK, BYE, CANCEL, UPDATE, INFO, SUBSCRIBE, NOTIFY, REFER, MESSAGE, OPTIONS

l: 0

<----->

[Mar 23 20:04:31] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:31] --- (13 headers 0 lines) ---
[Mar 23 20:04:31] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:31] Sending to
192.168.0.15:39462 (NAT)
[Mar 23 20:04:31] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:31]
<--- Transmitting (NAT) to 192.168.0.15:39462 --->
SIP/2.0 401 Unauthorized
Via: SIP/2.0/UDP
96.48.222.193:39462;branch=z9hG4bKpJmGr9fpCdrOEpP2nEs3gQAvFmdUW2LbfA;received=
192.168.0.15;rport=39462
From: <sip:201@192.168.0.99>;tag=d1NCnqkKC1htgHCO7NPZWDDW9NMg4HVb
To: <sip:201@192.168.0.99>;tag=as7db54e88
Call-ID: 3NZ7oM-9I8z1sfrDhepwa-drx0QL9tIK
CSeq: 27274 REGISTER
Server: Asterisk PBX 1.8.29.0-vici
Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY, INFO,
PUBLISH, MESSAGE
Supported: replaces, timer
WWW-Authenticate: Digest algorithm=MD5, realm="asterisk", nonce="37f86ed8"
Content-Length: 0

<----->

[Mar 23 20:04:31] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:31] Scheduling destruction of
SIP dialog '3NZ7oM-9I8z1sfrDhepwa-drx0QL9tIK' in 32000 ms (Method: REGISTER)
[Mar 23 20:04:31] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:31]
<--- SIP read from UDP:192.168.0.15:39462 --->
REGISTER sip:192.168.0.99 SIP/2.0
v: SIP/2.0/UDP
96.48.222.193:39462;rport;branch=z9hG4bKpJtjcoMwpgx0Ub2MHQIHtDDswNQKaC.J36
Route: <sip:192.168.0.99;transport=udp;lr>
Max-Forwards: 70
f: <sip:201@192.168.0.99>;tag=d1NCnqkKC1htgHCO7NPZWDDW9NMg4HVb
t: <sip:201@192.168.0.99>
i: 3NZ7oM-9I8z1sfrDhepwa-drx0QL9tIK
CSeq: 27275 REGISTER
User-Agent: CSipSimple_v1-16/r2457
m: <sip:201@96.48.222.193:39462;ob>;+sip.ice
Expires: 900
Allow: PRACK, INVITE, ACK, BYE, CANCEL, UPDATE, INFO, SUBSCRIBE, NOTIFY, REFER,
MESSAGE, OPTIONS
Authorization: Digest username="201", realm="asterisk", nonce="37f86ed8",
uri="sip:192.168.0.99", response="2e25066e488cbbbe597c7bc0ddc77653", algorithm=MD5
l: 0

<----->

[Mar 23 20:04:31] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:31] --- (14 headers 0 lines) ---

[Mar 23 20:04:31] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:31] Sending to
192.168.0.15:39462 (NAT)

[Mar 23 20:04:31] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:31]

<--- Transmitting (NAT) to 192.168.0.15:39462 --->

SIP/2.0 403 Forbidden

Via: SIP/2.0/UDP

96.48.222.193:39462;branch=z9hG4bKPjTjcoMwpgx0Ub2MHQIHtDDswNQKaC.J36;received=
192.168.0.15;rport=39462

From: <sip:201@192.168.0.99>;tag=d1NCnqkKC1htgHCO7NPZWDDW9NMg4HVb

To: <sip:201@192.168.0.99>;tag=as7db54e88

Call-ID: 3NZ7oM-9I8z1sfrDhepwa-drx0QL9tIK

CSeq: 27275 REGISTER

Server: Asterisk PBX 1.8.29.0-vici

Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY, INFO,
PUBLISH, MESSAGE

Supported: replaces, timer

Content-Length: 0

<----->

[Mar 23 20:04:31] NOTICE[4067] chan_sip.c: Registration from '<sip:201@192.168.0.99>' failed
for '192.168.0.15:39462' - Wrong password

[Mar 23 20:04:31] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:31] Scheduling destruction of
SIP dialog '3NZ7oM-9I8z1sfrDhepwa-drx0QL9tIK' in 32000 ms (Method: REGISTER)

[Mar 23 20:04:52] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:52] Really destroying SIP dialog
'MI9z0rVyW7VewI5Li7DNviFYKW90G2-f' Method: REGISTER

[Mar 23 20:04:54] NOTICE[4067] chan_sip.c: -- Re-registration for
1234567890@nat5.babytel.ca

[Mar 23 20:04:54] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:54] REGISTER 11 headers, 0
lines

[Mar 23 20:04:54] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:54] Reliably Transmitting (NAT)
to 198.38.7.34:5065:

REGISTER sip:sip.babytel.ca SIP/2.0

Via: SIP/2.0/UDP 99.99.99.99:5060;branch=z9hG4bK180f9bbe;rport

Max-Forwards: 70

From: <sip:1234567890@sip.babytel.ca>;tag=as07c833c5

To: <sip:1234567890@sip.babytel.ca>

Call-ID: 5e070a0021f200c72308ddad6fe2521c@192.168.0.99

CSeq: 285 REGISTER

User-Agent: Asterisk PBX 1.8.29.0-vici

Authorization: Digest username="1234567890", realm="sip.babytel.ca", algorithm=MD5, uri="sip:sip.babytel.ca", nonce="5510aa76234dc97e8bc05795dd9b785f125bebd3", response="46719a4c44a0faff02a3a51d70fd3a01"

Expires: 120

Contact: <sip:1234567890@99.99.99.99:5060>

Content-Length: 0

[Mar 23 20:04:54] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:54]

<--- SIP read from UDP:198.38.7.34:5065 --->

SIP/2.0 200 OK

To: <sip:1234567890@sip.babytel.ca>;tag=LLyiFJEegT

From: <sip:1234567890@sip.babytel.ca>;tag=as07c833c5

Via: SIP/2.0/UDP 99.99.99.99:5060;branch=z9hG4bK180f9bbe;rport

Call-ID: 5e070a0021f200c72308ddad6fe2521c@192.168.0.99

CSeq: 285 REGISTER

Contact: <sip:1234567890@99.99.99.99:5060>;expires=55

Content-Length: 0

<----->

[Mar 23 20:04:54] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:54] --- (8 headers 0 lines) ---

[Mar 23 20:04:54] NOTICE[4067] chan_sip.c: Outbound Registration: Expiry for nat5.babytel.ca is 55 sec (Scheduling reregistration in 40 s)

[Mar 23 20:04:54] VERBOSE[4067] chan_sip.c: [Mar 23 20:04:54] Really destroying SIP dialog '5e070a0021f200c72308ddad6fe2521c@192.168.0.99' Method: REGISTER

[Mar 23 20:05:01] VERBOSE[20757] manager.c: [Mar 23 20:05:01] == Manager 'sendcron' logged on from 127.0.0.1

[Mar 23 20:05:01] VERBOSE[20757] manager.c: [Mar 23 20:05:01] == Manager 'sendcron' logged off from 127.0.0.1

[Mar 23 20:05:01] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:01]

<--- SIP read from UDP:192.168.0.15:39462 --->

REGISTER sip:192.168.0.99 SIP/2.0

v: SIP/2.0/UDP

96.48.222.193:39462;rport;branch=z9hG4bKPjo.Po9ivVlkreUbOhmgDb69L4xGPDATkP

Route: <sip:192.168.0.99;transport=udp;lr>

Max-Forwards: 70

f: <sip:201@192.168.0.99>;tag=E9Uqu71mZ40vtKERjI6.IJ4PyufM3tRJ

t: <sip:201@192.168.0.99>

i: xm59yflAeMpPGCMbkgAEeYOI6.3IVSUh

CSeq: 44954 REGISTER

User-Agent: CSipSimple_v1-16/r2457

m: <sip:201@96.48.222.193:39462;ob>;+sip.ice

Expires: 900

Allow: PRACK, INVITE, ACK, BYE, CANCEL, UPDATE, INFO, SUBSCRIBE, NOTIFY, REFER, MESSAGE, OPTIONS

I: 0

<----->

[Mar 23 20:05:01] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:01] --- (13 headers 0 lines) ---

[Mar 23 20:05:01] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:01] Sending to 192.168.0.15:39462 (NAT)

[Mar 23 20:05:01] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:01]

<--- Transmitting (NAT) to 192.168.0.15:39462 --->

SIP/2.0 401 Unauthorized

Via: SIP/2.0/UDP

96.48.222.193:39462;branch=z9hG4bKPjo.Po9ivVlkreUbOhmgDb69L4xGPDATkP;received=192.168.0.15;rport=39462

From: <sip:201@192.168.0.99>;tag=E9Uqu71mZ40vtKERjl6.IJ4PyufM3tRJ

To: <sip:201@192.168.0.99>;tag=as1a951af3

Call-ID: xm59yfLAeMpPGCMBkgAEeYOI6.3IVSUh

CSeq: 44954 REGISTER

Server: Asterisk PBX 1.8.29.0-vici

Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY, INFO, PUBLISH, MESSAGE

Supported: replaces, timer

WWW-Authenticate: Digest algorithm=MD5, realm="asterisk", nonce="52b3bb1e"

Content-Length: 0

<----->

[Mar 23 20:05:01] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:01] Scheduling destruction of SIP dialog 'xm59yfLAeMpPGCMBkgAEeYOI6.3IVSUh' in 32000 ms (Method: REGISTER)

[Mar 23 20:05:01] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:01]

<--- SIP read from UDP:192.168.0.15:39462 --->

REGISTER sip:192.168.0.99 SIP/2.0

v: SIP/2.0/UDP

96.48.222.193:39462;rport;branch=z9hG4bKPjE5Oy4bc4iWtN4GRhjFEnOha1x.So4pBw

Route: <sip:192.168.0.99;transport=udp;lr>

Max-Forwards: 70

f: <sip:201@192.168.0.99>;tag=E9Uqu71mZ40vtKERjl6.IJ4PyufM3tRJ

t: <sip:201@192.168.0.99>

i: xm59yfLAeMpPGCMBkgAEeYOI6.3IVSUh

CSeq: 44955 REGISTER

User-Agent: CSipSimple_v1-16/r2457

m: <sip:201@96.48.222.193:39462;ob>;+sip.ice

Expires: 900

Allow: PRACK, INVITE, ACK, BYE, CANCEL, UPDATE, INFO, SUBSCRIBE, NOTIFY, REFER, MESSAGE, OPTIONS

Authorization: Digest username="201", realm="asterisk", nonce="52b3bb1e",
uri="sip:192.168.0.99", response="b42ef8831c806853adcb3b5f8c98990c", algorithm=MD5
l: 0

<----->

[Mar 23 20:05:01] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:01] --- (14 headers 0 lines) ---

[Mar 23 20:05:01] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:01] Sending to
192.168.0.15:39462 (NAT)

[Mar 23 20:05:01] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:01]

<--- Transmitting (NAT) to 192.168.0.15:39462 --->

SIP/2.0 403 Forbidden

Via: SIP/2.0/UDP

96.48.222.193:39462;branch=z9hG4bKPjE5Oy4bc4iWtN4GRhjFEnOha1x.So4pBw;received=1
92.168.0.15;rport=39462

From: <sip:201@192.168.0.99>;tag=E9Uqu71mZ40vtKERjl6.IJ4PyufM3tRJ

To: <sip:201@192.168.0.99>;tag=as1a951af3

Call-ID: xm59yflAeMpPGCMBkgAEeYOI6.3IVSUh

CSeq: 44955 REGISTER

Server: Asterisk PBX 1.8.29.0-vici

Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY, INFO,
PUBLISH, MESSAGE

Supported: replaces, timer

Content-Length: 0

<----->

[Mar 23 20:05:01] NOTICE[4067] chan_sip.c: Registration from '<sip:201@192.168.0.99>' failed
for '192.168.0.15:39462' - Wrong password

[Mar 23 20:05:01] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:01] Scheduling destruction of
SIP dialog 'xm59yflAeMpPGCMBkgAEeYOI6.3IVSUh' in 32000 ms (Method: REGISTER)

[Mar 23 20:05:03] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:03] Really destroying SIP dialog
'3NZ7oM-9I8z1sfrDhepwa-drx0QL9tIK' Method: REGISTER

[Mar 23 20:05:05] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:05]

<--- SIP read from UDP:192.168.0.15:39462 --->

REGISTER sip:192.168.0.99 SIP/2.0

v: SIP/2.0/UDP

96.48.222.193:39462;rport;branch=z9hG4bKPjcKw2s2TGSC28mZSYMCFkJ24zN3uEZoeN

Route: <sip:192.168.0.99;transport=udp;lr>

Max-Forwards: 70

f: <sip:201@192.168.0.99>;tag=8Toep21lb-w72S0O-zBTZkQQJ2MWGqS5

t: <sip:201@192.168.0.99>
i: batF3cTNtudQmuEH3y83FnFlaUcUgkc2
CSeq: 16078 REGISTER
User-Agent: CSipSimple_v1-16/r2457
m: <sip:201@96.48.222.193:39462;ob>;+sip.ice
Expires: 900
Allow: PRACK, INVITE, ACK, BYE, CANCEL, UPDATE, INFO, SUBSCRIBE, NOTIFY, REFER,
MESSAGE, OPTIONS
l: 0

<----->

[Mar 23 20:05:05] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:05] --- (13 headers 0 lines) ---
[Mar 23 20:05:05] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:05] Sending to
192.168.0.15:39462 (NAT)
[Mar 23 20:05:05] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:05]
<--- Transmitting (NAT) to 192.168.0.15:39462 --->
SIP/2.0 401 Unauthorized
Via: SIP/2.0/UDP
96.48.222.193:39462;branch=z9hG4bKPjcKw2s2TGSC28mZSYMCFkJ24zN3uEZoeN;received
=192.168.0.15;rport=39462
From: <sip:201@192.168.0.99>;tag=8Toep21lb-w72S0O-zBTZkQQJ2MWGqS5
To: <sip:201@192.168.0.99>;tag=as0ed8b738
Call-ID: batF3cTNtudQmuEH3y83FnFlaUcUgkc2
CSeq: 16078 REGISTER
Server: Asterisk PBX 1.8.29.0-vici
Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY, INFO,
PUBLISH, MESSAGE
Supported: replaces, timer
WWW-Authenticate: Digest algorithm=MD5, realm="asterisk", nonce="08791857"
Content-Length: 0

<----->

[Mar 23 20:05:05] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:05] Scheduling destruction of
SIP dialog 'batF3cTNtudQmuEH3y83FnFlaUcUgkc2' in 32000 ms (Method: REGISTER)
[Mar 23 20:05:06] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:06]
<--- SIP read from UDP:192.168.0.15:39462 --->
REGISTER sip:192.168.0.99 SIP/2.0
v: SIP/2.0/UDP
96.48.222.193:39462;rport;branch=z9hG4bKPjHMdPJxy2GglsX4VNOobPvhKPmnrIjn.
Route: <sip:192.168.0.99;transport=udp;lr>
Max-Forwards: 70
f: <sip:201@192.168.0.99>;tag=8Toep21lb-w72S0O-zBTZkQQJ2MWGqS5

t: <sip:201@192.168.0.99>
i: batF3cTNtudQmuEH3y83FnFlaUcUgkc2
CSeq: 16079 REGISTER
User-Agent: CSipSimple_v1-16/r2457
m: <sip:201@96.48.222.193:39462;ob>;+sip.ice
Expires: 900
Allow: PRACK, INVITE, ACK, BYE, CANCEL, UPDATE, INFO, SUBSCRIBE, NOTIFY, REFER,
MESSAGE, OPTIONS
Authorization: Digest username="201", realm="asterisk", nonce="08791857",
uri="sip:192.168.0.99", response="080534b4d23ddfb25703a8fcc37f78f1", algorithm=MD5
l: 0

<----->

[Mar 23 20:05:06] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:06] --- (14 headers 0 lines) ---
[Mar 23 20:05:06] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:06] Sending to
192.168.0.15:39462 (NAT)
[Mar 23 20:05:06] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:06]
<--- Transmitting (NAT) to 192.168.0.15:39462 --->
SIP/2.0 403 Forbidden
Via: SIP/2.0/UDP
96.48.222.193:39462;branch=z9hG4bKPjHMdPJxy2GglsX4VNOobPvhKPmznrljn.;received=19
2.168.0.15;rport=39462
From: <sip:201@192.168.0.99>;tag=8Toep21lb-w72S0O-zBTZkQQJ2MWGqS5
To: <sip:201@192.168.0.99>;tag=as0ed8b738
Call-ID: batF3cTNtudQmuEH3y83FnFlaUcUgkc2
CSeq: 16079 REGISTER
Server: Asterisk PBX 1.8.29.0-vici
Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY, INFO,
PUBLISH, MESSAGE
Supported: replaces, timer
Content-Length: 0

<----->

[Mar 23 20:05:06] NOTICE[4067] chan_sip.c: Registration from '<sip:201@192.168.0.99>' failed
for '192.168.0.15:39462' - Wrong password
[Mar 23 20:05:06] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:06] Scheduling destruction of
SIP dialog 'batF3cTNtudQmuEH3y83FnFlaUcUgkc2' in 32000 ms (Method: REGISTER)
[Mar 23 20:05:06] VERBOSE[20770] manager.c: [Mar 23 20:05:06] == Manager 'sendcron'
logged on from 127.0.0.1
[Mar 23 20:05:06] VERBOSE[20770] manager.c: [Mar 23 20:05:06] == Manager 'sendcron'
logged off from 127.0.0.1

[Mar 23 20:05:33] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:33] Really destroying SIP dialog 'xm59yflAeMpPGCmbkgAEeYOI6.3IVSUh' Method: REGISTER
[Mar 23 20:05:34] NOTICE[4067] chan_sip.c: -- Re-registration for 1234567890@nat5.babytel.ca
[Mar 23 20:05:34] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:34] REGISTER 11 headers, 0 lines
[Mar 23 20:05:34] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:34] Reliably Transmitting (NAT) to 198.38.7.34:5065:
REGISTER sip:sip.babytel.ca SIP/2.0
Via: SIP/2.0/UDP 99.99.99.99:5060;branch=z9hG4bK1c88abb4;rport
Max-Forwards: 70
From: <sip:1234567890@sip.babytel.ca>;tag=as07c833c5
To: <sip:1234567890@sip.babytel.ca>
Call-ID: 5e070a0021f200c72308ddad6fe2521c@192.168.0.99
CSeq: 286 REGISTER
User-Agent: Asterisk PBX 1.8.29.0-vici
Authorization: Digest username="1234567890", realm="sip.babytel.ca", algorithm=MD5, uri="sip:sip.babytel.ca", nonce="5510aa76234dc97e8bc05795dd9b785f125bebd3", response="46719a4c44a0faff02a3a51d70fd3a01"
Expires: 120
Contact: <sip:1234567890@99.99.99.99:5060>
Content-Length: 0

[Mar 23 20:05:34] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:34]
<--- SIP read from UDP:198.38.7.34:5065 --->
SIP/2.0 200 OK
To: <sip:1234567890@sip.babytel.ca>;tag=D3ShmguCZm
From: <sip:1234567890@sip.babytel.ca>;tag=as07c833c5
Via: SIP/2.0/UDP 99.99.99.99:5060;branch=z9hG4bK1c88abb4;rport
Call-ID: 5e070a0021f200c72308ddad6fe2521c@192.168.0.99
CSeq: 286 REGISTER
Contact: <sip:1234567890@99.99.99.99:5060>;expires=55
Content-Length: 0

<----->

[Mar 23 20:05:34] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:34] --- (8 headers 0 lines) ---
[Mar 23 20:05:34] NOTICE[4067] chan_sip.c: Outbound Registration: Expiry for nat5.babytel.ca is 55 sec (Scheduling reregistration in 40 s)
[Mar 23 20:05:34] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:34] Really destroying SIP dialog '5e070a0021f200c72308ddad6fe2521c@192.168.0.99' Method: REGISTER

```
[Mar 23 20:05:38] VERBOSE[4067] chan_sip.c: [Mar 23 20:05:38] Really destroying SIP dialog  
'batF3cTNtudQmuEH3y83FnFlaUcUgkc2' Method: REGISTER  
linux-k7qk:~ #
```