



**Risk Assessment: Working at Heights**

<b>Task or Equipment</b>	Use of ladders and platforms	<b>Risk Assessment Form Hazard Identification/Consideration of Risk</b>	<b>Assessment No.</b>	1
<b>Location</b>	The ARC, 5 Quarry Road, Romiley, Stockport SK6 4BA			3
<b>Person(s) at Risk</b>	Staff and contractors		<b>Risk Assessor</b>	Paula Forth
<b>Date of Assessment</b>	6 <sup>th</sup> July 2025		<b>Review Date</b>	6 <sup>th</sup> July 2026

<b>Hazard Description</b>	<b>Control Measures in Place</b>	<b>Likelihood</b>	<b>Severity</b>	<b>Risk Ratings</b>	<b>New Control Measures Identified</b>
Staff fall off steps/ladders and have an accident	Any task involving a ladder is reported through to Stewart Forth or Kevin Smith. Ladders are regularly checked to ensure they meet safety standards. Safety equipment used for heights.  Contractors hired for heights above 2 metres.	1	2	2	No further action required.



Likelihood (Potential)			Severity (Consequences)		
Low	(1)	Harm will seldom occur	Low	(1)	Minor First Aid injury
Medium	(2)	Reasonably likely to occur	Medium	(2)	Short term injury or disability requiring medical treatment
High	(3)	Certain or near certain to occur	High	(3)	Death or major injury

### Risk Assessment – Corrective Actions Required

Risk Identified	Risk Rating	No. of People Exposed to Risk	Action Required	Person Responsible	Scheduled Date for Completion	Date Completed	Likelihood	Severity	Risk Rating
							New Risk Rating after Corrective Action		

Risk Rating – Adequate control measures should be considered for the following:

- 1-3 Low Risk
- 4-6 Medium/Significant Risk
- 9 High/Unacceptable Risk

**CONTROLLED DOCUMENT**

Print date: 6<sup>th</sup> January 2023

Authorised by: Paula Forth Sign:



