data.ohdsi.org app errors

screenshots taken on July 10, 2023





data.ohdsi.org/CommonEvidenceExplorer/

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in library(CemConnector) :
  there is no package called ‘CemConnector’
Calls: runApp ... sourceUTF8 -> eval -> eval -> ..stacktraceon.. -> library
Execution halted
```

data.ohdsi.org/ApPhenotypeEvaluation/

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
ℹ Please use `"timeId"` instead of `.data$timeId`
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
ℹ Please use `"choices"` instead of `.data$choices`
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

data.ohdsi.org/ConceptSetDiagnostics/

An error has occurred

The application failed to start.

`The application exited during initialization.`

```
su: ignoring --preserve-environment, it's mutually exclusive with --login

Attaching package: ‘purrr’

The following object is masked from ‘package:magrittr’:

    set_names

Connecting using PostgreSQL driver
Error in rJava::.jcall(jdbcDriver, "Ljava/sql/Connection;", "connect",  :
  org.postgresql.util.PSQLException: Connection to :5432 refused. Check that the hostname and port are correct and t
Calls: runApp ... connectPostgreSql -> connectUsingJdbcDriver -> <Anonymous> -> .jcheck
Execution halted
```

data.ohdsi.org/Covid19ApacAceso/

An error has occurred

The application failed to start.

`The application exited during initialization.`

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
ℹ Please use `"timeId"` instead of `.data$timeId`
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
ℹ Please use `"choices"` instead of `.data$choices`
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```



An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
ℹ Please use `"timeId"` instead of `.data$timeId`
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
ℹ Please use `"choices"` instead of `.data$choices`
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```



An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
ℹ Please use `"timeId"` instead of `.data$timeId`
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
ℹ Please use `"choices"` instead of `.data$choices`
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

data.ohdsi.org/covidPhenotypeIteration2/

An error has occurred

The application failed to start.

`The application exited during initialization.`

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
ℹ Please use `"timeId"` instead of `.data$timeId`
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
ℹ Please use `"choices"` instead of `.data$choices`
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

data.ohdsi.org/Covid19VaccineAesiDiagnostics/

An error has occurred

The application failed to start.

`The application exited during initialization.`

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Connecting using PostgreSQL driver
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
ℹ Please use `"timeId"` instead of `.data$timeId`
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
ℹ Please use `"choices"` instead of `.data$choices`
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

data.ohdsi.org/CrohnsDiseaseCohortDiagnostics/

An error has occurred

The application failed to start.

`The application exited during initialization.`

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

data.ohdsi.org/Ohdsi22CdTutorialAngioedema/

An error has occurred

The application failed to start.

`The application exited during initialization.`

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

data.ohdsi.org/aesi/

An error has occurred

The application failed to start.

`The application exited during initialization.`

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Connecting using PostgreSQL driver
Connecting using PostgreSQL driver
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
ℹ Please use `"phenotypeId"` instead of `.data$phenotypeId`
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
ℹ Please use `"phenotypeName"` instead of `.data$phenotypeName`
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
ℹ Please use `"clinicalDescription"` instead of `.data$clinicalDescription`
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
```

data.ohdsi.org/OutcomeMisclassificationEval/

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in unique(cohortMethodResult[, c("targetId", "comparatorId", "outcomeId")]) :
  object 'cohortMethodResult' not found
Calls: runApp ... sourceUTF8 -> eval -> eval -> ..stacktraceon.. -> unique
Execution halted
```

data.ohdsi.org/Ohdsi10MinuteTutorialCohortDiagnosticsAnaphylaxis22/

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
ℹ Please use `"timeId"` instead of `.data$timeId`
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
ℹ Please use `"choices"` instead of `.data$choices`
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

data.ohdsi.org/phenotype_0001_aki/

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

data.ohdsi.org/PeerReviewSubmission_20220920/

An error has occurred

The application failed to start.

`The application exited during initialization.`

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

data.ohdsi.org/Phenotype_0004_FebrileNeutropenia/

An error has occurred

The application failed to start.

`The application exited during initialization.`

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

data.ohdsi.org/myocarditispericarditis/

An error has occurred

The application failed to start.

`The application exited during initialization.`

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Connecting using PostgreSQL driver
Warning in writeChar(report, fileConn, eos = NULL) :
  cannot open file '/srv/shiny-server/myocarditispericarditis/errorReportSql.txt': Read-only file system
Error in writeChar(report, fileConn, eos = NULL) :
  cannot open the connection
Calls: runApp ... tryCatchOne -> <Anonymous> -> .createErrorReport -> writeChar
Execution halted
```

data.ohdsi.org/Phenotype_0003_Neutropenia/

An error has occurred

The application failed to start.

`The application exited during initialization.`

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

data.ohdsi.org/Phenotype_0002_AcutePancreatitis/

An error has occurred

The application failed to start.

`The application exited during initialization.`

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

data.ohdsi.org/phenotypePhebruaryAcuteKidneyInjury/

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
ℹ Please use `"timeId"` instead of `.data$timeId`
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
ℹ Please use `"choices"` instead of `.data$choices`
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

data.ohdsi.org/PioneerWatchfulWaiting/

An error has occurred

The application failed to start.

The application took too long to respond.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login

Attaching package: ‘data.table’

The following objects are masked from ‘package:DatabaseConnector’:

    month, year

Setting environment variable AWS_DEFAULT_REGION to 'us-east-1'
```

data.ohdsi.org/PCECohortDiagnostics/

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in `dplyr::filter()`:
ℹ In argument: `!database == "CPRD"`.
Caused by error:
! `..1` must be a logical vector, not a logical matrix.
Backtrace:
    ▆
 1. ├─shiny::runApp(Sys.getenv("SHINY_APP"), port = port, launch.browser = FALSE)
 2. │ └─appParts$onStart()
 3. │   └─shiny::loadSupport(appDir, renv = sharedEnv, globalrenv = globalenv())
 4. │     ├─withr::with_dir(...)
 5. │     │ └─base::force(code)
 6. │     └─shiny:::sourceUTF8(basename(globalPath), envir = globalrenv)
 7. │       └─base::eval(exprs, envir)
 8. │         └─base::eval(exprs, envir)
 9. ├─shiny::..stacktraceon..(...)
10. ├─get("database") %>% dplyr::filter(!database == "CPRD") at global.R:175:2
11. ├─dplyr::filter(., !database == "CPRD")
```

data.ohdsi.org/Phenotype_0005_HemolyticAnemia/

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

data.ohdsi.org/RCRICohortDiagnostics/

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in `dplyr::filter()`:
ℹ In argument: `!database == "CPRD"`.
Caused by error:
! `..1` must be a logical vector, not a logical matrix.
Backtrace:
     ▆
  1. ├─shiny::runApp(Sys.getenv("SHINY_APP"), port = port, launch.browser = FALSE)
  2. │ └─appParts$onStart()
  3. │   └─shiny::loadSupport(appDir, renv = sharedEnv, globalrenv = globalenv())
  4. │     ├─withr::with_dir(...)
  5. │     │ └─base::force(code)
  6. │     └─shiny:::sourceUTF8(basename(globalPath), envir = globalrenv)
  7. │       └─base::eval(exprs, envir)
  8. │         └─base::eval(exprs, envir)
  9. ├─shiny::..stacktraceon..(...)
 10. ├─get("database") %>% dplyr::filter(!database == "CPRD") at global.R:175:2
 11. ├─dplyr::filter(., !database == "CPRD")
 12. ├─dplyr:::filter.data.frame(., !database == "CPRD")
 13. │ └─dplyr:::filter_rows(.data, dots, by)
```

data.ohdsi.org/PioneerWatchfulWaitingDiag/

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Setting environment variable AWS_DEFAULT_REGION to 'us-east-1'
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

data.ohdsi.org/SenaTest/

An error has occurred

The application failed to start.

```
The application exited during initialization.
```

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Connecting using PostgreSQL driver
Error in as.character(x) :
  cannot coerce type 'closure' to vector of type 'character'
Calls: runApp ... connect -> connectUsingJdbc -> connectPostgreSql -> grepl
Execution halted
```

data.ohdsi.org/Ohdsi22CdTutorialMyocardialInfarction/

An error has occurred

The application failed to start.

```
The application exited during initialization.
```

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

data.ohdsi.org/TraliCohortDiagnostics/

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Warning in unzip(zipFiles[i], exdir = tempFolder) :
  error 1 in extracting from zip file
Error in unzip(zipFiles[i], exdir = tempFolder) :
  invalid zip name argument
Calls: runApp ... sourceUTF8 -> eval -> eval -> ..stacktraceon.. -> unzip
Execution halted
```

data.ohdsi.org/SLEPhenotypePhebruary/

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
ℹ Please use `"timeId"` instead of `.data$timeId`
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
ℹ Please use `"choices"` instead of `.data$choices`
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```