

data.ohdsi.org app errors

screenshots taken on July 10, 2023

data.ohdsi.org/BSSHurgicalWristArthritis/

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
i Please use `"timeId"` instead of `.data$timeId`
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
i Please use `"choices"` instead of `.data$choices`
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

data.ohdsi.org/cdSkeletoncohortdiagnosticsstudy2/

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Connecting using PostgreSQL driver
Warning in writeChar(report, fileConn, eos = NULL) :
  cannot open file '/srv/shiny-server/cdSkeletoncohortdiagnosticsstudy2/errorReportSql.txt': Read-only file system
Error in value[[3L]](cond) :
  Error reading from cdSkeletoncohortdiagnosticsstudy2.cohort: cannot open the connection
Calls: runApp ... tryCatch -> tryCatchList -> tryCatchOne -> <Anonymous>
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in library(CemConnector) :
  there is no package called 'CemConnector'
Calls: runApp ... sourceUTF8 -> eval -> eval -> ..stacktraceon.. -> library
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
i Please use `"timeId"` instead of `.data$timeId`
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
i Please use `"choices"` instead of `.data$choices`
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Attaching package: 'purrr'

The following object is masked from 'package:magrittr':

  set_names

Connecting using PostgreSQL driver
Error in rJava::.jcall(jdbcDriver, "Ljava/sql/Connection;", "connect", :
  org.postgresql.util.PSQLException: Connection to :5432 refused. Check that the hostname and port are correct and t
Calls: runApp ... connectPostgreSql -> connectUsingJdbcDriver -> <Anonymous> -> .jcheck
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Warning: Use of .data in tidysselect expressions was deprecated in tidysselect 1.2.0.
i Please use `"timeId"` instead of `.data$timeId`
Warning: Use of .data in tidysselect expressions was deprecated in tidysselect 1.2.0.
i Please use `"choices"` instead of `.data$choices`
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
i Please use `timeId` instead of `.data$timeId`
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
i Please use `choices` instead of `.data$choices`
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
i Please use `timeId` instead of `.data$timeId`
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
i Please use `choices` instead of `.data$choices`
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Warning: Use of .data in tidysselect expressions was deprecated in tidysselect 1.2.0.
i Please use `"timeId"` instead of `.data$timeId`
Warning: Use of .data in tidysselect expressions was deprecated in tidysselect 1.2.0.
i Please use `"choices"` instead of `.data$choices`
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Connecting using PostgreSQL driver
Warning: Use of .data in tidysselect expressions was deprecated in tidysselect 1.2.0.
i Please use `"timeId"` instead of `.data$timeId`
Warning: Use of .data in tidysselect expressions was deprecated in tidysselect 1.2.0.
i Please use `"choices"` instead of `.data$choices`
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Connecting using PostgreSQL driver
Connecting using PostgreSQL driver
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
i Please use `"phenotypeId"` instead of `.data$phenotypeId`
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
i Please use `"phenotypeName"` instead of `.data$phenotypeName`
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
i Please use `"clinicalDescription"` instead of `.data$clinicalDescription`
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in unique(cohortMethodResult[, c("targetId", "comparatorId", "outcomeId")]) :
  object 'cohortMethodResult' not found
Calls: runApp ... sourceUTF8 -> eval -> eval -> ..stacktraceon.. -> unique
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
i Please use `"timeId"` instead of `.data$timeId`
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
i Please use `"choices"` instead of `.data$choices`
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Connecting using PostgreSQL driver
Warning in writeChar(report, fileConn, eos = NULL) :
  cannot open file '/srv/shiny-server/myocarditispericarditis/errorReportSql.txt': Read-only file system
Error in writeChar(report, fileConn, eos = NULL) :
  cannot open the connection
Calls: runApp ... tryCatchOne -> <Anonymous> -> .createErrorReport -> writeChar
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
i Please use `timeId` instead of `.data$timeId`
Warning: Use of .data in tidyselect expressions was deprecated in tidyselect 1.2.0.
i Please use `choices` instead of `.data$choices`
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

An error has occurred

The application failed to start.

The application took too long to respond.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Attaching package: 'data.table'

The following objects are masked from 'package:DatabaseConnector':
  month, year

Setting environment variable AWS_DEFAULT_REGION to 'us-east-1'
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in `dplyr::filter()` :
  i In argument: `!database == "CPRD"`.
  Caused by error:
  ! `..1` must be a logical vector, not a logical matrix.
Backtrace:
  1. └─shiny::runApp(Sys.getenv("SHINY_APP"), port = port, launch.browser = FALSE)
  2.   └─appParts$onStart()
  3.     └─shiny::loadSupport(appDir, renv = sharedEnv, globalrenv = globalenv())
  4.       └─withr::with_dir(...)
  5.         └─base::force(code)
  6.           └─shiny::sourceUTF8(basename(globalPath), envir = globalrenv)
  7.             └─base::eval(exprs, envir)
  8.               └─base::eval(exprs, envir)
  9. └─shiny::..stacktraceon..(...)
 10. └─get("database") %>% dplyr::filter(!database == "CPRD") at global.R:175:2
 11. └─dplyr::filter(., !database == "CPRD")
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in `dplyr::filter()` :
  i In argument: `!database == "CPRD"`.
  Caused by error:
  ! `..1` must be a logical vector, not a logical matrix.
Backtrace:
  1. └─shiny::runApp(Sys.getenv("SHINY_APP"), port = port, launch.browser = FALSE)
  2.   └─appParts$onStart()
  3.     └─shiny::loadSupport(appDir, renv = sharedEnv, globalrenv = globalenv())
  4.       └─withr::with_dir(...)
  5.         └─base::force(code)
  6.           └─shiny::sourceUTF8(basename(globalPath), envir = globalrenv)
  7.             └─base::eval(exprs, envir)
  8.               └─base::eval(exprs, envir)
  9. └─shiny::...stacktraceon..(...)
10. └─get("database") %>% dplyr::filter(!database == "CPRD") at global.R:175:2
11. └─dplyr::filter(., !database == "CPRD")
12. └─dplyr:::filter.data.frame(., !database == "CPRD")
13. └─dplyr:::filter_rows(.data, dots, by)
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Setting environment variable AWS_DEFAULT_REGION to 'us-east-1'
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Connecting using PostgreSQL driver
Error in as.character(x) :
  cannot coerce type 'closure' to vector of type 'character'
Calls: runApp ... connect -> connectUsingJdbc -> connectPostgreSql -> grepl
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Warning in unzip(zipFiles[i], exdir = tempFolder) :
  error 1 in extracting from zip file
Error in unzip(zipFiles[i], exdir = tempFolder) :
  invalid zip name argument
Calls: runApp ... sourceUTF8 -> eval -> eval -> ..stacktraceon.. -> unzip
Execution halted
```

An error has occurred

The application failed to start.

The application exited during initialization.

```
su: ignoring --preserve-environment, it's mutually exclusive with --login
Warning: Use of .data in tidysselect expressions was deprecated in tidysselect 1.2.0.
i Please use `"timeId"` instead of `.data$timeId`
Warning: Use of .data in tidysselect expressions was deprecated in tidysselect 1.2.0.
i Please use `"choices"` instead of `.data$choices`
Error in get(x, envir = ns, inherits = FALSE) :
  object 'continuous_range' not found
Calls: runApp ... .grab_ggplot_internals -> lapply -> FUN -> getFromNamespace -> get
Execution halted
```