

Glandular Trichomes Viewed with a Scanning Electron Microscope (SEM) References

1. Title
 - a. https://www.researchgate.net/figure/Glandular-secretory-trichome-glands-on-a-perigonal-bract-the-single-bract-covering-each_fig25_321779324
 - b.
2. Research Article
 - a. Punja, Z. K., Sutton, D. B., & Kim, T. (2023). Glandular trichome development, morphology, and maturation are influenced by plant age and genotype in high THC-containing cannabis (*Cannabis sativa* L.) inflorescences. *Journal of Cannabis Research*, 5(1), 12.
 - i. <https://link.springer.com/article/10.1186/s42238-023-00178-9>
 - ii. <https://creativecommons.org/licenses/by/4.0/>
3. Varieties Grown in Study
 - a. https://m.media-amazon.com/images/I/61PBBKyZ1rL.AC_UF1000,1000_QL80_.jpg
 - b. <https://cannabisontario.net/wp-content/uploads/2021/02/SPACE-QUEEN.png>
4. Inflorescences Comparison
 - a. Punja, Z. K., Sutton, D. B., & Kim, T. (2023). Glandular trichome development, morphology, and maturation are influenced by plant age and genotype in high THC-containing cannabis (*Cannabis sativa* L.) inflorescences. *Journal of Cannabis Research*, 5(1), 12.
 - i. <https://link.springer.com/article/10.1186/s42238-023-00178-9>
 - ii. <https://creativecommons.org/licenses/by/4.0/>
 - b.
5. Inflorescences Comparison
 - a. Punja, Z. K., Sutton, D. B., & Kim, T. (2023). Glandular trichome development, morphology, and maturation are influenced by plant age and genotype in high THC-containing cannabis (*Cannabis sativa* L.) inflorescences. *Journal of Cannabis Research*, 5(1), 12.
 - i. <https://link.springer.com/article/10.1186/s42238-023-00178-9>
 - ii. <https://creativecommons.org/licenses/by/4.0/>
 - b.
6. Types of Trichomes
 - a. https://cprosolutions.com/wp-content/uploads/2021/04/Legion25_Types_Of_Trichomes_Capitate_Sessile.jpg
 - b. <https://news.ubc.ca/2019/10/the-frostier-the-flower-the-more-potent-the-cannabis-ubc-study/>
 - c. <https://altaqua.com/moldy-weed-vs-trichomes/>
 - d. <https://surna.com/mold-vs-trichomes-how-to-tell-them-apart/>
 - e.
7. Trichome Types of Moby Dick

- a. Punja, Z. K., Sutton, D. B., & Kim, T. (2023). Glandular trichome development, morphology, and maturation are influenced by plant age and genotype in high THC-containing cannabis (*Cannabis sativa* L.) inflorescences. *Journal of Cannabis Research*, 5(1), 12.
 - i. <https://link.springer.com/article/10.1186/s42238-023-00178-9>
 - ii. <https://creativecommons.org/licenses/by/4.0/>
- 8. Trichome Types of Moby Dick
 - a. Punja, Z. K., Sutton, D. B., & Kim, T. (2023). Glandular trichome development, morphology, and maturation are influenced by plant age and genotype in high THC-containing cannabis (*Cannabis sativa* L.) inflorescences. *Journal of Cannabis Research*, 5(1), 12.
 - i. <https://link.springer.com/article/10.1186/s42238-023-00178-9>
 - ii. <https://creativecommons.org/licenses/by/4.0/>
 - b.
- 9. Trichome Development (MD)
 - a. Punja, Z. K., Sutton, D. B., & Kim, T. (2023). Glandular trichome development, morphology, and maturation are influenced by plant age and genotype in high THC-containing cannabis (*Cannabis sativa* L.) inflorescences. *Journal of Cannabis Research*, 5(1), 12.
 - i. <https://link.springer.com/article/10.1186/s42238-023-00178-9>
 - ii. <https://creativecommons.org/licenses/by/4.0/>
 - b.
- 10. Trichome Development (SQ)
 - a. Punja, Z. K., Sutton, D. B., & Kim, T. (2023). Glandular trichome development, morphology, and maturation are influenced by plant age and genotype in high THC-containing cannabis (*Cannabis sativa* L.) inflorescences. *Journal of Cannabis Research*, 5(1), 12.
 - i. <https://link.springer.com/article/10.1186/s42238-023-00178-9>
 - ii. <https://creativecommons.org/licenses/by/4.0/>
 - b.
- 11. Bracts 6 Weeks of Development
 - a. Punja, Z. K., Sutton, D. B., & Kim, T. (2023). Glandular trichome development, morphology, and maturation are influenced by plant age and genotype in high THC-containing cannabis (*Cannabis sativa* L.) inflorescences. *Journal of Cannabis Research*, 5(1), 12.
 - i. <https://link.springer.com/article/10.1186/s42238-023-00178-9>
 - ii. <https://creativecommons.org/licenses/by/4.0/>
 - b.
- 12. Bracts 6 Weeks of Development
 - a. Punja, Z. K., Sutton, D. B., & Kim, T. (2023). Glandular trichome development, morphology, and maturation are influenced by plant age and genotype in high THC-containing cannabis (*Cannabis sativa* L.) inflorescences. *Journal of Cannabis Research*, 5(1), 12.

- i. <https://link.springer.com/article/10.1186/s42238-023-00178-9>
 - ii. <https://creativecommons.org/licenses/by/4.0/>
 - b.
- 13. Comparison of Stalked-Capitate Trichomes
 - a. Punja, Z. K., Sutton, D. B., & Kim, T. (2023). Glandular trichome development, morphology, and maturation are influenced by plant age and genotype in high THC-containing cannabis (*Cannabis sativa* L.) inflorescences. *Journal of Cannabis Research*, 5(1), 12.
 - i. <https://link.springer.com/article/10.1186/s42238-023-00178-9>
 - ii. <https://creativecommons.org/licenses/by/4.0/>
 - b.
- 14. Trichome Stalk Elongation
 - a. Punja, Z. K., Sutton, D. B., & Kim, T. (2023). Glandular trichome development, morphology, and maturation are influenced by plant age and genotype in high THC-containing cannabis (*Cannabis sativa* L.) inflorescences. *Journal of Cannabis Research*, 5(1), 12.
 - i. <https://link.springer.com/article/10.1186/s42238-023-00178-9>
 - ii. <https://creativecommons.org/licenses/by/4.0/>
 - b.
- 15. Attachment of Capitate Glandular Trichome Heads
 - a. Punja, Z. K., Sutton, D. B., & Kim, T. (2023). Glandular trichome development, morphology, and maturation are influenced by plant age and genotype in high THC-containing cannabis (*Cannabis sativa* L.) inflorescences. *Journal of Cannabis Research*, 5(1), 12.
 - i. <https://link.springer.com/article/10.1186/s42238-023-00178-9>
 - ii. <https://creativecommons.org/licenses/by/4.0/>
 - b.
- 16. Resin Extrusion
 - a. Punja, Z. K., Sutton, D. B., & Kim, T. (2023). Glandular trichome development, morphology, and maturation are influenced by plant age and genotype in high THC-containing cannabis (*Cannabis sativa* L.) inflorescences. *Journal of Cannabis Research*, 5(1), 12.
 - i. <https://link.springer.com/article/10.1186/s42238-023-00178-9>
 - ii. <https://creativecommons.org/licenses/by/4.0/>
 - b.
- 17. Trichome Head Senescence
 - a. Punja, Z. K., Sutton, D. B., & Kim, T. (2023). Glandular trichome development, morphology, and maturation are influenced by plant age and genotype in high THC-containing cannabis (*Cannabis sativa* L.) inflorescences. *Journal of Cannabis Research*, 5(1), 12.
 - i. <https://link.springer.com/article/10.1186/s42238-023-00178-9>
 - ii. <https://creativecommons.org/licenses/by/4.0/>
 - b.

18. Progression of Trichome Development and Senescence

- a. Punja, Z. K., Sutton, D. B., & Kim, T. (2023). Glandular trichome development, morphology, and maturation are influenced by plant age and genotype in high THC-containing cannabis (*Cannabis sativa* L.) inflorescences. *Journal of Cannabis Research*, 5(1), 12.
 - i. <https://link.springer.com/article/10.1186/s42238-023-00178-9>
 - ii. <https://creativecommons.org/licenses/by/4.0/>
- b.

19. Senescent Trichomes

- a. Punja, Z. K., Sutton, D. B., & Kim, T. (2023). Glandular trichome development, morphology, and maturation are influenced by plant age and genotype in high THC-containing cannabis (*Cannabis sativa* L.) inflorescences. *Journal of Cannabis Research*, 5(1), 12.
 - i. <https://link.springer.com/article/10.1186/s42238-023-00178-9>
 - ii. <https://creativecommons.org/licenses/by/4.0/>
- b.

20. Assessing Trichome Maturation

- a. Punja, Z. K., Sutton, D. B., & Kim, T. (2023). Glandular trichome development, morphology, and maturation are influenced by plant age and genotype in high THC-containing cannabis (*Cannabis sativa* L.) inflorescences. *Journal of Cannabis Research*, 5(1), 12.
 - i. <https://link.springer.com/article/10.1186/s42238-023-00178-9>
 - ii. <https://creativecommons.org/licenses/by/4.0/>
- b.

21. Effect of Post-Harvest Handling

- a. Punja, Z. K., Sutton, D. B., & Kim, T. (2023). Glandular trichome development, morphology, and maturation are influenced by plant age and genotype in high THC-containing cannabis (*Cannabis sativa* L.) inflorescences. *Journal of Cannabis Research*, 5(1), 12.
 - i. <https://link.springer.com/article/10.1186/s42238-023-00178-9>
 - ii. <https://creativecommons.org/licenses/by/4.0/>
- b.

22. Post-Harvest Impact on Trichomes

- a. Punja, Z. K., Sutton, D. B., & Kim, T. (2023). Glandular trichome development, morphology, and maturation are influenced by plant age and genotype in high THC-containing cannabis (*Cannabis sativa* L.) inflorescences. *Journal of Cannabis Research*, 5(1), 12.
 - i. <https://link.springer.com/article/10.1186/s42238-023-00178-9>
 - ii. <https://creativecommons.org/licenses/by/4.0/>
- b.