



Republic of the Philippines
 Department of Health
 Central Visayas Center for Health Development
DON EMILIO DEL VALLE MEMORIAL HOSPITAL
 PHILHEALTH ACCREDITED HEALTHCARE PROVIDER
 ISO 9001:2015 QMS CERTIFIED

Bid Form for the Procurement of Goods

BID FORM

Supply and Delivery of Various Pulmonary Unit Supplies

Date: _____

Project Identification No.: _____

To: DON EMILIO DEL VALLE MEMORIAL HOSPITAL
 Bood, Ubay, Bohol

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* *Supply and Delivery of Medical/Surgical Supplies;*

Item No.	Description/General Specification	Brand/Manufacturer / Source	No. of tests or quantity per kit/bot/box/vol	Unit	Quantity	Unit Price	Total
1	BACTERIAL FILTER MECHANICAL VENTILATOR(RT)			Pieces	500		
	Bacterial Filter for Mechanical Ventilator						
	- Disposable, lightweight						
	- Bacterial and viral filtration efficiency >99.99%.						
	-Provides an effective barrier against possible infections.						
	- Round ergonomic shape with no sharp edges reduces pressure marking						
	1.on one side 22 mm ID and 25 mm OD.						

Printed Name and Signature of Proprietor/Manager/Authorized Representative

	2. on the other side port measure 22 mm OD and 15 mm ID.						
2	BIOLOGICAL REFRIGERATOR			Unit	1		
	DESCRIPTION						
	Specialized refrigerating equipment for cold storage of pharmaceuticals as well as biological products and so forth. It is suitable for hospital, drugstore, pharmaceutical factories, sanitation and ant epidemic station and clinics.						
	Capacity: 320L						
	Shelves: 5						
	TECHNICAL DATA						
	*Specification: Temp. Range: 2°C~8°C						
	*Specification: Control System: Microprocessor Control , Large Screen LED Display.						
	*Specification: Alarm: Audible and visual alarm for: High and low temperature, System & sensor failure, Door ajar, Power failure alarm, Low backup battery alarm.						
	*Specification: Refrigeration Type: Forced air refrigeration system. I Refrigerant: R134a, CFC Free.						
	*Condenser & Evaporator: Bundy tube condenser. I Defrost: Frostless design.						
	*Specification: Structure: Unibody design & mono-assembly foaming (Rigid polyurethane insulation material).						
	*Internal material: HIPS engineering plastics, abrasion and acid resistant. I External material: Cold-rolled steel coated with anti-bacteria pow						
	*Specification: Consumption: 200W I Power Supply: AC220V±10%, 50/60Hz						
	*Specification: Standard Accessory: LED lamp &						

Printed Name and Signature of Proprietor/Manager/Authorized Representative

	shelves, USB, probe access port, door keys						
	*Specification: Package Size(W*D*H) (mm): 708*720*2132						
3	BP apparatus			Unit	2		
	Automatic Upper Arm Blood Pressure Monitor BPM Digital with Bluetooth						
	Ergonomically designed with storage capacity and smartphone connectivity.						
	•Tubeless design for maximum comfort and convenience.						
	•IntelliWrap™ Cuff for 360° reliable, comfortable and intuitive readings from the comfort of your home.						
	•Clinically validated accuracy for reliable blood pressure readings						
	•Hypertension indicator alerts when your blood pressure falls out of the healthy range.						
	•Irregular heartbeat indicator for early awareness of abnormal heart rhythms.						
	•Seamless integration with smartphones via Bluetooth connect app for data tracking and sharing.						
	•IntelliSense™ technology for fast and comfortable readings, every time.						
	•Equipped with cuff wrapping guide and body movement detection for seamless readings.						
	•Compatible with optional S size fan cuff.						
4	BRIGS ADAPTOR (inline T-piece, consumable) T-piece			Pieces	50		
	Packaging Type - Plastic Bag single packaging						
	-Tube Material - PVC						
	- Non Sterilized						
	-2 Meter Oxygen Tube						
	-with 22mm and 15mm connectors to fit to a range of mechanical ventilator breathing systems for easy adaptability.						

Printed Name and Signature of Proprietor/Manager/Authorized Representative

5	Disposable Automatic humidification chamber adult			Pieces	150		
	-Clear Construction						
	-Allowing constant monitoring of the water						
	-Safe connection to all breathing tube.						
	-Float Mechanism						
	-It enhances patient safety while maintaining a consistent water level.						
	-Heat Transfer						
	-Effective heat transfer from standard aluminum base.						
6	Disposable Automatic humidification chamber neonate			Pieces	100		
	-Clear Construction						
	-Allowing constant monitoring of the water						
	-Safe connection to all breathing tube.						
	-Float Mechanism						
	-It enhances patient safety while maintaining a consistent water level.						
	-Heat Transfer						
	-Effective heat transfer from standard aluminum base.						
7	Endotracheal bar holder (et tie) - Endotracheal tube fastener			Pieces	273		
	-The one-click security clamp locks the endotracheal tube in place; one click releases the clamp for tube repositioning.						
	-Non-absorbent upper lip stabiliser helps keep the tube off the lip						
	-Easy-to-apply skin barrier pads fasten the device firmly in place						
	-Secures oral endotracheal tubes (5 mm–10 mm inner diameter)						
	• Provides easy access to the oral cavity to optimize patient oral care						

Printed Name and Signature of Proprietor/Manager/Authorized Representative

	• Allows tube repositioning from side to side without removal of the device						
8	Etco2 disposable colorometri			Pieces	50		
9	Heat moist exchanger (HMEF FILTER)			Pieces	150		
	Heat moist exchanger						
	-Disposable						
	-single packaging						
10	Incentive Spirometry (volume oriented)			Pieces	150		
	The 3-ball spirometer is used for therapeutic and prophylactic purposes						
	-Compact						
	-Easy to use						
	-Clinically effective						
	-Suitable for all ages						
11	NIV Full Face Mask non-vented with set tubing(fore head rest BMC F1B)			Pieces	20		
	NIV Full face Mask non-vented {forehead rest breathing machine with adjustable chin (BMC) HEADGEAR STRAP f1B. with a set tubing single packaging						
	1.SIMPLE DESIGN						
	2. 360° ROTATABLE ELBOW						
	3. SILENT AIR DISPENSION						
	4. AUTO ADJUST FOREHEAD PAD						
	5. SIZES						
	a. L- 2 PCS						
	b. M- 10 PCS						
	c. S- 8 PCS						
12	NIV Full Face Mask vented with set tubing(fore head rest BMC F1B)			Pieces	10		
	NIV Full face Mask vented {forehead rest breathing machine with adjustable chin (BMC) HEADGEAR STRAP f1B. with a set tubing single packaging						
	1.SIMPLE DESIGN						

Printed Name and Signature of Proprietor/Manager/Authorized Representative

	2. 360° ROTATABLE ELBOW						
	3. SILENT AIR DISPENSION						
	4. AUTO ADJUST FOREHEAD PAD						
	5. SIZES						
	a. L- 0 PCS						
	b. M- 5PCS						
	c. S- 5 PCS						
13	NIV Nasal mask vented with set tubing (BMC NM2)			Pieces	10		
	NIV NASAL Mask vented {forehead rest breathing machine with adjustable chin (BMC) HEADGEAR STRAP f1B. with a set tubing single packaging						
	1.SIMPLE DESIGN						
	2. 360° ROTATABLE ELBOW						
	3. SILENT AIR DISPENSION						
	4. AUTO ADJUST FOREHEAD PAD						
	5. SIZES						
	a. L- 0 PCS						
	b. M- 5 PCS						
	c. S- 5 PCS						
14	Palm chest percussor (silicon)adult - Palm Chest Percussion Cup			Pieces	20		
	-Soft vinyl percussors						
	-Large Percussors are single packaging						
	-Molded cup for adult						
	Right size for a palm:						
15	Palm chest percussor (silicon)neonate - Palm Chest Percussion Cup			Pieces	20		
	-Soft vinyl percussors						
	-Large Percussors are single packaging						
	-Molded cup for Pediatric						
	Right size for a palm						
16	Palm chest percussor (silicon)pedia - Palm Chest Percussion Cup			Pieces	20		

Printed Name and Signature of Proprietor/Manager/Authorized Representative

	-Soft vinyl percussors						
	-Large Percussors are single packaging						
	-Molded cup for Neonates						
	Right size for a palm						
17	Portable pulse oximeter,heavy duty			Unit	2		
	-Pulse CO-Oximeter provides portable spot-check monitoring measurements of both oxygen saturation and noninvasive hemoglobin.						
	measures:						
	a.Oxygen Saturation*						
	b.Pulse Rate*						
	c.Perfusion Index						
	d.Total Hemoglobin*						
	-HD Display						
	• Bright LCD, color display						
	• Automatic low power mode						
	to conserve power						
	-Auto-Brightness						
	• Ambient light sensor						
	automatically adjusts screen						
	brightness to optimize visibility						
	- Rechargeable Battery						
	• Li-ion Battery						
	• Up to 6 hours battery life						
	• 6 hours charging time						
	Weight (0.37 kg-0.50kg)						
	Wireless printer compatibility enables clinicians to print results at the point of care						
	Bright LCD, color display						
	Automatic low power mode to conserve power						
	Ambient light sensor automatically adjusts screen brightness to optimize visibility						
	Rechargeable Battery.						

Printed Name and Signature of Proprietor/Manager/Authorized Representative

18	Ram cannula neonate sizes L,M,S,XS			Pieces	50		
	-For use with low/high flow humidified oxygen						
	-Soft, curved prongs						
	-Color coded sizes						
	-15 mm oxygen tubing adapter included						
	-Not made with natural rubber latex or plasticizer						
	-Individually packaged						
19	Stethoscope, heavy duty			Unit	2		
	-High acoustic sensitivity						
	-Dual single-piece tunable diaphragms (pressure sensitive)						
	-Versatile adult and pediatric two-sided chestpiece						
	-Small-side diaphragm prevents debris in open bell						
	-Snap tight soft-sealing eartips						
	-Next generation longer-life tubing						
	-Small side converts to open bell						
	-Machined stainless steel, two-sided chestpiece						
	-Dual-lumen tubing						
	-Precision, ergonomically designed stainless steel chestpiece						
20	VENTILATOR CIRCUIT ADULT SET			Pieces	100		
	Mechanical ventilator circuit adult set.						
	1. set tubing, 2 bacterial filter, 2 water trap, 1 Nebkit set, 1 HME, 1, Humidifier chamber						
	2. All set should be in single Packaging						
21	VENTILATOR CIRCUIT NOENATE SET			Pieces	25		
	Mechanical ventilator circuit Neonate set.						
	1. set tubing, 2 bacterial filter, 2 water trap, 1 Nebkit set, 1 HME, 1, Humidifier chamber						
	2. All set should be in single Packaging						
22	VENTILATOR CIRCUIT PEDIATRIC SET			Pieces	25		

Printed Name and Signature of Proprietor/Manager/Authorized Representative

	Mechanical ventilator circuit pediatric set.						
	1. set tubing, 2 bacterial filter, 2 water trap, 1 Nebkit set, 1 HME, 1, Humidifier chamber						
	2. All set should be in single Packaging						
23	Weighting scale with height measurement			Pieces	1		
	-DURABLE - Made to last and absolutely reliable.						
	-Its sturdy quality metal build allows for maximum longevity and protects it from continual wear and tear.						
	-weight capacity of 660 lbs. (300 kg).						
	-DIGITAL - medical grade scale digitally displays the user's body weight on a large screen when they step onto it.						
	-The screen has a hold function, and can convert between pounds and kilograms and show a patient's BMI.						
	- The scale can either be powered using the AC adapter included, or using the internal 6V rechargeable batteries.						
	-SAFETY - User safety optimised with a safety mat on the weighing platform to prevent patients slipping.						
	-The assessment platform is generously sized (15.75" x 11.81"0) for every patient to feel supported.						
	-USER FRIENDLY - easily be used to show accurate eye-level height markings.						

Grand Total _____

in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

Printed Name and Signature of Proprietor/Manager/Authorized Representative

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Purpose of Commission or gratuity
---------------------------	--

(if none, state "None")]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of *[name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

Printed Name and Signature of Proprietor/Manager/Authorized Representative