--------- beginning of /dev/log/main

I/Jorte (11662): Application onCreate

D/ActivityThread(11688): handleBindApplication:la.droid.qr

D/ActivityThread(11688): setTargetHeapUtilization:0.75

D/ActivityThread(11688): setTargetHeapMinFree:2097152

I/patts (11623): [android_project_file.cc:36] Loading "voices/en-us-x-sfg-phone-hmm/textnorm_params_embedded.pb" ...

W/ContextImpl(11230): Implicit intents with startService are not safe: Intent { act=com.google.android.music.NETWORK_MONITOR_SERVICE } android.content.ContextWrapper.bindService:517 com.google.android.music.utils.SafeServiceConnection$ServiceConnectionImp.bindService:98 com.google.android.music.utils.SafeServiceConnection.bindService:259

D/MmsSystemEventReceiver(3277): TYPE_MOBILE_MMS available = true, isConnected = false

D/MmsSystemEventReceiver(3277): wakeUpService: start service ...

D/TransactionService(3277): onStartCommand(): E

D/TransactionService(3277): incRefCount() mRef=1

D/TransactionService(3277): Handling incoming message: { when=0 what=5 arg1=12 obj=Intent { cmp=com.android.mms/.transaction.TransactionService } target=com.android.mms.transaction.TransactionService$ServiceHandler } = EVENT_NEW_INTENT

D/CMStats (11311): Waiting for next sync : 1 hours

D/MobileConnectivityChangeReceiver(11326): onReceive Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 cmp=com.google.android.setupwizard/.MobileConnectivityChangeReceiver (has extras) }

D/MobileConnectivityChangeReceiver(11326): onReceive CONNECTIVITY_CHANGE networkType=0

D/MobileConnectivityChangeReceiver(11326): onReceive CONNECTIVITY_CHANGE: checkConnection

D/TransactionService(3277): onNewIntent: serviceId: 12: null intent=Intent { cmp=com.android.mms/.transaction.TransactionService }

D/TransactionService(3277):   networkAvailable=true

D/TransactionService(3277): Cursor= >>>>> Dumping cursor android.content.ContentResolver$CursorWrapperInner@42124000

D/TransactionService(3277): <<<<<

D/TransactionService(3277): onNewIntent: cursor.count=0 action=null

D/TransactionService(3277): onNewIntent: no pending messages. Stopping service.

W/ContextImpl(11230): Implicit intents with startService are not safe: Intent { act=com.google.android.music.NETWORK_MONITOR_SERVICE }
android.content.ContextWrapper.bindService:517
com.google.android.music.utils.SafeServiceConnection$ServiceConnectionImp.bindService:98
com.google.android.music.utils.SafeServiceConnection.bindService:259

V/TransactionService(3277): CleanUpIfIdle: txnServ is idle

D/TransactionService(3277): removeNotification, txnId=init

D/TransactionService(3277): removeNotification, currentDds=0

D/TransactionService(3277): removeNotification(), found init = null

D/TransactionService(3277): decRefCount() mRef=0

D/WeatherUpdateService(8677): Service started, but shouldn't update ... stopping

D/CacheService(11230): onCreate

D/CheckConnectionTask(11326): doInBackground: url=http://clients3.google.com/generate_204

I/iu.Environment(11418): update connectivity state; isNetworkMetered? true, isRoaming? false, isBackgroundDataAllowed? true

D/YouTube (11446):
apps.youtube.app.prefetch.PrefetchService$DeviceStateReceiver.onReceive:533 Got device state change intent: android.net.conn.CONNECTIVITY_CHANGE

D/CacheService(11230): onBind

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.onStartCommand:166 PrefetchService started at 22 Sep 2014 06:35:05 GMT

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.q_:245 Download snapshot restored

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.onDestroy:215 PrefetchService destroyed at 22 Sep 2014 06:35:05 GMT

D/GCM (1464): GcmService start Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 cmp=com.google.android.gms/.gcm.GcmService (has extras) } android.net.conn.CONNECTIVITY_CHANGE

D/WifiStateMachine(924): VerifyingLinkState enter

D/WifiStateMachine(924): VerifyingLinkState GOOD_LINK_DETECTED: transition to captive portal check

D/WifiStateMachine(924): CaptivePortalCheckState enter

D/CaptivePortalTracker(924): NoActiveNetworkState{ when=0 what=0 obj=NetworkInfo: type: WIFI[], state: CONNECTING/CAPTIVE_PORTAL_CHECK, reason: (unspecified), extra: "cmf",

roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false target=com.android.internal.util.StateMachine$SmHandler }

D/CaptivePortalTracker(924): DefaultState{ when=0 what=0 obj=NetworkInfo: type: WIFI[], state: CONNECTING/CAPTIVE_PORTAL_CHECK, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false target=com.android.internal.util.StateMachine$SmHandler }

D/CaptivePortalTracker(924): notifyPortalCheckComplete: ni=NetworkInfo: type: WIFI[], state: CONNECTING/CAPTIVE_PORTAL_CHECK, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false

D/WifiStateMachine(924): CaptivePortalCheckState CMD_CAPTIVE_CHECK_COMPLETE

D/PhoneApp(1294): mReceiver: ACTION_ANY_DATA_CONNECTION_STATE_CHANGED

D/PhoneApp(1294): - state: DISCONNECTED

D/PhoneApp(1294): - reason: dataDisabled

D/NotificationMgr(1294): hideDataDisconnectedRoaming()...

I/DrWeb (4727): AutoUpdateService: onCreate

I/DrWeb (4727): AutoUpdateService: onDestroy

D/AFWall (11638): isWifiApEnabled is false

I/AFWall (11638): Now assuming wifi connection

I/AFWall (11638): IPv4 LAN netmask on wlan0: 192.168.1.241/24

I/AFWall (11638): IPv6 LAN netmask on wlan0: fe80::c2ee:fbff:fe20:717d/64

D/AFWall (11638): CONNECTIVITY_CHANGE: firewall is disabled, ignoring

D/NetUtils(924): android_net_utils_resetConnections in env=0x78e907c0 clazz=0x58900001 iface=rmnet0 mask=0x3

D/MmsSystemEventReceiver(3277): TYPE_MOBILE_MMS available = true, isConnected = false

D/MmsSystemEventReceiver(3277): wakeUpService: start service ...

D/TransactionService(3277): onStartCommand(): E

D/TransactionService(3277): incRefCount() mRef=1

D/TransactionService(3277): Handling incoming message: { when=-2ms what=5 arg1=13 obj=Intent { cmp=com.android.mms/.transaction.TransactionService } target=com.android.mms.transaction.TransactionService$ServiceHandler } = EVENT_NEW_INTENT

D/TransactionService(3277): onNewIntent: serviceId: 13: null intent=Intent {

cmp=com.android.mms/.transaction.TransactionService }

D/TransactionService(3277): networkAvailable=true

D/TransactionService(3277): Cursor= >>>>> Dumping cursor
android.content.ContentResolver$CursorWrapperInner@42262c10

D/TransactionService(3277): <<<<<

D/TransactionService(3277): onNewIntent: cursor.count=0 action=null

D/TransactionService(3277): onNewIntent: no pending messages. Stopping service.

D/CMStats (11311): Waiting for next sync : 1 hours

D/MobileConnectivityChangeReceiver(11326): onReceive Intent {
act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010
cmp=com.google.android.setupwizard/.MobileConnectivityChangeReceiver (has extras) }

D/MobileConnectivityChangeReceiver(11326): onReceive CONNECTIVITY_CHANGE
networkType=5

V/TransactionService(3277): CleanUpIfIdle: txnServ is idle

D/TransactionService(3277): removeNotification, txnId=init

D/TransactionService(3277): removeNotification, currentDds=0

D/TransactionService(3277): removeNotification(), found init = null

D/TransactionService(3277): decRefCount() mRef=0

D/WeatherUpdateService(8677): Service started, but shouldn't update ... stopping

I/iu.Environment(11418): update connectivity state; isNetworkMetered? false*, isRoaming? false, isBackgroundDataAllowed? true

I/iu.SyncManager(11418): SYNC; picasa accounts

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService$DeviceStateReceiver.onReceive:533 Got device state change intent: android.net.conn.CONNECTIVITY_CHANGE

I/MusicLeanback(11230): Conditions not met for autocaching.

I/MusicLeanback(11230): Stop autocaching.

I/iu.UploadsManager(11418): num queued entries: 0

I/iu.UploadsManager(11418): num updated entries: 0

I/iu.SyncManager(11418): NEXT; no task

D/GCM (1464): GcmService start Intent { act=android.net.conn.CONNECTIVITY_CHANGE

flg=0x4000010 cmp=com.google.android.gms/.gcm.GcmService (has extras) }
android.net.conn.CONNECTIVITY_CHANGE

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.onStartCommand:166
PrefetchService started at 22 Sep 2014 06:35:06 GMT

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.q_:245 Download snapshot
restored

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.onDestroy:215 PrefetchService
destroyed at 22 Sep 2014 06:35:06 GMT

D/AFWall (11638): isWifiApEnabled is false

I/DrWeb   (4727): AutoUpdateService: onCreate

I/DrWeb   (4727): AutoUpdateService: onDestroy

I/MusicLeanback(11230): Conditions not met for autocaching.

I/MusicLeanback(11230): Stop autocaching.

D/CacheService(11230): onDestroy

D/AFWall (11638): CONNECTIVITY_CHANGE: interface state has not changed, ignoring

D/LogFetchServiceManager(3016): Received entry added

D/GCM (1464): GcmService start Intent { act=com.google.android.gms.INITIALIZE flg=0x10 pkg=com.google.android.gms cmp=com.google.android.gms/.gcm.GcmService } com.google.android.gms.INITIALIZE

I/DrWeb (3164): Scan file /storage/emulated/0/Android/data/it.mvilla.android.fenix/cache/uil-images/journal

V/Zygote (11798): Switching descriptor 52 to /dev/null

V/Zygote (11798): Switching descriptor 9 to /dev/null

D/ActivityThread(11798): handleBindApplication:it.mvilla.android.fenix

D/ActivityThread(11798): setTargetHeapUtilization:0.75

D/ActivityThread(11798): setTargetHeapMinFree:2097152

D/GCM (1464): GcmService start Intent { act=com.google.android.checkin.CHECKIN_COMPLETE flg=0x10 cmp=com.google.android.gms/.gcm.GcmService (has extras) } com.google.android.checkin.CHECKIN_COMPLETE

I/GCM (1464): GCM config loaded

I/DrWeb (4727): AutoUpdateService: onCreate

I/DrWeb (4727): AutoUpdateService: onDestroy

D/GCM (1464): GcmService start Intent {
act=com.google.android.checkin.CHECKIN_COMPLETE flg=0x10
cmp=com.google.android.gms/.gcm.GcmService (has extras) }
com.google.android.checkin.CHECKIN_COMPLETE

D/GCM (1464): GcmService start Intent {
act=com.google.android.checkin.CHECKIN_COMPLETE flg=0x10
cmp=com.google.android.gms/.gcm.GcmService (has extras) }
com.google.android.checkin.CHECKIN_COMPLETE

I/patts (11623): [android_project_file.cc:36] Loading
"voices/en-us-x-sfg-phone-hmm/roman_numeral_contexts.pb" ...

I/patts (11623): [android_project_file.cc:36] Loading
"voices/en-us-x-sfg-phone-hmm/roman_numeral_android.far" ...

I/patts (11623): [grm-manager.h:57] Loading FST archive from
"voices/en-us-x-sfg-phone-hmm/roman_numeral_android.far" ...

I/patts (11623): [android_project_file.cc:36] Loading
"voices/en-us-x-sfg-phone-hmm/verbalize_android.far" ...

I/patts (11623): [grm-manager.h:57] Loading FST archive from
"voices/en-us-x-sfg-phone-hmm/verbalize_android.far" ...

I/patts (11623): [android_project_file.cc:36] Loading
"voices/en-us-x-sfg-phone-hmm/textnorm_params_embedded.pb" ...

I/patts (11623): [android_project_file.cc:36] Loading "voices/en-us-x-sfg-phone-hmm/resolve_homographs_simple_us.pb" ...

I/patts (11623): [android_project_file.cc:36] Loading "voices/en-us-x-sfg-phone-hmm/g2p_m3_syls0_stress0_en-US.fst" ...

I/patts (11623): [compact_fst.cc:31] Loading FST from "voices/en-us-x-sfg-phone-hmm/g2p_m3_syls0_stress0_en-US.fst" ...

I/patts (11623): [decoder_impl.cc:79] g2p FST: 55 graphemes, 41 phonemes (with special symbols)

I/patts (11623): [android_project_file.cc:36] Loading "voices/en-us-x-sfg-phone-hmm/engine_hmm_22050_ap-embedded_lsp.cfg" ...

I/patts (11623): [embedded_hmm_synthesizer.cc:21] Embedded HMM synthesizer initialized.

I/patts (11623): [android_project_file.cc:36] Loading "voices/en-us-x-sfg-phone-hmm/phonology.cfg" ...

I/patts (11623): [android_project_file.cc:36] Loading "voices/en-us-x-sfg-phone-hmm/compile_hmm_22050_ph_lsp_swop_ap_msd.cfg" ...

I/patts (11623): [android_project_file.cc:36] Loading "voices/en-us-x-sfg-phone-hmm/engine_hmm_22050_ap-embedded_lsp.cfg" ...

I/patts (11623): [android_project_file.cc:36] Loading "voices/en-us-x-sfg-phone-hmm/hmm_voice_en_us_sfg_all_22050_ph_lsp_swop_ap_msd_bin_8bit.voice" ...

I/TextToSpeech(11525): Connected to ComponentInfo{com.google.android.tts/com.google.android.tts.service.GoogleTTSService}

I/TextToSpeech(11525): Set up connection to ComponentInfo{com.google.android.tts/com.google.android.tts.service.GoogleTTSService}

D/LogFetchServiceManager(3016): Received entry added

D/LogFetchServiceManager(3016): Received entry added

D/StatusBar.NetworkController(1136): updateConnectivity: intent=Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 (has extras) }

D/StatusBar.NetworkController(1136): updateConnectivity: networkInfo=NetworkInfo: type: WIFI[], state: CONNECTED/CONNECTED, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false

D/StatusBar.NetworkController(1136): updateConnectivity: connectionStatus=0

D/Tethering(924): MasterInitialState.processMessage what=3

D/CaptivePortalTracker(924): NoActiveNetworkState{ when=-8ms what=1 obj=NetworkInfo: type: mobile_hipri[LTE], state: DISCONNECTED/DISCONNECTED, reason: dataDisabled, extra: fast.t-mobile.com, roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false target=com.android.internal.util.StateMachine$SmHandler }

D/CaptivePortalTracker(924): NoActiveNetworkState not a wifi connectivity change, ignore

D/YouTube (11446): apps.youtube.common.e.d.a:25 Executing ConditionTask com.google.android.apps.youtube.datalib.offline.h

D/YouTube (11446): apps.youtube.datalib.offline.h.a:34 Network change detected, dispatch offline http requests.

V/Zygote (11821): Switching descriptor 52 to /dev/null

V/Zygote (11821): Switching descriptor 9 to /dev/null

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/StatusBar.NetworkController(1136): updateConnectivity: intent=Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 (has extras) }

D/StatusBar.NetworkController(1136): updateConnectivity: networkInfo=NetworkInfo: type: WIFI[], state: CONNECTED/CONNECTED, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false

D/StatusBar.NetworkController(1136): updateConnectivity: connectionStatus=0

D/YouTube (11446): apps.youtube.common.e.d.a:25 Executing ConditionTask com.google.android.apps.youtube.datalib.offline.h

D/YouTube (11446): apps.youtube.datalib.offline.h.a:34 Network change detected, dispatch

offline http requests.

D/Tethering(924): MasterInitialState.processMessage what=3

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/CaptivePortalTracker(924): NoActiveNetworkState{ when=-6ms what=1 obj=NetworkInfo: type: mobile[LTE], state: CONNECTED/CONNECTED, reason: connected, extra: fast.t-mobile.com, roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false target=com.android.internal.util.StateMachine$SmHandler }

D/CaptivePortalTracker(924): NoActiveNetworkState not a wifi connectivity change, ignore

D/ActivityThread(11821): handleBindApplication:com.google.android.music:main

D/ActivityThread(11821): setTargetHeapUtilization:0.75

D/ActivityThread(11821): setTargetHeapMinFree:2097152

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

I/MusicStore(11821): Database version: 85

W/ContextImpl(11821): Implicit intents with startService are not safe: Intent { act=com.google.android.music.PREFERENCE_SERVICE } android.content.ContextWrapper.bindService:517 com.google.android.music.utils.SafeServiceConnection$ServiceConnectionImp.bindService:98

com.google.android.music.utils.SafeServiceConnection.bindService:259

W/ContextImpl(11821): Implicit intents with startService are not safe: Intent { act=com.google.android.music.NETWORK_MONITOR_SERVICE }
android.content.ContextWrapper.bindService:517
com.google.android.music.utils.SafeServiceConnection$ServiceConnectionImp.bindService:98
com.google.android.music.utils.SafeServiceConnection.bindService:259

I/MediaRouter(11821): Found default route: MediaRouter.RouteInfo{ uniqueId=android/.support.v7.media.SystemMediaRouteProvider:DEFAULT_ROUTE, name=Phone, description=null, enabled=true, connecting=false, playbackType=0, playbackStream=3, volumeHandling=1, volume=1, volumeMax=15, presentationDisplayId=-1, extras=null, providerPackageName=android }

D/MmsSystemEventReceiver(3277): TYPE_MOBILE_MMS available = true, isConnected = false

D/MmsSystemEventReceiver(3277): wakeUpService: start service ...

D/TransactionService(3277): onStartCommand(): E

D/TransactionService(3277): incRefCount() mRef=1

D/TransactionService(3277): Handling incoming message: { when=0 what=5 arg1=14 obj=Intent { cmp=com.android.mms/.transaction.TransactionService } target=com.android.mms.transaction.TransactionService$ServiceHandler } = EVENT_NEW_INTENT

D/CMStats (11311): Waiting for next sync : 1 hours

D/MobileConnectivityChangeReceiver(11326): onReceive Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 cmp=com.google.android.setupwizard/.MobileConnectivityChangeReceiver (has extras) }

D/MobileConnectivityChangeReceiver(11326): onReceive CONNECTIVITY_CHANGE networkType=5

D/WeatherUpdateService(8677): Service started, but shouldn't update ... stopping

D/TransactionService(3277): onNewIntent: serviceId: 14: null intent=Intent { cmp=com.android.mms/.transaction.TransactionService }

D/TransactionService(3277): networkAvailable=true

D/TransactionService(3277): Cursor= >>>>> Dumping cursor android.content.ContentResolver$CursorWrapperInner@4227e9b8

D/TransactionService(3277): <<<<<

D/TransactionService(3277): onNewIntent: cursor.count=0 action=null

D/TransactionService(3277): onNewIntent: no pending messages. Stopping service.

I/iu.Environment(11418): update connectivity state; isNetworkMetered? false, isRoaming? false, isBackgroundDataAllowed? true

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService$DeviceStateReceiver.onReceive:533 Got device

state change intent: android.net.conn.CONNECTIVITY_CHANGE

V/TransactionService(3277): CleanUpIfIdle: txnServ is idle

D/TransactionService(3277): removeNotification, txnId=init

D/TransactionService(3277): removeNotification, currentDds=0

D/TransactionService(3277): removeNotification(), found init = null

D/TransactionService(3277): decRefCount() mRef=0

D/GCM (1464): GcmService start Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 cmp=com.google.android.gms/.gcm.GcmService (has extras) } android.net.conn.CONNECTIVITY_CHANGE

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.onStartCommand:166 PrefetchService started at 22 Sep 2014 06:35:08 GMT

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.q_:245 Download snapshot restored

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.onDestroy:215 PrefetchService destroyed at 22 Sep 2014 06:35:08 GMT

D/AFWall (11638): isWifiApEnabled is false

W/ContextImpl(11821): Implicit intents with startService are not safe: Intent { act=com.google.android.music.NETWORK_MONITOR_SERVICE }
android.content.ContextWrapper.bindService:517
com.google.android.music.utils.SafeServiceConnection$ServiceConnectionImp.bindService:98
com.google.android.music.utils.SafeServiceConnection.bindService:259

I/ConfigStore(11821): Config Database version: 1

D/AFWall (11638): CONNECTIVITY_CHANGE: interface state has not changed, ignoring

I/MusicLeanback(11821): Stop autocaching.

I/CastUtils(11821): Removing provider: MediaRouter.RouteProviderInfo{ packageName=com.google.android.gms }

W/ContextImpl(11821): Implicit intents with startService are not safe: Intent { act=com.google.android.music.NETWORK_MONITOR_SERVICE }
android.content.ContextWrapper.bindService:517
com.google.android.music.utils.SafeServiceConnection$ServiceConnectionImp.bindService:98
com.google.android.music.utils.SafeServiceConnection.bindService:259

I/MusicLeanback(11821): Stop autocaching.

D/CacheService(11821): onCreate

D/CacheService(11821): onBind

I/MusicLeanback(11821): Stop autocaching.

D/MmsSystemEventReceiver(3277): TYPE_MOBILE_MMS available = true, isConnected = false

D/MmsSystemEventReceiver(3277): wakeUpService: start service ...

D/TransactionService(3277): onStartCommand(): E

D/TransactionService(3277): incRefCount() mRef=1

D/TransactionService(3277): Handling incoming message: { when=0 what=5 arg1=15 obj=Intent { cmp=com.android.mms/.transaction.TransactionService } target=com.android.mms.transaction.TransactionService$ServiceHandler } = EVENT_NEW_INTENT

D/CMStats (11311): Waiting for next sync : 1 hours

I/MusicLeanback(11821): Stop autocaching.

D/MobileConnectivityChangeReceiver(11326): onReceive Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 cmp=com.google.android.setupwizard/.MobileConnectivityChangeReceiver (has extras) }

D/MobileConnectivityChangeReceiver(11326): onReceive CONNECTIVITY_CHANGE networkType=0

D/MobileConnectivityChangeReceiver(11326): onReceive CONNECTIVITY_CHANGE: not connected|connecting, ignore

D/WeatherUpdateService(8677): Service started, but shouldn't update ... stopping

D/TransactionService(3277): onNewIntent: serviceId: 15: null intent=Intent { cmp=com.android.mms/.transaction.TransactionService }

D/TransactionService(3277): networkAvailable=true

I/iu.Environment(11418): update connectivity state; isNetworkMetered? false, isRoaming? false, isBackgroundDataAllowed? true

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService$DeviceStateReceiver.onReceive:533 Got device state change intent: android.net.conn.CONNECTIVITY_CHANGE

D/TransactionService(3277): Cursor= >>>>> Dumping cursor android.content.ContentResolver$CursorWrapperInner@422ba438

D/TransactionService(3277): <<<<<

D/TransactionService(3277): onNewIntent: cursor.count=0 action=null

D/TransactionService(3277): onNewIntent: no pending messages. Stopping service.

V/TransactionService(3277): CleanUpIfIdle: txnServ is idle

D/TransactionService(3277): removeNotification, txnId=init

D/TransactionService(3277): removeNotification, currentDds=0

D/TransactionService(3277): removeNotification(), found init = null

D/TransactionService(3277): decRefCount() mRef=0

I/MusicLeanback(11821): Conditions not met for autocaching.

I/MusicLeanback(11821): Stop autocaching.

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.onStartCommand:166 PrefetchService started at 22 Sep 2014 06:35:08 GMT

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.q_:245 Download snapshot restored

D/GCM (1464): GcmService start Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 cmp=com.google.android.gms/.gcm.GcmService (has extras) } android.net.conn.CONNECTIVITY_CHANGE

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.onDestroy:215 PrefetchService destroyed at 22 Sep 2014 06:35:08 GMT

I/MusicLeanback(11821): Conditions not met for autocaching.

I/MusicLeanback(11821): Stop autocaching.

I/DrWeb (4727): AutoUpdateService: onCreate

D/CacheService(11821): onDestroy

D/AFWall (11638): isWifiApEnabled is false

I/DrWeb (4727): AutoUpdateService: onDestroy

D/AFWall (11638): CONNECTIVITY_CHANGE: interface state has not changed, ignoring

D/GCM (1464): GcmService start Intent {
act=com.google.android.checkin.CHECKIN_COMPLETE flg=0x10
cmp=com.google.android.gms/.gcm.GcmService (has extras) }
com.google.android.checkin.CHECKIN_COMPLETE

D/GCM (1464): GcmService start Intent {
act=com.google.android.checkin.CHECKIN_COMPLETE flg=0x10
cmp=com.google.android.gms/.gcm.GcmService (has extras) }
com.google.android.checkin.CHECKIN_COMPLETE

I/GAV2 (11357): Thread[GAThread,5,main]: No campaign data found.

I/GAV2 (11418): Thread[GAThread,5,main]: No campaign data found.

D/YouTube (11446): apps.youtube.common.e.d.a:25 Executing ConditionTask
com.google.android.apps.youtube.datalib.offline.h

D/YouTube (11446): apps.youtube.datalib.offline.h.a:34 Network change detected, dispatch

offline http requests.

D/StatusBar.NetworkController(1136): updateConnectivity: intent=Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 (has extras) }

D/StatusBar.NetworkController(1136): updateConnectivity: networkInfo=NetworkInfo: type: WIFI[], state: CONNECTED/CONNECTED, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false

D/StatusBar.NetworkController(1136): updateConnectivity: connectionStatus=0

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/Tethering(924): MasterInitialState.processMessage what=3

D/CaptivePortalTracker(924): NoActiveNetworkState{ when=-5ms what=1 obj=NetworkInfo: type: WIFI[], state: CONNECTED/CONNECTED, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false target=com.android.internal.util.StateMachine$SmHandler }

I/DrWeb   (3164): Scan file /storage/emulated/0/Android/data/it.mvilla.android.fenix/cache/uil-images/journal

W/ContextImpl(11821): Implicit intents with startService are not safe: Intent { act=com.google.android.music.NETWORK_MONITOR_SERVICE }
android.content.ContextWrapper.bindService:517
com.google.android.music.utils.SafeServiceConnection$ServiceConnectionImp.bindService:98

com.google.android.music.utils.SafeServiceConnection.bindService:259

W/ContextImpl(11821): Implicit intents with startService are not safe: Intent { act=com.google.android.music.NETWORK_MONITOR_SERVICE }
android.content.ContextWrapper.bindService:517
com.google.android.music.utils.SafeServiceConnection$ServiceConnectionImp.bindService:98
com.google.android.music.utils.SafeServiceConnection.bindService:259

D/MmsSystemEventReceiver(3277): TYPE_MOBILE_MMS available = true, isConnected = false

D/MmsSystemEventReceiver(3277): wakeUpService: start service ...

D/CMStats (11311): Waiting for next sync : 1 hours

I/MusicLeanback(11821): Conditions not met for autocaching.

I/MusicLeanback(11821): Stop autocaching.

D/MobileConnectivityChangeReceiver(11326): onReceive Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 cmp=com.google.android.setupwizard/.MobileConnectivityChangeReceiver (has extras) }

D/MobileConnectivityChangeReceiver(11326): onReceive CONNECTIVITY_CHANGE networkType=1

D/TransactionService(3277): onStartCommand(): E

D/TransactionService(3277): incRefCount() mRef=1

D/TransactionService(3277): Handling incoming message: { when=-1ms what=5 arg1=16 obj=Intent { cmp=com.android.mms/.transaction.TransactionService } target=com.android.mms.transaction.TransactionService$ServiceHandler } = EVENT_NEW_INTENT

D/StatusBar.NetworkController(1136): updateConnectivity: intent=Intent { act=android.net.conn.INET_CONDITION_ACTION flg=0x4000010 (has extras) }

D/CacheService(11821): onCreate

D/CacheService(11821): onBind

D/WeatherUpdateService(8677): Service started, but shouldn't update ... stopping

D/StatusBar.NetworkController(1136): updateConnectivity: networkInfo=NetworkInfo: type: WIFI[], state: CONNECTED/CONNECTED, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false

D/StatusBar.NetworkController(1136): updateConnectivity: connectionStatus=0

D/TransactionService(3277): onNewIntent: serviceId: 16: null intent=Intent { cmp=com.android.mms/.transaction.TransactionService }

D/TransactionService(3277): networkAvailable=true

D/CacheService(11821): onDestroy

I/iu.Environment(11418): update connectivity state; isNetworkMetered? false, isRoaming? false, isBackgroundDataAllowed? true

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService$DeviceStateReceiver.onReceive:533 Got device state change intent: android.net.conn.CONNECTIVITY_CHANGE

D/TransactionService(3277): Cursor= >>>>> Dumping cursor android.content.ContentResolver$CursorWrapperInner@421416e0

D/TransactionService(3277): <<<<<

D/TransactionService(3277): onNewIntent: cursor.count=0 action=null

D/TransactionService(3277): onNewIntent: no pending messages. Stopping service.

V/TransactionService(3277): CleanUpIfIdle: txnServ is idle

D/TransactionService(3277): removeNotification, txnId=init

D/TransactionService(3277): removeNotification, currentDds=0

D/TransactionService(3277): removeNotification(), found init = null

D/TransactionService(3277): decRefCount() mRef=0

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.onStartCommand:166 PrefetchService started at 22 Sep 2014 06:35:09 GMT

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.q_:245 Download snapshot restored

D/GCM (1464): GcmService start Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 cmp=com.google.android.gms/.gcm.GcmService (has extras) } android.net.conn.CONNECTIVITY_CHANGE

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.onDestroy:215 PrefetchService destroyed at 22 Sep 2014 06:35:09 GMT

I/DrWeb (4727): AutoUpdateService: onCreate

I/DrWeb (4727): AutoUpdateService: onDestroy

D/AFWall (11638): isWifiApEnabled is false

D/AFWall (11638): CONNECTIVITY_CHANGE: interface state has not changed, ignoring

D/GCM (1464): GcmService start Intent { act=com.google.android.checkin.CHECKIN_COMPLETE flg=0x10 cmp=com.google.android.gms/.gcm.GcmService (has extras) } com.google.android.checkin.CHECKIN_COMPLETE

D/StatusBar.NetworkController(1136): updateConnectivity: intent=Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 (has extras) }

D/CaptivePortalTracker(924): DelayedCaptiveCheckState{ when=0 what=1 obj=NetworkInfo: type: mobile[LTE], state: DISCONNECTED/DISCONNECTED, reason: dataDisabled, extra: fast.t-mobile.com, roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false
target=com.android.internal.util.StateMachine$SmHandler }

D/StatusBar.NetworkController(1136): updateConnectivity: networkInfo=NetworkInfo: type: WIFI[], state: CONNECTED/CONNECTED, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false

D/StatusBar.NetworkController(1136): updateConnectivity: connectionStatus=0

D/Tethering(924): MasterInitialState.processMessage what=3

D/StatusBar.NetworkController(1136): updateConnectivity: intent=Intent {
act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 (has extras) }

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/StatusBar.NetworkController(1136): updateConnectivity: networkInfo=NetworkInfo: type: WIFI[], state: CONNECTED/CONNECTED, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false

D/StatusBar.NetworkController(1136): updateConnectivity: connectionStatus=0

D/YouTube (11446): apps.youtube.common.e.d.a:25 Executing ConditionTask
com.google.android.apps.youtube.datalib.offline.h

D/YouTube (11446): apps.youtube.datalib.offline.h.a:34 Network change detected, dispatch

offline http requests.

V/Zygote (11877): Switching descriptor 52 to /dev/null

V/Zygote (11877): Switching descriptor 9 to /dev/null

D/Tethering(924): MasterInitialState.processMessage what=3

W/ContextImpl(11821): Implicit intents with startService are not safe: Intent { act=com.google.android.music.NETWORK_MONITOR_SERVICE } android.content.ContextWrapper.bindService:517 com.google.android.music.utils.SafeServiceConnection$ServiceConnectionImp.bindService:98 com.google.android.music.utils.SafeServiceConnection.bindService:259

W/ContextImpl(11821): Implicit intents with startService are not safe: Intent { act=com.google.android.music.NETWORK_MONITOR_SERVICE } android.content.ContextWrapper.bindService:517 com.google.android.music.utils.SafeServiceConnection$ServiceConnectionImp.bindService:98 com.google.android.music.utils.SafeServiceConnection.bindService:259

D/CaptivePortalTracker(924): DelayedCaptiveCheckState{ when=-5ms what=1 obj=NetworkInfo: type: WIFI[], state: CONNECTED/CONNECTED, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false target=com.android.internal.util.StateMachine$SmHandler }

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

I/MusicLeanback(11821): Conditions not met for autocaching.

I/MusicLeanback(11821): Stop autocaching.

D/CacheService(11821): onCreate

D/CacheService(11821): onBind

D/CacheService(11821): onDestroy

D/YouTube (11446): apps.youtube.common.e.d.a:25 Executing ConditionTask com.google.android.apps.youtube.datalib.offline.h

D/YouTube (11446): apps.youtube.datalib.offline.h.a:34 Network change detected, dispatch offline http requests.

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/ActivityThread(11877): handleBindApplication:com.cyngn.fota

D/ActivityThread(11877): setTargetHeapUtilization:0.75

D/ActivityThread(11877): setTargetHeapMinFree:2097152

D/MmsSystemEventReceiver(3277): TYPE_MOBILE_MMS available = true, isConnected = false

D/MmsSystemEventReceiver(3277): wakeUpService: start service ...

D/TransactionService(3277): onStartCommand(): E

D/TransactionService(3277): incRefCount() mRef=1

D/TransactionService(3277): Handling incoming message: { when=0 what=5 arg1=17 obj=Intent { cmp=com.android.mms/.transaction.TransactionService } target=com.android.mms.transaction.TransactionService$ServiceHandler } = EVENT_NEW_INTENT

D/CMStats (11311): Waiting for next sync : 1 hours

D/MobileConnectivityChangeReceiver(11326): onReceive Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 cmp=com.google.android.setupwizard/.MobileConnectivityChangeReceiver (has extras) }

D/MobileConnectivityChangeReceiver(11326): onReceive CONNECTIVITY_CHANGE networkType=0

D/MobileConnectivityChangeReceiver(11326): onReceive CONNECTIVITY_CHANGE: not connected|connecting, ignore

D/WeatherUpdateService(8677): Service started, but shouldn't update ... stopping

I/iu.Environment(11418): update connectivity state; isNetworkMetered? false, isRoaming? false, isBackgroundDataAllowed? true

D/TransactionService(3277): onNewIntent: serviceId: 17: null intent=Intent { cmp=com.android.mms/.transaction.TransactionService }

D/TransactionService(3277): networkAvailable=true

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService$DeviceStateReceiver.onReceive:533 Got device state change intent: android.net.conn.CONNECTIVITY_CHANGE

D/TransactionService(3277): Cursor= >>>>> Dumping cursor android.content.ContentResolver$CursorWrapperInner@422c9e80

D/TransactionService(3277): <<<<<

D/TransactionService(3277): onNewIntent: cursor.count=0 action=null

D/TransactionService(3277): onNewIntent: no pending messages. Stopping service.

V/TransactionService(3277): CleanUpIfIdle: txnServ is idle

D/TransactionService(3277): removeNotification, txnId=init

D/TransactionService(3277): removeNotification, currentDds=0

D/TransactionService(3277): removeNotification(), found init = null

D/TransactionService(3277): decRefCount() mRef=0

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.onStartCommand:166 PrefetchService started at 22 Sep 2014 06:35:09 GMT

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.q_:245 Download snapshot restored

D/GCM (1464): GcmService start Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 cmp=com.google.android.gms/.gcm.GcmService (has extras) } android.net.conn.CONNECTIVITY_CHANGE

I/DrWeb (3164): Scan file /storage/emulated/0/Android/data/com.google.android.music/files/0d9c0ef1-e190-42ee-ad90-204.tmp

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.onDestroy:215 PrefetchService destroyed at 22 Sep 2014 06:35:09 GMT

I/Icing (1523): Indexing 77AB20FA424F0363AA2EB95BB8196BF854097715 from com.google.android.music

D/AFWall (11638): isWifiApEnabled is false

D/AFWall (11638): CONNECTIVITY_CHANGE: interface state has not changed, ignoring

I/Icing (1523): Indexing done 77AB20FA424F0363AA2EB95BB8196BF854097715

V/Zygote (11900): Switching descriptor 52 to /dev/null

V/Zygote (11900): Switching descriptor 9 to /dev/null

D/ActivityThread(11900): handleBindApplication:la.droid.qr

D/ActivityThread(11900): setTargetHeapUtilization:0.75

D/ActivityThread(11900): setTargetHeapMinFree:2097152

W/ContextImpl(11821): Implicit intents with startService are not safe: Intent { act=com.google.android.music.NETWORK_MONITOR_SERVICE }
android.content.ContextWrapper.bindService:517
com.google.android.music.utils.SafeServiceConnection$ServiceConnectionImp.bindService:98
com.google.android.music.utils.SafeServiceConnection.bindService:259

W/ContextImpl(11821): Implicit intents with startService are not safe: Intent { act=com.google.android.music.NETWORK_MONITOR_SERVICE }
android.content.ContextWrapper.bindService:517
com.google.android.music.utils.SafeServiceConnection$ServiceConnectionImp.bindService:98
com.google.android.music.utils.SafeServiceConnection.bindService:259

D/MmsSystemEventReceiver(3277): TYPE_MOBILE_MMS available = true, isConnected = false

D/MmsSystemEventReceiver(3277): wakeUpService: start service ...

D/TransactionService(3277): onStartCommand(): E

D/TransactionService(3277): incRefCount() mRef=1

D/TransactionService(3277): Handling incoming message: { when=0 what=5 arg1=18 obj=Intent { cmp=com.android.mms/.transaction.TransactionService } target=com.android.mms.transaction.TransactionService$ServiceHandler } = EVENT_NEW_INTENT

D/CMStats (11311): Waiting for next sync : 1 hours

D/MobileConnectivityChangeReceiver(11326): onReceive Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 cmp=com.google.android.setupwizard/.MobileConnectivityChangeReceiver (has extras) }

D/MobileConnectivityChangeReceiver(11326): onReceive CONNECTIVITY_CHANGE networkType=1

D/TransactionService(3277): onNewIntent: serviceId: 18: null intent=Intent { cmp=com.android.mms/.transaction.TransactionService }

D/TransactionService(3277):   networkAvailable=true

D/WeatherUpdateService(8677): Service started, but shouldn't update ... stopping

D/CacheService(11821): onCreate

D/CacheService(11821): onBind

I/iu.Environment(11418): update connectivity state; isNetworkMetered? false, isRoaming? false,

isBackgroundDataAllowed? true

D/YouTube (11446):
apps.youtube.app.prefetch.PrefetchService$DeviceStateReceiver.onReceive:533 Got device state change intent: android.net.conn.CONNECTIVITY_CHANGE

D/TransactionService(3277): Cursor= >>>>> Dumping cursor android.content.ContentResolver$CursorWrapperInner@42145598

D/TransactionService(3277): <<<<<

D/TransactionService(3277): onNewIntent: cursor.count=0 action=null

D/TransactionService(3277): onNewIntent: no pending messages. Stopping service.

I/MusicLeanback(11821): Conditions not met for autocaching.

I/MusicLeanback(11821): Stop autocaching.

V/TransactionService(3277): CleanUpIfIdle: txnServ is idle

D/GCM (1464): GcmService start Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 cmp=com.google.android.gms/.gcm.GcmService (has extras) } android.net.conn.CONNECTIVITY_CHANGE

D/CacheService(11821): onDestroy

D/TransactionService(3277): removeNotification, txnId=init

D/TransactionService(3277): removeNotification, currentDds=0

D/TransactionService(3277): removeNotification(), found init = null

D/TransactionService(3277): decRefCount() mRef=0

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.onStartCommand:166 PrefetchService started at 22 Sep 2014 06:35:09 GMT

I/DrWeb (4727): AutoUpdateService: onCreate

I/DrWeb (4727): AutoUpdateService: onDestroy

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.q_:245 Download snapshot restored

D/AFWall (11638): isWifiApEnabled is false

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.onDestroy:215 PrefetchService destroyed at 22 Sep 2014 06:35:09 GMT

D/AFWall (11638): CONNECTIVITY_CHANGE: interface state has not changed, ignoring

D/GCM (1464): GcmService start Intent { act=com.google.android.checkin.CHECKIN_COMPLETE flg=0x10

cmp=com.google.android.gms/.gcm.GcmService (has extras) }
com.google.android.checkin.CHECKIN_COMPLETE

D/GCM (1464): GcmService start Intent {
act=com.google.android.checkin.CHECKIN_COMPLETE flg=0x10
cmp=com.google.android.gms/.gcm.GcmService (has extras) }
com.google.android.checkin.CHECKIN_COMPLETE

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

V/Zygote (11933): Switching descriptor 52 to /dev/null

V/Zygote (11933): Switching descriptor 9 to /dev/null

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

D/ActivityThread(11933): handleBindApplication:it.mvilla.android.fenix

D/ActivityThread(11933): setTargetHeapUtilization:0.75

D/ActivityThread(11933): setTargetHeapMinFree:2097152

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

W/ContextImpl(11821): Implicit intents with startService are not safe: Intent { act=com.google.android.music.NETWORK_MONITOR_SERVICE }
android.content.ContextWrapper.bindService:517
com.google.android.music.utils.SafeServiceConnection$ServiceConnectionImp.bindService:98
com.google.android.music.utils.SafeServiceConnection.bindService:259

W/ContextImpl(11821): Implicit intents with startService are not safe: Intent { act=com.google.android.music.NETWORK_MONITOR_SERVICE }
android.content.ContextWrapper.bindService:517
com.google.android.music.utils.SafeServiceConnection$ServiceConnectionImp.bindService:98
com.google.android.music.utils.SafeServiceConnection.bindService:259

D/CacheService(11821): onCreate

D/CacheService(11821): onBind

I/MusicLeanback(11821): Conditions not met for autocaching.

I/MusicLeanback(11821): Stop autocaching.

D/CacheService(11821): onDestroy

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

D/YouTube (11446): apps.youtube.common.e.j.e:170 Scheduling task com.google.android.apps.youtube.datalib.offline.p with ScheduledExecutorService for repeating execution.

D/YouTube (11446): apps.youtube.common.e.j.e:170 Scheduling task com.google.android.apps.youtube.datalib.offline.r with ScheduledExecutorService for repeating execution.

D/YouTube (11446): apps.youtube.common.e.j.b:27 Executed scheduled task of type com.google.android.apps.youtube.datalib.offline.p

D/YouTube (11446): apps.youtube.datalib.offline.p.a:55 Flushing offline queue.

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

D/CaptivePortalTracker(924): DelayedCaptiveCheckState{ when=-179ms what=2 arg1=2 target=com.android.internal.util.StateMachine$SmHandler }

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

V/Zygote (11976): Switching descriptor 52 to /dev/null

V/Zygote (11976): Switching descriptor 9 to /dev/null

D/ActivityThread(11976): handleBindApplication:com.ryansteckler.nlpunbounce

D/ActivityThread(11976): setTargetHeapUtilization:0.75

D/ActivityThread(11976): setTargetHeapMinFree:2097152

D/CheckConnectionTask(11326): doInBackground: IOException retVal=false e=

D/CheckConnectionTask(11326): onPostExecute connected=false

D/CheckConnectionTask(11326): onPostExecute set preference connected=false

D/MinimalTextWidgetBase(2193): Pushing update request. Reason: Tick

D/MinimalTextUpdateService(2193): onStart:update

D/MinimalTextUpdateService(2193): The screen is currently off. Skipping update.

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/rmt_storage(244): rmt_storage_connect_cb: clnt_h=0xc conn_h=0xb6fa2178

I/rmt_storage(244): rmt_storage_rw_iovec_cb: /boot/modem_fs1: clnt_h=0x1: req_h=0x10 msg_id=3: R/W request received

I/rmt_storage(244): wakelock acquired: 1, error no: 42

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs1: clnt_h=0x1 Unblock worker thread (th_id: -1225122072)

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs1: clnt_h=0x1: req_h=0x10 msg_id=3: Bytes written = 1572864

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs1: clnt_h=0x1: req_h=0x10 msg_id=3: Send response: res=0 err=0

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs1: clnt_h=0x1 About to block rmt_storage client thread (th_id: -1225122072) wakelock released: 1, error no: 0

I/rmt_storage(244):

I/rmt_storage(244): rmt_storage_disconnect_cb: clnt_h=0x0xc conn_h=0x0xb6fa2178

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

D/StatusBar.NetworkController(1136): updateConnectivity: intent=Intent { act=android.net.conn.INET_CONDITION_ACTION flg=0x4000010 (has extras) }

D/StatusBar.NetworkController(1136): updateConnectivity: networkInfo=NetworkInfo: type: WIFI[], state: CONNECTED/CONNECTED, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false

D/StatusBar.NetworkController(1136): updateConnectivity: connectionStatus=0

D/MinimalTextWidgetBase(2193): Pushing update request. Reason: Tick

D/MinimalTextUpdateService(2193): onStart:update

D/MinimalTextUpdateService(2193): The screen is currently off. Skipping update.

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

D/CaptivePortalTracker(924): Don't send network conditions - lacking user consent.

D/CaptivePortalTracker(924): Not captive network NetworkInfo: type: WIFI[], state: CONNECTED/CONNECTED, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false

D/CaptivePortalTracker(924): notifyPortalCheckCompleted: captive=false ni=NetworkInfo: type: WIFI[], state: CONNECTED/CONNECTED, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false

D/GCM   (1464): Connected

I/GCM   (1464): GCM message com.google.android.gsf.gtalkservice

D/GCM   (1464): Message class mpf

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

D/StatusBar.NetworkController(1136): updateConnectivity: intent=Intent { act=android.net.conn.INET_CONDITION_ACTION flg=0x4000010 (has extras) }

D/StatusBar.NetworkController(1136): updateConnectivity: networkInfo=NetworkInfo: type: WIFI[], state: CONNECTED/CONNECTED, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false

D/StatusBar.NetworkController(1136): updateConnectivity: connectionStatus=100

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

D/MinimalTextWidgetBase(2193): Pushing update request. Reason: Tick

D/MinimalTextUpdateService(2193): onStart:update

D/MinimalTextUpdateService(2193): The screen is currently off. Skipping update.

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

D/TransactionService(3277): Handling incoming message: { when=-199ms what=3 target=com.android.mms.transaction.TransactionService$ServiceHandler } = EVENT_CONTINUE_MMS_CONNECTIVITY

D/TransactionService(3277): Handling incoming message: { when=-96ms what=3 target=com.android.mms.transaction.TransactionService$ServiceHandler } = EVENT_CONTINUE_MMS_CONNECTIVITY

D/TransactionService(3277): Handling incoming message: { when=-13ms what=3 target=com.android.mms.transaction.TransactionService$ServiceHandler } = EVENT_CONTINUE_MMS_CONNECTIVITY

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

D/MinimalTextWidgetBase(2193): Pushing update request. Reason: Tick

D/YouTube (11446): apps.youtube.common.e.j.b:27 Executed scheduled task of type com.google.android.apps.youtube.datalib.offline.p

D/YouTube (11446): apps.youtube.datalib.offline.p.a:55 Flushing offline queue.

D/MinimalTextUpdateService(2193): onStart:update

D/MinimalTextUpdateService(2193): The screen is currently off. Skipping update.

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

D/MinimalTextWidgetBase(2193): Pushing update request. Reason: Tick

D/MinimalTextUpdateService(2193): onStart:update

D/MinimalTextUpdateService(2193): The screen is currently off. Skipping update.

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

D/TransactionService(3277): Handling incoming message: { when=-221ms what=3 target=com.android.mms.transaction.TransactionService$ServiceHandler } = EVENT_CONTINUE_MMS_CONNECTIVITY

D/TransactionService(3277): Handling incoming message: { when=-172ms what=3 target=com.android.mms.transaction.TransactionService$ServiceHandler } = EVENT_CONTINUE_MMS_CONNECTIVITY

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

D/TransactionService(3277): Handling incoming message: { when=-1ms what=3 target=com.android.mms.transaction.TransactionService$ServiceHandler } = EVENT_CONTINUE_MMS_CONNECTIVITY

D/TransactionService(3277): Handling incoming message: { when=-1ms what=3 target=com.android.mms.transaction.TransactionService$ServiceHandler } = EVENT_CONTINUE_MMS_CONNECTIVITY

D/TransactionService(3277): Handling incoming message: { when=-1ms what=3 target=com.android.mms.transaction.TransactionService$ServiceHandler } = EVENT_CONTINUE_MMS_CONNECTIVITY

D/MinimalTextWidgetBase(2193): Pushing update request. Reason: Tick

D/MinimalTextUpdateService(2193): onStart:update

D/MinimalTextUpdateService(2193): The screen is currently off. Skipping update.

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

D/MinimalTextWidgetBase(2193): Pushing update request. Reason: Tick

D/MinimalTextUpdateService(2193): onStart:update

D/MinimalTextUpdateService(2193): The screen is currently off. Skipping update.

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

D/MinimalTextWidgetBase(2193): Pushing update request. Reason: Tick

D/MinimalTextUpdateService(2193): onStart:update

D/MinimalTextUpdateService(2193): The screen is currently off. Skipping update.

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-DISCONNECTED bssid=48:5b:39:e7:f2:5e

reason=0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

D/Tethering(924): InitialState.processMessage what=4

D/Tethering(924): sendTetherStateChangedBroadcast 0, 0, 0

D/CommandListener(248): Clearing all IP addresses on wlan0

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/CommandListener(248): Clearing all IP addresses on wlan0

D/NetUtils(924): android_net_utils_resetConnections in env=0x78e907c0 clazz=0x8e900001 iface=wlan0 mask=0x3

D/PhoneApp(1294): mReceiver: ACTION_ANY_DATA_CONNECTION_STATE_CHANGED

D/PhoneApp(1294): - state: CONNECTING

D/PhoneApp(1294): - reason: dataEnabled

D/PhoneApp(1294): mReceiver: ACTION_ANY_DATA_CONNECTION_STATE_CHANGED

D/PhoneApp(1294): - state: DISCONNECTED

D/PhoneApp(1294): - reason: dataEnabled

D/PhoneApp(1294): mReceiver: ACTION_ANY_DATA_CONNECTION_STATE_CHANGED

D/PhoneApp(1294): - state: DISCONNECTED

D/PhoneApp(1294): - reason: dataEnabled

D/PhoneApp(1294): mReceiver: ACTION_ANY_DATA_CONNECTION_STATE_CHANGED

D/PhoneApp(1294): - state: DISCONNECTED

D/PhoneApp(1294): - reason: dataEnabled

D/PhoneApp(1294): mReceiver: ACTION_ANY_DATA_CONNECTION_STATE_CHANGED

D/PhoneApp(1294): - state: DISCONNECTED

D/PhoneApp(1294): - reason: dataEnabled

D/PhoneApp(1294): mReceiver: ACTION_ANY_DATA_CONNECTION_STATE_CHANGED

D/PhoneApp(1294): - state: DISCONNECTED

D/PhoneApp(1294): - reason: dataEnabled

D/PhoneApp(1294): mReceiver: ACTION_ANY_DATA_CONNECTION_STATE_CHANGED

D/PhoneApp(1294): - state: DISCONNECTED

D/PhoneApp(1294): - reason: dataEnabled

D/PhoneApp(1294): mReceiver: ACTION_ANY_DATA_CONNECTION_STATE_CHANGED

D/PhoneApp(1294): - state: DISCONNECTED

D/PhoneApp(1294): - reason: dataEnabled

D/PhoneApp(1294): mReceiver: ACTION_ANY_DATA_CONNECTION_STATE_CHANGED

D/PhoneApp(1294): - state: DISCONNECTED

D/PhoneApp(1294): - reason: dataEnabled

D/NotificationMgr(1294): hideDataDisconnectedRoaming()...

D/NotificationMgr(1294): hideDataDisconnectedRoaming()...

D/NotificationMgr(1294): hideDataDisconnectedRoaming()...

D/NotificationMgr(1294): hideDataDisconnectedRoaming()...

D/NotificationMgr(1294): hideDataDisconnectedRoaming()...

D/NotificationMgr(1294): hideDataDisconnectedRoaming()...

D/NotificationMgr(1294): hideDataDisconnectedRoaming()...

D/NotificationMgr(1294): hideDataDisconnectedRoaming()...

D/NotificationMgr(1294): hideDataDisconnectedRoaming()...

E/WifiNative-wlan0(924): doBoolean: enable

D/PhoneApp(1294): mReceiver: ACTION_ANY_DATA_CONNECTION_STATE_CHANGED

D/PhoneApp(1294): - state: CONNECTED

D/PhoneApp(1294): - reason: connected

D/NotificationMgr(1294): hideDataDisconnectedRoaming()...

I/CheckinService(1523): Preparing to send checkin request

I/EventLogService(1523): Accumulating logs since 1411367703157

D/PhoneApp(1294): mReceiver: ACTION_ANY_DATA_CONNECTION_STATE_CHANGED

D/PhoneApp(1294): - state: CONNECTING

D/PhoneApp(1294): - reason: dataEnabled

D/PhoneApp(1294): mReceiver: ACTION_ANY_DATA_CONNECTION_STATE_CHANGED

D/PhoneApp(1294): - state: DISCONNECTED

D/PhoneApp(1294): - reason: dataEnabled

D/PhoneApp(1294): mReceiver: ACTION_ANY_DATA_CONNECTION_STATE_CHANGED

D/PhoneApp(1294): - state: DISCONNECTED

D/PhoneApp(1294): - reason: dataEnabled

D/PhoneApp(1294): mReceiver: ACTION_ANY_DATA_CONNECTION_STATE_CHANGED

D/PhoneApp(1294): - state: DISCONNECTED

D/PhoneApp(1294): - reason: dataEnabled

D/PhoneApp(1294): mReceiver: ACTION_ANY_DATA_CONNECTION_STATE_CHANGED

D/PhoneApp(1294): - state: DISCONNECTED

D/PhoneApp(1294): - reason: dataEnabled

D/PhoneApp(1294): mReceiver: ACTION_ANY_DATA_CONNECTION_STATE_CHANGED

D/PhoneApp(1294): - state: DISCONNECTED

D/PhoneApp(1294): - reason: dataEnabled

D/PhoneApp(1294): mReceiver: ACTION_ANY_DATA_CONNECTION_STATE_CHANGED

D/PhoneApp(1294): - state: DISCONNECTED

D/PhoneApp(1294): - reason: dataEnabled

D/PhoneApp(1294): mReceiver: ACTION_ANY_DATA_CONNECTION_STATE_CHANGED

D/PhoneApp(1294): - state: DISCONNECTED

D/PhoneApp(1294): - reason: dataEnabled

D/PhoneApp(1294): mReceiver: ACTION_ANY_DATA_CONNECTION_STATE_CHANGED

D/PhoneApp(1294): - state: CONNECTED

D/PhoneApp(1294): - reason: dataEnabled

D/NotificationMgr(1294): hideDataDisconnectedRoaming()...

I/Xposed (924): NlpUnbounce: Allowing NlpWakeLock. Max Interval: 240000 Time since last granted: 582396

D/NotificationMgr(1294): hideDataDisconnectedRoaming()...

E/WifiNative-wlan0(924): doBoolean: disable

D/NotificationMgr(1294): hideDataDisconnectedRoaming()...

D/NotificationMgr(1294): hideDataDisconnectedRoaming()...

D/NotificationMgr(1294): hideDataDisconnectedRoaming()...

D/NotificationMgr(1294): hideDataDisconnectedRoaming()...

D/NotificationMgr(1294): hideDataDisconnectedRoaming()...

D/NotificationMgr(1294): hideDataDisconnectedRoaming()...

D/NotificationMgr(1294): hideDataDisconnectedRoaming()...

W/wpa_supplicant(1225): wlan0: Failed to initiate AP scan

W/wpa_supplicant(1225): wlan0: Failed to initiate AP scan

I/GoogleHttpClient(1523): Falling back to old SSLCertificateSocketFactory

I/GoogleHttpClient(1523): Using GMS GoogleHttpClient

W/GLSUser (1464): GoogleAccountDataService.getToken()

V/Zygote (12122): Switching descriptor 52 to /dev/null

V/Zygote (12122): Switching descriptor 9 to /dev/null

D/ActivityThread(12122): handleBindApplication:com.google.android.gms.unstable

D/ActivityThread(12122): setTargetHeapUtilization:0.75

D/ActivityThread(12122): setTargetHeapMinFree:2097152

I/MultiDex(12122): install

I/MultiDex(12122): MultiDexExtractor.load(/data/app/com.google.android.gms-1.apk, false)

I/MultiDex(12122): loading existing secondary dex files

I/MultiDex(12122): load found 1 secondary dex files

I/MultiDex(12122): install done

I/ProviderInstaller(12122): Insert disabled by gate
'gms:security:enable_conscrypt_in_gms_application'

D/GCM (1464): GcmService start Intent { act=com.google.android.gms.INITIALIZE flg=0x10
pkg=com.google.android.gms cmp=com.google.android.gms/.gcm.GcmService }
com.google.android.gms.INITIALIZE

I/GoogleHttpClient(12122): Falling back to old SSLCertificateSocketFactory

W/wpa_supplicant(1225): wlan0: Failed to initiate AP scan

D/dalvikvm(12122): Trying to load lib
/data/data/com.google.android.gms/app_dg_cache/0F385CAA4172847B3F62BCFA0A3443A7A
FBDBB36/lib/libdroidguard_3EB3FFE531475B56EDD672EE68846782A2615BD0.so
0x422103b0

D/dalvikvm(12122): Added shared lib
/data/data/com.google.android.gms/app_dg_cache/0F385CAA4172847B3F62BCFA0A3443A7A
FBDBB36/lib/libdroidguard_3EB3FFE531475B56EDD672EE68846782A2615BD0.so

0x422103b0

D/dalvikvm(12122): No JNI_OnLoad found in /data/data/com.google.android.gms/app_dg_cache/0F385CAA4172847B3F62BCFA0A3443A7AFBDBB36/lib/libdroidguard_3EB3FFE531475B56EDD672EE68846782A2615BD0.so 0x422103b0, skipping init

I/CheckinTask(1523): Sending checkin request (3652 bytes)

E/WifiNative-wlan0(924): doBoolean: enable

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_flp(924): I/===> int flp_inject_location(FlpLocation*) line 194

D/LBSSystemMonitorService(924): handleMessage what - 7

D/Wiper_jni(924): Send Passive Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360 QMI_LOC_INJECT_POSITION_REQ_V02

E/LocSvc_eng(924): l/===> int loc_eng_inject_location(loc_eng_data_s_type&, double, double, float) line 1880

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_POSITION_REQ_V02

I/GCoreUlr(1608): Successfully inserted location

I/GCoreUlr(1608): Not calling LocationReportingService, hasMoved: false, elapsed millis: 1146144, request: Phone

W/GLSUser (1464): GoogleAccountDataService.getToken()

I/CheckinTask(1523): Checkin success: https://android.clients.google.com/checkin (1 requests sent)

W/GoogleHttpClient(1523): Unable to close GMS GoogleHttpClient

D/GCM   (1464): GcmService start Intent { act=com.google.android.checkin.CHECKIN_COMPLETE flg=0x10 cmp=com.google.android.gms/.gcm.GcmService (has extras) } com.google.android.checkin.CHECKIN_COMPLETE

I/GCM   (1464): GCM config loaded

D/StatusBar.NetworkController(1136): updateConnectivity: intent=Intent {

act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 (has extras) }

D/StatusBar.NetworkController(1136): updateConnectivity: networkInfo=NetworkInfo: type: mobile[LTE], state: CONNECTED/CONNECTED, reason: connected, extra: fast.t-mobile.com, roaming: false, failover: true, isAvailable: true, isConnectedToProvisioningNetwork: false

D/StatusBar.NetworkController(1136): updateConnectivity: connectionStatus=0

D/CaptivePortalTracker(924): Disconnected from active network NetworkInfo: type: WIFI[], state: DISCONNECTED/DISCONNECTED, reason: (unspecified), extra: <unknown ssid>, roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false

D/Tethering(924): MasterInitialState.processMessage what=3

V/Zygote (12189): Switching descriptor 52 to /dev/null

V/Zygote (12189): Switching descriptor 9 to /dev/null

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

V/Zygote (12202): Switching descriptor 52 to /dev/null

V/Zygote (12202): Switching descriptor 9 to /dev/null

D/GCM   (1464): Connected

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

I/GCM (1464): GCM message com.google.android.gsf.gtalkservice

D/ActivityThread(12202): handleBindApplication:ch.bitspin.timely

D/ActivityThread(12202): setTargetHeapUtilization:0.75

D/ActivityThread(12202): setTargetHeapMinFree:2097152

D/ActivityThread(12189): handleBindApplication:com.cyngn.fota

D/ActivityThread(12189): setTargetHeapUtilization:0.75

D/ActivityThread(12189): setTargetHeapMinFree:2097152

D/GCM (1464): Message class mpf

D/MmsSystemEventReceiver(3277): TYPE_MOBILE_MMS available = true, isConnected = false

D/MmsSystemEventReceiver(3277): wakeUpService: start service ...

D/TransactionService(3277): onStartCommand(): E

D/TransactionService(3277): incRefCount() mRef=1

D/TransactionService(3277): Handling incoming message: { when=0 what=5 arg1=19 obj=Intent { cmp=com.android.mms/.transaction.TransactionService } target=com.android.mms.transaction.TransactionService$ServiceHandler } = EVENT_NEW_INTENT

D/CMStats (11311): Waiting for next sync : 1 hours

D/StatusBar.NetworkController(1136): updateConnectivity: intent=Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 (has extras) }

D/StatusBar.NetworkController(1136): updateConnectivity: networkInfo=NetworkInfo: type: mobile[LTE], state: CONNECTED/CONNECTED, reason: connected, extra: fast.t-mobile.com, roaming: false, failover: true, isAvailable: true, isConnectedToProvisioningNetwork: false

D/StatusBar.NetworkController(1136): updateConnectivity: connectionStatus=0

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/Tethering(924): MasterInitialState.processMessage what=3

D/CaptivePortalTracker(924): NoActiveNetworkState{ when=-7ms what=1 obj=NetworkInfo: type: mobile[LTE], state: CONNECTED/CONNECTED, reason: connected, extra: fast.t-mobile.com, roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false target=com.android.internal.util.StateMachine$SmHandler }

D/CaptivePortalTracker(924): NoActiveNetworkState not a wifi connectivity change, ignore

D/MobileConnectivityChangeReceiver(11326): onReceive Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 cmp=com.google.android.setupwizard/.MobileConnectivityChangeReceiver (has extras) }

D/MobileConnectivityChangeReceiver(11326): onReceive CONNECTIVITY_CHANGE networkType=1

D/YouTube (11446): apps.youtube.common.e.d.a:25 Executing ConditionTask com.google.android.apps.youtube.datalib.offline.h

D/YouTube (11446): apps.youtube.datalib.offline.h.a:34 Network change detected, dispatch offline http requests.

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/TransactionService(3277): onNewIntent: serviceId: 19: null intent=Intent { cmp=com.android.mms/.transaction.TransactionService }

D/TransactionService(3277): networkAvailable=true

D/TransactionService(3277): Cursor= >>>>> Dumping cursor android.content.ContentResolver$CursorWrapperInner@4220d1f8

D/TransactionService(3277): <<<<<

D/TransactionService(3277): onNewIntent: cursor.count=0 action=null

D/TransactionService(3277): onNewIntent: no pending messages. Stopping service.

V/TransactionService(3277): CleanUpIfIdle: txnServ is idle

D/TransactionService(3277): removeNotification, txnId=init

D/TransactionService(3277): removeNotification, currentDds=0

D/TransactionService(3277): removeNotification(), found init = null

D/TransactionService(3277): decRefCount() mRef=0

I/iu.Environment(11418): update connectivity state; isNetworkMetered? true*, isRoaming? false, isBackgroundDataAllowed? true

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService$DeviceStateReceiver.onReceive:533 Got device state change intent: android.net.conn.CONNECTIVITY_CHANGE

D/GCM (1464): GcmService start Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 cmp=com.google.android.gms/.gcm.GcmService (has extras) } android.net.conn.CONNECTIVITY_CHANGE

I/iu.UploadsManager(11418): num queued entries: 0

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.onStartCommand:166 PrefetchService started at 22 Sep 2014 06:43:37 GMT

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.q_:245 Download snapshot

restored

I/iu.UploadsManager(11418): num updated entries: 0

I/iu.SyncManager(11418): NEXT; no task

W/GAV2 (12202): Thread[main,5,main]: Need to call initialize() and be in fallback mode to start dispatch.

D/AFWall (11638): isWifiApEnabled is false

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.onDestroy:215 PrefetchService destroyed at 22 Sep 2014 06:43:37 GMT

D/StatusBar.NetworkController(1136): updateConnectivity: intent=Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 (has extras) }

D/StatusBar.NetworkController(1136): updateConnectivity: networkInfo=NetworkInfo: type: mobile[LTE], state: CONNECTED/CONNECTED, reason: connected, extra: fast.t-mobile.com, roaming: false, failover: true, isAvailable: true, isConnectedToProvisioningNetwork: false

D/StatusBar.NetworkController(1136): updateConnectivity: connectionStatus=0

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/YouTube (11446): apps.youtube.common.e.d.a:25 Executing ConditionTask com.google.android.apps.youtube.datalib.offline.h

D/YouTube (11446): apps.youtube.datalib.offline.h.a:34 Network change detected, dispatch offline http requests.

D/Tethering(924): MasterInitialState.processMessage what=3

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/CaptivePortalTracker(924): NoActiveNetworkState{ when=0 what=1 obj=NetworkInfo: type: mobile_hipri[LTE], state: CONNECTED/CONNECTED, reason: dataEnabled, extra: fast.t-mobile.com, roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false
target=com.android.internal.util.StateMachine$SmHandler }

D/CaptivePortalTracker(924): NoActiveNetworkState not a wifi connectivity change, ignore

I/AFWall (11638): Now assuming 3G connection (non-tethered)

D/AFWall (11638): CONNECTIVITY_CHANGE: firewall is disabled, ignoring

W/ContextImpl(11821): Implicit intents with startService are not safe: Intent { act=com.google.android.music.NETWORK_MONITOR_SERVICE }
android.content.ContextWrapper.bindService:517
com.google.android.music.utils.SafeServiceConnection$ServiceConnectionImp.bindService:98
com.google.android.music.utils.SafeServiceConnection.bindService:259

W/ContextImpl(11821): Implicit intents with startService are not safe: Intent { act=com.google.android.music.NETWORK_MONITOR_SERVICE }
android.content.ContextWrapper.bindService:517
com.google.android.music.utils.SafeServiceConnection$ServiceConnectionImp.bindService:98

com.google.android.music.utils.SafeServiceConnection.bindService:259

D/MmsSystemEventReceiver(3277): TYPE_MOBILE_MMS available = true, isConnected = false

D/MmsSystemEventReceiver(3277): wakeUpService: start service ...

D/CMStats (11311): Waiting for next sync : 1 hours

D/TransactionService(3277): onStartCommand(): E

D/TransactionService(3277): incRefCount() mRef=1

D/TransactionService(3277): Handling incoming message: { when=0 what=5 arg1=20 obj=Intent { cmp=com.android.mms/.transaction.TransactionService } target=com.android.mms.transaction.TransactionService$ServiceHandler } = EVENT_NEW_INTENT

D/MobileConnectivityChangeReceiver(11326): onReceive Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 cmp=com.google.android.setupwizard/.MobileConnectivityChangeReceiver (has extras) }

D/MobileConnectivityChangeReceiver(11326): onReceive CONNECTIVITY_CHANGE networkType=0

D/MobileConnectivityChangeReceiver(11326): onReceive CONNECTIVITY_CHANGE: checkConnection

I/MusicLeanback(11821): Conditions not met for autocaching.

I/MusicLeanback(11821): Stop autocaching.

D/TransactionService(3277): onNewIntent: serviceId: 20: null intent=Intent {
cmp=com.android.mms/.transaction.TransactionService }

D/TransactionService(3277):   networkAvailable=true

D/TransactionService(3277): Cursor= >>>>> Dumping cursor
android.content.ContentResolver$CursorWrapperInner@42157378

D/TransactionService(3277): <<<<<

D/TransactionService(3277): onNewIntent: cursor.count=0 action=null

D/TransactionService(3277): onNewIntent: no pending messages. Stopping service.

D/CheckConnectionTask(11326): doInBackground: url=http://clients3.google.com/generate_204

D/CacheService(11821): onCreate

D/CacheService(11821): onBind

V/TransactionService(3277): CleanUpIfIdle: txnServ is idle

D/TransactionService(3277): removeNotification, txnId=init

D/TransactionService(3277): removeNotification, currentDds=0

D/TransactionService(3277): removeNotification(), found init = null

D/TransactionService(3277): decRefCount() mRef=0

D/WeatherUpdateService(8677): Service started, but shouldn't update ... stopping

D/CacheService(11821): onDestroy

I/iu.Environment(11418): update connectivity state; isNetworkMetered? true, isRoaming? false, isBackgroundDataAllowed? true

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService$DeviceStateReceiver.onReceive:533 Got device state change intent: android.net.conn.CONNECTIVITY_CHANGE

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.onStartCommand:166 PrefetchService started at 22 Sep 2014 06:43:37 GMT

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.q_:245 Download snapshot restored

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.onDestroy:215 PrefetchService destroyed at 22 Sep 2014 06:43:37 GMT

D/CheckConnectionTask(11326): doInBackground: resultCode=204 retVal=true

D/CheckConnectionTask(11326): onPostExecute connected=true

D/CheckConnectionTask(11326): onPostExecute set preference connected=true

D/GCM (1464): GcmService start Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 cmp=com.google.android.gms/.gcm.GcmService (has extras) } android.net.conn.CONNECTIVITY_CHANGE

I/DrWeb (4727): AutoUpdateService: onCreate

I/DrWeb (4727): AutoUpdateService: onDestroy

D/AFWall (11638): isWifiApEnabled is false

D/AFWall (11638): CONNECTIVITY_CHANGE: interface state has not changed, ignoring

D/StatusBar.NetworkController(1136): updateConnectivity: intent=Intent { act=android.net.conn.INET_CONDITION_ACTION flg=0x4000010 (has extras) }

D/StatusBar.NetworkController(1136): updateConnectivity: networkInfo=NetworkInfo: type: mobile[LTE], state: CONNECTED/CONNECTED, reason: connected, extra: fast.t-mobile.com, roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false

D/StatusBar.NetworkController(1136): updateConnectivity: connectionStatus=0

W/ContextImpl(11821): Implicit intents with startService are not safe: Intent { act=com.google.android.music.NETWORK_MONITOR_SERVICE } android.content.ContextWrapper.bindService:517 com.google.android.music.utils.SafeServiceConnection$ServiceConnectionImp.bindService:98 com.google.android.music.utils.SafeServiceConnection.bindService:259

W/ContextImpl(11821): Implicit intents with startService are not safe: Intent { act=com.google.android.music.NETWORK_MONITOR_SERVICE } android.content.ContextWrapper.bindService:517 com.google.android.music.utils.SafeServiceConnection$ServiceConnectionImp.bindService:98 com.google.android.music.utils.SafeServiceConnection.bindService:259

D/MmsSystemEventReceiver(3277): TYPE_MOBILE_MMS available = true, isConnected = false

D/MmsSystemEventReceiver(3277): wakeUpService: start service ...

D/TransactionService(3277): onStartCommand(): E

D/TransactionService(3277): incRefCount() mRef=1

D/TransactionService(3277): Handling incoming message: { when=0 what=5 arg1=21 obj=Intent { cmp=com.android.mms/.transaction.TransactionService } target=com.android.mms.transaction.TransactionService$ServiceHandler } = EVENT_NEW_INTENT

D/TransactionService(3277): onNewIntent: serviceId: 21: null intent=Intent { cmp=com.android.mms/.transaction.TransactionService }

D/TransactionService(3277): networkAvailable=true

D/TransactionService(3277): Cursor= >>>>> Dumping cursor
android.content.ContentResolver$CursorWrapperInner@420d9bf0

D/TransactionService(3277): <<<<<

D/TransactionService(3277): onNewIntent: cursor.count=0 action=null

D/TransactionService(3277): onNewIntent: no pending messages. Stopping service.

V/TransactionService(3277): CleanUpIfIdle: txnServ is idle

D/TransactionService(3277): removeNotification, txnId=init

D/TransactionService(3277): removeNotification, currentDds=0

D/TransactionService(3277): removeNotification(), found init = null

D/TransactionService(3277): decRefCount() mRef=0

D/CMStats (11311): Waiting for next sync : 1 hours

D/MobileConnectivityChangeReceiver(11326): onReceive Intent {
act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010
cmp=com.google.android.setupwizard/.MobileConnectivityChangeReceiver (has extras) }

D/MobileConnectivityChangeReceiver(11326): onReceive CONNECTIVITY_CHANGE networkType=5

I/iu.Environment(11418): update connectivity state; isNetworkMetered? true, isRoaming? false, isBackgroundDataAllowed? true

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService$DeviceStateReceiver.onReceive:533 Got device state change intent: android.net.conn.CONNECTIVITY_CHANGE

D/WeatherUpdateService(8677): Service started, but shouldn't update ... stopping

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.onStartCommand:166 PrefetchService started at 22 Sep 2014 06:43:38 GMT

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.q_:245 Download snapshot restored

D/CacheService(11821): onCreate

D/CacheService(11821): onBind

D/YouTube (11446): apps.youtube.app.prefetch.PrefetchService.onDestroy:215 PrefetchService destroyed at 22 Sep 2014 06:43:38 GMT

D/GCM (1464): GcmService start Intent { act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 cmp=com.google.android.gms/.gcm.GcmService (has extras) } android.net.conn.CONNECTIVITY_CHANGE

I/MusicLeanback(11821): Conditions not met for autocaching.

I/MusicLeanback(11821): Stop autocaching.

I/DrWeb (4727): AutoUpdateService: onCreate

I/DrWeb (4727): AutoUpdateService: onDestroy

D/CacheService(11821): onDestroy

D/AFWall (11638): isWifiApEnabled is false

D/AFWall (11638): CONNECTIVITY_CHANGE: interface state has not changed, ignoring

D/GCM (1464): GcmService start Intent {
act=com.google.android.checkin.CHECKIN_COMPLETE flg=0x10
cmp=com.google.android.gms/.gcm.GcmService (has extras) }
com.google.android.checkin.CHECKIN_COMPLETE

D/GCM (1464): GcmService start Intent {
act=com.google.android.checkin.CHECKIN_COMPLETE flg=0x10
cmp=com.google.android.gms/.gcm.GcmService (has extras) }
com.google.android.checkin.CHECKIN_COMPLETE

D/GCM (1464): GcmService start Intent {
act=com.google.android.checkin.CHECKIN_COMPLETE flg=0x10
cmp=com.google.android.gms/.gcm.GcmService (has extras) }
com.google.android.checkin.CHECKIN_COMPLETE

D/GCM (1464): Connected

I/GCM (1464): GCM message com.google.android.gsf.gtalkservice

D/GCM (1464): Message class mpf

D/StatusBar.NetworkController(1136): updateConnectivity: intent=Intent { act=android.net.conn.INET_CONDITION_ACTION flg=0x4000010 (has extras) }

D/StatusBar.NetworkController(1136): updateConnectivity: networkInfo=NetworkInfo: type: mobile[LTE], state: CONNECTED/CONNECTED, reason: connected, extra: fast.t-mobile.com, roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false

D/StatusBar.NetworkController(1136): updateConnectivity: connectionStatus=100

D/PhoneApp(1294): mReceiver: ACTION_ANY_DATA_CONNECTION_STATE_CHANGED

D/PhoneApp(1294): - state: DISCONNECTED

D/PhoneApp(1294): - reason: dataDisabled

D/NotificationMgr(1294): hideDataDisconnectedRoaming()...

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/DrWeb (3164): Scan file
/storage/emulated/0/Android/data/it.mvilla.android.fenix/cache/uil-images/journal

D/TimelyDebug(12202): AlarmManager.registerAlarms: reason = delayed init.

I/wpa_supplicant(1225): wlan0: Associated with 48:5b:39:e7:f2:5e

D/Tethering(924): sendTetherStateChangedBroadcast 1, 0, 0

I/wpa_supplicant(1225): wlan0: WPA: Key negotiation completed with 48:5b:39:e7:f2:5e
[PTK=CCMP GTK=CCMP]

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-CONNECTED - Connection to 48:5b:39:e7:f2:5e
completed (auth) [id=0 id_str=]

E/WifiNative-wlan0(924): doBoolean: disable

V/Zygote (12320): Switching descriptor 52 to /dev/null

V/Zygote (12320): Switching descriptor 9 to /dev/null

E/wpa_supplicant(1225): wpa_driver_nl80211_driver_cmd: failed to issue private commands

E/WifiStateMachine(924): Unexpected BatchedScanResults :null

E/wpa_supplicant(1225): wpa_driver_nl80211_driver_cmd: failed to issue private commands

D/ActivityThread(12320): handleBindApplication:it.mvilla.android.fenix

D/ActivityThread(12320): setTargetHeapUtilization:0.75

D/ActivityThread(12320): setTargetHeapMinFree:2097152

V/Timely (12202): Registering AlarmClocks.

V/Timely (12202): Registering System Alarm for alarm at 2014-09-22T06:59:58.065-07:00

V/Timely (12202): Registering System Alarm for finetune at 2014-09-22T06:59:53.065-07:00

V/Timely (12202): Registering System Alarm for presync at 2014-09-22T06:56:58.065-07:00

V/Zygote (12345): Switching descriptor 52 to /dev/null

V/Zygote (12345): Switching descriptor 9 to /dev/null

V/Timely (12202): Registering System Alarm for dismiss at 2014-09-22T07:44:58.065-07:00

D/ActivityThread(12345): handleBindApplication:com.android.deskclock

D/ActivityThread(12345): setTargetHeapUtilization:0.75

D/ActivityThread(12345): setTargetHeapMinFree:2097152

V/Zygote (12360): Switching descriptor 52 to /dev/null

V/Zygote (12360): Switching descriptor 9 to /dev/null

D/StatusBar.NetworkController(1136): updateConnectivity: intent=Intent {
act=android.net.conn.CONNECTIVITY_CHANGE flg=0x4000010 (has extras) }

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/CaptivePortalTracker(924): NoActiveNetworkState{ when=0 what=1 obj=NetworkInfo: type:
mobile_hipri[LTE], state: DISCONNECTED/DISCONNECTED, reason: dataDisabled, extra:
fast.t-mobile.com, roaming: false, failover: false, isAvailable: true,
isConnectedToProvisioningNetwork: false
target=com.android.internal.util.StateMachine$SmHandler }

D/CaptivePortalTracker(924): NoActiveNetworkState not a wifi connectivity change, ignore

D/Tethering(924): MasterInitialState.processMessage what=3

D/CaptivePortalTracker(924): NoActiveNetworkState{ when=0 what=1 obj=NetworkInfo: type: mobile[LTE], state: CONNECTED/CONNECTED, reason: connected, extra: fast.t-mobile.com, roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false target=com.android.internal.util.StateMachine$SmHandler }

D/CaptivePortalTracker(924): NoActiveNetworkState not a wifi connectivity change, ignore

D/Tethering(924): MasterInitialState.processMessage what=3

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

W/ContextImpl(12202): Implicit intents with startService are not safe: Intent { act=com.google.android.gms.analytics.service.START (has extras) } android.content.ContextWrapper.bindService:517 com.google.analytics.tracking.android.d.b:82 com.google.analytics.tracking.android.x.j:279

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

D/WifiStateMachine(924): VerifyingLinkState enter

D/WifiStateMachine(924): VerifyingLinkState GOOD_LINK_DETECTED: transition to captive portal check

D/WifiStateMachine(924): CaptivePortalCheckState enter

D/CaptivePortalTracker(924): NoActiveNetworkState{ when=-1ms what=0 obj=NetworkInfo: type: WIFI[], state: CONNECTING/CAPTIVE_PORTAL_CHECK, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false target=com.android.internal.util.StateMachine$SmHandler }

D/CaptivePortalTracker(924): DefaultState{ when=-2ms what=0 obj=NetworkInfo: type: WIFI[], state: CONNECTING/CAPTIVE_PORTAL_CHECK, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false target=com.android.internal.util.StateMachine$SmHandler }

D/CaptivePortalTracker(924): notifyPortalCheckComplete: ni=NetworkInfo: type: WIFI[], state: CONNECTING/CAPTIVE_PORTAL_CHECK, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false

D/WifiStateMachine(924): CaptivePortalCheckState CMD_CAPTIVE_CHECK_COMPLETE

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

D/CaptivePortalTracker(924): NoActiveNetworkState{ when=0 what=1 obj=NetworkInfo: type: WIFI[], state: CONNECTED/CONNECTED, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false target=com.android.internal.util.StateMachine$SmHandler }

D/Tethering(924): MasterInitialState.processMessage what=3

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/CaptivePortalTracker(924): DelayedCaptiveCheckState{ when=-11ms what=2 arg1=3 target=com.android.internal.util.StateMachine$SmHandler }

I/Process (924): Sending signal. PID: 1117 SIG: 3

I/dalvikvm(1117): threadid=3: reacting to signal 3

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/dalvikvm(1117): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/dalvikvm(1136): threadid=3: reacting to signal 3

I/dalvikvm(1136): Wrote stack traces to '/data/anr/traces.txt'

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

D/dalvikvm(924): JIT code cache reset in 1 ms (1535992 bytes 4/0)

W/InputDispatcher(924): channel '42d25248 Keyguard (server)' ~ Consumer closed input channel or an error occurred. events=0x9

E/InputDispatcher(924): channel '42d25248 Keyguard (server)' ~ Channel is unrecoverably broken and will be disposed!

D/DropBoxFileObserver(3016): /data/system/dropbox/system_app_anr@1411368261084.txt.gz

D/CaptivePortalTracker(924): Checking http://74.125.239.104/generate_204

D/CaptivePortalTracker(924): Don't send network conditions - lacking user consent.

D/CaptivePortalTracker(924): isCaptivePortal: ret=false rspCode=204

D/CaptivePortalTracker(924): Not captive network NetworkInfo: type: WIFI[], state: CONNECTED/CONNECTED, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false

D/CaptivePortalTracker(924): notifyPortalCheckCompleted: captive=false ni=NetworkInfo: type: WIFI[], state: CONNECTED/CONNECTED, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false

I/Process (924): Sending signal. PID: 12320 SIG: 3

I/dalvikvm(12320): threadid=3: reacting to signal 3

I/dalvikvm(12320): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

D/TransactionService(3277): Handling incoming message: { when=-18ms what=3 target=com.android.mms.transaction.TransactionService$ServiceHandler } = EVENT_CONTINUE_MMS_CONNECTIVITY

D/TransactionService(3277): Handling incoming message: { when=-1ms what=3 target=com.android.mms.transaction.TransactionService$ServiceHandler } =

EVENT_CONTINUE_MMS_CONNECTIVITY

D/TransactionService(3277): Handling incoming message: { when=-8ms what=3 target=com.android.mms.transaction.TransactionService$ServiceHandler } = EVENT_CONTINUE_MMS_CONNECTIVITY

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/dalvikvm(1136): threadid=3: reacting to signal 3

I/dalvikvm(1136): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1117 SIG: 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/DrWeb   (3164): Scan file
/storage/emulated/0/Android/data/it.mvilla.android.fenix/cache/uil-images/journal

I/Xposed (924): NlpUnbounce: Allowing
com.google.android.gms.nlp.ALARM_WAKEUP_LOCATOR. Max Interval: 240000 Time since
last granted: 636474

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/dalvikvm(1136): threadid=3: reacting to signal 3

I/dalvikvm(1136): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1117 SIG: 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 12202 SIG: 3

I/dalvikvm(12202): threadid=3: reacting to signal 3

I/dalvikvm(12202): Wrote stack traces to '/data/anr/traces.txt'

D/AudioPlayer(254): reset: mPlaying=0 mReachedEOS=1 useOffload=0

D/MinimalTextWidgetBase(2193): Pushing update request. Reason: Tick

D/DropBoxFileObserver(3016): /data/system/dropbox/system_app_anr@1411368284775.txt.gz

W/InputDispatcher(924): channel '42cb5fb8 StatusBar (server)' ~ Consumer closed input channel or an error occurred. events=0x9

E/InputDispatcher(924): channel '42cb5fb8 StatusBar (server)' ~ Channel is unrecoverably broken and will be disposed!

W/InputDispatcher(924): channel '424a7638 com.android.systemui.ImageWallpaper (server)' ~ Consumer closed input channel or an error occurred. events=0x9

E/InputDispatcher(924): channel '424a7638 com.android.systemui.ImageWallpaper (server)' ~ Channel is unrecoverably broken and will be disposed!

W/InputDispatcher(924): channel '422cad58 com.android.systemui/com.android.systemui.recent.RecentsActivity (server)' ~ Consumer closed input channel or an error occurred. events=0x9

E/InputDispatcher(924): channel '422cad58 com.android.systemui/com.android.systemui.recent.RecentsActivity (server)' ~ Channel is unrecoverably broken and will be disposed!

I/Process (924): Sending signal. PID: 2193 SIG: 3

I/dalvikvm(2193): threadid=3: reacting to signal 3

I/dalvikvm(2193): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1117 SIG: 3

V/Zygote (12461): Switching descriptor 52 to /dev/null

V/Zygote (12461): Switching descriptor 9 to /dev/null

I/Process (924): Sending signal. PID: 11821 SIG: 3

I/dalvikvm(11821): threadid=3: reacting to signal 3

I/dalvikvm(11821): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1117 SIG: 3

D/DropBoxFileObserver(3016): /data/system/dropbox/system_app_anr@1411368306383.txt.gz

V/Zygote (12480): Switching descriptor 52 to /dev/null

V/Zygote (12480): Switching descriptor 9 to /dev/null

V/Zygote (12498): Switching descriptor 52 to /dev/null

V/Zygote (12498): Switching descriptor 9 to /dev/null

V/Zygote (12516): Switching descriptor 52 to /dev/null

V/Zygote (12516): Switching descriptor 9 to /dev/null

V/Zygote (12534): Switching descriptor 52 to /dev/null

V/Zygote (12534): Switching descriptor 9 to /dev/null

V/Zygote (12552): Switching descriptor 52 to /dev/null

V/Zygote (12552): Switching descriptor 9 to /dev/null

V/Zygote (12570): Switching descriptor 52 to /dev/null

V/Zygote (12570): Switching descriptor 9 to /dev/null

V/Zygote (12588): Switching descriptor 52 to /dev/null

V/Zygote (12588): Switching descriptor 9 to /dev/null

V/Zygote (12606): Switching descriptor 52 to /dev/null

V/Zygote (12606): Switching descriptor 9 to /dev/null

V/Zygote (12624): Switching descriptor 52 to /dev/null

V/Zygote (12624): Switching descriptor 9 to /dev/null

V/Zygote (12642): Switching descriptor 52 to /dev/null

V/Zygote (12642): Switching descriptor 9 to /dev/null

V/Zygote (12660): Switching descriptor 52 to /dev/null

V/Zygote (12660): Switching descriptor 9 to /dev/null

V/Zygote (12678): Switching descriptor 52 to /dev/null

V/Zygote (12678): Switching descriptor 9 to /dev/null

V/Zygote (12696): Switching descriptor 52 to /dev/null

V/Zygote (12696): Switching descriptor 9 to /dev/null

V/Zygote (12714): Switching descriptor 52 to /dev/null

V/Zygote (12714): Switching descriptor 9 to /dev/null

V/Zygote (12732): Switching descriptor 52 to /dev/null

V/Zygote (12732): Switching descriptor 9 to /dev/null

V/Zygote (12750): Switching descriptor 52 to /dev/null

V/Zygote (12750): Switching descriptor 9 to /dev/null

V/Zygote (12769): Switching descriptor 52 to /dev/null

V/Zygote (12769): Switching descriptor 9 to /dev/null

V/Zygote (12787): Switching descriptor 52 to /dev/null

V/Zygote (12787): Switching descriptor 9 to /dev/null

V/Zygote (12805): Switching descriptor 52 to /dev/null

V/Zygote (12805): Switching descriptor 9 to /dev/null

V/Zygote (12822): Switching descriptor 52 to /dev/null

V/Zygote (12822): Switching descriptor 9 to /dev/null

V/Zygote (12840): Switching descriptor 52 to /dev/null

V/Zygote (12840): Switching descriptor 9 to /dev/null

V/Zygote (12858): Switching descriptor 52 to /dev/null

V/Zygote (12858): Switching descriptor 9 to /dev/null

V/Zygote (12877): Switching descriptor 52 to /dev/null

V/Zygote (12877): Switching descriptor 9 to /dev/null

V/Zygote (12895): Switching descriptor 52 to /dev/null

V/Zygote (12895): Switching descriptor 9 to /dev/null

V/Zygote (12913): Switching descriptor 52 to /dev/null

V/Zygote (12913): Switching descriptor 9 to /dev/null

V/Zygote (12932): Switching descriptor 52 to /dev/null

V/Zygote (12932): Switching descriptor 9 to /dev/null

V/Zygote (12950): Switching descriptor 52 to /dev/null

V/Zygote (12950): Switching descriptor 9 to /dev/null

V/Zygote (12968): Switching descriptor 52 to /dev/null

V/Zygote (12968): Switching descriptor 9 to /dev/null

V/Zygote (12986): Switching descriptor 52 to /dev/null

V/Zygote (12986): Switching descriptor 9 to /dev/null

V/Zygote (13004): Switching descriptor 52 to /dev/null

V/Zygote (13004): Switching descriptor 9 to /dev/null

V/Zygote (13022): Switching descriptor 52 to /dev/null

V/Zygote (13022): Switching descriptor 9 to /dev/null

V/Zygote (13039): Switching descriptor 52 to /dev/null

V/Zygote (13039): Switching descriptor 9 to /dev/null

V/Zygote (13057): Switching descriptor 52 to /dev/null

V/Zygote (13057): Switching descriptor 9 to /dev/null

V/Zygote (13077): Switching descriptor 52 to /dev/null

V/Zygote (13077): Switching descriptor 9 to /dev/null

I/Process (924): Sending signal. PID: 4487 SIG: 3

I/dalvikvm(4487): threadid=3: reacting to signal 3

I/dalvikvm(4487): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1117 SIG: 3

V/Zygote (13100): Switching descriptor 52 to /dev/null

V/Zygote (13100): Switching descriptor 9 to /dev/null

I/Process (924): Sending signal. PID: 1841 SIG: 3

I/dalvikvm(1841): threadid=3: reacting to signal 3

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/dalvikvm(1841): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1117 SIG: 3

V/Zygote (13119): Switching descriptor 52 to /dev/null

V/Zygote (13119): Switching descriptor 9 to /dev/null

D/DropBoxFileObserver(3016): /data/system/dropbox/system_app_anr@1411368665457.txt.gz

V/Zygote (13137): Switching descriptor 52 to /dev/null

V/Zygote (13137): Switching descriptor 9 to /dev/null

V/Zygote (13155): Switching descriptor 52 to /dev/null

V/Zygote (13155): Switching descriptor 9 to /dev/null

V/Zygote (13173): Switching descriptor 52 to /dev/null

V/Zygote (13173): Switching descriptor 9 to /dev/null

V/Zygote (13191): Switching descriptor 52 to /dev/null

V/Zygote (13191): Switching descriptor 9 to /dev/null

V/Zygote (13209): Switching descriptor 52 to /dev/null

V/Zygote (13209): Switching descriptor 9 to /dev/null

V/Zygote (13227): Switching descriptor 52 to /dev/null

V/Zygote (13227): Switching descriptor 9 to /dev/null

V/Zygote (13245): Switching descriptor 52 to /dev/null

V/Zygote (13245): Switching descriptor 9 to /dev/null

V/Zygote (13263): Switching descriptor 52 to /dev/null

V/Zygote (13263): Switching descriptor 9 to /dev/null

V/Zygote (13281): Switching descriptor 52 to /dev/null

V/Zygote (13281): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-DISCONNECTED bssid=48:5b:39:e7:f2:5e reason=7

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/Tethering(924): InitialState.processMessage what=4

D/Tethering(924): sendTetherStateChangedBroadcast 0, 0, 0

D/CommandListener(248): Clearing all IP addresses on wlan0

D/NetUtils(924): android_net_utils_resetConnections in env=0x78e907c0 clazz=0x1700001 iface=wlan0 mask=0x3

D/CommandListener(248): Clearing all IP addresses on wlan0

E/WifiNative-wlan0(924): doBoolean: enable

E/wpa_supplicant(1225): PNO: In assoc process

V/Zygote (13300): Switching descriptor 52 to /dev/null

V/Zygote (13300): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-ASSOC-REJECT status_code=1

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/CaptivePortalTracker(924): Disconnected from active network NetworkInfo: type: WIFI[], state: DISCONNECTED/DISCONNECTED, reason: (unspecified), extra: <unknown ssid>, roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false

D/Tethering(924): MasterInitialState.processMessage what=3

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (13343): Switching descriptor 52 to /dev/null

V/Zygote (13343): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

V/Zygote (13361): Switching descriptor 52 to /dev/null

V/Zygote (13361): Switching descriptor 9 to /dev/null

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (13379): Switching descriptor 52 to /dev/null

V/Zygote (13379): Switching descriptor 9 to /dev/null

D/YouTube (11446): apps.youtube.common.e.j.b:27 Executed scheduled task of type com.google.android.apps.youtube.datalib.offline.p

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (13398): Switching descriptor 52 to /dev/null

V/Zygote (13398): Switching descriptor 9 to /dev/null

V/Zygote (13416): Switching descriptor 52 to /dev/null

V/Zygote (13416): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/YouTube (11446): apps.youtube.common.e.j.b:27 Executed scheduled task of type com.google.android.apps.youtube.datalib.offline.p

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-ASSOC-REJECT bssid=48:5b:39:e7:f2:5e status_code=1

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

V/Zygote (13435): Switching descriptor 52 to /dev/null

V/Zygote (13435): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-ASSOC-REJECT bssid=48:5b:39:e7:f2:5e
status_code=1

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (13453): Switching descriptor 52 to /dev/null

V/Zygote (13453): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-ASSOC-REJECT bssid=48:5b:39:e7:f2:5e status_code=1

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-TEMP-DISABLED id=0 ssid="cmf" auth_failures=1 duration=10

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (13472): Switching descriptor 52 to /dev/null

V/Zygote (13472): Switching descriptor 9 to /dev/null

V/Zygote (13490): Switching descriptor 52 to /dev/null

V/Zygote (13490): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-REENABLED id=0 ssid="cmf"

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-ASSOC-REJECT bssid=48:5b:39:e7:f2:5e
status_code=1

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-TEMP-DISABLED id=0 ssid="cmf"
auth_failures=2 duration=20

V/Zygote (13508): Switching descriptor 52 to /dev/null

V/Zygote (13508): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (13527): Switching descriptor 52 to /dev/null

V/Zygote (13527): Switching descriptor 9 to /dev/null

V/Zygote (13545): Switching descriptor 52 to /dev/null

V/Zygote (13545): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-REENABLED id=0 ssid="cmf"

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/wpa_supplicant(1225): wlan0: Associated with 48:5b:39:e7:f2:5e

D/Tethering(924): sendTetherStateChangedBroadcast 1, 0, 0

V/Zygote (13564): Switching descriptor 52 to /dev/null

V/Zygote (13564): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-DISCONNECTED bssid=48:5b:39:e7:f2:5e
reason=15

I/wpa_supplicant(1225): wlan0: WPA: 4-Way Handshake failed - pre-shared key may be
incorrect

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-TEMP-DISABLED id=0 ssid="cmf" auth_failures=3 duration=20

D/Tethering(924): InitialState.processMessage what=4

D/Tethering(924): sendTetherStateChangedBroadcast 0, 0, 0

V/Zygote (13583): Switching descriptor 52 to /dev/null

V/Zygote (13583): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (13601): Switching descriptor 52 to /dev/null

V/Zygote (13601): Switching descriptor 9 to /dev/null

V/Zygote (13619): Switching descriptor 52 to /dev/null

V/Zygote (13619): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-REENABLED id=0 ssid="cmf"

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/wpa_supplicant(1225): wlan0: Associated with 48:5b:39:e7:f2:5e

D/Tethering(924): sendTetherStateChangedBroadcast 1, 0, 0

V/Zygote (13638): Switching descriptor 52 to /dev/null

V/Zygote (13638): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-DISCONNECTED bssid=48:5b:39:e7:f2:5e reason=15

I/wpa_supplicant(1225): wlan0: WPA: 4-Way Handshake failed - pre-shared key may be incorrect

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-TEMP-DISABLED id=0 ssid="cmf" auth_failures=5 duration=20

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-TEMP-DISABLED id=0 ssid="cmf" auth_failures=6 duration=30

D/Tethering(924): InitialState.processMessage what=4

D/SupplicantStateTracker(924): Failed to authenticate, disabling network 0

D/Tethering(924): sendTetherStateChangedBroadcast 0, 0, 0

V/Zygote (13657): Switching descriptor 52 to /dev/null

V/Zygote (13657): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (13675): Switching descriptor 52 to /dev/null

V/Zygote (13675): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

V/Zygote (13693): Switching descriptor 52 to /dev/null

V/Zygote (13693): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-REENABLED id=0 ssid="cmf"

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-ASSOC-REJECT bssid=48:5b:39:e7:f2:5e status_code=1

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-TEMP-DISABLED id=0 ssid="cmf" auth_failures=7 duration=30

V/Zygote (13711): Switching descriptor 52 to /dev/null

V/Zygote (13711): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (13729): Switching descriptor 52 to /dev/null

V/Zygote (13729): Switching descriptor 9 to /dev/null

V/Zygote (13747): Switching descriptor 52 to /dev/null

V/Zygote (13747): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-REENABLED id=0 ssid="cmf"

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/wpa_supplicant(1225): wlan0: Associated with 48:5b:39:e7:f2:5e

D/Tethering(924): sendTetherStateChangedBroadcast 1, 0, 0

I/wpa_supplicant(1225): wlan0: WPA: Key negotiation completed with 48:5b:39:e7:f2:5e [PTK=CCMP GTK=CCMP]

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-CONNECTED - Connection to 48:5b:39:e7:f2:5e completed (auth) [id=0 id_str=]

E/WifiNative-wlan0(924): doBoolean: disable

E/wpa_supplicant(1225): wpa_driver_nl80211_driver_cmd: failed to issue private commands

E/WifiStateMachine(924): Unexpected BatchedScanResults :null

E/wpa_supplicant(1225): wpa_driver_nl80211_driver_cmd: failed to issue private commands

V/Zygote (13774): Switching descriptor 52 to /dev/null

V/Zygote (13774): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-DISCONNECTED bssid=48:5b:39:e7:f2:5e reason=15

D/Tethering(924): InitialState.processMessage what=4

D/Tethering(924): sendTetherStateChangedBroadcast 0, 0, 0

D/CommandListener(248): Clearing all IP addresses on wlan0

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/CommandListener(248): Clearing all IP addresses on wlan0

E/WifiNative-wlan0(924): doBoolean: enable

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/Tethering(924): MasterInitialState.processMessage what=3

D/CaptivePortalTracker(924): NoActiveNetworkState{ when=-2ms what=1 obj=NetworkInfo: type: WIFI[], state: DISCONNECTED/DISCONNECTED, reason: (unspecified), extra: <unknown ssid>, roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false target=com.android.internal.util.StateMachine$SmHandler }

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-ASSOC-REJECT bssid=48:5b:39:e7:f2:5e status_code=1

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

V/Zygote (13818): Switching descriptor 52 to /dev/null

V/Zygote (13818): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-ASSOC-REJECT bssid=48:5b:39:e7:f2:5e status_code=1

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-ASSOC-REJECT bssid=48:5b:39:e7:f2:5e status_code=1

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-TEMP-DISABLED id=0 ssid="cmf" auth_failures=1 duration=10

V/Zygote (13836): Switching descriptor 52 to /dev/null

V/Zygote (13836): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/NetUtils(924): dhcp_do_request failed : wlan0 (new)

E/DhcpStateMachine(924): DHCP failed on wlan0: Timed out waiting for DHCP to finish

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (13854): Switching descriptor 52 to /dev/null

V/Zygote (13854): Switching descriptor 9 to /dev/null

V/Zygote (13872): Switching descriptor 52 to /dev/null

V/Zygote (13872): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-REENABLED id=0 ssid="cmf"

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-ASSOC-REJECT bssid=48:5b:39:e7:f2:5e status_code=1

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-TEMP-DISABLED id=0 ssid="cmf" auth_failures=2 duration=20

V/Zygote (13890): Switching descriptor 52 to /dev/null

V/Zygote (13890): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (13908): Switching descriptor 52 to /dev/null

V/Zygote (13908): Switching descriptor 9 to /dev/null

V/Zygote (13926): Switching descriptor 52 to /dev/null

V/Zygote (13926): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-REENABLED id=0 ssid="cmf"

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-ASSOC-REJECT bssid=48:5b:39:e7:f2:5e
status_code=1

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-TEMP-DISABLED id=0 ssid="cmf"
auth_failures=3 duration=20

V/Zygote (13944): Switching descriptor 52 to /dev/null

V/Zygote (13944): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360

QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (13962): Switching descriptor 52 to /dev/null

V/Zygote (13962): Switching descriptor 9 to /dev/null

V/Zygote (13980): Switching descriptor 52 to /dev/null

V/Zygote (13980): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-REENABLED id=0 ssid="cmf"

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (13998): Switching descriptor 52 to /dev/null

V/Zygote (13998): Switching descriptor 9 to /dev/null

V/Zygote (14016): Switching descriptor 52 to /dev/null

V/Zygote (14016): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-ASSOC-REJECT bssid=48:5b:39:e7:f2:5e
status_code=1

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-TEMP-DISABLED id=0 ssid="cmf"

auth_failures=4 duration=20

V/Zygote (14035): Switching descriptor 52 to /dev/null

V/Zygote (14035): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (14054): Switching descriptor 52 to /dev/null

V/Zygote (14054): Switching descriptor 9 to /dev/null

V/Zygote (14072): Switching descriptor 52 to /dev/null

V/Zygote (14072): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-REENABLED id=0 ssid="cmf"

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-ASSOC-REJECT bssid=48:5b:39:e7:f2:5e
status_code=1

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-TEMP-DISABLED id=0 ssid="cmf"
auth_failures=5 duration=20

V/Zygote (14090): Switching descriptor 52 to /dev/null

V/Zygote (14090): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

V/Zygote (14108): Switching descriptor 52 to /dev/null

V/Zygote (14108): Switching descriptor 9 to /dev/null

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (14126): Switching descriptor 52 to /dev/null

V/Zygote (14126): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-REENABLED id=0 ssid="cmf"

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-ASSOC-REJECT bssid=48:5b:39:e7:f2:5e status_code=1

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-TEMP-DISABLED id=0 ssid="cmf" auth_failures=6 duration=30

V/Zygote (14144): Switching descriptor 52 to /dev/null

V/Zygote (14144): Switching descriptor 9 to /dev/null

V/Zygote (14157): Switching descriptor 52 to /dev/null

V/Zygote (14157): Switching descriptor 9 to /dev/null

V/Zygote (14170): Switching descriptor 52 to /dev/null

V/Zygote (14170): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

V/Zygote (14188): Switching descriptor 52 to /dev/null

V/Zygote (14188): Switching descriptor 9 to /dev/null

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/Process (924): Sending signal. PID: 14157 SIG: 3

I/dalvikvm(14157): threadid=3: reacting to signal 3

I/dalvikvm(14157): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1117 SIG: 3

V/Zygote (14207): Switching descriptor 52 to /dev/null

V/Zygote (14207): Switching descriptor 9 to /dev/null

I/Process (924): Sending signal. PID: 1695 SIG: 3

I/dalvikvm(1695): threadid=3: reacting to signal 3

I/dalvikvm(1695): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1117 SIG: 3

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

I/Process (924): Sending signal. PID: 8677 SIG: 3

I/dalvikvm(8677): threadid=3: reacting to signal 3

I/dalvikvm(8677): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1117 SIG: 3

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-REENABLED id=0 ssid="cmf"

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360

QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

D/DropBoxFileObserver(3016): /data/system/dropbox/system_app_anr@1411369226901.txt.gz

V/Zygote (14227): Switching descriptor 52 to /dev/null

V/Zygote (14227): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-ASSOC-REJECT bssid=48:5b:39:e7:f2:5e status_code=1

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-TEMP-DISABLED id=0 ssid="cmf" auth_failures=7 duration=30

V/Zygote (14245): Switching descriptor 52 to /dev/null

V/Zygote (14245): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (14263): Switching descriptor 52 to /dev/null

V/Zygote (14263): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

V/Zygote (14281): Switching descriptor 52 to /dev/null

V/Zygote (14281): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-REENABLED id=0 ssid="cmf"

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360

QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-ASSOC-REJECT bssid=48:5b:39:e7:f2:5e status_code=1

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-TEMP-DISABLED id=0 ssid="cmf" auth_failures=8 duration=30

V/Zygote (14299): Switching descriptor 52 to /dev/null

V/Zygote (14299): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (14317): Switching descriptor 52 to /dev/null

V/Zygote (14317): Switching descriptor 9 to /dev/null

V/Zygote (14335): Switching descriptor 52 to /dev/null

V/Zygote (14335): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (14353): Switching descriptor 52 to /dev/null

V/Zygote (14353): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

V/Zygote (14371): Switching descriptor 52 to /dev/null

V/Zygote (14371): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-REENABLED id=0 ssid="cmf"

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-ASSOC-REJECT bssid=48:5b:39:e7:f2:5e
status_code=1

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-TEMP-DISABLED id=0 ssid="cmf"
auth_failures=9 duration=30

V/Zygote (14389): Switching descriptor 52 to /dev/null

V/Zygote (14389): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (14407): Switching descriptor 52 to /dev/null

V/Zygote (14407): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

V/Zygote (14425): Switching descriptor 52 to /dev/null

V/Zygote (14425): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-REENABLED id=0 ssid="cmf"

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-ASSOC-REJECT bssid=48:5b:39:e7:f2:5e
status_code=1

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-TEMP-DISABLED id=0 ssid="cmf"
auth_failures=10 duration=30

V/Zygote (14443): Switching descriptor 52 to /dev/null

V/Zygote (14443): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (14461): Switching descriptor 52 to /dev/null

V/Zygote (14461): Switching descriptor 9 to /dev/null

V/Zygote (14479): Switching descriptor 52 to /dev/null

V/Zygote (14479): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-REENABLED id=0 ssid="cmf"

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (14497): Switching descriptor 52 to /dev/null

V/Zygote (14497): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

V/Zygote (14515): Switching descriptor 52 to /dev/null

V/Zygote (14515): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/wpa_supplicant(1225): wlan0: Associated with 48:5b:39:e7:f2:5e

D/Tethering(924): sendTetherStateChangedBroadcast 1, 0, 0

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-DISCONNECTED bssid=48:5b:39:e7:f2:5e reason=15

I/wpa_supplicant(1225): wlan0: WPA: 4-Way Handshake failed - pre-shared key may be incorrect

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-TEMP-DISABLED id=0 ssid="cmf" auth_failures=11 duration=60

D/Tethering(924): InitialState.processMessage what=4

D/Tethering(924): sendTetherStateChangedBroadcast 0, 0, 0

V/Zygote (14535): Switching descriptor 52 to /dev/null

V/Zygote (14535): Switching descriptor 9 to /dev/null

D/YouTube (11446): apps.youtube.common.e.j.b:27 Executed scheduled task of type com.google.android.apps.youtube.datalib.offline.p

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

V/Zygote (14554): Switching descriptor 52 to /dev/null

V/Zygote (14554): Switching descriptor 9 to /dev/null

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (14572): Switching descriptor 52 to /dev/null

V/Zygote (14572): Switching descriptor 9 to /dev/null

D/YouTube (11446): apps.youtube.common.e.j.b:27 Executed scheduled task of type
com.google.android.apps.youtube.datalib.offline.p

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t,

locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (14591): Switching descriptor 52 to /dev/null

V/Zygote (14591): Switching descriptor 9 to /dev/null

V/Zygote (14609): Switching descriptor 52 to /dev/null

V/Zygote (14609): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (14627): Switching descriptor 52 to /dev/null

V/Zygote (14627): Switching descriptor 9 to /dev/null

V/Zygote (14646): Switching descriptor 52 to /dev/null

V/Zygote (14646): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-REENABLED id=0 ssid="cmf"

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (14664): Switching descriptor 52 to /dev/null

V/Zygote (14664): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

V/Zygote (14682): Switching descriptor 52 to /dev/null

V/Zygote (14682): Switching descriptor 9 to /dev/null

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (14700): Switching descriptor 52 to /dev/null

V/Zygote (14700): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (14718): Switching descriptor 52 to /dev/null

V/Zygote (14718): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-ASSOC-REJECT bssid=48:5b:39:e7:f2:5e status_code=1

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-TEMP-DISABLED id=0 ssid="cmf" auth_failures=13 duration=60

V/Zygote (14736): Switching descriptor 52 to /dev/null

V/Zygote (14736): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (14754): Switching descriptor 52 to /dev/null

V/Zygote (14754): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

V/Zygote (14772): Switching descriptor 52 to /dev/null

V/Zygote (14772): Switching descriptor 9 to /dev/null

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (14790): Switching descriptor 52 to /dev/null

V/Zygote (14790): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (14808): Switching descriptor 52 to /dev/null

V/Zygote (14808): Switching descriptor 9 to /dev/null

V/Zygote (14826): Switching descriptor 52 to /dev/null

V/Zygote (14826): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-REENABLED id=0 ssid="cmf"

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-ASSOC-REJECT bssid=48:5b:39:e7:f2:5e
status_code=1

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-TEMP-DISABLED id=0 ssid="cmf"
auth_failures=14 duration=60

V/Zygote (14844): Switching descriptor 52 to /dev/null

V/Zygote (14844): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (14862): Switching descriptor 52 to /dev/null

V/Zygote (14862): Switching descriptor 9 to /dev/null

V/Zygote (14880): Switching descriptor 52 to /dev/null

V/Zygote (14880): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (14898): Switching descriptor 52 to /dev/null

V/Zygote (14898): Switching descriptor 9 to /dev/null

V/Zygote (14916): Switching descriptor 52 to /dev/null

V/Zygote (14916): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (14934): Switching descriptor 52 to /dev/null

V/Zygote (14934): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

V/Zygote (14952): Switching descriptor 52 to /dev/null

V/Zygote (14952): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-REENABLED id=0 ssid="cmf"

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (14970): Switching descriptor 52 to /dev/null

V/Zygote (14970): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (14988): Switching descriptor 52 to /dev/null

V/Zygote (14988): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-ASSOC-REJECT bssid=48:5b:39:e7:f2:5e status_code=1

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-TEMP-DISABLED id=0 ssid="cmf" auth_failures=15 duration=60

V/Zygote (15006): Switching descriptor 52 to /dev/null

V/Zygote (15006): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (15024): Switching descriptor 52 to /dev/null

V/Zygote (15024): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

V/Zygote (15042): Switching descriptor 52 to /dev/null

V/Zygote (15042): Switching descriptor 9 to /dev/null

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): l/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): l/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (15060): Switching descriptor 52 to /dev/null

V/Zygote (15060): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (15078): Switching descriptor 52 to /dev/null

V/Zygote (15078): Switching descriptor 9 to /dev/null

V/Zygote (15096): Switching descriptor 52 to /dev/null

V/Zygote (15096): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SSID-REENABLED id=0 ssid="cmf"

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

V/Zygote (15114): Switching descriptor 52 to /dev/null

V/Zygote (15114): Switching descriptor 9 to /dev/null

V/Zygote (15132): Switching descriptor 52 to /dev/null

V/Zygote (15132): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t, locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/wpa_supplicant(1225): wlan0: Associated with 48:5b:39:e7:f2:5e

D/Tethering(924): sendTetherStateChangedBroadcast 1, 0, 0

I/wpa_supplicant(1225): wlan0: WPA: Key negotiation completed with 48:5b:39:e7:f2:5e [PTK=CCMP GTK=CCMP]

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-CONNECTED - Connection to 48:5b:39:e7:f2:5e completed (auth) [id=0 id_str=]

E/WifiNative-wlan0(924): doBoolean: disable

E/wpa_supplicant(1225): wpa_driver_nl80211_driver_cmd: failed to issue private commands

E/WifiStateMachine(924): Unexpected BatchedScanResults :null

E/wpa_supplicant(1225): wpa_driver_nl80211_driver_cmd: failed to issue private commands

V/Zygote (15159): Switching descriptor 52 to /dev/null

V/Zygote (15159): Switching descriptor 9 to /dev/null

V/Zygote (15177): Switching descriptor 52 to /dev/null

V/Zygote (15177): Switching descriptor 9 to /dev/null

V/Zygote (15195): Switching descriptor 52 to /dev/null

V/Zygote (15195): Switching descriptor 9 to /dev/null

D/NetUtils(924): dhcp_do_request failed : wlan0 (new)

E/DhcpStateMachine(924): DHCP failed on wlan0: Timed out waiting for DHCP to finish

E/WifiStateMachine(924): IP configuration failed

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-DISCONNECTED bssid=48:5b:39:e7:f2:5e reason=3 locally_generated=1

D/Tethering(924): InitialState.processMessage what=4

D/Tethering(924): sendTetherStateChangedBroadcast 0, 0, 0

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-SCAN-STARTED

D/CommandListener(248): Clearing all IP addresses on wlan0

D/CommandListener(248): Clearing all IP addresses on wlan0

E/WifiNative-wlan0(924): doBoolean: enable

I/wpa_supplicant(1225): wlan0: Trying to associate with SSID 'cmf'

D/LBSSystemMonitorService(924): handleMessage what - 4

D/Wiper_jni(924): Send Network Location.

E/LocSvc_api_v02(924): I/---> locClientSendReq line 2360
QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

E/LocSvc_ApiV02(924): I/<--- void globalRespCb(locClientHandleType, uint32_t,
locClientRespIndUnionType, void*) line 106 QMI_LOC_INJECT_WIFI_POSITION_REQ_V02

I/wpa_supplicant(1225): wlan0: Associated with 48:5b:39:e7:f2:5e

D/Tethering(924): sendTetherStateChangedBroadcast 1, 0, 0

I/wpa_supplicant(1225): wlan0: WPA: Key negotiation completed with 48:5b:39:e7:f2:5e
[PTK=CCMP GTK=CCMP]

I/wpa_supplicant(1225): wlan0: CTRL-EVENT-CONNECTED - Connection to 48:5b:39:e7:f2:5e
completed (auth) [id=0 id_str=]

E/WifiNative-wlan0(924): doBoolean: disable

E/wpa_supplicant(1225): wpa_driver_nl80211_driver_cmd: failed to issue private commands

E/WifiStateMachine(924): Unexpected BatchedScanResults :null

E/wpa_supplicant(1225): wpa_driver_nl80211_driver_cmd: failed to issue private commands

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/CaptivePortalTracker(924): NoActiveNetworkState{ when=-1ms what=1 obj=NetworkInfo: type: WIFI[], state: DISCONNECTED/DISCONNECTED, reason: (unspecified), extra: <unknown ssid>, roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false target=com.android.internal.util.StateMachine$SmHandler }

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/Tethering(924): MasterInitialState.processMessage what=3

D/WifiStateMachine(924): VerifyingLinkState enter

D/WifiStateMachine(924): VerifyingLinkState GOOD_LINK_DETECTED: transition to captive portal check

D/WifiStateMachine(924): CaptivePortalCheckState enter

D/WifiStateMachine(924): CaptivePortalCheckState CMD_CAPTIVE_CHECK_COMPLETE

V/Zygote (15296): Switching descriptor 52 to /dev/null

V/Zygote (15296): Switching descriptor 9 to /dev/null

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/TelephonyProvider(1294): Column apn id key is 'apn_id'

D/CaptivePortalTracker(924): NoActiveNetworkState{ when=-1ms what=1 obj=NetworkInfo: type: WIFI[], state: CONNECTED/CONNECTED, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false target=com.android.internal.util.StateMachine$SmHandler }

D/Tethering(924): MasterInitialState.processMessage what=3

V/Zygote (15314): Switching descriptor 52 to /dev/null

V/Zygote (15314): Switching descriptor 9 to /dev/null

D/CaptivePortalTracker(924): DelayedCaptiveCheckState{ when=-5ms what=2 arg1=4 target=com.android.internal.util.StateMachine$SmHandler }

V/Zygote (15333): Switching descriptor 52 to /dev/null

V/Zygote (15333): Switching descriptor 9 to /dev/null

I/Process (924): Sending signal. PID: 1410 SIG: 3

I/dalvikvm(1410): threadid=3: reacting to signal 3

I/dalvikvm(1410): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1117 SIG: 3

D/CaptivePortalTracker(924): Don't send network conditions - lacking user consent.

D/CaptivePortalTracker(924): Not captive network NetworkInfo: type: WIFI[], state: CONNECTED/CONNECTED, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false

D/CaptivePortalTracker(924): notifyPortalCheckCompleted: captive=false ni=NetworkInfo: type: WIFI[], state: CONNECTED/CONNECTED, reason: (unspecified), extra: "cmf", roaming: false, failover: false, isAvailable: true, isConnectedToProvisioningNetwork: false

V/Zygote (15353): Switching descriptor 52 to /dev/null

V/Zygote (15353): Switching descriptor 9 to /dev/null

V/Zygote (15371): Switching descriptor 52 to /dev/null

V/Zygote (15371): Switching descriptor 9 to /dev/null

V/Zygote (15389): Switching descriptor 52 to /dev/null

V/Zygote (15389): Switching descriptor 9 to /dev/null

V/Zygote (15407): Switching descriptor 52 to /dev/null

V/Zygote (15407): Switching descriptor 9 to /dev/null

V/Zygote (15425): Switching descriptor 52 to /dev/null

V/Zygote (15425): Switching descriptor 9 to /dev/null

V/Zygote (15443): Switching descriptor 52 to /dev/null

V/Zygote (15443): Switching descriptor 9 to /dev/null

V/Zygote (15461): Switching descriptor 52 to /dev/null

V/Zygote (15461): Switching descriptor 9 to /dev/null

V/Zygote (15479): Switching descriptor 52 to /dev/null

V/Zygote (15479): Switching descriptor 9 to /dev/null

V/Zygote (15497): Switching descriptor 52 to /dev/null

V/Zygote (15497): Switching descriptor 9 to /dev/null

V/Zygote (15515): Switching descriptor 52 to /dev/null

V/Zygote (15515): Switching descriptor 9 to /dev/null

E/qcom_sensors_hal(924): hal_sam_gen_prox: prox data: state=0, mean=96,
distance=5.000305

V/Zygote (15533): Switching descriptor 52 to /dev/null

V/Zygote (15533): Switching descriptor 9 to /dev/null

V/Zygote (15546): Switching descriptor 52 to /dev/null

V/Zygote (15546): Switching descriptor 9 to /dev/null

E/qcom_sensors_hal(924): hal_sam_gen_prox: prox data: state=1, mean=206,

distance=0.000000

E/qcom_sensors_hal(924): hal_sam_gen_prox: prox data: state=0, mean=98, distance=5.000305

E/qcom_sensors_hal(924): hal_sam_gen_prox: prox data: state=1, mean=203, distance=0.000000

I/Process (924): Sending signal. PID: 15533 SIG: 3

I/dalvikvm(15533): threadid=3: reacting to signal 3

I/dalvikvm(15533): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1117 SIG: 3

V/Zygote (15567): Switching descriptor 52 to /dev/null

V/Zygote (15567): Switching descriptor 9 to /dev/null

E/qcom_sensors_hal(924): hal_sam_gen_prox: prox data: state=0, mean=94, distance=5.000305

E/qcom_sensors_hal(924): hal_sam_gen_prox: prox data: state=1, mean=201, distance=0.000000

V/Zygote (15585): Switching descriptor 52 to /dev/null

V/Zygote (15585): Switching descriptor 9 to /dev/null

V/Zygote (15604): Switching descriptor 52 to /dev/null

V/Zygote (15604): Switching descriptor 9 to /dev/null

V/Zygote (15622): Switching descriptor 52 to /dev/null

V/Zygote (15622): Switching descriptor 9 to /dev/null

V/Zygote (15640): Switching descriptor 52 to /dev/null

V/Zygote (15640): Switching descriptor 9 to /dev/null

V/Zygote (15658): Switching descriptor 52 to /dev/null

V/Zygote (15658): Switching descriptor 9 to /dev/null

V/Zygote (15676): Switching descriptor 52 to /dev/null

V/Zygote (15676): Switching descriptor 9 to /dev/null

I/rmt_storage(244): rmt_storage_connect_cb: clnt_h=0xd conn_h=0xb6fa2178

I/rmt_storage(244): rmt_storage_rw_iovec_cb: /boot/modem_fs2: clnt_h=0x2: req_h=0x11 msg_id=3: R/W request received

I/rmt_storage(244): wakelock acquired: 1, error no: 42

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs2: clnt_h=0x2 Unblock worker thread (th_id: -1225121224)

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs2: clnt_h=0x2: req_h=0x11 msg_id=3: Bytes written = 1572864

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs2: clnt_h=0x2: req_h=0x11 msg_id=3: Send response: res=0 err=0

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs2: clnt_h=0x2 About to block rmt_storage client thread (th_id: -1225121224) wakelock released: 1, error no: 0

I/rmt_storage(244):

I/rmt_storage(244): rmt_storage_disconnect_cb: clnt_h=0x0xd conn_h=0x0xb6fa2178

V/Zygote (15694): Switching descriptor 52 to /dev/null

V/Zygote (15694): Switching descriptor 9 to /dev/null

V/Zygote (15712): Switching descriptor 52 to /dev/null

V/Zygote (15712): Switching descriptor 9 to /dev/null

D/YouTube (11446): apps.youtube.common.e.j.b:27 Executed scheduled task of type com.google.android.apps.youtube.datalib.offline.p

V/Zygote (15731): Switching descriptor 52 to /dev/null

V/Zygote (15731): Switching descriptor 9 to /dev/null

V/Zygote (15748): Switching descriptor 52 to /dev/null

V/Zygote (15748): Switching descriptor 9 to /dev/null

V/Zygote (15767): Switching descriptor 52 to /dev/null

V/Zygote (15767): Switching descriptor 9 to /dev/null

D/YouTube (11446): apps.youtube.common.e.j.b:27 Executed scheduled task of type com.google.android.apps.youtube.datalib.offline.p

V/Zygote (15786): Switching descriptor 52 to /dev/null

V/Zygote (15786): Switching descriptor 9 to /dev/null

V/Zygote (15805): Switching descriptor 52 to /dev/null

V/Zygote (15805): Switching descriptor 9 to /dev/null

V/Zygote (15823): Switching descriptor 52 to /dev/null

V/Zygote (15823): Switching descriptor 9 to /dev/null

V/Zygote (15841): Switching descriptor 52 to /dev/null

V/Zygote (15841): Switching descriptor 9 to /dev/null

V/Zygote (15859): Switching descriptor 52 to /dev/null

V/Zygote (15859): Switching descriptor 9 to /dev/null

V/Zygote (15877): Switching descriptor 52 to /dev/null

V/Zygote (15877): Switching descriptor 9 to /dev/null

V/Zygote (15895): Switching descriptor 52 to /dev/null

V/Zygote (15895): Switching descriptor 9 to /dev/null

V/Zygote (15914): Switching descriptor 52 to /dev/null

V/Zygote (15914): Switching descriptor 9 to /dev/null

V/Zygote (15932): Switching descriptor 52 to /dev/null

V/Zygote (15932): Switching descriptor 9 to /dev/null

V/Zygote (15950): Switching descriptor 52 to /dev/null

V/Zygote (15950): Switching descriptor 9 to /dev/null

V/Zygote (15968): Switching descriptor 52 to /dev/null

V/Zygote (15968): Switching descriptor 9 to /dev/null

V/Zygote (15986): Switching descriptor 52 to /dev/null

V/Zygote (15986): Switching descriptor 9 to /dev/null

V/Zygote (16004): Switching descriptor 52 to /dev/null

V/Zygote (16004): Switching descriptor 9 to /dev/null

V/Zygote (16022): Switching descriptor 52 to /dev/null

V/Zygote (16022): Switching descriptor 9 to /dev/null

V/Zygote (16040): Switching descriptor 52 to /dev/null

V/Zygote (16040): Switching descriptor 9 to /dev/null

V/Zygote (16058): Switching descriptor 52 to /dev/null

V/Zygote (16058): Switching descriptor 9 to /dev/null

V/Zygote (16076): Switching descriptor 52 to /dev/null

V/Zygote (16076): Switching descriptor 9 to /dev/null

V/Zygote (16094): Switching descriptor 52 to /dev/null

V/Zygote (16094): Switching descriptor 9 to /dev/null

V/Zygote (16112): Switching descriptor 52 to /dev/null

V/Zygote (16112): Switching descriptor 9 to /dev/null

V/Zygote (16130): Switching descriptor 52 to /dev/null

V/Zygote (16130): Switching descriptor 9 to /dev/null

V/Zygote (16148): Switching descriptor 52 to /dev/null

V/Zygote (16148): Switching descriptor 9 to /dev/null

V/Zygote (16166): Switching descriptor 52 to /dev/null

V/Zygote (16166): Switching descriptor 9 to /dev/null

V/Zygote (16184): Switching descriptor 52 to /dev/null

V/Zygote (16184): Switching descriptor 9 to /dev/null

V/Zygote (16202): Switching descriptor 52 to /dev/null

V/Zygote (16202): Switching descriptor 9 to /dev/null

V/Zygote (16220): Switching descriptor 52 to /dev/null

V/Zygote (16220): Switching descriptor 9 to /dev/null

V/Zygote (16238): Switching descriptor 52 to /dev/null

V/Zygote (16238): Switching descriptor 9 to /dev/null

V/Zygote (16258): Switching descriptor 52 to /dev/null

V/Zygote (16258): Switching descriptor 9 to /dev/null

V/Zygote (16276): Switching descriptor 52 to /dev/null

V/Zygote (16276): Switching descriptor 9 to /dev/null

V/Zygote (16294): Switching descriptor 52 to /dev/null

V/Zygote (16294): Switching descriptor 9 to /dev/null

V/Zygote (16312): Switching descriptor 52 to /dev/null

V/Zygote (16312): Switching descriptor 9 to /dev/null

V/Zygote (16330): Switching descriptor 52 to /dev/null

V/Zygote (16330): Switching descriptor 9 to /dev/null

V/Zygote (16348): Switching descriptor 52 to /dev/null

V/Zygote (16348): Switching descriptor 9 to /dev/null

V/Zygote (16366): Switching descriptor 52 to /dev/null

V/Zygote (16366): Switching descriptor 9 to /dev/null

V/Zygote (16384): Switching descriptor 52 to /dev/null

V/Zygote (16384): Switching descriptor 9 to /dev/null

V/Zygote (16402): Switching descriptor 52 to /dev/null

V/Zygote (16402): Switching descriptor 9 to /dev/null

V/Zygote (16420): Switching descriptor 52 to /dev/null

V/Zygote (16420): Switching descriptor 9 to /dev/null

V/Zygote (16438): Switching descriptor 52 to /dev/null

V/Zygote (16438): Switching descriptor 9 to /dev/null

V/Zygote (16456): Switching descriptor 52 to /dev/null

V/Zygote (16456): Switching descriptor 9 to /dev/null

V/Zygote (16474): Switching descriptor 52 to /dev/null

V/Zygote (16474): Switching descriptor 9 to /dev/null

V/Zygote (16492): Switching descriptor 52 to /dev/null

V/Zygote (16492): Switching descriptor 9 to /dev/null

V/Zygote (16511): Switching descriptor 52 to /dev/null

V/Zygote (16511): Switching descriptor 9 to /dev/null

V/Zygote (16529): Switching descriptor 52 to /dev/null

V/Zygote (16529): Switching descriptor 9 to /dev/null

I/JorteCloudSyncService(11662): service started. Intent {
act=jp.co.johospace.jorte.data.sync.JorteCloudSyncService.ACTION_SYNC_ALL
cat=[jp.co.johospace.jorte.data.sync.JorteCloudSyncService.CATEGORY_AUTO_SYNC]
flg=0x4 cmp=jp.co.johospace.jorte/.data.sync.JorteCloudSyncService (has extras) }

V/Zygote (16543): Switching descriptor 52 to /dev/null

V/Zygote (16543): Switching descriptor 9 to /dev/null

I/Process (924): Sending signal. PID: 16529 SIG: 3

I/dalvikvm(16529): threadid=3: reacting to signal 3

I/dalvikvm(16529): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/Process (924): Sending signal. PID: 1117 SIG: 3

V/Zygote (16563): Switching descriptor 52 to /dev/null

V/Zygote (16563): Switching descriptor 9 to /dev/null

I/Process (924): Sending signal. PID: 11662 SIG: 3

I/dalvikvm(11662): threadid=3: reacting to signal 3

I/dalvikvm(11662): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1117 SIG: 3

V/Zygote (16584): Switching descriptor 52 to /dev/null

V/Zygote (16584): Switching descriptor 9 to /dev/null

V/Zygote (16602): Switching descriptor 52 to /dev/null

V/Zygote (16602): Switching descriptor 9 to /dev/null

V/Zygote (16621): Switching descriptor 52 to /dev/null

V/Zygote (16621): Switching descriptor 9 to /dev/null

V/Zygote (16639): Switching descriptor 52 to /dev/null

V/Zygote (16639): Switching descriptor 9 to /dev/null

V/Zygote (16657): Switching descriptor 52 to /dev/null

V/Zygote (16657): Switching descriptor 9 to /dev/null

V/Zygote (16675): Switching descriptor 52 to /dev/null

V/Zygote (16675): Switching descriptor 9 to /dev/null

I/wpa_supplicant(1225): wlan0: WPA: Group rekeying completed with 48:5b:39:e7:f2:5e [GTK=CCMP]

V/Zygote (16693): Switching descriptor 52 to /dev/null

V/Zygote (16693): Switching descriptor 9 to /dev/null

V/Zygote (16711): Switching descriptor 52 to /dev/null

V/Zygote (16711): Switching descriptor 9 to /dev/null

V/Zygote (16729): Switching descriptor 52 to /dev/null

V/Zygote (16729): Switching descriptor 9 to /dev/null

V/Zygote (16747): Switching descriptor 52 to /dev/null

V/Zygote (16747): Switching descriptor 9 to /dev/null

V/Zygote (16765): Switching descriptor 52 to /dev/null

V/Zygote (16765): Switching descriptor 9 to /dev/null

V/Zygote (16784): Switching descriptor 52 to /dev/null

V/Zygote (16784): Switching descriptor 9 to /dev/null

V/Zygote (16802): Switching descriptor 52 to /dev/null

V/Zygote (16802): Switching descriptor 9 to /dev/null

V/Zygote (16819): Switching descriptor 52 to /dev/null

V/Zygote (16819): Switching descriptor 9 to /dev/null

D/YouTube (11446): apps.youtube.common.e.j.b:27 Executed scheduled task of type com.google.android.apps.youtube.datalib.offline.p

V/Zygote (16838): Switching descriptor 52 to /dev/null

V/Zygote (16838): Switching descriptor 9 to /dev/null

V/Zygote (16856): Switching descriptor 52 to /dev/null

V/Zygote (16856): Switching descriptor 9 to /dev/null

D/YouTube (11446): apps.youtube.common.e.j.b:27 Executed scheduled task of type com.google.android.apps.youtube.datalib.offline.p

V/Zygote (16876): Switching descriptor 52 to /dev/null

V/Zygote (16876): Switching descriptor 9 to /dev/null

V/Zygote (16894): Switching descriptor 52 to /dev/null

V/Zygote (16894): Switching descriptor 9 to /dev/null

V/Zygote (16912): Switching descriptor 52 to /dev/null

V/Zygote (16912): Switching descriptor 9 to /dev/null

V/Zygote (16930): Switching descriptor 52 to /dev/null

V/Zygote (16930): Switching descriptor 9 to /dev/null

V/Zygote (16949): Switching descriptor 52 to /dev/null

V/Zygote (16949): Switching descriptor 9 to /dev/null

V/Zygote (16967): Switching descriptor 52 to /dev/null

V/Zygote (16967): Switching descriptor 9 to /dev/null

V/Zygote (16985): Switching descriptor 52 to /dev/null

V/Zygote (16985): Switching descriptor 9 to /dev/null

V/Zygote (17003): Switching descriptor 52 to /dev/null

V/Zygote (17003): Switching descriptor 9 to /dev/null

V/Zygote (17021): Switching descriptor 52 to /dev/null

V/Zygote (17021): Switching descriptor 9 to /dev/null

V/Zygote (17039): Switching descriptor 52 to /dev/null

V/Zygote (17039): Switching descriptor 9 to /dev/null

V/Zygote (17057): Switching descriptor 52 to /dev/null

V/Zygote (17057): Switching descriptor 9 to /dev/null

V/Zygote (17074): Switching descriptor 52 to /dev/null

V/Zygote (17074): Switching descriptor 9 to /dev/null

V/Zygote (17092): Switching descriptor 52 to /dev/null

V/Zygote (17092): Switching descriptor 9 to /dev/null

V/Zygote (17111): Switching descriptor 52 to /dev/null

V/Zygote (17111): Switching descriptor 9 to /dev/null

V/Zygote (17129): Switching descriptor 52 to /dev/null

V/Zygote (17129): Switching descriptor 9 to /dev/null

V/Zygote (17147): Switching descriptor 52 to /dev/null

V/Zygote (17147): Switching descriptor 9 to /dev/null

V/Zygote (17165): Switching descriptor 52 to /dev/null

V/Zygote (17165): Switching descriptor 9 to /dev/null

V/Zygote (17183): Switching descriptor 52 to /dev/null

V/Zygote (17183): Switching descriptor 9 to /dev/null

V/Zygote (17201): Switching descriptor 52 to /dev/null

V/Zygote (17201): Switching descriptor 9 to /dev/null

V/Zygote (17219): Switching descriptor 52 to /dev/null

V/Zygote (17219): Switching descriptor 9 to /dev/null

V/Zygote (17237): Switching descriptor 52 to /dev/null

V/Zygote (17237): Switching descriptor 9 to /dev/null

V/Zygote (17255): Switching descriptor 52 to /dev/null

V/Zygote (17255): Switching descriptor 9 to /dev/null

V/Zygote (17273): Switching descriptor 52 to /dev/null

V/Zygote (17273): Switching descriptor 9 to /dev/null

V/Zygote (17291): Switching descriptor 52 to /dev/null

V/Zygote (17291): Switching descriptor 9 to /dev/null

V/Zygote (17309): Switching descriptor 52 to /dev/null

V/Zygote (17309): Switching descriptor 9 to /dev/null

V/Zygote (17327): Switching descriptor 52 to /dev/null

V/Zygote (17327): Switching descriptor 9 to /dev/null

V/Zygote (17345): Switching descriptor 52 to /dev/null

V/Zygote (17345): Switching descriptor 9 to /dev/null

V/Zygote (17363): Switching descriptor 52 to /dev/null

V/Zygote (17363): Switching descriptor 9 to /dev/null

V/Zygote (17381): Switching descriptor 52 to /dev/null

V/Zygote (17381): Switching descriptor 9 to /dev/null

V/Zygote (17399): Switching descriptor 52 to /dev/null

V/Zygote (17399): Switching descriptor 9 to /dev/null

V/Zygote (17417): Switching descriptor 52 to /dev/null

V/Zygote (17417): Switching descriptor 9 to /dev/null

V/Zygote (17435): Switching descriptor 52 to /dev/null

V/Zygote (17435): Switching descriptor 9 to /dev/null

V/Zygote (17453): Switching descriptor 52 to /dev/null

V/Zygote (17453): Switching descriptor 9 to /dev/null

V/Zygote (17471): Switching descriptor 52 to /dev/null

V/Zygote (17471): Switching descriptor 9 to /dev/null

V/Zygote (17489): Switching descriptor 52 to /dev/null

V/Zygote (17489): Switching descriptor 9 to /dev/null

V/Zygote (17507): Switching descriptor 52 to /dev/null

V/Zygote (17507): Switching descriptor 9 to /dev/null

V/Zygote (17525): Switching descriptor 52 to /dev/null

V/Zygote (17525): Switching descriptor 9 to /dev/null

V/Zygote (17543): Switching descriptor 52 to /dev/null

V/Zygote (17543): Switching descriptor 9 to /dev/null

V/Zygote (17561): Switching descriptor 52 to /dev/null

V/Zygote (17561): Switching descriptor 9 to /dev/null

V/Zygote (17579): Switching descriptor 52 to /dev/null

V/Zygote (17579): Switching descriptor 9 to /dev/null

V/Zygote (17597): Switching descriptor 52 to /dev/null

V/Zygote (17597): Switching descriptor 9 to /dev/null

V/Zygote (17615): Switching descriptor 52 to /dev/null

V/Zygote (17615): Switching descriptor 9 to /dev/null

V/Zygote (17633): Switching descriptor 52 to /dev/null

V/Zygote (17633): Switching descriptor 9 to /dev/null

V/Zygote (17651): Switching descriptor 52 to /dev/null

V/Zygote (17651): Switching descriptor 9 to /dev/null

V/Zygote (17669): Switching descriptor 52 to /dev/null

V/Zygote (17669): Switching descriptor 9 to /dev/null

V/Zygote (17687): Switching descriptor 52 to /dev/null

V/Zygote (17687): Switching descriptor 9 to /dev/null

V/Zygote (17705): Switching descriptor 52 to /dev/null

V/Zygote (17705): Switching descriptor 9 to /dev/null

V/Zygote (17723): Switching descriptor 52 to /dev/null

V/Zygote (17723): Switching descriptor 9 to /dev/null

V/Zygote (17741): Switching descriptor 52 to /dev/null

V/Zygote (17741): Switching descriptor 9 to /dev/null

V/Zygote (17760): Switching descriptor 52 to /dev/null

V/Zygote (17760): Switching descriptor 9 to /dev/null

V/Zygote (17778): Switching descriptor 52 to /dev/null

V/Zygote (17778): Switching descriptor 9 to /dev/null

V/Zygote (17796): Switching descriptor 52 to /dev/null

V/Zygote (17796): Switching descriptor 9 to /dev/null

V/Zygote (17814): Switching descriptor 52 to /dev/null

V/Zygote (17814): Switching descriptor 9 to /dev/null

V/Zygote (17832): Switching descriptor 52 to /dev/null

V/Zygote (17832): Switching descriptor 9 to /dev/null

V/Zygote (17850): Switching descriptor 52 to /dev/null

V/Zygote (17850): Switching descriptor 9 to /dev/null

V/Zygote (17868): Switching descriptor 52 to /dev/null

V/Zygote (17868): Switching descriptor 9 to /dev/null

V/Zygote (17886): Switching descriptor 52 to /dev/null

V/Zygote (17886): Switching descriptor 9 to /dev/null

V/Zygote (17904): Switching descriptor 52 to /dev/null

V/Zygote (17904): Switching descriptor 9 to /dev/null

D/YouTube (11446): apps.youtube.common.e.j.b:27 Executed scheduled task of type com.google.android.apps.youtube.datalib.offline.p

I/rmt_storage(244): rmt_storage_connect_cb: clnt_h=0xe conn_h=0xb6fa2178

I/rmt_storage(244): rmt_storage_rw_iovec_cb: /boot/modem_fs1: clnt_h=0x1: req_h=0x12 msg_id=3: R/W request received

I/rmt_storage(244): wakelock acquired: 1, error no: 42

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs1: clnt_h=0x1 Unblock worker thread (th_id: -1225122072)

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs1: clnt_h=0x1: req_h=0x12 msg_id=3: Bytes written = 1572864

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs1: clnt_h=0x1: req_h=0x12 msg_id=3: Send response: res=0 err=0

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs1: clnt_h=0x1 About to block rmt_storage client thread (th_id: -1225122072) wakelock released: 1, error no: 0

I/rmt_storage(244):

I/rmt_storage(244): rmt_storage_disconnect_cb: clnt_h=0x0xe conn_h=0x0xb6fa2178

V/Zygote (17923): Switching descriptor 52 to /dev/null

V/Zygote (17923): Switching descriptor 9 to /dev/null

V/Zygote (17941): Switching descriptor 52 to /dev/null

V/Zygote (17941): Switching descriptor 9 to /dev/null

D/YouTube (11446): apps.youtube.common.e.j.b:27 Executed scheduled task of type com.google.android.apps.youtube.datalib.offline.p

V/Zygote (17959): Switching descriptor 52 to /dev/null

V/Zygote (17959): Switching descriptor 9 to /dev/null

V/Zygote (17977): Switching descriptor 52 to /dev/null

V/Zygote (17977): Switching descriptor 9 to /dev/null

V/Zygote (17995): Switching descriptor 52 to /dev/null

V/Zygote (17995): Switching descriptor 9 to /dev/null

V/Zygote (18013): Switching descriptor 52 to /dev/null

V/Zygote (18013): Switching descriptor 9 to /dev/null

V/Zygote (18031): Switching descriptor 52 to /dev/null

V/Zygote (18031): Switching descriptor 9 to /dev/null

V/Zygote (18050): Switching descriptor 52 to /dev/null

V/Zygote (18050): Switching descriptor 9 to /dev/null

V/Zygote (18068): Switching descriptor 52 to /dev/null

V/Zygote (18068): Switching descriptor 9 to /dev/null

V/Zygote (18086): Switching descriptor 52 to /dev/null

V/Zygote (18086): Switching descriptor 9 to /dev/null

V/Zygote (18103): Switching descriptor 52 to /dev/null

V/Zygote (18103): Switching descriptor 9 to /dev/null

V/Zygote (18117): Switching descriptor 52 to /dev/null

V/Zygote (18117): Switching descriptor 9 to /dev/null

I/Process (924): Sending signal. PID: 18103 SIG: 3

I/dalvikvm(18103): threadid=3: reacting to signal 3

I/dalvikvm(18103): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1117 SIG: 3

V/Zygote (18136): Switching descriptor 52 to /dev/null

V/Zygote (18136): Switching descriptor 9 to /dev/null

I/Process (924): Sending signal. PID: 1608 SIG: 3

I/dalvikvm(1608): threadid=3: reacting to signal 3

I/dalvikvm(1608): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1117 SIG: 3

I/Process (924): Sending signal. PID: 11525 SIG: 3

I/dalvikvm(11525): threadid=3: reacting to signal 3

D/DropBoxFileObserver(3016): /data/system/dropbox/system_app_anr@1411371328921.txt

I/dalvikvm(11525): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1117 SIG: 3

V/Zygote (18158): Switching descriptor 52 to /dev/null

V/Zygote (18158): Switching descriptor 9 to /dev/null

D/DropBoxFileObserver(3016): /data/system/dropbox/system_app_anr@1411371332348.txt.gz

V/Zygote (18176): Switching descriptor 52 to /dev/null

V/Zygote (18176): Switching descriptor 9 to /dev/null

V/Zygote (18194): Switching descriptor 52 to /dev/null

V/Zygote (18194): Switching descriptor 9 to /dev/null

V/Zygote (18212): Switching descriptor 52 to /dev/null

V/Zygote (18212): Switching descriptor 9 to /dev/null

V/Zygote (18230): Switching descriptor 52 to /dev/null

V/Zygote (18230): Switching descriptor 9 to /dev/null

V/Zygote (18248): Switching descriptor 52 to /dev/null

V/Zygote (18248): Switching descriptor 9 to /dev/null

V/Zygote (18266): Switching descriptor 52 to /dev/null

V/Zygote (18266): Switching descriptor 9 to /dev/null

V/Zygote (18284): Switching descriptor 52 to /dev/null

V/Zygote (18284): Switching descriptor 9 to /dev/null

V/Zygote (18302): Switching descriptor 52 to /dev/null

V/Zygote (18302): Switching descriptor 9 to /dev/null

V/Zygote (18320): Switching descriptor 52 to /dev/null

V/Zygote (18320): Switching descriptor 9 to /dev/null

V/Zygote (18338): Switching descriptor 52 to /dev/null

V/Zygote (18338): Switching descriptor 9 to /dev/null

V/Zygote (18356): Switching descriptor 52 to /dev/null

V/Zygote (18356): Switching descriptor 9 to /dev/null

V/Zygote (18374): Switching descriptor 52 to /dev/null

V/Zygote (18374): Switching descriptor 9 to /dev/null

V/Zygote (18392): Switching descriptor 52 to /dev/null

V/Zygote (18392): Switching descriptor 9 to /dev/null

V/Zygote (18410): Switching descriptor 52 to /dev/null

V/Zygote (18410): Switching descriptor 9 to /dev/null

V/Zygote (18428): Switching descriptor 52 to /dev/null

V/Zygote (18428): Switching descriptor 9 to /dev/null

V/Zygote (18446): Switching descriptor 52 to /dev/null

V/Zygote (18446): Switching descriptor 9 to /dev/null

V/Zygote (18464): Switching descriptor 52 to /dev/null

V/Zygote (18464): Switching descriptor 9 to /dev/null

V/Zygote (18482): Switching descriptor 52 to /dev/null

V/Zygote (18482): Switching descriptor 9 to /dev/null

V/Zygote (18500): Switching descriptor 52 to /dev/null

V/Zygote (18500): Switching descriptor 9 to /dev/null

V/Zygote (18518): Switching descriptor 52 to /dev/null

V/Zygote (18518): Switching descriptor 9 to /dev/null

V/Zygote (18536): Switching descriptor 52 to /dev/null

V/Zygote (18536): Switching descriptor 9 to /dev/null

V/Zygote (18554): Switching descriptor 52 to /dev/null

V/Zygote (18554): Switching descriptor 9 to /dev/null

V/Zygote (18572): Switching descriptor 52 to /dev/null

V/Zygote (18572): Switching descriptor 9 to /dev/null

V/Zygote (18590): Switching descriptor 52 to /dev/null

V/Zygote (18590): Switching descriptor 9 to /dev/null

V/Zygote (18608): Switching descriptor 52 to /dev/null

V/Zygote (18608): Switching descriptor 9 to /dev/null

V/Zygote (18627): Switching descriptor 52 to /dev/null

V/Zygote (18627): Switching descriptor 9 to /dev/null

I/rmt_storage(244): rmt_storage_connect_cb: clnt_h=0xf conn_h=0xb6fa2178

I/rmt_storage(244): rmt_storage_rw_iovec_cb: /boot/modem_fs2: clnt_h=0x2: req_h=0x13 msg_id=3: R/W request received

I/rmt_storage(244): wakelock acquired: 1, error no: 42

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs2: clnt_h=0x2 Unblock worker thread (th_id: -1225121224)

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs2: clnt_h=0x2: req_h=0x13 msg_id=3: Bytes written = 1572864

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs2: clnt_h=0x2: req_h=0x13 msg_id=3: Send response: res=0 err=0

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs2: clnt_h=0x2 About to block rmt_storage client thread (th_id: -1225121224) wakelock released: 1, error no: 0

I/rmt_storage(244):

I/rmt_storage(244): rmt_storage_disconnect_cb: clnt_h=0x0xf conn_h=0x0xb6fa2178

V/Zygote (18644): Switching descriptor 52 to /dev/null

V/Zygote (18644): Switching descriptor 9 to /dev/null

V/Zygote (18659): Switching descriptor 52 to /dev/null

V/Zygote (18659): Switching descriptor 9 to /dev/null

I/Process (924): Sending signal. PID: 18644 SIG: 3

I/dalvikvm(18644): threadid=3: reacting to signal 3

I/dalvikvm(18644): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1117 SIG: 3

I/Process (924): Sending signal. PID: 12202 SIG: 3

I/dalvikvm(12202): threadid=3: reacting to signal 3

I/dalvikvm(12202): Wrote stack traces to '/data/anr/traces.txt'

V/Zygote (18679): Switching descriptor 52 to /dev/null

V/Zygote (18679): Switching descriptor 9 to /dev/null

V/Zygote (18697): Switching descriptor 52 to /dev/null

V/Zygote (18697): Switching descriptor 9 to /dev/null

V/Zygote (18715): Switching descriptor 52 to /dev/null

V/Zygote (18715): Switching descriptor 9 to /dev/null

V/Zygote (18733): Switching descriptor 52 to /dev/null

V/Zygote (18733): Switching descriptor 9 to /dev/null

V/Zygote (18751): Switching descriptor 52 to /dev/null

V/Zygote (18751): Switching descriptor 9 to /dev/null

V/Zygote (18769): Switching descriptor 52 to /dev/null

V/Zygote (18769): Switching descriptor 9 to /dev/null

V/Zygote (18787): Switching descriptor 52 to /dev/null

V/Zygote (18787): Switching descriptor 9 to /dev/null

V/Zygote (18805): Switching descriptor 52 to /dev/null

V/Zygote (18805): Switching descriptor 9 to /dev/null

V/Zygote (18823): Switching descriptor 52 to /dev/null

V/Zygote (18823): Switching descriptor 9 to /dev/null

V/Zygote (18841): Switching descriptor 52 to /dev/null

V/Zygote (18841): Switching descriptor 9 to /dev/null

V/Zygote (18859): Switching descriptor 52 to /dev/null

V/Zygote (18859): Switching descriptor 9 to /dev/null

I/rmt_storage(244): rmt_storage_connect_cb: clnt_h=0x10 conn_h=0xb6fa2178

I/rmt_storage(244): rmt_storage_rw_iovec_cb: /boot/modem_fs1: clnt_h=0x1: req_h=0x14 msg_id=3: R/W request received

I/rmt_storage(244): wakelock acquired: 1, error no: 42

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs1: clnt_h=0x1 Unblock worker thread (th_id: -1225122072)

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs1: clnt_h=0x1: req_h=0x14 msg_id=3: Bytes written = 1572864

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs1: clnt_h=0x1: req_h=0x14 msg_id=3: Send response: res=0 err=0

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs1: clnt_h=0x1 About to block rmt_storage client thread (th_id: -1225122072) wakelock released: 1, error no: 0

I/rmt_storage(244):

I/rmt_storage(244): rmt_storage_disconnect_cb: clnt_h=0x0x10 conn_h=0x0xb6fa2178

V/Zygote (18877): Switching descriptor 52 to /dev/null

V/Zygote (18877): Switching descriptor 9 to /dev/null

V/Zygote (18895): Switching descriptor 52 to /dev/null

V/Zygote (18895): Switching descriptor 9 to /dev/null

V/Zygote (18913): Switching descriptor 52 to /dev/null

V/Zygote (18913): Switching descriptor 9 to /dev/null

V/Zygote (18931): Switching descriptor 52 to /dev/null

V/Zygote (18931): Switching descriptor 9 to /dev/null

V/Zygote (18949): Switching descriptor 52 to /dev/null

V/Zygote (18949): Switching descriptor 9 to /dev/null

V/Zygote (18967): Switching descriptor 52 to /dev/null

V/Zygote (18967): Switching descriptor 9 to /dev/null

V/Zygote (18985): Switching descriptor 52 to /dev/null

V/Zygote (18985): Switching descriptor 9 to /dev/null

V/Zygote (19003): Switching descriptor 52 to /dev/null

V/Zygote (19003): Switching descriptor 9 to /dev/null

D/YouTube (11446): apps.youtube.common.e.j.b:27 Executed scheduled task of type com.google.android.apps.youtube.datalib.offline.p

V/Zygote (19021): Switching descriptor 52 to /dev/null

V/Zygote (19021): Switching descriptor 9 to /dev/null

V/Zygote (19039): Switching descriptor 52 to /dev/null

V/Zygote (19039): Switching descriptor 9 to /dev/null

D/YouTube (11446): apps.youtube.common.e.j.b:27 Executed scheduled task of type com.google.android.apps.youtube.datalib.offline.p

V/Zygote (19057): Switching descriptor 52 to /dev/null

V/Zygote (19057): Switching descriptor 9 to /dev/null

V/Zygote (19075): Switching descriptor 52 to /dev/null

V/Zygote (19075): Switching descriptor 9 to /dev/null

V/Zygote (19093): Switching descriptor 52 to /dev/null

V/Zygote (19093): Switching descriptor 9 to /dev/null

E/qcom_sensors_hal(924): hal_sam_gen_prox: prox data: state=0, mean=99, distance=5.000305

E/qcom_sensors_hal(924): hal_sam_gen_prox: prox data: state=1, mean=204, distance=0.000000

V/Zygote (19111): Switching descriptor 52 to /dev/null

V/Zygote (19111): Switching descriptor 9 to /dev/null

E/qcom_sensors_hal(924): hal_sam_gen_prox: prox data: state=0, mean=96, distance=5.000305

E/qcom_sensors_hal(924): hal_sam_gen_prox: prox data: state=1, mean=228, distance=0.000000

E/qcom_sensors_hal(924): hal_sam_gen_prox: prox data: state=0, mean=98, distance=5.000305

V/Zygote (19129): Switching descriptor 52 to /dev/null

V/Zygote (19129): Switching descriptor 9 to /dev/null

V/Zygote (19147): Switching descriptor 52 to /dev/null

V/Zygote (19147): Switching descriptor 9 to /dev/null

V/Zygote (19165): Switching descriptor 52 to /dev/null

V/Zygote (19165): Switching descriptor 9 to /dev/null

V/Zygote (19183): Switching descriptor 52 to /dev/null

V/Zygote (19183): Switching descriptor 9 to /dev/null

V/Zygote (19201): Switching descriptor 52 to /dev/null

V/Zygote (19201): Switching descriptor 9 to /dev/null

V/Zygote (19219): Switching descriptor 52 to /dev/null

V/Zygote (19219): Switching descriptor 9 to /dev/null

V/Zygote (19237): Switching descriptor 52 to /dev/null

V/Zygote (19237): Switching descriptor 9 to /dev/null

V/Zygote (19255): Switching descriptor 52 to /dev/null

V/Zygote (19255): Switching descriptor 9 to /dev/null

V/Zygote (19273): Switching descriptor 52 to /dev/null

V/Zygote (19273): Switching descriptor 9 to /dev/null

I/rmt_storage(244): rmt_storage_connect_cb: clnt_h=0x11 conn_h=0xb6fa2178

I/rmt_storage(244): rmt_storage_rw_iovec_cb: /boot/modem_fs2: clnt_h=0x2: req_h=0x15 msg_id=3: R/W request received

I/rmt_storage(244): wakelock acquired: 1, error no: 42

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs2: clnt_h=0x2 Unblock worker thread (th_id: -1225121224)

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs2: clnt_h=0x2: req_h=0x15 msg_id=3: Bytes written = 1572864

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs2: clnt_h=0x2: req_h=0x15 msg_id=3: Send response: res=0 err=0

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs2: clnt_h=0x2 About to block rmt_storage client thread (th_id: -1225121224) wakelock released: 1, error no: 0

I/rmt_storage(244):

I/rmt_storage(244): rmt_storage_disconnect_cb: clnt_h=0x0x11 conn_h=0x0xb6fa2178

V/Zygote (19291): Switching descriptor 52 to /dev/null

V/Zygote (19291): Switching descriptor 9 to /dev/null

V/Zygote (19310): Switching descriptor 52 to /dev/null

V/Zygote (19310): Switching descriptor 9 to /dev/null

V/Zygote (19329): Switching descriptor 52 to /dev/null

V/Zygote (19329): Switching descriptor 9 to /dev/null

V/Zygote (19347): Switching descriptor 52 to /dev/null

V/Zygote (19347): Switching descriptor 9 to /dev/null

V/Zygote (19365): Switching descriptor 52 to /dev/null

V/Zygote (19365): Switching descriptor 9 to /dev/null

V/Zygote (19383): Switching descriptor 52 to /dev/null

V/Zygote (19383): Switching descriptor 9 to /dev/null

V/Zygote (19401): Switching descriptor 52 to /dev/null

V/Zygote (19401): Switching descriptor 9 to /dev/null

V/Zygote (19419): Switching descriptor 52 to /dev/null

V/Zygote (19419): Switching descriptor 9 to /dev/null

V/Zygote (19437): Switching descriptor 52 to /dev/null

V/Zygote (19437): Switching descriptor 9 to /dev/null

V/Zygote (19455): Switching descriptor 52 to /dev/null

V/Zygote (19455): Switching descriptor 9 to /dev/null

V/Zygote (19473): Switching descriptor 52 to /dev/null

V/Zygote (19473): Switching descriptor 9 to /dev/null

V/Zygote (19497): Switching descriptor 52 to /dev/null

V/Zygote (19497): Switching descriptor 9 to /dev/null

V/Zygote (19515): Switching descriptor 52 to /dev/null

V/Zygote (19515): Switching descriptor 9 to /dev/null

V/Zygote (19534): Switching descriptor 52 to /dev/null

V/Zygote (19534): Switching descriptor 9 to /dev/null

I/Process (924): Sending signal. PID: 19515 SIG: 3

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1117 SIG: 3

D/DropBoxFileObserver(3016): /data/system/dropbox/system_app_anr@1411372088307.txt.gz

V/Zygote (19553): Switching descriptor 52 to /dev/null

V/Zygote (19553): Switching descriptor 9 to /dev/null

V/Zygote (19571): Switching descriptor 52 to /dev/null

V/Zygote (19571): Switching descriptor 9 to /dev/null

V/Zygote (19589): Switching descriptor 52 to /dev/null

V/Zygote (19589): Switching descriptor 9 to /dev/null

V/Zygote (19607): Switching descriptor 52 to /dev/null

V/Zygote (19607): Switching descriptor 9 to /dev/null

V/Zygote (19625): Switching descriptor 52 to /dev/null

V/Zygote (19625): Switching descriptor 9 to /dev/null

V/Zygote (19643): Switching descriptor 52 to /dev/null

V/Zygote (19643): Switching descriptor 9 to /dev/null

I/rmt_storage(244): rmt_storage_connect_cb: clnt_h=0x12 conn_h=0xb6fa2178

I/rmt_storage(244): rmt_storage_rw_iovec_cb: /boot/modem_fs1: clnt_h=0x1: req_h=0x16 msg_id=3: R/W request received

I/rmt_storage(244): wakelock acquired: 1, error no: 42

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs1: clnt_h=0x1 Unblock worker thread (th_id: -1225122072)

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs1: clnt_h=0x1: req_h=0x16

msg_id=3: Bytes written = 1572864

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs1: clnt_h=0x1: req_h=0x16 msg_id=3: Send response: res=0 err=0

I/rmt_storage(244): rmt_storage_client_thread: /boot/modem_fs1: clnt_h=0x1 About to block rmt_storage client thread (th_id: -1225122072) wakelock released: 1, error no: 0

I/rmt_storage(244):

I/rmt_storage(244): rmt_storage_disconnect_cb: clnt_h=0x0x12 conn_h=0x0xb6fa2178

V/Zygote (19662): Switching descriptor 52 to /dev/null

V/Zygote (19662): Switching descriptor 9 to /dev/null

V/Zygote (19680): Switching descriptor 52 to /dev/null

V/Zygote (19680): Switching descriptor 9 to /dev/null

V/Zygote (19698): Switching descriptor 52 to /dev/null

V/Zygote (19698): Switching descriptor 9 to /dev/null

V/Zygote (19716): Switching descriptor 52 to /dev/null

V/Zygote (19716): Switching descriptor 9 to /dev/null

V/Zygote (19734): Switching descriptor 52 to /dev/null

V/Zygote (19734): Switching descriptor 9 to /dev/null

V/Zygote (19749): Switching descriptor 52 to /dev/null

V/Zygote (19749): Switching descriptor 9 to /dev/null

V/Zygote (19765): Switching descriptor 52 to /dev/null

V/Zygote (19765): Switching descriptor 9 to /dev/null

I/Process (924): Sending signal. PID: 19749 SIG: 3

I/dalvikvm(19749): threadid=3: reacting to signal 3

I/dalvikvm(19749): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1117 SIG: 3

V/Zygote (19784): Switching descriptor 52 to /dev/null

V/Zygote (19784): Switching descriptor 9 to /dev/null

V/Zygote (19802): Switching descriptor 52 to /dev/null

V/Zygote (19802): Switching descriptor 9 to /dev/null

V/Zygote (19820): Switching descriptor 52 to /dev/null

V/Zygote (19820): Switching descriptor 9 to /dev/null

V/Zygote (19838): Switching descriptor 52 to /dev/null

V/Zygote (19838): Switching descriptor 9 to /dev/null

V/Zygote (19856): Switching descriptor 52 to /dev/null

V/Zygote (19856): Switching descriptor 9 to /dev/null

V/Zygote (19874): Switching descriptor 52 to /dev/null

V/Zygote (19874): Switching descriptor 9 to /dev/null

V/Zygote (19892): Switching descriptor 52 to /dev/null

V/Zygote (19892): Switching descriptor 9 to /dev/null

V/Zygote (19910): Switching descriptor 52 to /dev/null

V/Zygote (19910): Switching descriptor 9 to /dev/null

V/Zygote (19928): Switching descriptor 52 to /dev/null

V/Zygote (19928): Switching descriptor 9 to /dev/null

V/Zygote (19946): Switching descriptor 52 to /dev/null

V/Zygote (19946): Switching descriptor 9 to /dev/null

V/Zygote (19964): Switching descriptor 52 to /dev/null

V/Zygote (19964): Switching descriptor 9 to /dev/null

V/Zygote (19982): Switching descriptor 52 to /dev/null

V/Zygote (19982): Switching descriptor 9 to /dev/null

V/Zygote (20000): Switching descriptor 52 to /dev/null

V/Zygote (20000): Switching descriptor 9 to /dev/null

V/Zygote (20018): Switching descriptor 52 to /dev/null

V/Zygote (20018): Switching descriptor 9 to /dev/null

V/Zygote (20036): Switching descriptor 52 to /dev/null

V/Zygote (20036): Switching descriptor 9 to /dev/null

V/Zygote (20054): Switching descriptor 52 to /dev/null

V/Zygote (20054): Switching descriptor 9 to /dev/null

V/Zygote (20072): Switching descriptor 52 to /dev/null

V/Zygote (20072): Switching descriptor 9 to /dev/null

V/Zygote (20090): Switching descriptor 52 to /dev/null

V/Zygote (20090): Switching descriptor 9 to /dev/null

V/Zygote (20108): Switching descriptor 52 to /dev/null

V/Zygote (20108): Switching descriptor 9 to /dev/null

D/YouTube (11446): apps.youtube.common.e.j.b:27 Executed scheduled task of type com.google.android.apps.youtube.datalib.offline.p

V/Zygote (20126): Switching descriptor 52 to /dev/null

V/Zygote (20126): Switching descriptor 9 to /dev/null

V/Zygote (20144): Switching descriptor 52 to /dev/null

V/Zygote (20144): Switching descriptor 9 to /dev/null

D/YouTube (11446): apps.youtube.common.e.j.b:27 Executed scheduled task of type com.google.android.apps.youtube.datalib.offline.p

V/Zygote (20163): Switching descriptor 52 to /dev/null

V/Zygote (20163): Switching descriptor 9 to /dev/null

V/Zygote (20181): Switching descriptor 52 to /dev/null

V/Zygote (20181): Switching descriptor 9 to /dev/null

V/Zygote (20199): Switching descriptor 52 to /dev/null

V/Zygote (20199): Switching descriptor 9 to /dev/null

V/Zygote (20217): Switching descriptor 52 to /dev/null

V/Zygote (20217): Switching descriptor 9 to /dev/null

V/Zygote (20235): Switching descriptor 52 to /dev/null

V/Zygote (20235): Switching descriptor 9 to /dev/null

V/Zygote (20253): Switching descriptor 52 to /dev/null

V/Zygote (20253): Switching descriptor 9 to /dev/null

V/Zygote (20271): Switching descriptor 52 to /dev/null

V/Zygote (20271): Switching descriptor 9 to /dev/null

V/Zygote (20289): Switching descriptor 52 to /dev/null

V/Zygote (20289): Switching descriptor 9 to /dev/null

--------- beginning of /dev/log/system

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService.finishReceiver(ActivityManagerService.java:13955)

W/BroadcastQueue(924): at android.content.BroadcastReceiver$PendingResult.sendFinished(BroadcastReceiver.java:420)

W/BroadcastQueue(924): at android.content.BroadcastReceiver$PendingResult.finish(BroadcastReceiver.java:396)

W/BroadcastQueue(924): at

android.app.LoadedApk$ReceiverDispatcher$Args.run(LoadedApk.java:783)

W/BroadcastQueue(924): at android.os.Handler.handleCallback(Handler.java:733)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:95)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at
com.android.server.ServerThread.initAndLoop(SystemServer.java:1290)

W/BroadcastQueue(924): at
de.robv.android.xposed.XposedBridge.invokeOriginalMethodNative(Native Method)

W/BroadcastQueue(924): at
de.robv.android.xposed.XposedBridge.handleHookedMethod(XposedBridge.java:631)

W/BroadcastQueue(924): at com.android.server.ServerThread.initAndLoop(Native Method)

W/BroadcastQueue(924): at
com.android.server.SystemServer.main(SystemServer.java:1387)

W/BroadcastQueue(924): at java.lang.reflect.Method.invokeNative(Native Method)

W/BroadcastQueue(924): at java.lang.reflect.Method.invoke(Method.java:515)

W/BroadcastQueue(924): at

com.android.internal.os.ZygoteInit$MethodAndArgsCaller.run(ZygoteInit.java:795)

W/BroadcastQueue(924):   at com.android.internal.os.ZygoteInit.main(ZygoteInit.java:611)

W/BroadcastQueue(924):   at
de.robv.android.xposed.XposedBridge.main(XposedBridge.java:132)

W/BroadcastQueue(924):   at dalvik.system.NativeStart.main(Native Method)

W/ActivityManager(924): Process ProcessRecord{430f5110
20289:com.google.android.music:main/u0a66} failed to attach

I/ActivityManager(924): Killing 20289:com.google.android.music:main/u0a66 (adj -100): start
timeout

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

V/Zygote (20307): Switching descriptor 52 to /dev/null

V/Zygote (20307): Switching descriptor 9 to /dev/null

I/ActivityManager(924): Start proc com.google.android.music:main for broadcast
com.google.android.music/.leanback.AutoCacheSchedulingService$ActionReceiver: pid=20307
uid=10066 gids={50066, 3003, 1028, 1015}

W/ActivityManager(924): Process ProcessRecord{423b8010 20307:com.google.android.music:main/u0a66} failed to attach

I/ActivityManager(924): Killing 20307:com.google.android.music:main/u0a66 (adj -100): start timeout

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

V/Zygote (20325): Switching descriptor 52 to /dev/null

V/Zygote (20325): Switching descriptor 9 to /dev/null

I/ActivityManager(924): Start proc com.google.android.music:main for broadcast com.google.android.music/.leanback.AutoCacheSchedulingService$ActionReceiver: pid=20325 uid=10066 gids={50066, 3003, 1028, 1015}

W/ActivityManager(924): Process ProcessRecord{4361a608 20325:com.google.android.music:main/u0a66} failed to attach

I/ActivityManager(924): Killing 20325:com.google.android.music:main/u0a66 (adj -100): start timeout

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

V/Zygote (20343): Switching descriptor 52 to /dev/null

V/Zygote (20343): Switching descriptor 9 to /dev/null

I/ActivityManager(924): Start proc com.google.android.music:main for broadcast com.google.android.music/.leanback.AutoCacheSchedulingService$ActionReceiver: pid=20343 uid=10066 gids={50066, 3003, 1028, 1015}

E/qcom_sensors_hal(924): hal_sam_gen_prox: prox data: state=1, mean=201, distance=0.000000

E/qcom_sensors_hal(924): hal_sam_gen_prox: prox data: state=0, mean=75, distance=5.000305

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.isShowing(IKeyguardService.java:236)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.isShowing(KeyguardServiceWrapper.java:44)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.isShowing(KeyguardServiceDelegate.java:146)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.interceptKeyBeforeQueueing(PhoneWindowManager.java:4631)

W/KeyguardServiceWrapper(924): at com.android.server.wm.InputMonitor.interceptKeyBeforeQueueing(InputMonitor.java:357)

W/KeyguardServiceWrapper(924): at com.android.server.input.InputManagerService.interceptKeyBeforeQueueing(InputManagerService.java:1424)

W/KeyguardServiceWrapper(924): at dalvik.system.NativeStart.run(Native Method)

I/QCOM PowerHAL(924): Got set_interactive hint

E/QCOM PowerHAL(924): Invalid hint ID.

D/SurfaceFlinger(251): Screen acquired, type=0 flinger=0xb8e63450

D/qdhwcomposer(251): hwc_blank: Unblanking display: 0

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.isShowing(IKeyguardService.java:236)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.isShowing(KeyguardServiceWrapper.java:44)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.isShowing(KeyguardServiceDelegate.java:146)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.interceptKeyBeforeQueueing(PhoneWindowManager.java:4631)

W/KeyguardServiceWrapper(924): at com.android.server.wm.InputMonitor.interceptKeyBeforeQueueing(InputMonitor.java:357)

W/KeyguardServiceWrapper(924): at com.android.server.input.InputManagerService.interceptKeyBeforeQueueing(InputManagerService.java:1424)

W/KeyguardServiceWrapper(924): at dalvik.system.NativeStart.run(Native Method)

I/PowerManagerService(924): Waking up from sleep...

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.onScreenTurnedOn(IKeyguardService.java:402)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.onScreenTurnedOn(KeyguardServiceWrapper.java:145)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.onScreenTurnedOn(KeyguardServiceDelegate.java:214)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.waitForKeyguard(PhoneWindowManager.java:5248)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.screenTurningOn(PhoneWindowManager.java:5242)

W/KeyguardServiceWrapper(924): at

com.android.server.power.Notifier.sendWakeUpBroadcast(Notifier.java:426)

W/KeyguardServiceWrapper(924): at
com.android.server.power.Notifier.sendNextBroadcast(Notifier.java:413)

W/KeyguardServiceWrapper(924): at
com.android.server.power.Notifier.access$500(Notifier.java:63)

W/KeyguardServiceWrapper(924): at
com.android.server.power.Notifier$NotifierHandler.handleMessage(Notifier.java:537)

W/KeyguardServiceWrapper(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/KeyguardServiceWrapper(924): at android.os.Looper.loop(Looper.java:136)

W/KeyguardServiceWrapper(924): at
com.android.server.ServerThread.initAndLoop(SystemServer.java:1290)

W/KeyguardServiceWrapper(924): at
de.robv.android.xposed.XposedBridge.invokeOriginalMethodNative(Native Method)

W/KeyguardServiceWrapper(924): at
de.robv.android.xposed.XposedBridge.handleHookedMethod(XposedBridge.java:631)

W/KeyguardServiceWrapper(924): at com.android.server.ServerThread.initAndLoop(Native
Method)

W/KeyguardServiceWrapper(924): at

com.android.server.SystemServer.main(SystemServer.java:1387)

W/KeyguardServiceWrapper(924): at java.lang.reflect.Method.invokeNative(Native Method)

W/KeyguardServiceWrapper(924): at java.lang.reflect.Method.invoke(Method.java:515)

W/KeyguardServiceWrapper(924): at
com.android.internal.os.ZygoteInit$MethodAndArgsCaller.run(ZygoteInit.java:795)

W/KeyguardServiceWrapper(924): at
com.android.internal.os.ZygoteInit.main(ZygoteInit.java:611)

W/KeyguardServiceWrapper(924): at
de.robv.android.xposed.XposedBridge.main(XposedBridge.java:132)

W/KeyguardServiceWrapper(924): at dalvik.system.NativeStart.main(Native Method)

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at
com.android.internal.policy.IKeyguardService$Stub$Proxy.setHidden(IKeyguardService.java:34
5)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.setHidden(KeyguardServiceWrapper.java:105)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.setHidden(KeyguardServiceDelegate.java:179)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.finishPostLayoutPolicyLw(PhoneWindowManager.java:4316)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedInner(WindowManagerService.java:9201)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedLoop(WindowManagerService.java:8345)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLocked(WindowManagerService.java:8287)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.updateRotationUnchecked(WindowManagerService.java:6029)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.updateRotation(WindowManagerService.java:5988)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.updateRotation(PhoneWindowManager.java:5835)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager$MyOrientationListener.onProposedRotationChanged(PhoneWindowManager.java:722)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.WindowOrientationListener$SensorEventListenerImpl.onSensorChanged(WindowOrientationListener.java:572)

W/KeyguardServiceWrapper(924): at android.hardware.SystemSensorManager$SensorEventQueue.dispatchSensorEvent(SystemSensorManager.java:418)

W/KeyguardServiceWrapper(924): at android.os.MessageQueue.nativePollOnce(Native Method)

W/KeyguardServiceWrapper(924): at android.os.MessageQueue.next(MessageQueue.java:138)

W/KeyguardServiceWrapper(924): at android.os.Looper.loop(Looper.java:123)

W/KeyguardServiceWrapper(924): at android.os.HandlerThread.run(HandlerThread.java:61)

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 1

D/qdhwcomposer(251): hwc_blank: Done unblanking display: 0

D/SurfaceControl(924): Excessive delay in unblankDisplay() while turning screen on: 286ms

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.setHidden(IKeyguardService.java:345)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.setHidden(KeyguardServiceWrapper.java:105)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.setHidden(KeyguardServiceDelegate.java:179)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.finishPostLayoutPolicyLw(PhoneWindowManager.java:4316)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedInner(WindowManagerService.java:9201)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedLoop(WindowManagerService.java:8345)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLocked(WindowManagerService.java:8287)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.access$400(WindowManagerService.java:160)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService$H.handleMessage(WindowManagerService.java:7321)

W/KeyguardServiceWrapper(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/KeyguardServiceWrapper(924): at android.os.Looper.loop(Looper.java:136)

W/KeyguardServiceWrapper(924): at android.os.HandlerThread.run(HandlerThread.java:61)

W/ActivityManager(924): Process ProcessRecord{431a1ca8 20343:com.google.android.music:main/u0a66} failed to attach

I/ActivityManager(924): Killing 20343:com.google.android.music:main/u0a66 (adj -100): start timeout

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

V/Zygote (20365): Switching descriptor 52 to /dev/null

V/Zygote (20365): Switching descriptor 9 to /dev/null

I/ActivityManager(924): Start proc com.google.android.music:main for broadcast com.google.android.music/.leanback.AutoCacheSchedulingService$ActionReceiver: pid=20365 uid=10066 gids={50066, 3003, 1028, 1015}

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.isShowingAndNotHidden(IKeyguardService.java:270)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.isShowingAndNotHidden(KeyguardServiceWrapper.java:62)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.isShowingAndNotHidden(KeyguardServiceDelegate.java:153)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.interceptKeyBeforeQueueing(PhoneWindowManager.java:4631)

W/KeyguardServiceWrapper(924): at com.android.server.wm.InputMonitor.interceptKeyBeforeQueueing(InputMonitor.java:357)

W/KeyguardServiceWrapper(924): at com.android.server.input.InputManagerService.interceptKeyBeforeQueueing(InputManagerService.java:1424)

W/KeyguardServiceWrapper(924): at dalvik.system.NativeStart.run(Native Method)

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.isShowingAndNotHidden(IKeyguardService.java:270)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.isShowingAndNotHidden(KeyguardServiceWrapper.java:62)

W/KeyguardServiceWrapper(924): at

com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.isShowingAndNotHidden(KeyguardServiceDelegate.java:153)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.interceptKeyBeforeQueueing(PhoneWindowManager.java:4631)

W/KeyguardServiceWrapper(924): at com.android.server.wm.InputMonitor.interceptKeyBeforeQueueing(InputMonitor.java:357)

W/KeyguardServiceWrapper(924): at com.android.server.input.InputManagerService.interceptKeyBeforeQueueing(InputManagerService.java:1424)

W/KeyguardServiceWrapper(924): at dalvik.system.NativeStart.run(Native Method)

I/PowerManagerService(924): Going to sleep by user request...

D/DisplayPowerController(924): Unblocked screen on after 9417129 ms

D/SurfaceFlinger(251): Screen released, type=0 flinger=0xb8e63450

D/qdhwcomposer(251): hwc_blank: Blanking display: 0

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

D/qdhwcomposer(251): hwc_blank: Done blanking display: 0

D/SurfaceControl(924): Excessive delay in blankDisplay() while turning screen off: 301ms

I/QCOM PowerHAL(924): Got set_interactive hint

E/QCOM PowerHAL(924): Failed to acquire lock.

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.setHidden(IKeyguardService.java:345)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.setHidden(KeyguardServiceWrapper.java:105)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.setHidden(KeyguardServiceDelegate.java:179)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.finishPostLayoutPolicyLw(PhoneWindowManager.java:4316)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedInner(WindowManagerService.java:9201)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedLoop(WindowManagerService.java:8345)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLocked(WindowManagerService.java:8287)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.access$400(WindowManagerService.java:160)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService$H.handleMessage(WindowManagerService.java:7321)

W/KeyguardServiceWrapper(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/KeyguardServiceWrapper(924): at android.os.Looper.loop(Looper.java:136)

W/KeyguardServiceWrapper(924): at android.os.HandlerThread.run(HandlerThread.java:61)

W/BroadcastQueue(924): Timeout of broadcast BroadcastRecord{4324f2c0 u-1 android.intent.action.SCREEN_ON} - receiver=android.os.BinderProxy@425e1dc8, started 10005ms ago

W/BroadcastQueue(924): Receiver during timeout: BroadcastFilter{42a6ec60 u0 ReceiverList{42a6f580 1687 com.achep.acdisplay/10135/u0 remote:425e1dc8}}

I/Process (924): Sending signal. PID: 1687 SIG: 3

I/dalvikvm(1687): threadid=3: reacting to signal 3

I/dalvikvm(1687): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/QCOM PowerHAL(924): Got set_interactive hint

E/QCOM PowerHAL(924): Invalid hint ID.

D/SurfaceFlinger(251): Screen acquired, type=0 flinger=0xb8e63450

D/qdhwcomposer(251): hwc_blank: Unblanking display: 0

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.isShowing(IKeyguardService.java:236)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.isShowing(KeyguardServiceWrapper.java:44)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.isShowing(KeyguardServiceDelegate.java:146)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.interceptKeyBeforeQueueing(PhoneWindowManager.java:4631)

W/KeyguardServiceWrapper(924): at com.android.server.wm.InputMonitor.interceptKeyBeforeQueueing(InputMonitor.java:357)

W/KeyguardServiceWrapper(924): at com.android.server.input.InputManagerService.interceptKeyBeforeQueueing(InputManagerService.java:1424)

W/KeyguardServiceWrapper(924): at dalvik.system.NativeStart.run(Native Method)

I/PowerManagerService(924): Waking up from sleep...

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.isShowingAndNotHidden(IKeyguardService.java:270)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.isShowingAndNotHidden(KeyguardServiceWrapper.java:62)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.isShowingAndNotHidden(KeyguardServiceDelegate.java:153)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.keyguardIsShowingTq(PhoneWindowManager.java:5330)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.keyguardOn(PhoneWindowManager.java:2468)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.interceptKeyBeforeDispatching(PhoneWindowManager.java:2479)

W/KeyguardServiceWrapper(924): at com.android.server.wm.InputMonitor.interceptKeyBeforeDispatching(InputMonitor.java:374)

W/KeyguardServiceWrapper(924): at com.android.server.input.InputManagerService.interceptKeyBeforeDispatching(InputManagerService.java:1436)

W/KeyguardServiceWrapper(924): at dalvik.system.NativeStart.run(Native Method)

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at

com.android.internal.policy.IKeyguardService$Stub$Proxy.isInputRestricted(IKeyguardService.java:287)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.isInputRestricted(KeyguardServiceWrapper.java:71)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.isInputRestricted(KeyguardServiceDelegate.java:160)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.inKeyguardRestrictedKeyInputMode(PhoneWindowManager.java:5348)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.keyguardOn(PhoneWindowManager.java:2468)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.interceptKeyBeforeDispatching(PhoneWindowManager.java:2479)

W/KeyguardServiceWrapper(924): at com.android.server.wm.InputMonitor.interceptKeyBeforeDispatching(InputMonitor.java:374)

W/KeyguardServiceWrapper(924): at com.android.server.input.InputManagerService.interceptKeyBeforeDispatching(InputManagerService.java:1436)

W/KeyguardServiceWrapper(924): at dalvik.system.NativeStart.run(Native Method)

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.isShowingAndNotHidden(IKeyguardService.java:270)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.isShowingAndNotHidden(KeyguardServiceWrapper.java:62)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.isShowingAndNotHidden(KeyguardServiceDelegate.java:153)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.interceptKeyBeforeQueueing(PhoneWindowManager.java:4631)

W/KeyguardServiceWrapper(924): at com.android.server.wm.InputMonitor.interceptKeyBeforeQueueing(InputMonitor.java:357)

W/KeyguardServiceWrapper(924): at com.android.server.input.InputManagerService.interceptKeyBeforeQueueing(InputManagerService.java:1424)

W/KeyguardServiceWrapper(924): at dalvik.system.NativeStart.run(Native Method)

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1117 SIG: 3

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 1

D/qdhwcomposer(251): hwc_blank: Done unblanking display: 0

D/SurfaceControl(924): Excessive delay in unblankDisplay() while turning screen on: 272ms

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.setHidden(IKeyguardService.java:345)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.setHidden(KeyguardServiceWrapper.java:105)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.setHidden(KeyguardServiceDelegate.java:179)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.finishPostLayoutPolicyLw(PhoneWindowManager.java:4316)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedInner(WindowManagerService.java:9201)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedLoop(WindowManagerService.java:8345)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLocked(WindowManagerService.java:8287)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.access$400(WindowManagerService.java:160)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService$H.handleMessage(WindowManagerService.java:7321)

W/KeyguardServiceWrapper(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/KeyguardServiceWrapper(924): at android.os.Looper.loop(Looper.java:136)

W/KeyguardServiceWrapper(924): at android.os.HandlerThread.run(HandlerThread.java:61)

E/ActivityManager(924): ANR in com.achep.acdisplay

E/ActivityManager(924): PID: 1687

E/ActivityManager(924): Reason: Broadcast of Intent { act=android.intent.action.SCREEN_ON flg=0x50000010 }

E/ActivityManager(924): Load: 4.01 / 4.09 / 4.17

E/ActivityManager(924): CPU usage from 5014ms to 0ms ago:

E/ActivityManager(924):   1.5% 924/system_server: 0% user + 1.5% kernel / faults: 23 minor

E/ActivityManager(924):   0.7% 286/sensors.qcom: 0.1% user + 0.5% kernel

E/ActivityManager(924):   0.3% 251/surfaceflinger: 0% user + 0.3% kernel

E/ActivityManager(924):   0.3% 252/zygote: 0.3% user + 0% kernel / faults: 47 minor

E/ActivityManager(924):   0.3% 2527/irq/33-cpubw_hw: 0% user + 0.3% kernel

E/ActivityManager(924):   0.1% 7/kworker/u:0H: 0% user + 0.1% kernel

E/ActivityManager(924):   0.1% 20/kworker/0:1H: 0% user + 0.1% kernel

E/ActivityManager(924):   0.1% 66/kworker/1:1H: 0% user + 0.1% kernel

E/ActivityManager(924):   0.1% 127/cfinteractive: 0% user + 0.1% kernel

E/ActivityManager(924):   0.1% 1147/MC_Thread: 0% user + 0.1% kernel

E/ActivityManager(924):   0.1% 4140/libblank_webserver_exec.so: 0% user + 0.1% kernel

E/ActivityManager(924):   0.1% 12202/ch.bitspin.timely: 0.1% user + 0% kernel

E/ActivityManager(924):   0.1% 18678/kworker/u:4: 0% user + 0.1% kernel

E/ActivityManager(924):   0.1% 19660/kworker/u:1: 0% user + 0.1% kernel

E/ActivityManager(924): +0% 20365/<pre-initialized>: 0% user + 0% kernel

E/ActivityManager(924): 3% TOTAL: 0.7% user + 2% kernel + 0.3% softirq

E/ActivityManager(924): CPU usage from 2767ms to 3281ms later with 99% awake:

E/ActivityManager(924):   7.5% 924/system_server: 1.8% user + 5.6% kernel

E/ActivityManager(924):   3.7% 956/ActivityManager: 0% user + 3.7% kernel

E/ActivityManager(924):   1.8% 941/system_server: 1.8% user + 0% kernel

E/ActivityManager(924):   1.8% 6442/system_server: 0% user + 1.8% kernel

E/ActivityManager(924):   1% 7/kworker/u:0H: 0% user + 1% kernel

E/ActivityManager(924):   1.1% 286/sensors.qcom: 0% user + 1.1% kernel

E/ActivityManager(924):   1.1% 857/sensors.qcom: 0% user + 1.1% kernel

E/ActivityManager(924):   1.3% 2527/irq/33-cpubw_hw: 0% user + 1.3% kernel

E/ActivityManager(924): 2.9% TOTAL: 0% user + 2.9% kernel

I/ActivityManager(924): Killing 1687:com.achep.acdisplay/u0a135 (adj 1): background ANR

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.isShowingAndNotHidden(IKeyguardService.java:270)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.isShowingAndNotHidden(KeyguardServiceWrapper.java:62)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.isShowingAndNotHidden(KeyguardServiceDelegate.java:153)

W/KeyguardServiceWrapper(924): at

com.android.internal.policy.impl.PhoneWindowManager.interceptKeyBeforeQueueing(PhoneWindowManager.java:4631)

W/KeyguardServiceWrapper(924): at com.android.server.wm.InputMonitor.interceptKeyBeforeQueueing(InputMonitor.java:357)

W/KeyguardServiceWrapper(924): at com.android.server.input.InputManagerService.interceptKeyBeforeQueueing(InputManagerService.java:1424)

W/KeyguardServiceWrapper(924): at dalvik.system.NativeStart.run(Native Method)

D/SurfaceFlinger(251): Screen released, type=0 flinger=0xb8e63450

D/qdhwcomposer(251): hwc_blank: Blanking display: 0

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.isShowingAndNotHidden(IKeyguardService.java:270)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.isShowingAndNotHidden(K

eyguardServiceWrapper.java:62)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.isShowingAndNotHidden(KeyguardServiceDelegate.java:153)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.interceptKeyBeforeQueueing(PhoneWindowManager.java:4631)

W/KeyguardServiceWrapper(924): at com.android.server.wm.InputMonitor.interceptKeyBeforeQueueing(InputMonitor.java:357)

W/KeyguardServiceWrapper(924): at com.android.server.input.InputManagerService.interceptKeyBeforeQueueing(InputManagerService.java:1424)

W/KeyguardServiceWrapper(924): at dalvik.system.NativeStart.run(Native Method)

I/PowerManagerService(924): Going to sleep by user request...

D/DisplayPowerController(924): Unblocked screen on after 9425362 ms

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

D/qdhwcomposer(251): hwc_blank: Done blanking display: 0

D/SurfaceControl(924): Excessive delay in blankDisplay() while turning screen off: 309ms

I/QCOM PowerHAL(924): Got set_interactive hint

E/QCOM PowerHAL(924): Failed to acquire lock.

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.setHidden(IKeyguardService.java:345)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.setHidden(KeyguardServiceWrapper.java:105)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.setHidden(KeyguardServiceDelegate.java:179)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.finishPostLayoutPolicyLw(PhoneWindowManager.java:4316)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedInner(

WindowManagerService.java:9201)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedLoop(WindowManagerService.java:8345)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLocked(WindowManagerService.java:8287)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.access$400(WindowManagerService.java:160)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService$H.handleMessage(WindowManagerService.java:7321)

W/KeyguardServiceWrapper(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/KeyguardServiceWrapper(924): at android.os.Looper.loop(Looper.java:136)

W/KeyguardServiceWrapper(924): at android.os.HandlerThread.run(HandlerThread.java:61)

I/QCOM PowerHAL(924): Got set_interactive hint

E/QCOM PowerHAL(924): Invalid hint ID.

D/SurfaceFlinger(251): Screen acquired, type=0 flinger=0xb8e63450

D/qdhwcomposer(251): hwc_blank: Unblanking display: 0

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.isShowing(IKeyguardService.java:236)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.isShowing(KeyguardServiceWrapper.java:44)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.isShowing(KeyguardServiceDelegate.java:146)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.interceptKeyBeforeQueueing(PhoneWindowManager.java:4631)

W/KeyguardServiceWrapper(924): at com.android.server.wm.InputMonitor.interceptKeyBeforeQueueing(InputMonitor.java:357)

W/KeyguardServiceWrapper(924): at com.android.server.input.InputManagerService.interceptKeyBeforeQueueing(InputManagerService.java:1424)

W/KeyguardServiceWrapper(924): at dalvik.system.NativeStart.run(Native Method)

I/PowerManagerService(924): Waking up from sleep...

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.isShowingAndNotHidden(IKeyguardService.java:270)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.isShowingAndNotHidden(KeyguardServiceWrapper.java:62)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.isShowingAndNotHidden(KeyguardServiceDelegate.java:153)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.interceptKeyBeforeQueueing(PhoneWindowManager.java:4631)

W/KeyguardServiceWrapper(924): at com.android.server.wm.InputMonitor.interceptKeyBeforeQueueing(InputMonitor.java:357)

W/KeyguardServiceWrapper(924): at com.android.server.input.InputManagerService.interceptKeyBeforeQueueing(InputManagerService.java:1424)

W/KeyguardServiceWrapper(924): at dalvik.system.NativeStart.run(Native Method)

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 1

D/qdhwcomposer(251): hwc_blank: Done unblanking display: 0

D/SurfaceControl(924): Excessive delay in unblankDisplay() while turning screen on: 285ms

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.setHidden(IKeyguardService.java:345)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.setHidden(KeyguardServic

eWrapper.java:105)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.setHidden(KeyguardServiceDelegate.java:179)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.finishPostLayoutPolicyLw(PhoneWindowManager.java:4316)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedInner(WindowManagerService.java:9201)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedLoop(WindowManagerService.java:8345)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLocked(WindowManagerService.java:8287)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.access$400(WindowManagerService.java:160)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService$H.handleMessage(WindowManagerService.java:7321)

W/KeyguardServiceWrapper(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/KeyguardServiceWrapper(924): at android.os.Looper.loop(Looper.java:136)

W/KeyguardServiceWrapper(924): at android.os.HandlerThread.run(HandlerThread.java:61)

W/ActivityManager(924): Process ProcessRecord{432011d8 20365:com.google.android.music:main/u0a66} failed to attach

I/ActivityManager(924): Killing 20365:com.google.android.music:main/u0a66 (adj -100): start timeout

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

V/Zygote (20385): Switching descriptor 52 to /dev/null

V/Zygote (20385): Switching descriptor 9 to /dev/null

I/ActivityManager(924): Start proc com.google.android.music:main for broadcast com.google.android.music/.leanback.AutoCacheSchedulingService$ActionReceiver: pid=20385 uid=10066 gids={50066, 3003, 1028, 1015}

W/BroadcastQueue(924): Timeout of broadcast BroadcastRecord{4324f2c0 u-1 android.intent.action.SCREEN_ON} - receiver=android.os.BinderProxy@42556290, started 10005ms ago

W/BroadcastQueue(924): Receiver during timeout: BroadcastFilter{423e45a0 u0

ReceiverList{42440688 11446 com.google.android.youtube/10085/u0 remote:42556290}}

I/Process (924): Sending signal. PID: 11446 SIG: 3

I/dalvikvm(11446): threadid=3: reacting to signal 3

I/dalvikvm(11446): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1117 SIG: 3

E/ActivityManager(924): ANR in com.google.android.youtube

E/ActivityManager(924): PID: 11446

E/ActivityManager(924): Reason: Broadcast of Intent { act=android.intent.action.SCREEN_ON flg=0x50000010 }

E/ActivityManager(924): Load: 4.54 / 4.21 / 4.2

E/ActivityManager(924): CPU usage from 10004ms to 0ms ago:

E/ActivityManager(924): 15% 924/system_server: 11% user + 3.3% kernel / faults: 1491 minor

E/ActivityManager(924): 2.1% 249/debuggerd: 1.3% user + 0.8% kernel / faults: 3371 minor

E/ActivityManager(924): 0.9% 1294/com.android.phone: 0.9% user + 0% kernel

E/ActivityManager(924): 1.1% 286/sensors.qcom: 0.4% user + 0.6% kernel / faults: 1 minor

E/ActivityManager(924): 0.9% 251/surfaceflinger: 0% user + 0.9% kernel / faults: 3 minor

E/ActivityManager(924): 0.7% 7/kworker/u:0H: 0% user + 0.7% kernel

E/ActivityManager(924): 0.4% 1347/com.android.nfc: 0.1% user + 0.2% kernel

E/ActivityManager(924): 0.4% 2527/irq/33-cpubw_hw: 0% user + 0.4% kernel

E/ActivityManager(924): 0.1% 1324/com.android.incallui: 0.1% user + 0% kernel

E/ActivityManager(924): 0.2% 18678/kworker/u:4: 0% user + 0.2% kernel

E/ActivityManager(924): 0.2% 19660/kworker/u:1: 0% user + 0.2% kernel

E/ActivityManager(924):   0.1% 20159/kworker/0:0: 0% user + 0.1% kernel

E/ActivityManager(924):   0.1% 1//init: 0% user + 0.1% kernel / faults: 60 minor

E/ActivityManager(924):   0% 5/kworker/0:0H: 0% user + 0% kernel

E/ActivityManager(924):   0.1% 66/kworker/1:1H: 0% user + 0.1% kernel

E/ActivityManager(924):   0.1% 164/mmcqd/0: 0% user + 0.1% kernel

E/ActivityManager(924):   0.1% 1302/org.cyanogenmod.audiofx: 0% user + 0% kernel

E/ActivityManager(924):   0% 3016/com.cyngn.logger: 0% user + 0% kernel / faults: 14 minor

E/ActivityManager(924):   0% 3/ksoftirqd/0: 0% user + 0% kernel

E/ActivityManager(924):   0% 6/kworker/u:0: 0% user + 0% kernel

E/ActivityManager(924):   0% 9/rcuc/0: 0% user + 0% kernel

E/ActivityManager(924):   0% 13/ksoftirqd/1: 0% user + 0% kernel

E/ActivityManager(924):   0.1% 127/cfinteractive: 0% user + 0.1% kernel

E/ActivityManager(924):   0% 166/ueventd: 0% user + 0% kernel

E/ActivityManager(924):   0% 241/healthd: 0% user + 0% kernel

E/ActivityManager(924):   0% 243/vold: 0% user + 0% kernel

E/ActivityManager(924):   0.1% 252/zygote: 0% user + 0.1% kernel / faults: 47 minor

E/ActivityManager(924):   0% 254/mediaserver: 0% user + 0% kernel

E/ActivityManager(924):   0% 1464/com.google.process.gapps: 0% user + 0% kernel

E/ActivityManager(924):   0% 4140/libblank_webserver_exec.so: 0% user + 0% kernel

E/ActivityManager(924):   0% 8656/kworker/u:3H: 0% user + 0% kernel

E/ActivityManager(924):   0% 10659/kworker/1:1: 0% user + 0% kernel

E/ActivityManager(924):   0% 10998/kworker/u:4H: 0% user + 0% kernel

E/ActivityManager(924):   0% 12202/ch.bitspin.timely: 0% user + 0% kernel

E/ActivityManager(924):   0% 18635/kworker/0:1: 0% user + 0% kernel

E/ActivityManager(924): +0% 20384/kworker/0:4: 0% user + 0% kernel

E/ActivityManager(924): +0% 20385/<pre-initialized>: 0% user + 0% kernel

E/ActivityManager(924): +0% 20398/kworker/u:5: 0% user + 0% kernel

E/ActivityManager(924): 15% TOTAL: 8.4% user + 5% kernel + 0.6% iowait + 0.8% softirq

E/ActivityManager(924): CPU usage from 2687ms to 3201ms later:

E/ActivityManager(924):   7.4% 924/system_server: 1.8% user + 5.5% kernel

E/ActivityManager(924):   7.4% 956/ActivityManager: 3.7% user + 3.7% kernel

E/ActivityManager(924):   1.8% 6442/system_server: 0% user + 1.8% kernel

E/ActivityManager(924):   1.1% 286/sensors.qcom: 1.1% user + 0% kernel

E/ActivityManager(924):   1.1% 857/sensors.qcom: 1.1% user + 0% kernel

E/ActivityManager(924):   1.2% 2527/irq/33-cpubw_hw: 0% user + 1.2% kernel

E/ActivityManager(924): 3.8% TOTAL: 0.9% user + 2.8% kernel

I/ActivityManager(924): Killing 11446:com.google.android.youtube/u0a85 (adj 0): background ANR

D/DropBoxFileObserver(3016): /data/system/dropbox/system_app_anr@1411372554158.txt.gz

W/ActivityManager(924): Process ProcessRecord{422e3440 20385:com.google.android.music:main/u0a66} failed to attach

I/ActivityManager(924): Killing 20385:com.google.android.music:main/u0a66 (adj -100): start timeout

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

V/Zygote (20405): Switching descriptor 52 to /dev/null

V/Zygote (20405): Switching descriptor 9 to /dev/null

I/ActivityManager(924): Start proc com.google.android.music:main for broadcast com.google.android.music/.leanback.AutoCacheSchedulingService$ActionReceiver: pid=20405 uid=10066 gids={50066, 3003, 1028, 1015}

W/BroadcastQueue(924): Timeout of broadcast BroadcastRecord{4324f2c0 u-1 android.intent.action.SCREEN_ON} - receiver=android.os.BinderProxy@421fb940, started 10001ms ago

W/BroadcastQueue(924): Receiver during timeout: BroadcastFilter{421fbfd8 u0 ReceiverList{421fbf08 1464 com.google.process.gapps/10013/u0 remote:421fb940}}

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.SCREEN_ON flg=0x50000010 }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

I/Process (924): Sending signal. PID: 1464 SIG: 3

I/dalvikvm(1464): threadid=3: reacting to signal 3

I/dalvikvm(1464): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.setHidden(IKeyguardService.java:345)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.setHidden(KeyguardServiceWrapper.java:105)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.setHidden(KeyguardServiceDelegate.java:179)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.finishPostLayoutPolicyLw(PhoneWindowManager.java:4316)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedInner(WindowManagerService.java:9201)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedLoop(WindowManagerService.java:8345)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLocked(WindowManagerService.java:8287)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.updateRotationUnchecked(WindowManagerService.java:6029)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.updateRotation(WindowManagerService.java:5988)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.updateRotation(PhoneWindowManager.java:5835)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager$MyOrientationListener.onProposedRotationChanged(PhoneWindowManager.java:722)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.WindowOrientationListener$SensorEventListenerImpl.onSensorChanged(WindowOrientationListener.java:572)

W/KeyguardServiceWrapper(924): at android.hardware.SystemSensorManager$SensorEventQueue.dispatchSensorEvent(SystemSensorManager.java:418)

W/KeyguardServiceWrapper(924): at android.os.MessageQueue.nativePollOnce(Native Method)

W/KeyguardServiceWrapper(924): at android.os.MessageQueue.next(MessageQueue.java:138)

W/KeyguardServiceWrapper(924): at android.os.Looper.loop(Looper.java:123)

W/KeyguardServiceWrapper(924): at android.os.HandlerThread.run(HandlerThread.java:61)

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1117 SIG: 3

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.setHidden(IKeyguardService.java:345)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.setHidden(KeyguardServiceWrapper.java:105)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.setHidden(KeyguardServiceDelegate.java:179)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.finishPostLayoutPolicyLw(PhoneWindowManager.java:4316)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedInner(WindowManagerService.java:9201)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedLoop(WindowManagerService.java:8345)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLocked(Wind

owManagerService.java:8287)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.updateRotationUnchecked(WindowManagerService.java:6029)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.updateRotation(WindowManagerService.java:5988)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.updateRotation(PhoneWindowManager.java:5835)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager$MyOrientationListener.onProposedRotationChanged(PhoneWindowManager.java:722)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.WindowOrientationListener$SensorEventListenerImpl.onSensorChanged(WindowOrientationListener.java:572)

W/KeyguardServiceWrapper(924): at android.hardware.SystemSensorManager$SensorEventQueue.dispatchSensorEvent(SystemSensorManager.java:418)

W/KeyguardServiceWrapper(924): at android.os.MessageQueue.nativePollOnce(Native Method)

W/KeyguardServiceWrapper(924): at android.os.MessageQueue.next(MessageQueue.java:138)

W/KeyguardServiceWrapper(924): at android.os.Looper.loop(Looper.java:123)

W/KeyguardServiceWrapper(924): at android.os.HandlerThread.run(HandlerThread.java:61)

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.setHidden(IKeyguardService.java:345)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.setHidden(KeyguardServiceWrapper.java:105)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.setHidden(KeyguardServiceDelegate.java:179)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.finishPostLayoutPolicyLw(PhoneWindowManager.java:4316)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedInner(

WindowManagerService.java:9201)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedLoop(WindowManagerService.java:8345)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLocked(WindowManagerService.java:8287)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.updateRotationUnchecked(WindowManagerService.java:6029)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.updateRotation(WindowManagerService.java:5988)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.updateRotation(PhoneWindowManager.java:5835)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager$MyOrientationListener.onProposedRotationChanged(PhoneWindowManager.java:722)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.WindowOrientationListener$SensorEventListenerImpl.onSensorChanged(WindowOrientationListener.java:572)

W/KeyguardServiceWrapper(924): at android.hardware.SystemSensorManager$SensorEventQueue.dispatchSensorEvent(SystemSe

nsorManager.java:418)

W/KeyguardServiceWrapper(924): at android.os.MessageQueue.nativePollOnce(Native Method)

W/KeyguardServiceWrapper(924): at android.os.MessageQueue.next(MessageQueue.java:138)

W/KeyguardServiceWrapper(924): at android.os.Looper.loop(Looper.java:123)

W/KeyguardServiceWrapper(924): at android.os.HandlerThread.run(HandlerThread.java:61)

E/ActivityManager(924): ANR in com.google.process.gapps

E/ActivityManager(924): PID: 1464

E/ActivityManager(924): Reason: Broadcast of Intent { act=android.intent.action.SCREEN_ON flg=0x50000010 }

E/ActivityManager(924): Load: 4.74 / 4.26 / 4.22

E/ActivityManager(924): CPU usage from 10007ms to 0ms ago:

E/ActivityManager(924):   15% 924/system_server: 12% user + 2.9% kernel / faults: 1276 minor

E/ActivityManager(924):   3.1% 249/debuggerd: 1.4% user + 1.6% kernel / faults: 3371 minor

E/ActivityManager(924): 1.8% 286/sensors.qcom: 0.4% user + 1.3% kernel / faults: 1 minor

E/ActivityManager(924): 1.1% 1294/com.android.phone: 0.9% user + 0.1% kernel

E/ActivityManager(924): 0.8% 2527/irq/33-cpubw_hw: 0% user + 0.8% kernel

E/ActivityManager(924): 0.5% 1347/com.android.nfc: 0.2% user + 0.2% kernel

E/ActivityManager(924): 0.4% 7/kworker/u:0H: 0% user + 0.4% kernel

E/ActivityManager(924): 0.3% 18678/kworker/u:4: 0% user + 0.3% kernel

E/ActivityManager(924): 0.2% 1302/org.cyanogenmod.audiofx: 0.1% user + 0% kernel

E/ActivityManager(924): 0.2% 1324/com.android.incallui: 0.2% user + 0% kernel

E/ActivityManager(924): 0.1% 20359/kworker/u:2: 0% user + 0.1% kernel

E/ActivityManager(924): 0.1% 5/kworker/0:0H: 0% user + 0.1% kernel

E/ActivityManager(924): 0.1% 20159/kworker/0:0: 0% user + 0.1% kernel

E/ActivityManager(924): 0.2% 20398/kworker/u:5: 0% user + 0.2% kernel

E/ActivityManager(924):   0% 6/kworker/u:0: 0% user + 0% kernel

E/ActivityManager(924):   0% 11/rcuc/1: 0% user + 0% kernel

E/ActivityManager(924):   0% 13/ksoftirqd/1: 0% user + 0% kernel

E/ActivityManager(924):   0% 66/kworker/1:1H: 0% user + 0% kernel

E/ActivityManager(924):   0% 127/cfinteractive: 0% user + 0% kernel

E/ActivityManager(924):   0% 164/mmcqd/0: 0% user + 0% kernel

E/ActivityManager(924):   0% 241/healthd: 0% user + 0% kernel

E/ActivityManager(924):   0% 251/surfaceflinger: 0% user + 0% kernel

E/ActivityManager(924):   0% 252/zygote: 0% user + 0% kernel / faults: 47 minor

E/ActivityManager(924):   0% 285/sdcard: 0% user + 0% kernel

E/ActivityManager(924):   0% 302/adbd: 0% user + 0% kernel

E/ActivityManager(924):   0% 3016/com.cyngn.logger: 0% user + 0% kernel / faults: 13 minor

E/ActivityManager(924):   0% 4140/libblank_webserver_exec.so: 0% user + 0% kernel

E/ActivityManager(924):   0% 12202/ch.bitspin.timely: 0% user + 0% kernel

E/ActivityManager(924): +0% 20405/<pre-initialized>: 0% user + 0% kernel

E/ActivityManager(924): 14% TOTAL: 8.9% user + 4.8% kernel + 0.1% iowait + 0.6% softirq

E/ActivityManager(924): CPU usage from 2730ms to 3245ms later:

E/ActivityManager(924):   9.4% 924/system_server: 3.7% user + 5.6% kernel / faults: 1 minor

E/ActivityManager(924):   5.6% 956/ActivityManager: 0% user + 5.6% kernel

E/ActivityManager(924):   3.7% 961/android.ui: 3.7% user + 0% kernel

E/ActivityManager(924):   1.8% 937/system_server: 0% user + 1.8% kernel

E/ActivityManager(924):   2.3% 286/sensors.qcom: 1.1% user + 1.1% kernel

E/ActivityManager(924):   1.1% 857/sensors.qcom: 0% user + 1.1% kernel

E/ActivityManager(924):   1.1% 1080/sensors.qcom: 1.1% user + 0% kernel

E/ActivityManager(924):   1.9% 7/kworker/u:0H: 0% user + 1.9% kernel

E/ActivityManager(924): 3% TOTAL: 3% user + 0% kernel

I/ActivityManager(924): Killing 1464:com.google.process.gapps/u0a13 (adj 0): background ANR

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.SCREEN_ON flg=0x50000010 }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

D/DropBoxFileObserver(3016): /data/system/dropbox/system_app_anr@1411372564080.txt.gz

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at
com.android.internal.policy.IKeyguardService$Stub$Proxy.setHidden(IKeyguardService.java:34
5)

W/KeyguardServiceWrapper(924): at
com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.setHidden(KeyguardServic
eWrapper.java:105)

W/KeyguardServiceWrapper(924): at
com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.setHidden(KeyguardServic
eDelegate.java:179)

W/KeyguardServiceWrapper(924): at

com.android.internal.policy.impl.PhoneWindowManager.finishPostLayoutPolicyLw(PhoneWindowManager.java:4316)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedInner(WindowManagerService.java:9201)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedLoop(WindowManagerService.java:8345)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLocked(WindowManagerService.java:8287)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.updateRotationUnchecked(WindowManagerService.java:6029)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.updateRotation(WindowManagerService.java:5988)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.updateRotation(PhoneWindowManager.java:5835)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager$MyOrientationListener.onProposedRotationChanged(PhoneWindowManager.java:722)

W/KeyguardServiceWrapper(924): at

com.android.internal.policy.impl.WindowOrientationListener$SensorEventListenerImpl.onSensorChanged(WindowOrientationListener.java:572)

W/KeyguardServiceWrapper(924): at android.hardware.SystemSensorManager$SensorEventQueue.dispatchSensorEvent(SystemSensorManager.java:418)

W/KeyguardServiceWrapper(924): at android.os.MessageQueue.nativePollOnce(Native Method)

W/KeyguardServiceWrapper(924): at android.os.MessageQueue.next(MessageQueue.java:138)

W/KeyguardServiceWrapper(924): at android.os.Looper.loop(Looper.java:123)

W/KeyguardServiceWrapper(924): at android.os.HandlerThread.run(HandlerThread.java:61)

W/ActivityManager(924): Process ProcessRecord{42522f20 20405:com.google.android.music:main/u0a66} failed to attach

I/ActivityManager(924): Killing 20405:com.google.android.music:main/u0a66 (adj -100): start timeout

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

V/Zygote (20424): Switching descriptor 52 to /dev/null

V/Zygote (20424): Switching descriptor 9 to /dev/null

I/ActivityManager(924): Start proc com.google.android.music:main for broadcast com.google.android.music/.leanback.AutoCacheSchedulingService$ActionReceiver: pid=20424 uid=10066 gids={50066, 3003, 1028, 1015}

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.setHidden(IKeyguardService.java:345)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.setHidden(KeyguardServiceWrapper.java:105)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.setHidden(KeyguardServiceDelegate.java:179)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.finishPostLayoutPolicyLw(PhoneWindowManager.java:4316)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedInner(WindowManagerService.java:9201)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedLoop(WindowManagerService.java:8345)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLocked(WindowManagerService.java:8287)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.updateRotationUnchecked(WindowManagerService.java:6029)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.updateRotation(WindowManagerService.java:5988)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.updateRotation(PhoneWindowManager.java:5835)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager$MyOrientationListener.onProposedRotationChanged(PhoneWindowManager.java:722)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.WindowOrientationListener$SensorEventListenerImpl.onSensorChanged(WindowOrientationListener.java:572)

W/KeyguardServiceWrapper(924): at android.hardware.SystemSensorManager$SensorEventQueue.dispatchSensorEvent(SystemSensorManager.java:418)

W/KeyguardServiceWrapper(924): at android.os.MessageQueue.nativePollOnce(Native Method)

W/KeyguardServiceWrapper(924): at android.os.MessageQueue.next(MessageQueue.java:138)

W/KeyguardServiceWrapper(924): at android.os.Looper.loop(Looper.java:123)

W/KeyguardServiceWrapper(924): at android.os.HandlerThread.run(HandlerThread.java:61)

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.setHidden(IKeyguardService.java:345)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.setHidden(KeyguardServiceWrapper.java:105)

W/KeyguardServiceWrapper(924): at

com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.setHidden(KeyguardServiceDelegate.java:179)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.finishPostLayoutPolicyLw(PhoneWindowManager.java:4316)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedInner(WindowManagerService.java:9201)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedLoop(WindowManagerService.java:8345)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLocked(WindowManagerService.java:8287)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.updateRotationUnchecked(WindowManagerService.java:6029)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.updateRotation(WindowManagerService.java:5988)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.updateRotation(PhoneWindowManager.java:5835)

W/KeyguardServiceWrapper(924): at

com.android.internal.policy.impl.PhoneWindowManager$MyOrientationListener.onProposedRotationChanged(PhoneWindowManager.java:722)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.WindowOrientationListener$SensorEventListenerImpl.onSensorChanged(WindowOrientationListener.java:572)

W/KeyguardServiceWrapper(924): at android.hardware.SystemSensorManager$SensorEventQueue.dispatchSensorEvent(SystemSensorManager.java:418)

W/KeyguardServiceWrapper(924): at android.os.MessageQueue.nativePollOnce(Native Method)

W/KeyguardServiceWrapper(924): at android.os.MessageQueue.next(MessageQueue.java:138)

W/KeyguardServiceWrapper(924): at android.os.Looper.loop(Looper.java:123)

W/KeyguardServiceWrapper(924): at android.os.HandlerThread.run(HandlerThread.java:61)

E/NotificationService(924): unable to notify listener (posted): android.service.notification.INotificationListener$Stub$Proxy@42f160b0

E/NotificationService(924): android.os.DeadObjectException

E/NotificationService(924): at android.os.BinderProxy.transact(Native Method)

E/NotificationService(924): at

android.service.notification.INotificationListener$Stub$Proxy.onNotificationPosted(INotificationListener.java:102)

E/NotificationService(924): at com.android.server.NotificationManagerService$NotificationListenerInfo.notifyPostedIfUserMatch(NotificationManagerService.java:255)

E/NotificationService(924): at com.android.server.NotificationManagerService$2.run(NotificationManagerService.java:839)

E/NotificationService(924): at android.os.Handler.handleCallback(Handler.java:733)

E/NotificationService(924): at android.os.Handler.dispatchMessage(Handler.java:95)

E/NotificationService(924): at android.os.Looper.loop(Looper.java:136)

E/NotificationService(924): at com.android.server.ServerThread.initAndLoop(SystemServer.java:1290)

E/NotificationService(924): at de.robv.android.xposed.XposedBridge.invokeOriginalMethodNative(Native Method)

E/NotificationService(924): at de.robv.android.xposed.XposedBridge.handleHookedMethod(XposedBridge.java:631)

E/NotificationService(924): at com.android.server.ServerThread.initAndLoop(Native Method)

E/NotificationService(924): at

com.android.server.SystemServer.main(SystemServer.java:1387)

E/NotificationService(924): at java.lang.reflect.Method.invokeNative(Native Method)

E/NotificationService(924): at java.lang.reflect.Method.invoke(Method.java:515)

E/NotificationService(924): at
com.android.internal.os.ZygoteInit$MethodAndArgsCaller.run(ZygoteInit.java:795)

E/NotificationService(924): at com.android.internal.os.ZygoteInit.main(ZygoteInit.java:611)

E/NotificationService(924): at
de.robv.android.xposed.XposedBridge.main(XposedBridge.java:132)

E/NotificationService(924): at dalvik.system.NativeStart.main(Native Method)

E/NotificationService(924): unable to notify listener (posted):
android.service.notification.INotificationListener$Stub$Proxy@429fb300

E/NotificationService(924): android.os.DeadObjectException

E/NotificationService(924): at android.os.BinderProxy.transact(Native Method)

E/NotificationService(924): at
android.service.notification.INotificationListener$Stub$Proxy.onNotificationPosted(INotificationLi
stener.java:102)

E/NotificationService(924): at com.android.server.NotificationManagerService$NotificationListenerInfo.notifyPostedIfUserMatch(NotificationManagerService.java:255)

E/NotificationService(924): at com.android.server.NotificationManagerService$2.run(NotificationManagerService.java:839)

E/NotificationService(924): at android.os.Handler.handleCallback(Handler.java:733)

E/NotificationService(924): at android.os.Handler.dispatchMessage(Handler.java:95)

E/NotificationService(924): at android.os.Looper.loop(Looper.java:136)

E/NotificationService(924): at com.android.server.ServerThread.initAndLoop(SystemServer.java:1290)

E/NotificationService(924): at de.robv.android.xposed.XposedBridge.invokeOriginalMethodNative(Native Method)

E/NotificationService(924): at de.robv.android.xposed.XposedBridge.handleHookedMethod(XposedBridge.java:631)

E/NotificationService(924): at com.android.server.ServerThread.initAndLoop(Native Method)

E/NotificationService(924): at com.android.server.SystemServer.main(SystemServer.java:1387)

E/NotificationService(924): at java.lang.reflect.Method.invokeNative(Native Method)

E/NotificationService(924): at java.lang.reflect.Method.invoke(Method.java:515)

E/NotificationService(924): at com.android.internal.os.ZygoteInit$MethodAndArgsCaller.run(ZygoteInit.java:795)

E/NotificationService(924): at com.android.internal.os.ZygoteInit.main(ZygoteInit.java:611)

E/NotificationService(924): at de.robv.android.xposed.XposedBridge.main(XposedBridge.java:132)

E/NotificationService(924): at dalvik.system.NativeStart.main(Native Method)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.hardware.usb.action.USB_STATE flg=0x20000010 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at

com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:567)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.hardware.usb.action.USB_STATE flg=0x20000010 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at

com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:567)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.hardware.usb.action.USB_STATE flg=0x20000010 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java

:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:567)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.hardware.usb.action.USB_STATE flg=0x20000010 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924):   at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924):   at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:567)

W/BroadcastQueue(924):   at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.hardware.usb.action.USB_STATE flg=0x20000010 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:567)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Timeout of broadcast BroadcastRecord{4324f2c0 u-1 android.intent.action.SCREEN_ON} - receiver=android.os.BinderProxy@42af11a0, started 10004ms ago

W/BroadcastQueue(924): Receiver during timeout: BroadcastFilter{42e92058 u-1 ReceiverList{42efa120 1347 com.android.nfc/1027/u-1 remote:42af11a0}}

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/dalvikvm(1347): threadid=3: reacting to signal 3

I/dalvikvm(1347): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/Process (924): Sending signal. PID: 1117 SIG: 3

D/SurfaceFlinger(251): Screen released, type=0 flinger=0xb8e63450

D/qdhwcomposer(251): hwc_blank: Blanking display: 0

I/PowerManagerService(924): Going to sleep due to screen timeout...

D/DisplayPowerController(924): Unblocked screen on after 9455935 ms

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 0

D/qdhwcomposer(251): hwc_blank: Done blanking display: 0

D/SurfaceControl(924): Excessive delay in blankDisplay() while turning screen off: 289ms

I/QCOM PowerHAL(924): Got set_interactive hint

E/QCOM PowerHAL(924): Failed to acquire lock.

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.setHidden(IKeyguardService.java:345)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.setHidden(KeyguardServiceWrapper.java:105)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.setHidden(KeyguardServiceDelegate.java:179)

W/KeyguardServiceWrapper(924): at

com.android.internal.policy.impl.PhoneWindowManager.finishPostLayoutPolicyLw(PhoneWindowManager.java:4316)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedInner(WindowManagerService.java:9201)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedLoop(WindowManagerService.java:8345)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLocked(WindowManagerService.java:8287)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.access$400(WindowManagerService.java:160)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService$H.handleMessage(WindowManagerService.java:7321)

W/KeyguardServiceWrapper(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/KeyguardServiceWrapper(924): at android.os.Looper.loop(Looper.java:136)

W/KeyguardServiceWrapper(924): at android.os.HandlerThread.run(HandlerThread.java:61)

E/ActivityManager(924): ANR in com.android.nfc

E/ActivityManager(924): PID: 1347

E/ActivityManager(924): Reason: Broadcast of Intent { act=android.intent.action.SCREEN_ON flg=0x50000010 }

E/ActivityManager(924): Load: 4.66 / 4.26 / 4.22

E/ActivityManager(924): CPU usage from 13300ms to 0ms ago with 99% awake:

E/ActivityManager(924):   12% 924/system_server: 8.9% user + 3.4% kernel / faults: 840 minor

E/ActivityManager(924):   2.4% 249/debuggerd: 1.2% user + 1.2% kernel / faults: 3371 minor

E/ActivityManager(924):   1.9% 286/sensors.qcom: 0.6% user + 1.2% kernel / faults: 1 minor

E/ActivityManager(924):   0.9% 241/healthd: 0% user + 0.9% kernel

E/ActivityManager(924):   0.6% 1294/com.android.phone: 0.5% user + 0.1% kernel

E/ActivityManager(924):   0.6% 7/kworker/u:0H: 0% user + 0.6% kernel

E/ActivityManager(924):   0.4% 2527/irq/33-cpubw_hw: 0% user + 0.4% kernel

E/ActivityManager(924):   0.3% 6/kworker/u:0: 0% user + 0.3% kernel

E/ActivityManager(924):   0.3% 1347/com.android.nfc: 0.3% user + 0% kernel

E/ActivityManager(924):   0.3% 18678/kworker/u:4: 0% user + 0.3% kernel

E/ActivityManager(924):   0% 19309/kworker/0:2: 0% user + 0% kernel

E/ActivityManager(924):   0.3% 20359/kworker/u:2: 0% user + 0.3% kernel

E/ActivityManager(924):   0.1% 20384/kworker/0:4: 0% user + 0.1% kernel

E/ActivityManager(924):   0.3% 20398/kworker/u:5: 0% user + 0.3% kernel

E/ActivityManager(924):   0.1% 3/ksoftirqd/0: 0% user + 0.1% kernel

E/ActivityManager(924):   0.2% 1324/com.android.incallui: 0% user + 0.1% kernel

E/ActivityManager(924):   0.2% 20159/kworker/0:0: 0% user + 0.2% kernel

E/ActivityManager(924):   0.1% 5/kworker/0:0H: 0% user + 0.1% kernel

E/ActivityManager(924):   0.1% 127/cfinteractive: 0% user + 0.1% kernel

E/ActivityManager(924):   0.1% 164/mmcqd/0: 0% user + 0.1% kernel

E/ActivityManager(924):   0% 248/netd: 0% user + 0% kernel

E/ActivityManager(924):   0.1% 251/surfaceflinger: 0% user + 0.1% kernel

E/ActivityManager(924):   0.1% 252/zygote: 0% user + 0.1% kernel / faults: 47 minor

E/ActivityManager(924):   0.1% 302/adbd: 0.1% user + 0% kernel / faults: 6 minor

E/ActivityManager(924):   0.1% 1302/org.cyanogenmod.audiofx: 0% user + 0% kernel

E/ActivityManager(924):   0.1% 12202/ch.bitspin.timely: 0% user + 0.1% kernel

E/ActivityManager(924):   0% 1//init: 0% user + 0% kernel / faults: 80 minor

E/ActivityManager(924):   0% 2/kthreadd: 0% user + 0% kernel

E/ActivityManager(924):   0% 9/rcuc/0: 0% user + 0% kernel

E/ActivityManager(924):   0% 13/ksoftirqd/1: 0% user + 0% kernel

E/ActivityManager(924):   0% 66/kworker/1:1H: 0% user + 0% kernel

E/ActivityManager(924):   0% 1147/MC_Thread: 0% user + 0% kernel

E/ActivityManager(924):   0% 1149/RX_Thread: 0% user + 0% kernel

E/ActivityManager(924):   0% 3016/com.cyngn.logger: 0% user + 0% kernel / faults: 9 minor

E/ActivityManager(924):   0% 4140/libblank_webserver_exec.so: 0% user + 0% kernel

E/ActivityManager(924):   0% 7780/com.laurencedawson.reddit_sync.pro: 0% user + 0% kernel

E/ActivityManager(924): +0% 20424/<pre-initialized>: 0% user + 0% kernel

E/ActivityManager(924): +0% 20437/kworker/0:5: 0% user + 0% kernel

E/ActivityManager(924): 12% TOTAL: 6.4% user + 5.1% kernel + 0% iowait + 0.7% softirq

E/ActivityManager(924): CPU usage from 3019ms to 3568ms later:

E/ActivityManager(924):   5.5% 924/system_server: 0% user + 5.5% kernel

E/ActivityManager(924):   5.5% 956/ActivityManager: 0% user + 5.5% kernel

E/ActivityManager(924):   0.8% 9/rcuc/0: 0% user + 0.8% kernel

E/ActivityManager(924): 5.4% TOTAL: 1.8% user + 3.6% kernel

I/ActivityManager(924): Killing 1347:com.android.nfc/1027 (adj -12): background ANR

I/ServiceManager(242): service 'nfc' died

W/ActivityManager(924): Process ProcessRecord{422e3440 20424:com.google.android.music:main/u0a66} failed to attach

I/ActivityManager(924): Killing 20424:com.google.android.music:main/u0a66 (adj -100): start timeout

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

V/Zygote (20444): Switching descriptor 52 to /dev/null

V/Zygote (20444): Switching descriptor 9 to /dev/null

I/ActivityManager(924): Start proc com.google.android.music:main for broadcast com.google.android.music/.leanback.AutoCacheSchedulingService$ActionReceiver: pid=20444 uid=10066 gids={50066, 3003, 1028, 1015}

D/DropBoxFileObserver(3016): /data/system/dropbox/system_app_anr@1411372577724.txt.gz

W/BroadcastQueue(924): Timeout of broadcast BroadcastRecord{4324f2c0 u-1 android.intent.action.SCREEN_ON} - receiver=android.os.BinderProxy@42bc1840, started 10008ms ago

W/BroadcastQueue(924): Receiver during timeout: BroadcastFilter{42fdbf50 u0 ReceiverList{42f46860 1294 com.android.phone/1001/u0 remote:42bc1840}}

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/dalvikvm(1294): threadid=3: reacting to signal 3

I/dalvikvm(1294): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/Process (924): Sending signal. PID: 1117 SIG: 3

I/Process (924): Sending signal. PID: 12202 SIG: 3

I/dalvikvm(12202): threadid=3: reacting to signal 3

I/dalvikvm(12202): Wrote stack traces to '/data/anr/traces.txt'

E/ActivityManager(924): ANR in com.android.phone

E/ActivityManager(924): PID: 1294

E/ActivityManager(924): Reason: Broadcast of Intent { act=android.intent.action.SCREEN_ON flg=0x50000010 }

E/ActivityManager(924): Load: 4.57 / 4.26 / 4.22

E/ActivityManager(924): CPU usage from 10009ms to 0ms ago:

E/ActivityManager(924):   14% 924/system_server: 10% user + 3.6% kernel / faults: 406 minor

E/ActivityManager(924):   3.8% 249/debuggerd: 2.6% user + 1.1% kernel / faults: 3371 minor

E/ActivityManager(924):   1.6% 1294/com.android.phone: 1.4% user + 0.1% kernel

E/ActivityManager(924):   0.4% 286/sensors.qcom: 0.1% user + 0.2% kernel / faults: 1 minor

E/ActivityManager(924):   0.4% 1302/org.cyanogenmod.audiofx: 0.3% user + 0% kernel

E/ActivityManager(924):   0.2% 1324/com.android.incallui: 0.1% user + 0% kernel

E/ActivityManager(924):   0.1% 7/kworker/u:0H: 0% user + 0.1% kernel

E/ActivityManager(924):   0.1% 251/surfaceflinger: 0% user + 0.1% kernel

E/ActivityManager(924):   0.1% 20384/kworker/0:4: 0% user + 0.1% kernel

E/ActivityManager(924):   0.1% 20398/kworker/u:5: 0% user + 0.1% kernel

E/ActivityManager(924):   0% 1//init: 0% user + 0% kernel / faults: 40 minor

E/ActivityManager(924):   0% 5/kworker/0:0H: 0% user + 0% kernel

E/ActivityManager(924):   0% 9/rcuc/0: 0% user + 0% kernel

E/ActivityManager(924):   0% 66/kworker/1:1H: 0% user + 0% kernel

E/ActivityManager(924):   0.1% 127/cfinteractive: 0% user + 0.1% kernel

E/ActivityManager(924):   0% 164/mmcqd/0: 0% user + 0% kernel

E/ActivityManager(924):   0% 241/healthd: 0% user + 0% kernel

E/ActivityManager(924):   0% 252/zygote: 0% user + 0% kernel / faults: 47 minor

E/ActivityManager(924):   0.1% 2527/irq/33-cpubw_hw: 0% user + 0.1% kernel

E/ActivityManager(924):   0.1% 3016/com.cyngn.logger: 0% user + 0.1% kernel / faults: 9 minor

E/ActivityManager(924):   0.1% 4140/libblank_webserver_exec.so: 0% user + 0.1% kernel

E/ActivityManager(924):   0.1% 18678/kworker/u:4: 0% user + 0.1% kernel

E/ActivityManager(924):   0.1% 20159/kworker/0:0: 0% user + 0.1% kernel

E/ActivityManager(924): +0% 20444/<pre-initialized>: 0% user + 0% kernel

E/ActivityManager(924): 11% TOTAL: 8.2% user + 3.5% kernel + 0.1% iowait

E/ActivityManager(924): CPU usage from 3223ms to 3750ms later:

E/ActivityManager(924):   7.4% 924/system_server: 1.8% user + 5.5% kernel

E/ActivityManager(924):   9.2% 956/ActivityManager: 3.7% user + 5.5% kernel

E/ActivityManager(924):   1% 286/sensors.qcom: 0% user + 1% kernel

E/ActivityManager(924):   1% 857/sensors.qcom: 1% user + 0% kernel

E/ActivityManager(924):   1.2% 12202/ch.bitspin.timely: 1.2% user + 0% kernel

E/ActivityManager(924): 3.8% TOTAL: 0.9% user + 2.8% kernel

I/ActivityManager(924): Killing 1294:com.android.phone/1001 (adj -12): background ANR

W/ActivityManager(924): Process ProcessRecord{422a0460
20444:com.google.android.music:main/u0a66} failed to attach

I/ActivityManager(924): Killing 20444:com.google.android.music:main/u0a66 (adj -100): start
timeout

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

I/ServiceManager(242): service 'simphonebook' died

I/ServiceManager(242): service 'iphonesubinfo' died

I/ServiceManager(242): service 'isms' died

I/ServiceManager(242): service 'phone' died

I/ServiceManager(242): service 'sip' died

V/Zygote (20463): Switching descriptor 52 to /dev/null

V/Zygote (20463): Switching descriptor 9 to /dev/null

I/ActivityManager(924): Start proc com.google.android.music:main for broadcast com.google.android.music/.leanback.AutoCacheSchedulingService$ActionReceiver: pid=20463 uid=10066 gids={50066, 3003, 1028, 1015}

D/DropBoxFileObserver(3016): /data/system/dropbox/system_app_anr@1411372588012.txt.gz

W/BroadcastQueue(924): Receiver during timeout: BroadcastFilter{42c13230 u0 ReceiverList{42c131d0 1294 com.android.phone/1001/u0 remote:42c12fd0}}

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.SCREEN_ON flg=0x50000010 }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Timeout of broadcast BroadcastRecord{4324f2c0 u-1 android.intent.action.SCREEN_ON} - receiver=android.os.BinderProxy@42c12fd0, started 10007ms ago

I/ActivityManager(924): Skipping duplicate ANR: ProcessRecord{42837c98 1294:com.android.phone/1001} Broadcast of Intent { act=android.intent.action.SCREEN_ON flg=0x50000010 }

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.SCREEN_ON flg=0x50000010 }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924):   at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924):   at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

D/audio_hw_primary(254): adev_set_parameters: enter: screen_state=on

D/audio_hw_extn(254): audio_extn_set_anc_parameters: anc_enabled:0

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.SCREEN_ON flg=0x50000010 }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at

com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService.finishReceiver(ActivityManagerService.java:13955)

W/BroadcastQueue(924): at android.content.BroadcastReceiver$PendingResult.sendFinished(BroadcastReceiver.java:420)

W/BroadcastQueue(924): at android.content.BroadcastReceiver$PendingResult.finish(BroadcastReceiver.java:396)

W/BroadcastQueue(924): at android.app.LoadedApk$ReceiverDispatcher$Args.run(LoadedApk.java:783)

W/BroadcastQueue(924): at android.os.Handler.handleCallback(Handler.java:733)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:95)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.ServerThread.initAndLoop(SystemServer.java:1290)

W/BroadcastQueue(924): at de.robv.android.xposed.XposedBridge.invokeOriginalMethodNative(Native Method)

W/BroadcastQueue(924): at de.robv.android.xposed.XposedBridge.handleHookedMethod(XposedBridge.java:631)

W/BroadcastQueue(924): at com.android.server.ServerThread.initAndLoop(Native Method)

W/BroadcastQueue(924): at com.android.server.SystemServer.main(SystemServer.java:1387)

W/BroadcastQueue(924): at java.lang.reflect.Method.invokeNative(Native Method)

W/BroadcastQueue(924): at java.lang.reflect.Method.invoke(Method.java:515)

W/BroadcastQueue(924): at com.android.internal.os.ZygoteInit$MethodAndArgsCaller.run(ZygoteInit.java:795)

W/BroadcastQueue(924): at com.android.internal.os.ZygoteInit.main(ZygoteInit.java:611)

W/BroadcastQueue(924): at de.robv.android.xposed.XposedBridge.main(XposedBridge.java:132)

W/BroadcastQueue(924): at dalvik.system.NativeStart.main(Native Method)

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.isShowingAndNotHidden(IKeyguardService.java:270)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.isShowingAndNotHidden(KeyguardServiceWrapper.java:62)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.isShowingAndNotHidden(KeyguardServiceDelegate.java:153)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.keyguardIsShowingTq(PhoneWindowManager.java:5330)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.keyguardOn(PhoneWindowManager.java:2468)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.isKeyguardLocked(PhoneWindowManager.java:5336)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.isKeyguardLocked(WindowManagerService.java:5187)

W/KeyguardServiceWrapper(924): at android.app.KeyguardManager.isKeyguardLocked(KeyguardManager.java:144)

W/KeyguardServiceWrapper(924): at com.android.server.InputMethodManagerService.isKeyguardLocked(InputMethodManagerService.java:1513)

W/KeyguardServiceWrapper(924): at com.android.server.InputMethodManagerService.refreshImeWindowVisibilityLocked(InputMethodManagerService.java:896)

W/KeyguardServiceWrapper(924): at com.android.server.InputMethodManagerService.access$000(InputMethodManagerService.java:130)

W/KeyguardServiceWrapper(924): at com.android.server.InputMethodManagerService$ImmsBroadcastReceiver.onReceive(InputMethodManagerService.java:444)

W/KeyguardServiceWrapper(924): at android.app.LoadedApk$ReceiverDispatcher$Args.run(LoadedApk.java:766)

W/KeyguardServiceWrapper(924): at android.os.Handler.handleCallback(Handler.java:733)

W/KeyguardServiceWrapper(924): at android.os.Handler.dispatchMessage(Handler.java:95)

W/KeyguardServiceWrapper(924): at android.os.Looper.loop(Looper.java:136)

W/KeyguardServiceWrapper(924): at com.android.server.ServerThread.initAndLoop(SystemServer.java:1290)

W/KeyguardServiceWrapper(924): at de.robv.android.xposed.XposedBridge.invokeOriginalMethodNative(Native Method)

W/KeyguardServiceWrapper(924): at de.robv.android.xposed.XposedBridge.handleHookedMethod(XposedBridge.java:631)

W/KeyguardServiceWrapper(924): at com.android.server.ServerThread.initAndLoop(Native Method)

W/KeyguardServiceWrapper(924): at com.android.server.SystemServer.main(SystemServer.java:1387)

W/KeyguardServiceWrapper(924): at java.lang.reflect.Method.invokeNative(Native Method)

W/KeyguardServiceWrapper(924): at java.lang.reflect.Method.invoke(Method.java:515)

W/KeyguardServiceWrapper(924): at com.android.internal.os.ZygoteInit$MethodAndArgsCaller.run(ZygoteInit.java:795)

W/KeyguardServiceWrapper(924): at com.android.internal.os.ZygoteInit.main(ZygoteInit.java:611)

W/KeyguardServiceWrapper(924): at

de.robv.android.xposed.XposedBridge.main(XposedBridge.java:132)

W/KeyguardServiceWrapper(924): at dalvik.system.NativeStart.main(Native Method)

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.isInputRestricted(IKeyguardService.java:287)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.isInputRestricted(KeyguardServiceWrapper.java:71)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.isInputRestricted(KeyguardServiceDelegate.java:160)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.inKeyguardRestrictedKeyInputMode(PhoneWindowManager.java:5348)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.keyguardOn(PhoneWindowManager.java:2468)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.isKeyguardLocked(PhoneWindowManager.java:5336)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.isKeyguardLocked(WindowManagerService.java:5187)

W/KeyguardServiceWrapper(924): at android.app.KeyguardManager.isKeyguardLocked(KeyguardManager.java:144)

W/KeyguardServiceWrapper(924): at com.android.server.InputMethodManagerService.isKeyguardLocked(InputMethodManagerService.java:1513)

W/KeyguardServiceWrapper(924): at com.android.server.InputMethodManagerService.refreshImeWindowVisibilityLocked(InputMethodManagerService.java:896)

W/KeyguardServiceWrapper(924): at com.android.server.InputMethodManagerService.access$000(InputMethodManagerService.java:130)

W/KeyguardServiceWrapper(924): at com.android.server.InputMethodManagerService$ImmsBroadcastReceiver.onReceive(InputMethodManagerService.java:444)

W/KeyguardServiceWrapper(924): at android.app.LoadedApk$ReceiverDispatcher$Args.run(LoadedApk.java:766)

W/KeyguardServiceWrapper(924): at android.os.Handler.handleCallback(Handler.java:733)

W/KeyguardServiceWrapper(924): at android.os.Handler.dispatchMessage(Handler.java:95)

W/KeyguardServiceWrapper(924): at android.os.Looper.loop(Looper.java:136)

W/KeyguardServiceWrapper(924): at
com.android.server.ServerThread.initAndLoop(SystemServer.java:1290)

W/KeyguardServiceWrapper(924): at
de.robv.android.xposed.XposedBridge.invokeOriginalMethodNative(Native Method)

W/KeyguardServiceWrapper(924): at
de.robv.android.xposed.XposedBridge.handleHookedMethod(XposedBridge.java:631)

W/KeyguardServiceWrapper(924): at com.android.server.ServerThread.initAndLoop(Native
Method)

W/KeyguardServiceWrapper(924): at
com.android.server.SystemServer.main(SystemServer.java:1387)

W/KeyguardServiceWrapper(924): at java.lang.reflect.Method.invokeNative(Native Method)

W/KeyguardServiceWrapper(924): at java.lang.reflect.Method.invoke(Method.java:515)

W/KeyguardServiceWrapper(924): at
com.android.internal.os.ZygoteInit$MethodAndArgsCaller.run(ZygoteInit.java:795)

W/KeyguardServiceWrapper(924): at com.android.internal.os.ZygoteInit.main(ZygoteInit.java:611)

W/KeyguardServiceWrapper(924): at de.robv.android.xposed.XposedBridge.main(XposedBridge.java:132)

W/KeyguardServiceWrapper(924): at dalvik.system.NativeStart.main(Native Method)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.SCREEN_ON flg=0x50000010 }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService.finishReceiver(ActivityManagerService.java:13955)

W/BroadcastQueue(924): at android.content.BroadcastReceiver$PendingResult.sendFinished(BroadcastReceiver.java:420)

W/BroadcastQueue(924): at android.content.BroadcastReceiver$PendingResult.finish(BroadcastReceiver.java:396)

W/BroadcastQueue(924): at android.app.LoadedApk$ReceiverDispatcher$Args.run(LoadedApk.java:783)

W/BroadcastQueue(924): at android.os.Handler.handleCallback(Handler.java:733)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:95)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.ServerThread.initAndLoop(SystemServer.java:1290)

W/BroadcastQueue(924): at de.robv.android.xposed.XposedBridge.invokeOriginalMethodNative(Native Method)

W/BroadcastQueue(924): at de.robv.android.xposed.XposedBridge.handleHookedMethod(XposedBridge.java:631)

W/BroadcastQueue(924): at com.android.server.ServerThread.initAndLoop(Native Method)

W/BroadcastQueue(924): at com.android.server.SystemServer.main(SystemServer.java:1387)

W/BroadcastQueue(924): at java.lang.reflect.Method.invokeNative(Native Method)

W/BroadcastQueue(924): at java.lang.reflect.Method.invoke(Method.java:515)

W/BroadcastQueue(924): at com.android.internal.os.ZygoteInit$MethodAndArgsCaller.run(ZygoteInit.java:795)

W/BroadcastQueue(924): at com.android.internal.os.ZygoteInit.main(ZygoteInit.java:611)

W/BroadcastQueue(924): at de.robv.android.xposed.XposedBridge.main(XposedBridge.java:132)

W/BroadcastQueue(924): at dalvik.system.NativeStart.main(Native Method)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.SCREEN_ON flg=0x50000010 }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.onScreenTurnedOff(IKeyguardService.java:390)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.onScreenTurnedOff(KeyguardServiceWrapper.java:137)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.onScreenTurnedOff(KeyguardServiceDelegate.java:227)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.screenTurnedOff(PhoneWindowManager.java:5212)

W/KeyguardServiceWrapper(924): at com.android.server.power.Notifier.sendGoToSleepBroadcast(Notifier.java:482)

W/KeyguardServiceWrapper(924): at com.android.server.power.Notifier.sendNextBroadcast(Notifier.java:415)

W/KeyguardServiceWrapper(924): at com.android.server.power.Notifier.access$500(Notifier.java:63)

W/KeyguardServiceWrapper(924): at com.android.server.power.Notifier$2.onReceive(Notifier.java:461)

W/KeyguardServiceWrapper(924): at android.app.LoadedApk$ReceiverDispatcher$Args.run(LoadedApk.java:766)

W/KeyguardServiceWrapper(924): at android.os.Handler.handleCallback(Handler.java:733)

W/KeyguardServiceWrapper(924): at android.os.Handler.dispatchMessage(Handler.java:95)

W/KeyguardServiceWrapper(924): at android.os.Looper.loop(Looper.java:136)

W/KeyguardServiceWrapper(924): at com.android.server.ServerThread.initAndLoop(SystemServer.java:1290)

W/KeyguardServiceWrapper(924): at de.robv.android.xposed.XposedBridge.invokeOriginalMethodNative(Native Method)

W/KeyguardServiceWrapper(924): at de.robv.android.xposed.XposedBridge.handleHookedMethod(XposedBridge.java:631)

W/KeyguardServiceWrapper(924): at com.android.server.ServerThread.initAndLoop(Native Method)

W/KeyguardServiceWrapper(924): at com.android.server.SystemServer.main(SystemServer.java:1387)

W/KeyguardServiceWrapper(924): at java.lang.reflect.Method.invokeNative(Native Method)

W/KeyguardServiceWrapper(924): at java.lang.reflect.Method.invoke(Method.java:515)

W/KeyguardServiceWrapper(924): at
com.android.internal.os.ZygoteInit$MethodAndArgsCaller.run(ZygoteInit.java:795)

W/KeyguardServiceWrapper(924): at
com.android.internal.os.ZygoteInit.main(ZygoteInit.java:611)

W/KeyguardServiceWrapper(924): at
de.robv.android.xposed.XposedBridge.main(XposedBridge.java:132)

W/KeyguardServiceWrapper(924): at dalvik.system.NativeStart.main(Native Method)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.net.wifi.RSSI_CHANGED flg=0x4000010 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:567)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at

com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.TIME_TICK flg=0x50000014 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService.finishReceiver(ActivityManagerService.java:13955)

W/BroadcastQueue(924): at android.content.BroadcastReceiver$PendingResult.sendFinished(BroadcastReceiver.java:420)

W/BroadcastQueue(924): at android.content.BroadcastReceiver$PendingResult.finish(BroadcastReceiver.java:396)

W/BroadcastQueue(924): at android.app.LoadedApk$ReceiverDispatcher$Args.run(LoadedApk.java:783)

W/BroadcastQueue(924): at android.os.Handler.handleCallback(Handler.java:733)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:95)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.ServerThread.initAndLoop(SystemServer.java:1290)

W/BroadcastQueue(924): at de.robv.android.xposed.XposedBridge.invokeOriginalMethodNative(Native Method)

W/BroadcastQueue(924): at de.robv.android.xposed.XposedBridge.handleHookedMethod(XposedBridge.java:631)

W/BroadcastQueue(924): at com.android.server.ServerThread.initAndLoop(Native Method)

W/BroadcastQueue(924): at com.android.server.SystemServer.main(SystemServer.java:1387)

W/BroadcastQueue(924): at java.lang.reflect.Method.invokeNative(Native Method)

W/BroadcastQueue(924): at java.lang.reflect.Method.invoke(Method.java:515)

W/BroadcastQueue(924): at com.android.internal.os.ZygoteInit$MethodAndArgsCaller.run(ZygoteInit.java:795)

W/BroadcastQueue(924): at com.android.internal.os.ZygoteInit.main(ZygoteInit.java:611)

W/BroadcastQueue(924): at de.robv.android.xposed.XposedBridge.main(XposedBridge.java:132)

W/BroadcastQueue(924): at dalvik.system.NativeStart.main(Native Method)

W/BroadcastQueue(924): Failure sending broadcast Intent {

act=android.intent.action.SCREEN_OFF flg=0x50000010 }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949

)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.SCREEN_OFF flg=0x50000010 }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.SCREEN_OFF flg=0x50000010 }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.SCREEN_OFF flg=0x50000010 }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.net.wifi.RSSI_CHANGED flg=0x4000010 (has extras) }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:567)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

V/Zygote (20481): Switching descriptor 52 to /dev/null

V/Zygote (20481): Switching descriptor 9 to /dev/null

I/ActivityManager(924): Start proc com.google.android.music:main for broadcast com.google.android.music/.leanback.AutoCacheSchedulingService$ActionReceiver: pid=20481 uid=10066 gids={50066, 3003, 1028, 1015}

W/ActivityManager(924): Process ProcessRecord{422e3440 20463:com.google.android.music:main/u0a66} failed to attach

I/ActivityManager(924): Killing 20463:com.google.android.music:main/u0a66 (adj -100): start timeout

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

W/BroadcastQueue(924): Timeout of broadcast BroadcastRecord{435d3a90 u-1 android.intent.action.SCREEN_OFF} - receiver=android.os.BinderProxy@422b2bb0, started 10002ms ago

W/BroadcastQueue(924): Receiver during timeout: BroadcastFilter{429634b8 u0 ReceiverList{42964fb0 1360 com.google.android.googlequicksearchbox/10027/u0 remote:422b2bb0}}

I/Process (924): Sending signal. PID: 1360 SIG: 3

I/dalvikvm(1360): threadid=3: reacting to signal 3

I/dalvikvm(1360): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 924 SIG: 3

I/dalvikvm(924): threadid=3: reacting to signal 3

I/dalvikvm(924): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1347 SIG: 3

I/Process (924): Sending signal. PID: 1324 SIG: 3

I/dalvikvm(1324): threadid=3: reacting to signal 3

I/dalvikvm(1324): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1302 SIG: 3

I/dalvikvm(1302): threadid=3: reacting to signal 3

I/dalvikvm(1302): Wrote stack traces to '/data/anr/traces.txt'

I/Process (924): Sending signal. PID: 1294 SIG: 3

I/Process (924): Sending signal. PID: 1136 SIG: 3

I/Process (924): Sending signal. PID: 1117 SIG: 3

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at
com.android.internal.policy.IKeyguardService$Stub$Proxy.isShowing(IKeyguardService.java:23

6)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.isShowing(KeyguardServiceWrapper.java:44)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.isShowing(KeyguardServiceDelegate.java:146)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.interceptKeyBeforeQueueing(PhoneWindowManager.java:4631)

W/KeyguardServiceWrapper(924): at com.android.server.wm.InputMonitor.interceptKeyBeforeQueueing(InputMonitor.java:357)

W/KeyguardServiceWrapper(924): at com.android.server.input.InputManagerService.interceptKeyBeforeQueueing(InputManagerService.java:1424)

W/KeyguardServiceWrapper(924): at dalvik.system.NativeStart.run(Native Method)

I/QCOM PowerHAL(924): Got set_interactive hint

E/QCOM PowerHAL(924): Invalid hint ID.

D/SurfaceFlinger(251): Screen acquired, type=0 flinger=0xb8e63450

D/qdhwcomposer(251): hwc_blank: Unblanking display: 0

I/PowerManagerService(924): Waking up from sleep...

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.isShowingAndNotHidden(IKeyguardService.java:270)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.isShowingAndNotHidden(KeyguardServiceWrapper.java:62)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.isShowingAndNotHidden(KeyguardServiceDelegate.java:153)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.interceptKeyBeforeQueueing(PhoneWindowManager.java:4631)

W/KeyguardServiceWrapper(924): at com.android.server.wm.InputMonitor.interceptKeyBeforeQueueing(InputMonitor.java:357)

W/KeyguardServiceWrapper(924): at com.android.server.input.InputManagerService.interceptKeyBeforeQueueing(InputManagerService.java:1424)

W/KeyguardServiceWrapper(924): at dalvik.system.NativeStart.run(Native Method)

I/qdhwcomposer(251): handle_blank_event: dpy:0 panel power state: 1

D/qdhwcomposer(251): hwc_blank: Done unblanking display: 0

D/SurfaceControl(924): Excessive delay in unblankDisplay() while turning screen on: 295ms

W/KeyguardServiceWrapper(924): Remote Exception

W/KeyguardServiceWrapper(924): android.os.DeadObjectException

W/KeyguardServiceWrapper(924): at android.os.BinderProxy.transact(Native Method)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.IKeyguardService$Stub$Proxy.setHidden(IKeyguardService.java:345)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceWrapper.setHidden(KeyguardServiceWrapper.java:105)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.keyguard.KeyguardServiceDelegate.setHidden(KeyguardServic

eDelegate.java:179)

W/KeyguardServiceWrapper(924): at com.android.internal.policy.impl.PhoneWindowManager.finishPostLayoutPolicyLw(PhoneWindowManager.java:4316)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedInner(WindowManagerService.java:9201)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLockedLoop(WindowManagerService.java:8345)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.performLayoutAndPlaceSurfacesLocked(WindowManagerService.java:8287)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService.access$400(WindowManagerService.java:160)

W/KeyguardServiceWrapper(924): at com.android.server.wm.WindowManagerService$H.handleMessage(WindowManagerService.java:7321)

W/KeyguardServiceWrapper(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/KeyguardServiceWrapper(924): at android.os.Looper.loop(Looper.java:136)

W/KeyguardServiceWrapper(924): at android.os.HandlerThread.run(HandlerThread.java:61)

E/ActivityManager(924): ANR in com.google.android.googlequicksearchbox

E/ActivityManager(924): PID: 1360

E/ActivityManager(924): Reason: Broadcast of Intent {
act=android.intent.action.SCREEN_OFF flg=0x50000010 }

E/ActivityManager(924): Load: 4.42 / 4.24 / 4.22

E/ActivityManager(924): CPU usage from 10185ms to 0ms ago:

E/ActivityManager(924):   2.5% 924/system_server: 1.6% user + 0.8% kernel / faults: 29 minor

E/ActivityManager(924):   0.7% 302/adbd: 0% user + 0.7% kernel / faults: 17 minor

E/ActivityManager(924):   0.3% 10659/kworker/1:1: 0% user + 0.3% kernel

E/ActivityManager(924):   0.1% 20159/kworker/0:0: 0% user + 0.1% kernel

E/ActivityManager(924):   0% 1//init: 0% user + 0% kernel / faults: 40 minor

E/ActivityManager(924):   0% 164/mmcqd/0: 0% user + 0% kernel

E/ActivityManager(924):   0% 241/healthd: 0% user + 0% kernel

E/ActivityManager(924):   0% 252/zygote: 0% user + 0% kernel / faults: 47 minor

E/ActivityManager(924):   0% 1147/MC_Thread: 0% user + 0% kernel

E/ActivityManager(924):   0% 1225/wpa_supplicant: 0% user + 0% kernel

E/ActivityManager(924):   0% 1360/com.google.android.googlequicksearchbox: 0% user + 0% kernel

E/ActivityManager(924):   0% 4140/libblank_webserver_exec.so: 0% user + 0% kernel

E/ActivityManager(924):   0% 12202/ch.bitspin.timely: 0% user + 0% kernel

E/ActivityManager(924): +0% 20481/<pre-initialized>: 0% user + 0% kernel

E/ActivityManager(924): +0% 20496/logcat: 0% user + 0% kernel

E/ActivityManager(924): 5.4% TOTAL: 1.5% user + 3.8% kernel + 0% iowait

E/ActivityManager(924): CPU usage from 3386ms to 3916ms later:

E/ActivityManager(924):   3.9% 251/surfaceflinger: 0% user + 3.9% kernel / faults: 3 minor

E/ActivityManager(924):   3.9% 251/surfaceflinger: 0% user + 3.9% kernel

E/ActivityManager(924):   0.9% 6412/Binder_4: 0% user + 0.9% kernel

E/ActivityManager(924):   7.5% 924/system_server: 5.6% user + 1.8% kernel / faults: 6 minor

E/ActivityManager(924):   5.6% 956/ActivityManager: 3.7% user + 1.8% kernel

E/ActivityManager(924):   1.8% 953/WindowManager: 1.8% user + 0% kernel

E/ActivityManager(924):   1.8% 1076/InputReader: 1.8% user + 0% kernel

E/ActivityManager(924):   1.8% 1129/AsyncTask #1: 1.8% user + 0% kernel

E/ActivityManager(924):   0.9% 5/kworker/0:0H: 0% user + 0.9% kernel

E/ActivityManager(924):   0.9% 127/cfinteractive: 0% user + 0.9% kernel

E/ActivityManager(924):   1% 302/adbd: 0% user + 1% kernel

E/ActivityManager(924):   1% 306/adbd: 0% user + 1% kernel

E/ActivityManager(924):   1.2% 20384/kworker/0:4: 0% user + 1.2% kernel

E/ActivityManager(924): 12% TOTAL: 2.9% user + 9.7% kernel

I/ActivityManager(924): Killing 1360:com.google.android.googlequicksearchbox/u0a27 (adj 0): background ANR

W/ActivityManager(924): Process ProcessRecord{4211c270 20481:com.google.android.music:main/u0a66} failed to attach

I/ActivityManager(924): Killing 20481:com.google.android.music:main/u0a66 (adj -100): start timeout

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

V/Zygote (20502): Switching descriptor 52 to /dev/null

V/Zygote (20502): Switching descriptor 9 to /dev/null

I/ActivityManager(924): Start proc com.google.android.music:main for broadcast com.google.android.music/.leanback.AutoCacheSchedulingService$ActionReceiver: pid=20502 uid=10066 gids={50066, 3003, 1028, 1015}

D/DropBoxFileObserver(3016): /data/system/dropbox/system_app_anr@1411372608242.txt.gz

W/InputDispatcher(924): channel '42c6e330 com.google.android.googlequicksearchbox/com.google.android.launcher.GEL (server)' ~ Consumer closed input channel or an error occurred. events=0x9

E/InputDispatcher(924): channel '42c6e330 com.google.android.googlequicksearchbox/com.google.android.launcher.GEL (server)' ~ Channel is unrecoverably broken and will be disposed!

W/BroadcastQueue(924): Timeout of broadcast BroadcastRecord{435d3a90 u-1 android.intent.action.SCREEN_OFF} - receiver=android.os.BinderProxy@428c3918, started 10006ms ago

W/BroadcastQueue(924): Receiver during timeout: BroadcastFilter{42357438 u0 ReceiverList{422fa580 1360 com.google.android.googlequicksearchbox/10027/u0 remote:428c3918}}

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.SCREEN_OFF flg=0x50000010 }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924):   at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

I/ActivityManager(924): Skipping duplicate ANR: ProcessRecord{43003888 1360:com.google.android.googlequicksearchbox/u0a27} Broadcast of Intent { act=android.intent.action.SCREEN_OFF flg=0x50000010 }

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.SCREEN_OFF flg=0x50000010 }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.SCREEN_OFF flg=0x50000010 }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at

android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.SCREEN_OFF flg=0x50000010 }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.SCREEN_OFF flg=0x50000010 }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.SCREEN_OFF flg=0x50000010 }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at
com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.SCREEN_OFF flg=0x50000010 }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924):   at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924):   at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924):   at
com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949
)

W/BroadcastQueue(924): Failure sending broadcast Intent {
act=android.intent.action.SCREEN_OFF flg=0x50000010 }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924):   at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924):   at
android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java
:1059)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.
java:514)

W/BroadcastQueue(924):   at
com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.SCREEN_OFF flg=0x50000010 }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue$1.handleMessage(BroadcastQueue.java:148)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:102)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService$AThread.run(ActivityManagerService.java:1949)

W/BroadcastQueue(924): Failure sending broadcast Intent { act=android.intent.action.SCREEN_OFF flg=0x50000010 }

W/BroadcastQueue(924): android.os.DeadObjectException

W/BroadcastQueue(924): at android.os.BinderProxy.transact(Native Method)

W/BroadcastQueue(924): at android.app.ApplicationThreadProxy.scheduleRegisteredReceiver(ApplicationThreadNative.java:1059)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.performReceiveLocked(BroadcastQueue.java:428)

W/BroadcastQueue(924): at

com.android.server.am.BroadcastQueue.deliverToRegisteredReceiverLocked(BroadcastQueue.java:514)

W/BroadcastQueue(924): at com.android.server.am.BroadcastQueue.processNextBroadcast(BroadcastQueue.java:729)

W/BroadcastQueue(924): at com.android.server.am.ActivityManagerService.finishReceiver(ActivityManagerService.java:13955)

W/BroadcastQueue(924): at android.content.BroadcastReceiver$PendingResult.sendFinished(BroadcastReceiver.java:420)

W/BroadcastQueue(924): at android.content.BroadcastReceiver$PendingResult.finish(BroadcastReceiver.java:396)

W/BroadcastQueue(924): at android.app.LoadedApk$ReceiverDispatcher$Args.run(LoadedApk.java:783)

W/BroadcastQueue(924): at android.os.Handler.handleCallback(Handler.java:733)

W/BroadcastQueue(924): at android.os.Handler.dispatchMessage(Handler.java:95)

W/BroadcastQueue(924): at android.os.Looper.loop(Looper.java:136)

W/BroadcastQueue(924): at com.android.server.ServerThread.initAndLoop(SystemServer.java:1290)

W/BroadcastQueue(924): at

de.robv.android.xposed.XposedBridge.invokeOriginalMethodNative(Native Method)

W/BroadcastQueue(924): at de.robv.android.xposed.XposedBridge.handleHookedMethod(XposedBridge.java:631)

W/BroadcastQueue(924): at com.android.server.ServerThread.initAndLoop(Native Method)

W/BroadcastQueue(924): at com.android.server.SystemServer.main(SystemServer.java:1387)

W/BroadcastQueue(924): at java.lang.reflect.Method.invokeNative(Native Method)

W/BroadcastQueue(924): at java.lang.reflect.Method.invoke(Method.java:515)

W/BroadcastQueue(924): at com.android.internal.os.ZygoteInit$MethodAndArgsCaller.run(ZygoteInit.java:795)

W/BroadcastQueue(924): at com.android.internal.os.ZygoteInit.main(ZygoteInit.java:611)

W/BroadcastQueue(924): at de.robv.android.xposed.XposedBridge.main(XposedBridge.java:132)

W/BroadcastQueue(924): at dalvik.system.NativeStart.main(Native Method)

D/audio_hw_primary(254): adev_set_parameters: enter: screen_state=off

D/audio_hw_extn(254): audio_extn_set_anc_parameters: anc_enabled:0

W/ActivityManager(924): Process ProcessRecord{422c0358
20502:com.google.android.music:main/u0a66} failed to attach

I/ActivityManager(924): Killing 20502:com.google.android.music:main/u0a66 (adj -100): start
timeout

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

W/ActivityManager(924): Unattached app died before broadcast acknowledged, skipping

V/Zygote (20520): Switching descriptor 52 to /dev/null

V/Zygote (20520): Switching descriptor 9 to /dev/null

I/ActivityManager(924): Start proc com.google.android.music:main for broadcast
com.google.android.music/.leanback.AutoCacheSchedulingService$ActionReceiver: pid=20520
uid=10066 gids={50066, 3003, 1028, 1015}

W/ContextImpl(924): Calling a method in the system process without a qualified user:
android.app.ContextImpl.sendBroadcast:1188
com.ryansteckler.nlpunbounce.hooks.Wakelocks.updateStatsIfNeeded:304
com.ryansteckler.nlpunbounce.hooks.Wakelocks.recordAlarmAcquire:277
com.ryansteckler.nlpunbounce.hooks.Wakelocks.handleAlarm:379
com.ryansteckler.nlpunbounce.hooks.Wakelocks.access$200:33

^C