

FRONT TEMPLATE:

```
{{#Image}}  
<div id="io-header">{{Header}}</div>  
  
<div id="io-wrapper">  
  
<div id="io-overlay">{{Question Mask}}</div>  
  
<div id="io-original">{{Image}}</div>  
  
</div>  
  
<div id="io-footer">{{Footer}}</div>  
  
<script>  
  
// Prevent original image from loading before mask  
  
aFade = 50, qFade = 0;  
  
var mask = document.querySelector('#io-overlay>img');  
  
function loaded() {  
  
var original = document.querySelector('#io-original');  
  
original.style.visibility = "visible";  
  
}  
  
if (mask === null || mask.complete) {  
  
loaded();  
  
} else {  
  
mask.addEventListener('load', loaded);  
  
}  
  
</script>  
  
<textarea id="notepad" style="width: 80%; height: 6rem;"></textarea>
```

```
<script> var card = document.querySelector(".card"); var textarea =
document.getElementById("notepad"); textarea.addEventListener("change", function(){
card.setAttribute("notepadValue", textarea.value); }); </script>
```

{{/Image}}

BACK TEMPLATE:

{{#Image}}

```
<div id="io-header">{{Header}}</div>
```

```
<div id="io-wrapper">
```

```
<div id="io-overlay">{{Answer Mask}}</div>
```

```
<div id="io-original">{{Image}}</div> <br>
```

```
<textarea id="notepad" style="width: 80%; height: 6rem;"></textarea>
```

```
<script> var card = document.querySelector(".card"); var textarea =
document.getElementById("notepad"); textarea.addEventListener("change", function(){
card.setAttribute("notepadValue", textarea.value); }); </script>
```

```
<script> textarea.value = card.getAttribute("notepadValue"); </script>
```

```
</div>
```

```
{{#Footer}}<div id="io-footer">{{Footer}}</div>{{/Footer}}
```

```
<button id="io-revl-btn" onclick="toggle();">Toggle Masks</button>
```

```
<div id="io-extra-wrapper">
```

```
<div id="io-extra">
```

```
{{#Remarks}}
```

```
<div class="io-extra-entry">
```

```
<div class="io-field-descr">Remarks</div>{{Remarks}}
```

```
</div>
```

```
{{/Remarks}}
```

```
{{#Sources}}
```

```
<div class="io-extra-entry">

<div class="io-field-descr">Sources</div>{{Sources}}

</div>

{{/Sources}}

{{#Extra 1}}

<div class="io-extra-entry">

<div class="io-field-descr">Extra 1</div>{{Extra 1}}

</div>

{{/Extra 1}}

{{#Extra 2}}

<div class="io-extra-entry">

<div class="io-field-descr">Extra 2</div>{{Extra 2}}

</div>

{{/Extra 2}}

</div>

</div>

<script>

// Toggle answer mask on clicking the image

var toggle = function() {

var amask = document.getElementById('io-overlay');

if (amask.style.display === 'block' || amask.style.display === "")

amask.style.display = 'none';

else

amask.style.display = 'block'
```

```
}  
  
// Prevent original image from loading before mask  
  
aFade = 50, qFade = 0;  
  
var mask = document.querySelector('#io-overlay>img');  
  
function loaded() {  
  
var original = document.querySelector('#io-original');  
  
original.style.visibility = "visible";  
  
}  
  
if (mask === null || mask.complete) {  
  
loaded();  
  
} else {  
  
mask.addEventListener('load', loaded);  
  
}  
  
</script>  
  
{{/Image}}
```