




NFT Token Frame - Model L

86"

December 5th, 2023



◉ 2K

◉ Auto Rotation

◉ MetaMask

Guangdong HUSHIDA Electronic Technology Co.,Ltd.

Product Features

- High-definition display: The screen body adopts an industrial-grade LCD panel, a new A-standard panel, and a full viewing angle display with no distortion of 178 degrees up, down, left, and right. The color saturation is higher, and the color adding technology dynamically adjusts the color balance, making the image more layered, the color brighter, and the details clearer.
- Simple design: solid wood frame + sheet metal structure, no sharp edges, wear-resistant and anti-corrosion paint process
- Split-screen playback: Supports one-split screen, two-split screen, three-screen, and multi-split screen playback to meet playback requirements in different scenarios.
- Can be used horizontally or vertically: horizontal screen or vertical screen, switch at will to meet a variety of usage scenarios
- Diversified display: You can set video pictures, rolling subtitles, time, weather, picture carousel interval and other functions.
- Cloud publishing: Cloud platform information publishing, no need to install software, log in to the cloud platform anytime and anywhere to remotely control any networked advertising equipment, and can be centrally managed across regions
- Interactive templates: There are static and dynamic online templates for download, eliminating the trouble of making promotional advertisements.
- Start playback; support breakpoint memory function; support scheduled power on and off function, unattended around the clock; support Chinese, English and other multiple languages; support picture playback, rotation, zoom, pan, slide show and other switching effects.
- Stand-alone use: When the network is disconnected, it can be used as a stand-alone version. It can still produce diversified content through powerful background information publishing software, then export and copy it to a memory card, and then insert it into an advertising machine to play it in a loop.
- Applicable to multiple scenes: Can be used in shopping malls, cinemas, exhibition halls, bars, specialty stores, office buildings, etc.

Specifications

Display

Size	86 inch
Screen Type	D-LED
Aspect Ratio	16:9
Responsive Time	8ms
Surface	Matt surface treatment 25% 2H, anti-glare
Displaty Area	1895.04(H)*1065.96(V)mm
Resolution	3840(H)*2160(V)
Refresh Frequency	60Hz
chromaticity	1.07b(10 bit)
Color Gamut NTSC(Typ)	68% CIE 1931
Contrast(Typ)	1200:1
Viewing Angle	178°(H/V)
Screen Brightness(Typ)	400cd/m²
Life Time	≥30000 hours

Operation System

System Version	Android 11
Ram	2G DDR3
Rom	16G
CPU	T982 Quad core Cortex A55 1.92 GHz
GPU	Mali-G52
NPU	2.6T

Electrical

Power Input	AC100-240V~(+/-10%),50/60Hz
Max power consumption	320W

I/O Interfaces

USB3.0	1
HDMI IN	1
Earphone	1
USB2.0	1
USB OTG	1
DC 12V	1
RJ45	1

Physical Parameters

Machine Size (l × w × t)	2014.4*1185.6*102.6mm
Packaging size (l × w × h)	2165*1345*215mm
Vesa Hole	640*460mm
Wall Mounted Screws	8*16mm
Net Weight	60kg
Gross Weight	76kg


Accessories

Power Cable	X1
-------------	----

Enviroment

Working Temperature	0°C~40°C
Working Humidity	10%~90%RH
Stocking Temperature	-20°C~60°C
Stocking Humidity	10%~90%RH
Working Altitude	Below 5000meters

Size Chart



Contact HUSHIDA Team

Email: support@hushidaglobal.com

WhatsApp: +1 909 905 7781

Phone: +86 18576560374

Website: <https://hushidaglobal.com>

Retail Website: <https://www.hushidasmart.com>

“互动视界，智达未来”

**“Interactive Vision, Intelligent
Future”**

