

PHILIPPINE BIDDING DOCUMENTS

Procurement of GOODS

SUPPLY AND DELIVERY OF BRAND NEW EVACUATION TRUCK FOR CDRRMO OF THE CITY GOVERNMENT OF BALANGA, BATAAN (REBID)

Government of the Republic of the Philippines

**Sixth Edition
COB-BAC 2024**

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	4
Section I. Invitation to Bid.....	5
Section II. Instructions to Bidders.....	9
1. Scope of Bid	10
2. Funding Information.....	10
3. Bidding Requirements	10
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	10
5. Eligible Bidders.....	11
6. Origin of Goods	11
7. Subcontracts	12
8. Pre-Bid Conference	12
9. Clarification and Amendment of Bidding Documents	12
10. Documents comprising the Bid: Eligibility and Technical Components	13
11. Documents comprising the Bid: Financial Component	13
12. Bid Prices	13
13. Bid and Payment Currencies	14
14. Bid Security	14
15. Sealing and Marking of Bids	15
16. Deadline for Submission of Bids	15
17. Opening and Preliminary Examination of Bids	15
18. Domestic Preference	15
19. Detailed Evaluation and Comparison of Bids	15
20. Post-Qualification	16
21. Signing of the Contract	16
Section III. Bid Data Sheet	20
Section IV. General Conditions of Contract	20
1. Scope of Contract	21
2. Advance Payment and Terms of Payment	21
3. Performance Security	21
4. Inspection and Tests	21
5. Warranty	22
6. Liability of the Supplier	22
Section V. Special Conditions of Contract	23
Section VI. Schedule of Requirements	28
Section VII. Technical Specifications	30

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste

management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid



Republic of the Philippines
Province of Bataan
City of Balanga
Office of the BAC Chairman

**INVITATION TO BID FOR THE SUPPLY AND DELIVERY OF
BRAND NEW EVACUATION TRUCK FOR CDRRMO OF THE CITY
GOVERNMENT OF BALANGA, BATAAN (REBID)
*COB BAC-Goods-2024-001***

1. The City Government of Balanga, through the Trust Fund 5% Disaster Risk Reduction Management Fund intends to apply the sum of **SEVEN MILLION EIGHT HUNDRED NINETY SEVEN THOUSAND PESOS (Php7,897,000.00)** being the Approved Budget for the Contract (ABC) to payments under the contract for **SUPPLY AND DELIVERY OF BRAND NEW EVACUATION TRUCK FOR CDRRMO OF THE CITY GOVERNMENT OF BALANGA, BATAAN (REBID) COB BAC-Goods-2024-001**. Bids received in excess of the ABC shall be automatically rejected at bid opening.
2. The City Government of Balanga now invites bids for the above Procurement Project. Delivery period is 120 calendar days. Bidders should have completed, within two (2) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

4. Prospective Bidders may obtain further information from the City of Balanga and inspect the Bidding Documents at the address and websites given below during 9:00 a.m. to 4:00 p.m.
5. A complete set of Bidding Documents may be acquired by interested Bidders on **January 12 to 31, 2024**, at the City Library Office and websites below and upon payment of the non-refundable applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of **Ten Thousand Pesos (Php10,000.00)**. The Procuring Entity shall allow the bidder to present its proof of payment for the fees presented in person or through electronic means.

6. The City Government of Balanga will hold a Pre-Bid Conference on **January 19, 2024, at 1:30 P.M.** Through video conferencing or webcasting via Zoom which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat through manual submission at the City Library Office on or before **January 31, 2024, 11:00 A.M.** Late bids shall not be accepted.
8. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in the Instruction to Bidders Clause 14.
9. Bid opening shall be on **January 31, 2024, at 1:30 P.M.,** through video conferencing. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
10. The City Government of Balanga reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:

MS. VANESSA M. AGUILAR
BAC Secretariat
City Treasurer's Office
Balanga City Hall, Brgy. Poblacion,
City of Balanga Bataan
Tel. No. 0930-278-7585
bac.cob2020@gmail.com
12. You may visit the following websites: www.cityofbalanga.gov.ph

January 10, 2024

ENGR. MARILEN Z. ALONZO
Chairman, Bids and Awards Committee

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, City Government of Balanga wishes to receive Bids for the **SUPPLY AND DELIVERY OF BRAND NEW EVACUATION TRUCK FOR CDRRMO OF THE CITY GOVERNMENT OF BALANGA, BATAAN (REBID)** with identification number ***COB BAC-Goods-2024-001***

The Procurement Project (referred to herein as “Project”) is composed of number of items, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for year 2023 in the amount of **SEVEN MILLION EIGHT HUNDRED NINETY SEVEN THOUSAND PESOS (Php7,897,000.00)**

2.2. The source of funding is: Trust Fund 5% Disaster Risk Reduction Management Fund.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
 - b. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.
- 7.2. The Bidder must submit together with its Bid the documentary requirements of the subcontractor(s) complying with the eligibility criteria stated in **ITB** Clause 5 in accordance with Section 23.4 of the 2016 revised IRR of RA No. 9184 pursuant to Section 23.1 thereof.
- 7.3. The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the implementation of this Contract. Subcontractors must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in **ITB** Clause 5 to the implementing or end-user unit.
- 7.4. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a Pre-Bid Conference on **January 19, 2023 at 1:30 P.M.** through video conferencing or webcasting via Zoom, which shall be open to prospective bidders.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within two (2) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);

- ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
- a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid for one hundred twenty (120) calendar days from the date of the opening of bids or until **May 23, 2024**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

15. Sealing and Marking of Bids

Each Bidder shall submit three (3) copies of the first and second components of its Bid containing the original, copy 1 and copy 2, all originally signed.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. Bids must be duly received by the BAC Secretariat through manual submission at the City Library Office on or before **January 31, 2024 11:00 A.M.** Late bids shall not be accepted.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the bid on **January 31, 2024 at 1:30 P.M.**, through video conferencing. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:
- Option 1 – One Project having several items that shall be awarded as one contract.
- Option 2 – One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.
- Option 3 - One Project having several items, which shall be awarded as separate contracts per item.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, or in the case of multi-year Framework Agreement, that it is one of the eligible bidders who have submitted bids that are found to be technically and financially compliant,}the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**. For every mini-competition in Framework Agreement, the LCB shall likewise submit the required documents for final Post Qualification.

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

ITB Clause											
5.3	For this purpose, contracts similar to the Project shall be: <ul style="list-style-type: none"> a. <i>Supply and delivery of Evacuation Trucks, Heavy Equipment</i> b. Completed within Two (2) years prior to the deadline for the submission and receipt of bids. 										
7.1	<i>“Not Applicable”</i>										
12	The price of the Goods shall be quoted delivered duty paid (DDP) <i>City General Services Office, Talisay, City of Balanga, Bataan</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.										
14.1	The bid security shall be in the form of a Bid Securing Declaration, or Surety Bond in the amount of not less than <u>Three Hundred Ninety-Four Thousand Eight Hundred Fifty Pesos (Php394,850.00)</u> [equivalent to five percent (5%) of ABC]										
14.2	The Bid and bid security shall be valid for one hundred twenty (120) calendar days from the date of the opening of bids or until May 31, 2024 .										
15	<p>Each Bidder shall submit three copies of the first and second components of its Bid, containing the original, copy 1 and copy 2, all originally signed.</p> <p>All envelopes shall:</p> <ul style="list-style-type: none"> (a) contain the name of the contract to be bid in capital letters; (b) bear the name and address of the Bidder in capital letters; (c) be addressed to the Procuring Entity’s BAC; (d) bear the specific identification of this bidding process; and (e) bear a warning “DO NOT OPEN BEFORE...” the date and time for the opening of bids (f) be individually sealed since opening of bids will be conducted through video conferencing. 										
19.3	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Item Number</th> <th style="text-align: center;">Quantity</th> <th style="text-align: center;">Description</th> <th style="text-align: center;">Approved Budget Cost</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">1 lot</td> <td> EVACUATION TRUCK/BRAND NEW PERSONNEL CARRIER (4x2 w/ All Weather Tower Light) ITEM 1 : BRAND NEW PERSONNEL CARRIER Brand new personnel carrier truck cab and chassis. Heavy duty body designed for mass transportation and with custom made extended bumper with 12,000lbs cable winch, all led warning lights, siren/PA system and all </td> <td style="text-align: center;">7,897,000.00</td> </tr> </tbody> </table>			Item Number	Quantity	Description	Approved Budget Cost	1	1 lot	EVACUATION TRUCK/BRAND NEW PERSONNEL CARRIER (4x2 w/ All Weather Tower Light) ITEM 1 : BRAND NEW PERSONNEL CARRIER Brand new personnel carrier truck cab and chassis. Heavy duty body designed for mass transportation and with custom made extended bumper with 12,000lbs cable winch, all led warning lights, siren/PA system and all	7,897,000.00
Item Number	Quantity	Description	Approved Budget Cost								
1	1 lot	EVACUATION TRUCK/BRAND NEW PERSONNEL CARRIER (4x2 w/ All Weather Tower Light) ITEM 1 : BRAND NEW PERSONNEL CARRIER Brand new personnel carrier truck cab and chassis. Heavy duty body designed for mass transportation and with custom made extended bumper with 12,000lbs cable winch, all led warning lights, siren/PA system and all	7,897,000.00								

			<p>weather made in USA tower light for night time evacuation scene lighting.</p> <p>TRUCK SPECIFICATIONS: TECHNICAL SPECIFICATIONS: Cab and Chassis: BRAND NEW FRR90 EURO IV Engine Model: 4HK1-TCC Turbo Intercooler, Common-rail direct injection, Diesel Displacement: 5.193L Max Output: 190 max Ps @ 2,600 rpm Max Torque: 52 kg-m @ 1,600 rpm Emission Regulation: EURO IV Alternator: 50A Fuel Tank Capacity: 200L Front cabin seating capacity: 3 Transmission: Manual 6 Speed Final Gear Ratio: 5.125 Brake: Drum type, Air Over Hydraulic Tires: 8.25R16 – 16PR / 6 studs (Tube type) Suspension: Multi-Leaf Spring Battery: 12V x 2 Starter: Reduction type, 24v Cabin Amenities: Power window, auto door locks with air-conditioning Tail Pipe: Custom extended up to rear of the truck Passenger Body: All steel, electrically welded and bolted. Drop sides with tailgate and detachable rear steps Body dimension 6090mm x 220mm x 1800m (L x W x H) Folding benches (330mm seat depth) with back rest All steel fixed canopy made of steel frames and GI sheet for canopy All steel checked plate flooring With vinyl rollable weather tarps on both sides of the passenger body Bumper with Winch: Extended front bumper with 10,000lbs 24vdc electrical cable winch with remote control</p> <p>ELECTRICAL AND EMERGENCY LIGHTING/WARNING SYSTEM A. ALL WEATHER TOWER LIGHT – ONE (1) LOT (PREFERABLY MADE IN THE USA)</p>	
--	--	--	--	--

			<p>NIGHT SCAN LITE (2 LIGHT SYSTEM) The All New Night Scan Lite is a compact, folding light tower that merges cutting edge LED light technology with proven mechanical design to deliver fast and reliable scene illumination. The Night Scan Lite is self-contained and only needs 12 or 24 VDC power – no generator is needed. The lightweight design assures that the light tower can be installed on nearly any flat vehicle or trailer surface.</p> <p>FEATURES Rugged, weatherproof design Remote light positioning Lights IP67 water-proof Safety LED look-up light Wired hand-held controller No routine maintenance</p> <p>SPECIFICATIONS Extended Height – 2 meters Two Lights Raw Lumens – 28,000 Light Positioner Rotation – 360° / 16.5 sec. Light Positioner Tilt – 360° / 16.5 sec. Operating Temperature – –30°C to +65°C Survival Wind Speed – 183 km/h Weight / Maximum Amps – 2 Light System: 82 kg /12VDC: 19 amps, 24VDC: 9.5 amps One (1) Year Warranty Preferably Made in the USA</p> <p>B. GPL 49” LED LIGHT BAR – 1 Set R (PREFERABLY MADE IN THE USA) Specifications: Interchangeable 180° or 40° light spread optics per module 360° unobstructed lighting 16 flash patterns for single color Modern slim line design Capabilities: -3 programmable modes -Rear Directional -Dimming -Front and Rear Cutoff -Cruise Mode Takedown, Alley and Work Light -Flood Mode for dual color -Optional Stop-Tail-Turn Rugged weather-resistant enclosure</p>	
--	--	--	---	--

		<p>Certifications SAE J595, CT13, SAE J1113-11 Input voltage 12VDC Current Draw: 15A Dimensions: 1.6" x 49.5" L x 11.8" W 156 high power 4 Watt Cree LED's Cable Harness length: 15 Feet One (1) Year Warranty Preferably Made in the USA</p> <p>C. T3 SURFACE MOUNTED LIGHTS – 12 pcs R (PREFERABLY MADE IN THE USA) Technical Data SAE J595 Certified Input voltage 12VDC California Title 13 Certified Temperature Range up to 149°F 3, 4-watt LEDs in each module head Built in aluminum black surface mount Dimensions: 0.99" H x 3.35" L x 0.77" W Water sealed and weather damage resistant unit Slim module head under 1" tall for optimal Stealth lighting 13+ patterns including brake mode, tail mode and steady on 5 Year Warranty Preferably Made in the USA</p> <p>D. TYPHOON FULL FUNCTION with 100W SPEAKERS – 1 Lot (PREFERABLY MADE IN USA) SIREN and PUBLIC ADDRESS SYSTEM The Typhoon Full Function is a controller and siren all-in-one solution. The controller has 6 programmable buttons to pair with any emergency vehicle light. The Typhoon is the most advanced siren for cars; with 21 police and fire tones, integrated wig-wag, air horn, horn ring, park kill and radio rebroadcast functionality</p> <p>TYPHOON FULL FUNCTION Siren Specifications: 100W 21 programmable Siren tones 6 Auxiliary outputs (3.5A) Auxiliary buttons programmable as on/off or momentary</p>	
--	--	--	--

		<p>Integrated 2 output wigwag capability (for lights) All in 1 unit (no external relay) Rotary switch Included mic Air horn, park kill, Radio rebroadcast capabilities LED backlit buttons Volume control Legend sheet included Rugged metal housing Includes dash mount bracket Dimensions: 7.4"L x 4.84" W x 2.53" H Controller dimensions: 6.77"L x 2.43"W x 1.21"H Certifications SAE J1849, SAE J1119 Mic Cable Length: 2 Feet Max current draw: 20A One (1) Year Warranty</p> <p>100w SPEAKER/SIREN Specifications: 124dB sound output 100Watts 85 degree sound dispersion Lightweight durable polycarbonate frame Compact design to fit behind a grille Includes L-Shaped Mounting Bracket Rugged weather-resistant enclosure Functions with any existing siren Dimensions: 3"H x 7"L x 7"L Impedance of 11 Ohms Neodymium Magnet Certifications: SAE J1849 Frequency response of 600-2700Hz One (1) Year Warranty</p> <p>E. AM900 WORK LIGHT – 2 pcs (PREFERABLY MADE IN THE USA) Featuring 8 incredibly bright flood LEDs, the AM900 offers excellent heat dispersion and a rugged, durable aluminum exterior. 2 years warranty (8) premium spot LEDs Weatherproof Includes standard swivel mount Mount vertically or horizontally Polycarbonate lens Corrosion-resistant stainless steel mounting bracket</p>	
--	--	--	--

			<p>Lightweight, powder-coated anodized aluminum housing Input Voltage: 12 Volts DC Current Draw: 1.75 Amps Power Output: 20 Watts 8 High Power LEDs 4.4"W x 3.3"H x 2.2"D 2 Years Warranty</p> <p>F. AI CUBE – 2 pcs (PREFERABLY MADE IN THE USA) Adjustable light intensity up to 2,100 lumens Adjustable light spread from 10–60° Military-grade vibration resistance with shatterproof polycarbonate lens Aluminum housing with UV-resistant powder coat and high-grade aluminum alloy heat sink Input Voltage: 9–17 VDC Current Draw: 3 A Dimensions: 3" x 3" x 3" One (1) Year Warranty Preferably Made in the USA</p> <p>G. NIGHT SCAN SPOT (PREFERABLY MADE IN THE USA) The Night Scan Spot is a rotatable, remote-controlled LED light. The wireless remote allows the light to be remotely adjusted by the operator. With a vertical tilt up of 70° and 45° tilt down and an infinite horizontal rotational range (clockwise and counterclockwise), The Night Scan Spot from Will-Burt allows for pan-tilt motion. Also equipped with a flashing alert feature, the remote-controlled LED light can be used to warn approaching motorists or pedestrians of potential hazards or help is needed. It can also be used with service vehicles to alert the on-coming vehicles there are people at work, and more.</p> <p>SPECIFICATIONS: Operating Voltage – 10 - 30VDC Power Consumption – 80W Maximum Distance for Operating Remote Control – Up to 130ft. Weight – 7 lbs. (3.2KG) Remote Control Battery – (1) 23A battery (12V)</p>	
--	--	--	---	--

			<p>One (1) Year Warranty</p> <p>H. PORTABLE EMERGENCY LIGHTING SET - 1 LOT TWO (2) SETS Collapsible, Rechargeable and AC Mains Floodlight Key features Powerful 5000 lumens Up to 90m beam 1 to 5 hours runtime 7.4V 4000mAh rechargeable battery Hybrid power supply - AC mains for continuous operation Portable, collapsible design Quick and easy setup Battery status indicator Warm white / cool white light output High, medium and low light mode Multi-angle rotational light Heat sink Robust aluminum housing IPX4 rating Specifications: Lumen: 5000 Beam Distance: Up to 90m Run time: 1-5hrs Modes: High/Medium/Low Power source: 7.4V 4000mAh, 29.6Wh Li-ion Charging time: 6hrs IP: IPX4 Size: 122x160x890mm Weight: 4.5kg One (1) Year Warranty</p> <p><u>Additional Works and Supplies</u> One (1) Lot Supply and installation of custom decals and markings</p> <p><u>Supplied vehicle accessories</u> One (1) set Standard manuals, tools and hydraulic bottle jack as provided by the vehicle manufacturer One (1) set Spare tire with rim One (1) set EWD</p> <p><u>Includes:</u> Three (3) years LTO Registration One (1) year GSIS Comprehensive insurance Three (3) years or 10,000 kms warranty coverage, whichever comes</p>	
--	--	--	--	--

			<p>first for the truck (as extended by vehicle manufacturer)</p> <p>One (1) year on body works against manufacturing defects or components failure due to normal use</p> <p>One (1) year on all vehicle lighting and warning system including repair or supply of replacement parts including labor to rectify the fault</p> <p>Delivery</p> <p>Orientation on operations, maintenance and basic trouble shooting</p> <p>Warranty: Goods are warranted for one (1) year from delivery against manufacturing defects or components failure due to normal use.</p>	
19.4	The Project shall be awarded as One Project having several items that shall be awarded as one contract.			
20.2	<i>"Not Applicable"</i>			
21.2	<i>"Not Applicable"</i>			

Section IV. General Conditions of Contract

1. **Scope of Contract**

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. **Advance Payment and Terms of Payment**

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. **Performance Security**

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184

4. **Inspection and Tests**

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Special Conditions of Contract

GCC Clause	
1	<p>Delivery and Documents –</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p><i>[For Goods supplied from abroad, state:]</i> “The delivery terms applicable to the Contract are DDP delivered <i>[indicate place of destination]</i>. In accordance with INCOTERMS.”</p> <p><i>[For Goods supplied from within the Philippines, state:]</i> “The delivery terms applicable to this Contract are delivered <i>[indicate place of destination]</i>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is <i>[indicate name(s)]</i>.</p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: <i>Select appropriate requirements and delete the rest.</i></p> <ol style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and

- e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts –

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI (Schedule of Requirements)** and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of *[indicate here the time period specified. If not used indicate a time period of three times the warranty period]*.

Spare parts or components shall be supplied as promptly as possible, but in any case, within *[insert appropriate time period]* months of placing the order.

	<p>Packaging –</p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods’ final destination and the absence of heavy handling facilities at all points in transit.</p> <p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <ul style="list-style-type: none"> Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p>Transportation –</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>

	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	“Not Applicable”
4	“Not Applicable”

Section VI. Schedule of Requirements

The delivery schedule expressed as calendar days stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Calendar Days
1	<p>EVACUATION TRUCK/BRAND NEW PERSONNEL CARRIER (4x2 w/ All Weather Tower Light)</p> <p>ITEM 1 : BRAND NEW PERSONNEL CARRIER Brand new personnel carrier truck cab and chassis. Heavy duty body designed for mass transportation and with custom made extended bumper with 12,000lbs cable winch, all led warning lights, siren/PA system and all weather made in USA tower light for night time evacuation scene lighting.</p> <p>TRUCK SPECIFICATIONS: TECHNICAL SPECIFICATIONS: Cab and Chassis: BRAND NEW FRR90 EURO IV Engine Model: 4HK1-TCC Turbo Intercooler, Common-rail direct injection, Diesel Displacement: 5.193L Max Output: 190 max Ps @ 2,600 rpm Max Torque: 52 kg-m @ 1,600 rpm Emission Regulation: EURO IV Alternator: 50A Fuel Tank Capacity: 200L Front cabin seating capacity: 3 Transmission: Manual 6 Speed Final Gear Ratio: 5.125 Brake: Drum type, Air Over Hydraulic Tires: 8.25R16 – 16PR / 6 studs (Tube type) Suspension: Multi-Leaf Spring Battery: 12V x 2 Starter: Reduction type, 24v Cabin Amenities: Power window, auto door locks with air-conditioning Tail Pipe: Custom extended up to rear of the truck Passenger Body: All steel, electrically welded and bolted. Drop sides with tailgate and detachable rear steps</p>	1 lot		

	<p>Body dimension 6090mm x 220mm x 1800m (L x W x H) Folding benches (330mm seat depth) with back rest All steel fixed canopy made of steel frames and GI sheet for canopy All steel checked plate flooring With vinyl rollable weather tarps on both sides of the passenger body Bumper with Winch: Extended front bumper with 10,000lbs 24vdc electrical cable winch with remote control</p> <p>ELECTRICAL AND EMERGENCY LIGHTING/WARNING SYSTEM</p> <p>A. ALL WEATHER TOWER LIGHT – ONE (1) LOT (PREFERABLY MADE IN THE USA) NIGHT SCAN LITE (2 LIGHT SYSTEM)</p> <p>The All New Night Scan Lite is a compact, folding light tower that merges cutting edge LED light technology with proven mechanical design to deliver fast and reliable scene illumination. The Night Scan Lite is self-contained and only needs 12 or 24 VDC power – no generator is needed. The lightweight design assures that the light tower can be installed on nearly any flat vehicle or trailer surface.</p> <p>FEATURES Rugged, weatherproof design Remote light positioning Lights IP67 water-proof Safety LED look-up light Wired hand-held controller No routine maintenance</p> <p>SPECIFICATIONS Extended Height – 2 meters Two Lights Raw Lumens – 28,000 Light Positioner Rotation – 360° / 16.5 sec. Light Positioner Tilt – 360° / 16.5 sec. Operating Temperature – -30°C to +65°C Survival Wind Speed – 183 km/h Weight / Maximum Amps – 2 Light System: 82 kg /12VDC: 19 amps, 24VDC: 9.5 amps One (1) Year Warranty Preferably Made in the USA</p>		
--	--	--	--

	<p>B. GPL 49" LED LIGHT BAR – 1 Set R (PREFERABLY MADE IN THE USA) Specifications: Interchangeable 180° or 40° light spread optics per module 360° unobstructed lighting 16 flash patterns for single color Modern slim line design Capabilities: -3 programmable modes -Rear Directional -Dimming -Front and Rear Cutoff -Cruise Mode Takedown, Alley and Work Light -Flood Mode for dual color -Optional Stop-Tail-Turn Rugged weather-resistant enclosure Certifications SAE J595, CT13, SAE J1113-11 Input voltage 12VDC Current Draw: 15A Dimensions: 1.6" x 49.5" L x 11.8" W 156 high power 4 Watt Cree LED's Cable Harness length: 15 Feet One (1) Year Warranty Preferably Made in the USA</p> <p>C. T3 SURFACE MOUNTED LIGHTS – 12 pcs R (PREFERABLY MADE IN THE USA) Technical Data SAE J595 Certified Input voltage 12VDC California Title 13 Certified Temperature Range up to 149°F 3, 4-watt LEDs in each module head Built in aluminum black surface mount Dimensions: 0.99" H x 3.35" L x 0.77" W Water sealed and weather damage resistant unit Slim module head under 1" tall for optimal Stealth lighting 13+ patterns including brake mode, tail mode and steady on 5 Year Warranty Preferably Made in the USA</p> <p>D. TYPHOON FULL FUNCTION with 100W SPEAKERS – 1 Lot (PREFERABLY MADE IN USA) SIREN and PUBLIC ADDRESS SYSTEM The Typhoon Full Function is a controller and siren all-in-one solution. The controller has 6 programmable buttons to pair with any emergency</p>		
--	--	--	--

	<p>vehicle light. The Typhoon is the most advanced siren for cars; with 21 police and fire tones, integrated wig-wag, air horn, horn ring, park kill and radio rebroadcast functionality</p> <p>TYPHOON FULL FUNCTION Siren Specifications: 100W 21 programmable Siren tones 6 Auxiliary outputs (3.5A) Auxiliary buttons programmable as on/off or momentary Integrated 2 output wigwag capability (for lights) All in 1 unit (no external relay) Rotary switch Included mic Air horn, park kill, Radio rebroadcast capabilities LED backlit buttons Volume control Legend sheet included Rugged metal housing Includes dash mount bracket Dimensions: 7.4"L x 4.84" W x 2.53" H Controller dimensions: 6.77"L x 2.43"W x 1.21"H Certifications SAE J1849, SAE J1119 Mic Cable Length: 2 Feet Max current draw: 20A One (1) Year Warranty</p> <p>100w SPEAKER/SIREN Specifications: 124dB sound output 100Watts 85 degree sound dispersion Lightweight durable polycarbonate frame Compact design to fit behind a grille Includes L-Shaped Mounting Bracket Rugged weather-resistant enclosure Functions with any existing siren Dimensions: 3"H x 7"L x 7"L Impedance of 11 Ohms Neodymium Magnet Certifications: SAE J1849 Frequency response of 600-2700Hz One (1) Year Warranty</p> <p>E. AM900 WORK LIGHT – 2 pcs (PREFERABLY MADE IN THE USA) Featuring 8 incredibly bright flood LEDs, the AM900 offers excellent heat</p>		
--	---	--	--

	<p>dispersion and a rugged, durable aluminum exterior. 2 years warranty (8) premium spot LEDs Weatherproof Includes standard swivel mount Mount vertically or horizontally Polycarbonate lens Corrosion-resistant stainless steel mounting bracket Lightweight, powder-coated anodized aluminum housing Input Voltage: 12 Volts DC Current Draw: 1.75 Amps Power Output: 20 Watts 8 High Power LEDs 4.4"W x 3.3"H x 2.2"D 2 Years Warranty</p> <p>F. AI CUBE – 2 pcs (PREFERABLY MADE IN THE USA) Adjustable light intensity up to 2,100 lumens Adjustable light spread from 10–60° Military-grade vibration resistance with shatterproof polycarbonate lens Aluminum housing with UV-resistant powder coat and high-grade aluminum alloy heat sink Input Voltage: 9–17 VDC Current Draw: 3 A Dimensions: 3" x 3" x 3" One (1) Year Warranty Preferably Made in the USA</p> <p>G. NIGHT SCAN SPOT (PREFERABLY MADE IN THE USA) The Night Scan Spot is a rotatable, remote-controlled LED light. The wireless remote allows the light to be remotely adjusted by the operator. With a vertical tilt up of 70° and 45° tilt down and an infinite horizontal rotational range (clockwise and counterclockwise), The Night Scan Spot from Will-Burt allows for pan-tilt motion. Also equipped with a flashing alert feature, the remote-controlled LED light can be used to warn approaching motorists or pedestrians of potential hazards or help is needed. It can also be used with service vehicles to alert the on-coming vehicles there are people at work, and more.</p> <p>SPECIFICATIONS:</p>		
--	--	--	--

	<p>Operating Voltage – 10 - 30VDC Power Consumption – 80W Maximum Distance for Operating Remote Control – Up to 130ft. Weight – 7 lbs. (3.2KG) Remote Control Battery – (1) 23A battery (12V) One (1) Year Warranty</p> <p>H. PORTABLE EMERGENCY LIGHTING SET - 1 LOT TWO (2) SETS Collapsible, Rechargeable and AC Mains Floodlight Key features Powerful 5000 lumens Up to 90m beam 1 to 5 hours runtime 7.4V 4000mAh rechargeable battery Hybrid power supply - AC mains for continuous operation Portable, collapsible design Quick and easy setup Battery status indicator Warm white / cool white light output High, medium and low light mode Multi-angle rotational light Heat sink Robust aluminum housing IPX4 rating Specifications: Lumen: 5000 Beam Distance: Up to 90m Run time: 1-5hrs Modes: High/Medium/Low Power source: 7.4V 4000mAh, 29.6Wh Li-ion Charging time: 6hrs IP: IPX4 Size: 122x160x890mm Weight: 4.5kg One (1) Year Warranty</p> <p><u>Additional Works and Supplies</u> One (1) Lot Supply and installation of custom decals and markings</p> <p><u>Supplied vehicle accessories</u> One (1) set Standard manuals, tools and hydraulic bottle jack as provided by the vehicle manufacturer One (1) set Spare tire with rim One (1) set EWD</p> <p><u>Includes:</u> Three (3) years LTO Registration</p>		
--	--	--	--

	<p>One (1) year GSIS Comprehensive insurance</p> <p>Three (3) years or 10,000 kms warranty coverage, whichever comes first for the truck (as extended by vehicle manufacturer)</p> <p>One (1) year on body works against manufacturing defects or components failure due to normal use</p> <p>One (1) year on all vehicle lighting and warning system including repair or supply of replacement parts including labor to rectify the fault</p> <p>Delivery</p> <p>Orientation on operations, maintenance and basic trouble shooting</p> <p>Warranty: Goods are warranted for one (1) year from delivery against manufacturing defects or components failure due to normal use.</p>		

I hereby certify to comply and deliver all the above requirements.

Name of Company/Bidder

Signature over Printed Name of Rep.

Date

Section VII. Technical Specifications

Technical Specifications

[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]

Item	Description	Brand Offered	Statement of Compliance
1	<p>EVACUATION TRUCK/BRAND NEW PERSONNEL CARRIER (4x2 w/ All Weather Tower Light)</p> <p>ITEM 1 : BRAND NEW PERSONNEL CARRIER Brand new personnel carrier truck cab and chassis. Heavy duty body designed for mass transportation and with custom made extended bumper with 12,000lbs cable winch, all led warning lights, siren/PA system and all weather made in USA tower light for night time evacuation scene lighting.</p> <p>TRUCK SPECIFICATIONS: TECHNICAL SPECIFICATIONS: Cab and Chassis: BRAND NEW FRR90 EURO IV Engine Model: 4HK1-TCC Turbo Intercooler, Common-rail direct injection, Diesel Displacement: 5.193L Max Output: 190 max Ps @ 2,600 rpm Max Torque: 52 kg-m @ 1,600 rpm Emission Regulation: EURO IV Alternator: 50A Fuel Tank Capacity: 200L Front cabin seating capacity: 3 Transmission: Manual 6 Speed Final Gear Ratio: 5.125 Brake: Drum type, Air Over Hydraulic Tires: 8.25R16 – 16PR / 6 studs (Tube type) Suspension: Multi-Leaf Spring Battery: 12V x 2 Starter: Reduction type, 24v Cabin Amenities: Power window, auto door locks with air-conditioning Tail Pipe: Custom extended up to rear of the truck Passenger Body: All steel, electrically welded and bolted. Drop sides with tailgate and detachable rear steps</p>		

<p>Body dimension 6090mm x 220mm x 1800m (L x W x H) Folding benches (330mm seat depth) with back rest All steel fixed canopy made of steel frames and GI sheet for canopy All steel checked plate flooring With vinyl rollable weather tarps on both sides of the passenger body Bumper with Winch: Extended front bumper with 10,000lbs 24vdc electrical cable winch with remote control</p> <p>ELECTRICAL AND EMERGENCY LIGHTING/WARNING SYSTEM</p> <p>A. ALL WEATHER TOWER LIGHT – ONE (1) LOT (PREFERABLY MADE IN THE USA) NIGHT SCAN LITE (2 LIGHT SYSTEM) The All New Night Scan Lite is a compact, folding light tower that merges cutting edge LED light technology with proven mechanical design to deliver fast and reliable scene illumination. The Night Scan Lite is self-contained and only needs 12 or 24 VDC power – no generator is needed. The lightweight design assures that the light tower can be installed on nearly any flat vehicle or trailer surface.</p> <p>FEATURES Rugged, weatherproof design Remote light positioning Lights IP67 water-proof Safety LED look-up light Wired hand-held controller No routine maintenance</p> <p>SPECIFICATIONS Extended Height – 2 meters Two Lights Raw Lumens – 28,000 Light Positioner Rotation – 360° / 16.5 sec. Light Positioner Tilt – 360° / 16.5 sec. Operating Temperature – -30°C to +65°C Survival Wind Speed – 183 km/h Weight / Maximum Amps – 2 Light System: 82 kg /12VDC: 19 amps, 24VDC: 9.5 amps One (1) Year Warranty Preferably Made in the USA</p> <p>B. GPL 49” LED LIGHT BAR – 1 Set R (PREFERABLY MADE IN THE USA) Specifications: Interchangeable 180° or 40° light spread optics per module 360° unobstructed lighting 16 flash patterns for single color</p>		
---	--	--

<p>Modern slim line design Capabilities: -3 programmable modes -Rear Directional -Dimming -Front and Rear Cutoff -Cruise Mode Takedown, Alley and Work Light -Flood Mode for dual color -Optional Stop-Tail-Turn Rugged weather-resistant enclosure Certifications SAE J595, CT13, SAE J1113-11 Input voltage 12VDC Current Draw: 15A Dimensions: 1.6" x 49.5" L x 11.8" W 156 high power 4 Watt Cree LED's Cable Harness length: 15 Feet One (1) Year Warranty Preferably Made in the USA</p> <p>C. T3 SURFACE MOUNTED LIGHTS – 12 pcs R (PREFERABLY MADE IN THE USA) Technical Data SAE J595 Certified Input voltage 12VDC California Title 13 Certified Temperature Range up to 149°F 3, 4-watt LEDs in each module head Built in aluminum black surface mount Dimensions: 0.99" H x 3.35" L x 0.77" W Water sealed and weather damage resistant unit Slim module head under 1" tall for optimal Stealth lighting 13+ patterns including brake mode, tail mode and steady on 5 Year Warranty Preferably Made in the USA</p> <p>D. TYPHOON FULL FUNCTION with 100W SPEAKERS – 1 Lot (PREFERABLY MADE IN USA) SIREN and PUBLIC ADDRESS SYSTEM The Typhoon Full Function is a controller and siren all-in-one solution. The controller has 6 programmable buttons to pair with any emergency vehicle light. The Typhoon is the most advanced siren for cars; with 21 police and fire tones, integrated wig-wag, air horn, horn ring, park kill and radio rebroadcast functionality</p> <p>TYPHOON FULL FUNCTION Siren Specifications: 100W 21 programmable Siren tones 6 Auxiliary outputs (3.5A) Auxiliary buttons programmable as on/off or momentary Integrated 2 output wigwag capability (for lights) All in 1 unit (no external relay) Rotary switch</p>		
---	--	--

	<p>Included mic Air horn, park kill, Radio rebroadcast capabilities LED backlit buttons Volume control Legend sheet included Rugged metal housing Includes dash mount bracket Dimensions: 7.4"L x 4.84" W x 2.53" H Controller dimensions: 6.77"L x 2.43"W x 1.21"H Certifications SAE J1849, SAE J1119 Mic Cable Length: 2 Feet Max current draw: 20A One (1) Year Warranty</p> <p>100w SPEAKER/SIREN Specifications: 124dB sound output 100Watts 85 degree sound dispersion Lightweight durable polycarbonate frame Compact design to fit behind a grille Includes L-Shaped Mounting Bracket Rugged weather-resistant enclosure Functions with any existing siren Dimensions: 3"H x 7"L x 7"L Impedance of 11 Ohms Neodymium Magnet Certifications: SAE J1849 Frequency response of 600-2700Hz One (1) Year Warranty</p> <p>E. AM900 WORK LIGHT – 2 pcs (PREFERABLY MADE IN THE USA) Featuring 8 incredibly bright flood LEDs, the AM900 offers excellent heat dispersion and a rugged, durable aluminum exterior. 2 years warranty (8) premium spot LEDs Weatherproof Includes standard swivel mount Mount vertically or horizontally Polycarbonate lens Corrosion-resistant stainless steel mounting bracket Lightweight, powder-coated anodized aluminum housing Input Voltage: 12 Volts DC Current Draw: 1.75 Amps Power Output: 20 Watts 8 High Power LEDs 4.4"W x 3.3"H x 2.2"D 2 Years Warranty</p> <p>F. AI CUBE – 2 pcs (PREFERABLY MADE IN THE USA)</p>		
--	--	--	--

<p>Adjustable light intensity up to 2,100 lumens Adjustable light spread from 10–60° Military-grade vibration resistance with shatterproof polycarbonate lens Aluminum housing with UV-resistant powder coat and high-grade aluminum alloy heat sink Input Voltage: 9–17 VDC Current Draw: 3 A Dimensions: 3” x 3” x 3” One (1) Year Warranty Preferably Made in the USA</p> <p>G. NIGHT SCAN SPOT (PREFERABLY MADE IN THE USA) The Night Scan Spot is a rotatable, remote-controlled LED light. The wireless remote allows the light to be remotely adjusted by the operator. With a vertical tilt up of 70° and 45° tilt down and an infinite horizontal rotational range (clockwise and counterclockwise), The Night Scan Spot from Will-Burt allows for pan-tilt motion. Also equipped with a flashing alert feature, the remote-controlled LED light can be used to warn approaching motorists or pedestrians of potential hazards or help is needed. It can also be used with service vehicles to alert the on-coming vehicles there are people at work, and more. SPECIFICATIONS: Operating Voltage – 10 - 30VDC Power Consumption – 80W Maximum Distance for Operating Remote Control – Up to 130ft. Weight – 7 lbs. (3.2KG) Remote Control Battery – (1) 23A battery (12V) One (1) Year Warranty</p> <p>H. PORTABLE EMERGENCY LIGHTING SET - 1 LOT TWO (2) SETS Collapsible, Rechargeable and AC Mains Floodlight Key features Powerful 5000 lumens Up to 90m beam 1 to 5 hours runtime 7.4V 4000mAh rechargeable battery Hybrid power supply - AC mains for continuous operation Portable, collapsible design Quick and easy setup Battery status indicator Warm white / cool white light output High, medium and low light mode Multi-angle rotational light Heat sink</p>		
--	--	--



	<p>Robust aluminum housing IPX4 rating Specifications: Lumen: 5000 Beam Distance: Up to 90m Run time: 1-5hrs Modes: High/Medium/Low Power source: 7.4V 4000mAh, 29.6Wh Li-ion Charging time: 6hrs IP: IPX4 Size: 122x160x890mm Weight: 4.5kg One (1) Year Warranty</p> <p><u>Additional Works and Supplies</u> One (1) Lot Supply and installation of custom decals and markings</p> <p><u>Supplied vehicle accessories</u> One (1) set Standard manuals, tools and hydraulic bottle jack as provided by the vehicle manufacturer One (1) set Spare tire with rim One (1) set EWD</p> <p><u>Includes:</u> Three (3) years LTO Registration One (1) year GSIS Comprehensive insurance Three (3) years or 10,000 kms warranty coverage, whichever comes first for the truck (as extended by vehicle manufacturer) One (1) year on body works against manufacturing defects or components failure due to normal use One (1) year on all vehicle lighting and warning system including repair or supply of replacement parts including labor to rectify the fault Delivery Orientation on operations, maintenance and basic trouble shooting</p> <p>Warranty: Goods are warranted for one (1) year from delivery against manufacturing defects or components failure due to normal use.</p>		
	<p>NOTES:</p> <ol style="list-style-type: none"> 1. All item specifications must be at least its equivalent or higher. 2. Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each specification stating corresponding performance parameter of the goods offered. 3. Indicate the brand of the item offered. 		

I hereby certify to comply and deliver all the above requirements in accordance with the above-stated Technical Specifications.

Name of Company/Bidder

Signature over Printed Name of Rep.

Date



Bid Form

Date: _____
Invitation to Bid No: COB BAC-Goods-2024-001

To: THE CHAIRMAN
BIDS AND AWARDS COMMITTEE
CITY GOVERNMENT OF BALANGA

Gentlemen and/or Ladies:

Having examined the Bidding Documents including Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to SUPPLY AND DELIVERY OF BRAND NEW EVACUATION TRUCK FOR CDRMO OF THE CITY GOVERNMENT OF BALANGA, BATAAN (REBID) in conformity with the said Bidding Documents for the sum of *[total Bid amount in words and figures]* or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

We undertake, if our Bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our Bid is accepted, we undertake to provide a performance security in the form, amounts, and within the times specified in the Bidding Documents.

We agree to abide by this Bid for the Bid Validity Period specified in BDS provision for ITB Clause 18.2 and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements as per ITB Clause 5 of the Bidding Documents.

We likewise certify/confirm that the undersigned, *[for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of Name of Bidder, has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the Name of Project of the City Government of Balanga. *[for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the Name of Bidder, to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for Name of Project of the City Government of Balanga.**

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Dated this _____ day of _____ 20_____.

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____



REPUBLIC OF THE PHILIPPINES
 PROVINCE OF BATAAN
 CITY OF BALANGA

OFFICE OF THE BIDS AND AWARDS COMMITTEE

PLEASE USE THIS BID FORM. DO NOT RETYPE OR ALTER.

CITY GOVERNMENT OF BALANGA

SCHEDULE OF PRICES

(Prices must be inclusive of VAT and delivered duties paid)

ITB COB BAC Goods 2024-001

**SUPPLY AND DELIVERY OF BRAND NEW EVACUATION TRUCK
 FOR CDRRMO OF THE CITY GOVERNMENT OF BALANGA,
 BATAAN (REBID)**

Description	Quantity	UNIT Bid Price in Figure	UNIT Bid Price in Words
<p>1 EVACUATION TRUCK/BRAND NEW PERSONNEL CARRIER (4x2 w/ All Weather Tower Light)</p> <p>ITEM 1 : BRAND NEW PERSONNEL CARRIER</p> <p>Brand new personnel carrier truck cab and chassis. Heavy duty body designed for mass transportation and with custom made extended bumper with 12,000lbs cable winch, all led warning lights, siren/PA system and all weather made in USA tower light for night time evacuation scene lighting.</p>	<p>1 lot</p>		

<p>TRUCK SPECIFICATIONS:</p> <p>TECHNICAL SPECIFICATIONS:</p> <p>Cab and Chassis: BRAND NEW FRR90 EURO IV</p> <p>Engine Model: 4HK1-TCC Turbo Intercooler, Common-rail direct injection, Diesel</p> <p>Displacement: 5.193L</p> <p>Max Output: 190 max Ps @ 2,600 rpm</p> <p>Max Torque: 52 kg-m @ 1,600 rpm</p> <p>Emission Regulation: EURO IV</p> <p>Alternator: 50A</p> <p>Fuel Tank Capacity: 200L</p> <p>Front cabin seating capacity: 3</p> <p>Transmission: Manual 6 Speed</p> <p>Final Gear Ratio: 5.125</p> <p>Brake: Drum type, Air Over Hydraulic</p> <p>Tires: 8.25R16 – 16PR / 6 studs (Tube type)</p> <p>Suspension: Multi-Leaf Spring</p> <p>Battery: 12V x 2</p> <p>Starter: Reduction type, 24v</p> <p>Cabin Amenities: Power window, auto door locks with air-conditioning</p> <p>Tail Pipe: Custom extended up to rear of the truck</p> <p>Passenger Body: All steel, electrically welded and bolted. Drop sides with tailgate and detachable rear steps</p> <p>Body dimension 6090mm x 220mm x 1800m (L x W x H)</p>			
--	--	--	--

<p>Folding benches (330mm seat depth) with back rest</p> <p>All steel fixed canopy made of steel frames and GI sheet for canopy</p> <p>All steel checked plate flooring</p> <p>With vinyl rollable weather tarps on both sides of the passenger body</p> <p>Bumper with Winch: Extended front bumper with 10,000lbs 24vdc electrical cable winch with remote control</p> <p>ELECTRICAL AND EMERGENCY LIGHTING/WARNING SYSTEM</p> <p>A. ALL WEATHER TOWER LIGHT – ONE (1) LOT (PREFERABLY MADE IN THE USA)</p> <p>NIGHT SCAN LITE (2 LIGHT SYSTEM)</p> <p>The All New Night Scan Lite is a compact, folding light tower that merges cutting edge LED light technology with proven mechanical design to deliver fast and reliable scene illumination. The Night Scan Lite is self-contained and only needs 12 or 24 VDC power – no generator is needed. The lightweight design assures that the light tower can be installed on nearly any flat vehicle or trailer surface.</p> <p>FEATURES</p> <p>Rugged, weatherproof design</p> <p>Remote light positioning</p> <p>Lights IP67 water-proof</p> <p>Safety LED look-up light</p> <p>Wired hand-held controller</p>			
--	--	--	--

<p>No routine maintenance</p> <p>SPECIFICATIONS</p> <p>Extended Height – 2 meters</p> <p>Two Lights Raw Lumens – 28,000</p> <p>Light Positioner Rotation – 360° / 16.5 sec.</p> <p>Light Positioner Tilt – 360° / 16.5 sec.</p> <p>Operating Temperature – -30°C to +65°C</p> <p>Survival Wind Speed – 183 km/h</p> <p>Weight / Maximum Amps –</p> <p>2 Light System: 82 kg /12VDC: 19 amps, 24VDC: 9.5 amps</p> <p>One (1) Year Warranty</p> <p>Preferably Made in the USA</p> <p>B. GPL 49” LED LIGHT BAR – 1 Set R (PREFERABLY MADE IN THE USA)</p> <p>Specifications:</p> <p>Interchangeable 180° or 40° light spread optics per module</p> <p>360° unobstructed lighting</p> <p>16 flash patterns for single color</p> <p>Modern slim line design</p> <p>Capabilities: -3 programmable modes -Rear Directional -Dimming -Front and Rear Cutoff -Cruise Mode Takedown,</p> <p>Alley and Work Light -Flood Mode for dual color -Optional Stop-Tail-Turn</p> <p>Rugged weather-resistant enclosure</p>			
--	--	--	--

<p>Certifications SAE J595, CT13, SAE J1113-11</p> <p>Input voltage 12VDC</p> <p>Current Draw: 15A</p> <p>Dimensions: 1.6" x 49.5" L x 11.8" W</p> <p>156 high power 4 Watt Cree LED's</p> <p>Cable Harness length: 15 Feet</p> <p>One (1) Year Warranty</p> <p>Preferably Made in the USA</p> <p>C. T3 SURFACE MOUNTED LIGHTS – 12 pcs R (PREFERABLY MADE IN THE USA)</p> <p>Technical Data</p> <p>SAE J595 Certified</p> <p>Input voltage 12VDC</p> <p>California Title 13 Certified</p> <p>Temperature Range up to 149°F</p> <p>3, 4-watt LEDs in each module head</p> <p>Built in aluminum black surface mount</p> <p>Dimensions: 0.99" H x 3.35" L x 0.77" W</p> <p>Water sealed and weather damage resistant unit</p> <p>Slim module head under 1" tall for optimal Stealth lighting</p> <p>13+ patterns including brake mode, tail mode and steady on</p> <p>5 Year Warranty</p> <p>Preferably Made in the USA</p>			
--	--	--	--

**D. TYPHOON FULL FUNCTION with
100W SPEAKERS – 1 Lot**
(PREFERABLY MADE IN USA)

SIREN and PUBLIC ADDRESS SYSTEM

The Typhoon Full Function is a controller and siren all-in-one solution. The controller has 6 programmable buttons to pair with any emergency vehicle light. The Typhoon is the most advanced siren for cars; with 21 police and fire tones, integrated wig-wag, air horn, horn ring, park kill and radio rebroadcast functionality

TYPHOON FULL FUNCTION Siren

Specifications:

100W

21 programmable Siren tones

6 Auxiliary outputs (3.5A)

Auxiliary buttons programmable as on/off or momentary

Integrated 2 output wigwag capability (for lights)

All in 1 unit (no external relay)

Rotary switch

Included mic

Air horn, park kill, Radio rebroadcast capabilities

LED backlit buttons

Volume control

Legend sheet included

Rugged metal housing

Includes dash mount bracket

<p>Dimensions: 7.4"L x 4.84" W x 2.53" H</p> <p>Controller dimensions: 6.77"L x 2.43"W x 1.21"H</p> <p>Certifications SAE J1849, SAE J1119 Mic Cable Length: 2 Feet</p> <p>Max current draw: 20A One (1) Year Warranty</p> <p>100w SPEAKER/SIREN Specifications:</p> <p>124dB sound output</p> <p>100Watts</p> <p>85 degree sound dispersion</p> <p>Lightweight durable polycarbonate frame</p> <p>Compact design to fit behind a grille</p> <p>Includes L-Shaped Mounting Bracket</p> <p>Rugged weather-resistant enclosure</p> <p>Functions with any existing siren</p> <p>Dimensions: 3"H x 7"L x 7"L</p> <p>Impedance of 11 Ohms</p> <p>Neodymium Magnet</p> <p>Certifications: SAE J1849</p> <p>Frequency response of 600-2700Hz One (1) Year Warranty</p> <p>E. AM900 WORK LIGHT – 2 pcs (PREFERABLY MADE IN THE USA)</p> <p>Featuring 8 incredibly bright flood LEDs, the AM900 offers excellent heat dispersion and a rugged, durable aluminum exterior.</p>			
--	--	--	--

<p>2 years warranty</p> <p>(8) premium spot LEDs</p> <p>Weatherproof</p> <p>Includes standard swivel mount</p> <p>Mount vertically or horizontally</p> <p>Polycarbonate lens</p> <p>Corrosion-resistant stainless steel mounting bracket</p> <p>Lightweight, powder-coated anodized aluminum housing</p> <p>Input Voltage: 12 Volts DC</p> <p>Current Draw: 1.75 Amps</p> <p>Power Output: 20 Watts</p> <p>8 High Power LEDs</p> <p>4.4"W x 3.3"H x 2.2"D</p> <p>2 Years Warranty</p> <p>F. AI CUBE – 2 pcs (PREFERABLY MADE IN THE USA)</p> <p>Adjustable light intensity up to 2,100 lumens</p> <p>Adjustable light spread from 10–60°</p> <p>Military-grade vibration resistance with shatterproof polycarbonate lens</p> <p>Aluminum housing with UV-resistant powder coat and high-grade aluminum alloy heat sink</p> <p>Input Voltage: 9–17 VDC</p> <p>Current Draw: 3 A</p> <p>Dimensions: 3" x 3" x 3"</p> <p>One (1) Year Warranty</p>			
--	--	--	--

Preferably Made in the USA

G. NIGHT SCAN SPOT (PREFERABLY MADE IN THE USA)

The Night Scan Spot is a rotatable, remote-controlled LED light. The wireless remote allows the light to be remotely adjusted by the operator. With a vertical tilt up of 70° and 45° tilt down and an infinite horizontal rotational range (clockwise and counterclockwise), The Night Scan Spot from Will-Burt allows for pan-tilt motion. Also equipped with a flashing alert feature, the remote-controlled LED light can be used to warn approaching motorists or pedestrians of potential hazards or help is needed. It can also be used with service vehicles to alert the on-coming vehicles there are people at work, and more.

SPECIFICATIONS:

Operating Voltage – 10 - 30VDC

Power Consumption – 80W

Maximum Distance for Operating Remote Control – Up to 130ft.

Weight – 7 lbs. (3.2KG)

Remote Control Battery – (1) 23A battery (12V)

One (1) Year Warranty

H. PORTABLE EMERGENCY LIGHTING SET - 1 LOT

TWO (2) SETS

Collapsible, Rechargeable and AC Mains Floodlight

Key features

<p>Powerful 5000 lumens</p> <p>Up to 90m beam</p> <p>1 to 5 hours runtime</p> <p>7.4V 4000mAh rechargeable battery</p> <p>Hybrid power supply - AC mains for continuous operation</p> <p>Portable, collapsible design</p> <p>Quick and easy setup</p> <p>Battery status indicator</p> <p>Warm white / cool white light output</p> <p>High, medium and low light mode</p> <p>Multi-angle rotational light</p> <p>Heat sink</p> <p>Robust aluminum housing IPX4 rating</p> <p>Specifications:</p> <p>Lumen: 5000</p> <p>Beam Distance: Up to 90m</p> <p>Run time: 1-5hrs Modes: High/Medium/Low</p> <p>Power source: 7.4V 4000mAh, 29.6Wh</p> <p>Li-ion Charging time: 6hrs</p> <p>IP: IPX4</p> <p>Size: 122x160x890mm</p> <p>Weight: 4.5kg One (1) Year Warranty</p> <p><u>Additional Works and Supplies</u></p>			
---	--	--	--

<p>One (1) Lot Supply and installation of custom decals and markings</p> <p><u>Supplied vehicle accessories</u></p> <p>One (1) set Standard manuals, tools and hydraulic bottle jack as provided by the vehicle manufacturer</p> <p>One (1) set Spare tire with rim</p> <p>One (1) set EWD</p> <p><u>Includes:</u></p> <p>Three (3) years LTO Registration</p> <p>One (1) year GSIS Comprehensive insurance</p> <p>Three (3) years or 10,000 kms warranty coverage, whichever comes first for the truck (as extended by vehicle manufacturer)</p> <p>One (1) year on body works against manufacturing defects or components failure due to normal use</p> <p>One (1) year on all vehicle lighting and warning system including repair or supply of replacement parts including labor to rectify the fault</p> <p>Delivery</p> <p>Orientation on operations, maintenance and basic trouble shooting</p> <p>Warranty: Goods are warranted for one (1) year from delivery against manufacturing defects or components failure due to normal use.</p>			
<p>Delivery Period: within _____ (____) calendar days from receipt of Purchase Order</p>			

Notes:

- The financial bid is inclusive of all taxes, duties, transportation costs, delivery charges and all costs relative to the project requirements including installation, testing, commissioning and training.
- The Bidder shall assume all risks until the goods have been delivered at the site and accepted by the City Government of Balanga
- Do not leave any blanks. Indicate "0" if the item is being offered for free.

BIDDER'S UNDERTAKING

I/We, the undersigned bidder, having examined the Bidding Documents including Bid Bulletins, as applicable hereby OFFER to (supply/deliver/perform) the above described items.

I/We undertake, if our bid is accepted, to deliver the items in accordance with the terms and conditions contained in the bidding documents, including the posting of the required performance security **within ten (10) calendar days** from receipt of the Notice of Award.

Until a formal contract/order confirmation is prepared and signed, this Bid is binding on us.

Name of Company (in print)

Signature of Company Authorized Representative

Name and Designation (in print)

Date

For Goods Offered From Abroad

Name of Bidder _____ Invitation to Bid Number ____ Page ____ of _____

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIF named place (specify border point or place of destination)	Total CIF or CIF price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

--	--	--	--	--	--	--	--	--

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

For Goods Offered From Within the Philippines

Name of Bidder _____ Invitation to Bid Number ____ Page _ of ____.

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)

_____ *[signature]*

_____ *[in the capacity of]*

Duly authorized to sign Bid for and on behalf of _____

**STATEMENT OF ALL ONGOING GOVERNMENT AND PRIVATE CONTRACTS
INCLUDING CONTRACTS AWARDED BUT NOT YET STARTED**

[Date]

THE CHAIRMAN
BIDS AND AWARDS COMMITTEE
CITY OF BALANGA

Madam,

In connection with the eligibility requirements for the bidding of SUPPLY AND DELIVERY OF BRAND NEW EVACUATION TRUCK FOR CDRRMO OF THE CITY GOVERNMENT OF BALANGA, BATAAN (REBID) this is to certify that [name and complete address of Bidder] has the following on-going government and private contracts, including contracts awarded but not yet started:

Name of Contract/ Project Cost	a. Date Awarded b. Date Started c. Date of Completion	a. Owner's Name b. Address c. Telephone Nos.	Kinds of Goods	Amount of Contract	% of Outstanding Works/ Undelivered Portion	Value of Outstanding Works/ Undelivered Portion
Government						
Private						
TOTAL AMOUNT						

Yours sincerely,

[Signature over printed name of Authorized Representative]

[Title]

[Name of Firm]

Instructions:

- i. State all ongoing contracts including those awarded but not yet started (government and private contracts which may or may not be similar to the project to be bid)
- ii. This statement shall be supported with Purchase Order or Notice of Award or Contract or Notice to Proceed invoice issued for the contract
- iii. If there is no ongoing contract including awarded but not yet started as of the aforementioned period, state none.
- iv. The total amount of the ongoing and awarded but not yet started contracts should be consistent with those used in the Net Financial Contracting Capacity (NFCC).

STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT

(May be printed in Landscape format)

[Date]

THE CHAIRMAN
BIDS AND AWARDS COMMITTEE
CITY OF BALANGA

Madam,

In connection with the eligibility requirements for the bidding of SUPPLY AND DELIVERY OF BRAND NEW EVACUATION TRUCK FOR CDRMO OF THE CITY GOVERNMENT OF BALANGA, BATAAN (REBID) this is to certify that [name and complete address of Bidder] has the single largest completed contracts with the following details:

Name of Contract	a. Date Awarded b. Contract Effectivity c. Date Completed	Contract Duration	a. Owner's Name b. Address c. Telephone Nos.	Kinds of Goods	Amount of Completed Contract, (adjusted by the Bidder to current prices using PSA's consumer price index, if necessary)

Note: This statement shall be supported with end user's acceptance or official receipt(s) or cash invoice issued for the contract.

Yours sincerely,

[Signature over printed name of Authorized Representative]

[Title]

[Name of Firm]

Omnibus Sworn Statement

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC),

the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I have hereunto set my hand this ___ day of ___, 20__ at _____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

***Section VIII. Checklist of Technical and
Financial Documents***

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); **and** the following if such documents are to expire
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document, **and**
- (c) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas; **and**
- (d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Documents

- (e) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (f) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (g) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; **or**
Original copy of Notarized Bid Securing Declaration; **and**
- (h) Conformity with the Technical Specifications, which includes:
 - _____ Technical Specifications,
 - _____ Notarized Production/Delivery Schedule,
 - _____ Manpower Requirements,
 - _____ Notarized After-Sales/Parts or Product Warranty; **and**
- (i) Original duly signed Omnibus Sworn Statement (OSS); **and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (j) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**
- (k) The prospective bidder's computation of Notarized Net Financial Contracting Capacity (NFCC);
or
A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

- (l) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
or
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- (m) Original of duly signed and accomplished Financial Bid Form; **and**
- (n) Original of duly signed and accomplished Price Schedule(s).

Other documentary requirements under RA No. 9184 (as applicable)

- (o) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (p) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

