

## Tutorial Week 2

Our readings (lecture notes and video lecture) this week discuss about **Review of Inheritance and Polymorphism**. Write the answers for all questions in the table according to your understanding. **PLEASE USE YOUR OWN WORDS. DO NOT COPY FROM THE WEB.**

Question	Answer
1. There are three classes: <b>Laptop</b> , <b>DellLaptop</b> , and <b>HPLaptop</b> . What are the likely relationships between these classes?	
<p>2. What is the output of the following program?</p> <pre> public class Animal {     public static void testClassMethod() {         System.out.println("The class method in Animal.");     }     public void testInstanceMethod() {         System.out.println("The instance method in Animal.");     } }  public class Cat extends Animal {     public static void testClassMethod() {         System.out.println("The class method in Cat.");     }     public void testInstanceMethod() {         System.out.println("The instance method in Cat.");     }      public static void main(String[] args) {         Cat myCat = new Cat();         Animal myAnimal = myCat;         Animal.testClassMethod();         myAnimal.testInstanceMethod();     } } </pre>	
<p>3. Can an object of a child type be assigned to a variable of the parent type? For example,</p> <p>GreetingCard card;          Birthday bd = new Birthday("Peter");</p> <p>card = bd; // is this correct?</p>	

4. What is the output for the following program?


```
class Animal {
    String color = "white";
}

class Cat extends Animal {
    String color = "black";


    void printColor() {
        System.out.println(color);
        System.out.println(super.color);
    }
}

class TestApp {
    public static void main(String args[]) {
        Cat c = new Cat();
        c.printColor();
    }
}
```

5. Consider the following:



What if the overridden method of the superclass has to be called?

6. Can a class implement more than one interface? How? Show the syntax.	
<p>7. Suppose that Fruit, Apple, Orange, GoldenDelicious Apple and Macintosh Apple are declared as shown below. Assume that <b>fruit</b> is an instance of GoldenDelicious and <b>orange</b> is an instance of Orange. Answer the following questions:</p>  <pre> classDiagram     Fruit &lt; -- Apple     Fruit &lt; -- Orange     Apple &lt; -- GoldenDelicious     Apple &lt; -- Macintosh     class GoldenDelicious {         us     } </pre> <p>a) Is <b>fruit</b> instanceof Orange?</p> <p>b) Is <b>fruit</b> instanceof Apple?</p> <p>c) Is <b>fruit</b> instanceof Macintosh?</p> <p>d) Is <b>orange</b> instanceof Fruit?</p> <p>e) Is <b>orange</b> instanceof Apple?</p> <p>f) Suppose the method makeApple() is defined in Apple class. Can fruit invoke this method? Can orange invoke this method?</p> <p>g) Suppose the method makeOrangeJuice() is defined in Orange class. Can orange invoke this method? Can fruit invoke this method?</p>	
8. What modifier should you use on a class so that a class in the same package can access it, but a class in a different package cannot access it?	