

*Please note that all standards can be referenced at: <u>Common Core State Standards</u>.

2nd Grade					
Math					
Trimester 1		Trimester 2	Trimester 3		
Unit 1 Numbers Within 20: Addition, Subtraction, and Data	Unit 2 Numbers Within 100: Addition, Subtraction, Time, and Money	Unit 3 Numbers Within 1,000: Place Value, Addition, and Subtraction	Unit 4 Length: Measurement, Addition and Subtraction, and Line Plots	Unit 5 Shapes and Arrays: Partitioning and Tiling Shapes, Arrays, Evens and Odds	
Priority Standards: 2.OA.2, 2.OA.1, Supporting Standard 2.MD.10	Priority Standards: 2.NBT.5 Supporting Standards 2.NBT.9, 2.OA.1, 2.MD.8, 2.MD.7	Priority Standards: 2.NBT.1, 2.NBT.2, 2.NBT.3, 2.NBT.4, 2.NBT.5, 2.NBT.6, 2.NBT.7, Supporting standard 2.NBT.8, 2.NBT.9	Priority Standards: 2.MD.1, 2.MD.5, 2.MD.4 Supporting standards 2.MD.2, 2.MD.3, 2.MD.6	Priority Standards: 2.G.1 Supporting Standards 2.G.2, 2.G.3, 2.OA.3, 2.OA.4	
The Students Will Be Able To:	The Students Will Be Able To:	The Students Will Be Able To:	The Students Will Be Able To:	The Students Will Be Able To:	
OA.2 Fluently add and subtract within 20 using mental strategies. By the end of Grade 2, know from memory all sums of two one-digit numbers. OA.1 Use addition and subtraction within 100 to solve one- and two-step word	NBT.5 Fluently add and subtract within 100 using strategies based on place value, properties of operations, and/or the relationship between addition and subtraction. NBT.9 Explain why addition and subtraction strategies	NBT.1 Understand that the three digits of a three-digit number represent amounts of hundreds, tens, and ones; e.g., 706 equals 7 hundreds, 0 tens, and 6 ones. Understand the following as special cases: a.100 can be thought of as a bundle of ten tens — called a "hundred." b.The numbers 100, 200, 300, 400, 500, 600, 700, 800, 900 refer to one, two, three, four, five, six, seven, eight, or nine hundreds	MD.1 Measure the length of an object by selecting and using appropriate tools such as rulers, yardsticks, meter sticks, and measuring tapes. MD.2 Measure the length of an object twice, using length units of different lengths for the two measurements; describe how the two measurements relate to the size of the unit chosen. MD.3 Estimate lengths using	G.1 Recognize and draw shapes having specified attributes, such as a given number of angles or a given number of equal faces.1 Identify triangles, quadrilaterals, pentagons, hexagons, and cubes.	



problems involving situations of adding to, taking from, putting together, taking apart, and comparing, with unknowns in all positions, e.g., by using drawings and equations with a symbol for the unknown number to represent the problem. **MD.10** Draw a picture graph and a bar graph (with single-unit scale) to represent a data set with up to four categories. Solve simple put together, take-apart, and compare problems4 using information

presented in a bar

graph.

work, using place value and the properties of operations OA.1 Use addition and subtraction within 100 to solve one- and two-step word problems involving situations of adding to, taking from, putting together. taking apart, and comparing, with unknowns in all positions, e.g., by using drawings and equations with a symbol for the unknown number to represent the problem. MD.8 Solve word problems involving dollar bills, quarters, dimes, nickels, and pennies, using \$ and ¢ symbols appropriately. Example: If you have 2 dimes and 3

pennies, how many

cents do you have?

MD.7 Tell and write

digital clocks to the

nearest five minutes.

time from analog and

(and 0 tens and 0 ones). NBT.2 Count within 1000; skip-count by 5s. 10s. and 100s NBT.3 Read and write numbers to 1000 using base-ten numerals. number names, and expanded form. **NBT.4** Compare two three-digit numbers based on meanings of the hundreds, tens, and ones digits, using >, =, and < symbols to record the results of comparisons. **NBT.5** Fluently add and subtract within 100 using strategies based on place value, properties of operations, and/or the relationship between addition and subtraction. **NBT.6** Add up to four two-digit

NBT.6 Add up to four two-digit numbers using strategies based on place value and properties of operations. **NBT.7** Add and subtract within 1000

NBT.7 Add and subtract within 1000. using concrete models or drawings and strategies based on place value, properties of operations, and/or the relationship between addition and subtraction; relate the strategy to a written method. Understand that in adding or subtracting three digit numbers, one adds or subtracts hundreds and hundreds, tens and tens, ones and ones; and sometimes it is necessary to compose or decompose tens or hundreds. NBT.8 Mentally add 10 or 100 to a given number 100-900, and mentally subtract 10 or 100 from a

given number 100-900.

units of inches, feet, centimeters, and meters.

MD.4 Measure to determine how much longer one object is than another, expressing the length difference in terms of a standard length unit.

MD. 5 Use addition and subtraction within 100 to solve word problems involving lengths that are given in the same units, e.g., by using drawings (such as drawings of rulers) and equations with a

symbol for the unknown

number to represent the

problem.

MD.6 Represent whole numbers as lengths from 0 on a number line diagram with equally spaced points corresponding to the numbers 0, 1, 2, ..., and represent whole-number sums and differences within 100 on a number line diagram.

G.2 Partition a rectangle into rows and columns of same-size squares and count to find the total number of them. **G.3** Partition circles and rectangles into two, three, or four equal shares, describe the shares using the words halves, thirds, half of, a third of, etc., and describe the whole as two halves, three thirds, four fourths. Recognize that equal shares of identical wholes need not have the same shape. **OA.3** Determine whether a group of objects (up to 20) has an odd or even number of members, e.g., by pairing objects or counting them by 2s; write an equation to express an even number as a sum of two equal addends. **OA.4** Use addition to find the total number

of objects arranged in



using a.m. and p.m.	NBT.9 Explain why addition and subtraction strategies work, using place value and the properties of operations.		rectangular arrays with up to 5 rows and up to 5 columns; write an equation to express the total as a sum of equal addends.
---------------------	---	--	---