



ORANGE COLOUR POWDER FD & C YELLOW #6 AL LAKE SAFETY DATA SHEET

SECTION 1: MATERIAL & SUPPLY COMPANY IDENTIFICATION

1.1 Product Identifiers

Product Name: Orange Colour Powder FD & C Yellow #6 Al Lake
Chemical Name: tDisodium 6-hydroxy-5-[(4-sulfophenyl)azo]-2-naphthalenesulfonate
Colour Index: 15985:1
CAS Number.: 15790-07-5
Country of Origin India

1.2 Relevant identified uses of the substance or mixture

Common Name colour index no	Japanese Reference	Avg% Dye	Comments	EC/1223/2009 & IS 4707
D & C Yellow #6 Al Lake 19140:1	Yellow # 5	24	Aluminium Lake	1E-110

Uses in USA

Lipstick Major use
Face Makeup Major Use
Nail lacquer Major Use
Eye Makeup Not Permitted
21 CFR Permitted for colouring cosmetics generally,, in amounts consistent with current good manufacturing practice.

1.3 Supplier Details

Supplier: Heirloom Body Care Pty Ltd
Address: Unit 9, 28 Coombes Drive Penrith NSW 2750 Australia
Telephone: 02 4722 2123
Fax 02 4722 2904

1.4 Information in case of emergency

Poisons Information 13 11 26
Centre

SECTION 2: HAZARDS IDENTIFICATION

HAZARDOUS NATURE

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

The substance is not classified according to the Globally Harmonised System (GHS). This product is not considered to be a hazardous substance as defined under OSHA's Hazard Communication Standard (29 CFR 1910.1200).

SIGNAL WORD

None – Not Hazardous

HAZARD STATEMENT



None – Not Hazardous

CLASSIFICATION ACCORDING TO REGULATION (EC) NO

Classification according to Directive 67/548/EEC or Directive 1999/45/EC:

Information concerning particular hazards for human and environment:

1272/2008

Not Applicable

Not Applicable

SECTION 3: COMPOSITION AND INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISATION:

trisodium;5-oxo-1-(4-sulfonatophenyl)-4-[(4-sulfonatophenyl)diazenyl]-4H-pyrazole-3-carboxylate

CAS NO. DESCRIPTION, SYNONYMS CAS# 15790-07-5

C.I. 15985:1

EC NUMBER

INGREDIENTS	CAS #	Concentration %
FD&C YELLOW 6 LAKE	15790-07-5	100% - Pure (*)

(*) COMMERCIALY PURE. MAY INCLUDE SMALL QUANTITIES OF MATERIAL DUE TO MANUFACTURING OR REACTION PROCESSES.

This is a commercial product whose extract ratio of components may vary slightly. Minor quantities of other non-hazardous ingredients are also possible

ADDITIONAL INFORMATION: IMPURITIES:

Lead (as Pb) Not more than 5 ppm (Parts per million)

Arsenic (as As) Not more than 3 ppm

Mercury (as Hg) Not more than 1 ppm

SECTION 4: FIRST AID MEASURES

General Information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and shoes wash affected area with water and soap. Seek medical attention if symptoms occur

Eye Contact:

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention if any irritation occurs

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give 2-4 glass of milk or water. Never give anything by mouth to an unconscious person. Seek immediate medical attention if large quantities have been swallowed.

SYMPTOMS CAUSED BY EXPOSURE:

Inhalation: May cause respiratory irritation

Skin Contact: May cause skin irritation. May cause allergic skin reaction

Eye Contact: May cause eye irritation

Ingestion: May cause skin irritation. May cause gastrointestinal irritation

SECTION 5: FIRE FIGHTING MEASURES

FIRE AND EXPLOSION HAZARD:

There is no risk of an explosion from this product under normal circumstances if it is involved in a fire

EXTINGUISHING MEDIA:

Not combustible. Use extinguishing media suited to burning materials

For small fires use dry chemical powder, this product is a water soluble food colour

For large fires use water spray, fog or foam, Do Not Use full water jet.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

Hazardous combustion products include oxides, nitrogen, sulphur and sodium.



Product may be combustible at high temperatures. Use water spray to cool fire exposed containers and if safe to do so remove from the area.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS

When fighting a major fire wear self-contained breathing apparatus and protective equipment. MSHA/NIOSH (approved or equivalent)

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from the affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust
ENVIRONMENTAL PRECAUTIONS	In the event of major spills, prevent spillage from entering drains or water courses/surface ground water
METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP	In case of dry powder spills use vacuum equipment with HEPA filters. Contain spilled material immediately with an inert substance such as sand or earth if sweeping is required. Collect in suitable, closed container for subsequent disposal, according to local State or Federal guidelines. Avoid generating dust. Wash spill areas with water.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	Use of Safe Work practices are recommended to avoid eye or skin contact and inhalation of dust. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.
ENVIRONMENTAL PRECAUTIONS	Store in a cool, dry and well ventilated area. Keep in original container tightly closed when not in use. Protect from extreme temperatures. Keep away from strong oxidizing agents.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

EXPOSURE STANDARDS	Nuisance dust: TWA - 10 mg/m ³ (inspirable dust)
ENGINEERING CONTROLS	Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below the limits
RESPIRATORY PROTECTION	Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand



	Standards AS/NZS 1715 and 1716 for more information.
SKIN PROTECTION	PVC, PVA, nitrile, neoprene, rubber or vinyl gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered. Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.
EYE AND FACE PROTECTION	Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE FORM: COLOUR: ODOUR:	Dry powder or granules Orange Odourless (Characteristic)
ODOUR THRESHOLD	No Information Available
PH-VALUE	No Information Available
MELTING POINT/MELTING RANGE	No Information Available
INITIAL BOILING POINT/BOILING RANGE	No Information Available
FLASH POINT	Not Applicable
FLAMMABILITY	Product is not flammable
AUTO-IGNITION TEMPERATURE	Not Applicable
DECOMPOSITION TEMPERATURE	No Information Available
EXPLOSION LIMITS LOWER: UPPER:	Product does not present an explosion hazard Not Applicable
RELATIVE DENSITY AT 20°C	No Information Available
SOLUBILITY IN WATER AT 20 °C	Not soluble
VAPOUR PRESSURE AT 25°C	Not applicable

SECTION 10: STABILITY AND REACTIVITY

POSSIBILITY OF HAZARDOUS REACTIONS

Hazardous polymerisation will not occur

CHEMICAL STABILITY

Stable at ambient temperature and under normal conditions of use



CONDITIONS TO AVOID

Extreme temperatures and dust generation

INCOMPATIBLE MATERIALS

Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS

Nitrogen oxides, carbon monoxide, oxides of nitrogen, oxides of sulfur, carbon dioxide, sodium oxide

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICITY: LD₅₀/LC₅₀ VALUES RELEVANT FOR CLASSIFICATION

CAS # 15790-07-5

SUBSTANCE Disodium 6-hydroxy-5-[(4-sulfophenyl)azo]-2-naphthalenesulfonate
ORAL LD-50 LD50 for iron oxide is greater than 10g/kg (rat)

ACUTE HEALTH EFFECTS:

INHALATION May cause respiratory irritation

SKIN No irritating effect

EYE No irritating effect

INGESTION May be harmful if swallowed. May cause gastrointestinal irritation

SKIN CORROSION / IRRITATION

Based on classification principles, the classification criteria are not met

SERIOUS EYE DAMAGE / IRRITATION

Based on classification principles, the classification criteria are not met

RESPIRATORY OR SKIN SENSITISATION

Based on classification principles, the classification criteria are not met

GERM CELL MUTAGENICITY

Based on classification principles, the classification criteria are not met

CARCINOGENICITY This product does NOT contain any IARC listed chemicals

REPRODUCTIVE TOXICITY

Based on classification principles, the classification criteria are not met

SPECIFIC TARGET ORGAN TOXICITY (STOT) - SINGLE EXPOSURE

Based on classification principles, the classification criteria are not met

SPECIFIC TARGET ORGAN TOXICITY (STOT) - REPEATED EXPOSURE

Based on classification principles, the classification criteria are not met

ASPIRATION HAZARD Based on classification principles, the classification criteria are not met

CHRONIC HEALTH EFFECTS

This Product is known to provoke asthma attacks and urticaria (nettle rash) in children

EXISTING CONDITIONS AGGRAVATED BY EXPOSURE

Respiratory conditions

SECTION 12: ECOLOGICAL INFORMATION

This product has not been evaluated for its Eco toxicity. However, the biodegradation of colorants under aerobic conditions is expected to be poor and there is no evidence to suggest they create any significant ecological problems when released into the environment. Since inorganic pigments are mostly insoluble compounds, they are believed to have bioaccumulation and bioavailability characteristics

ECOTOXICITY No information available

AQUATIC TOXICITY No information available

PERSISTENCE AND DEGRADABILITY No information available

BIOACCUMULATIVE POTENTIAL No information available

MOBILITY IN SOIL No information available

GENERAL NOTES

SECTION 13: DISPOSAL CONSIDERATIONS



DISPOSAL METHODS AND CONTAINERS

Dispose according to applicable local and state government regulations

SPECIAL PRECAUTIONS FOR LANDFILL OR INCINERATION

Please consult your state Land Waste Management Authority for more information

SECTION 14: TRANSPORTATION INFORMATION

UN NUMBER	Not regulated
PROPER SHIPPING NAME	Not regulated
DANGEROUS GOODS CLASS	Not regulated
PACKING GROUP	Not regulated
MARINE POLLUTANT	No

SECTION 15: REGULATORY INFORMATION

AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES:

CAS # 15790-07-5

SUBSTANCE Disodium 6-hydroxy-5-[(4-sulfophenyl)azo]-2-naphthalenesulfonate

STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS (SUSMP) – POISON SCHEDULE:

Not a scheduled poison

SECTION 16: OTHER INFORMATION

DATE OF PREPARATION OR LAST REVISION	11th December 2020
PREPARED BY	Heirloom Body Care Telephone 02 4722 2123 www.heirloombodycare.com.au

BATCH DETAILS

Batch (lot) Number	FG/15-16/3479
FDA Lot No	AW9560
Manufacture Date	21st March 2016
Expiry Date: Shelf Life:	20th March 2024 8 Years (Re-Test)

ANALYSIS DETAILS



No.	Tests		Specification		Analytical Result
			Min	Max	
1.	Pure Dye Content % w/w	% w/w	21	26	25.70
2.	HCl Insoluble Matter	% w/w		0.5	0.12
3.	Mercury	mg/kg		1	0.019
4.	Lead	mg/kg		10	1.22
5.	Arsenic	mg/kg		3	0.028

USA FDA INFORMATION

§74.706 FD&C Yellow No. 6.

(a) Identity. (1) The color additive FD&C Yellow No. 6 is principally the disodium salt of 6-hydroxy-5-[(4-sulfophenyl)azo]-2-naphthalenesulfonic acid (CAS Reg. No. 2783-94-0). The trisodium salt of 3-hydroxy-4-[(4-sulfophenyl)azo]-2,7-naphthalenedisulfonic acid (CAS Reg. No. 50880-65-4) may be added in small amounts. The color additive is manufactured by diazotizing 4-aminobenzenesulfonic acid using hydrochloric acid and sodium nitrite or sulfuric acid and sodium nitrite. The diazo compound is coupled with 6-hydroxy-2-naphthalene-sulfonic acid. The dye is isolated as the sodium salt and dried. The trisodium salt of 3-hydroxy-4-[(4-sulfophenyl)azo]-2,7-naphthalenedisulfonic acid which may be blended with the principal color is prepared in the same manner except the diazo benzenesulfonic acid is coupled with 3-hydroxy-2,7-naphthalenedisulfonic acid.

(2) Color additive mixtures for food use made with FD&C Yellow No. 6 may contain only those diluents that are suitable and that are listed in part 73 of this chapter as safe for use in color additive mixtures for coloring foods.

(b) Specifications. The color additive FD&C Yellow No. 6 shall conform to the following specifications and shall be free from impurities other than those named to the extent that such other impurities may be avoided by current good manufacturing practice:

Sum of volatile matter (at 135 °C) and chlorides and sulfates (calculated as sodium salts), not more than 13 percent.

Water insoluble matter, not more than 0.2 percent.

Sodium salt of 4-aminobenzenesulfonic acid, not more than 0.2 percent.

Sodium salt of 6-hydroxy-2-naphthalenesulfonic acid, not more than 0.3 percent.

Disodium salt of 6,6'-oxybis[2-naphthalenesulfonic acid], not more than 1 percent.

Disodium salt of 4,4'-(1-triazene-1,3-diyl)bis[benzenesulfonic acid], not more than 0.1 percent.

Sum of the sodium salt of 6-hydroxy-5-(phenylazo)-2-naphthalenesulfonic acid and the sodium salt of 4-[(2-hydroxy-1-naphthalenyl)azo]benzenesulfonic acid, not more than 1 percent.

Sum of the trisodium salt of 3-hydroxy-4-[(4-sulfophenyl)azo]-2,7-naphthalenedisulfonic acid and other higher sulfonated subsidiaries, not more than 5 percent.

4-Aminoazobenzene, not more than 50 parts per billion.

4-Aminobiphenyl, not more than 15 parts per billion.

Aniline, not more than 250 parts per billion.

Azobenzene, not more than 200 parts per billion.

Benzidine, not more than 1 part per billion.

1,3-Diphenyltriazene, not more than 40 parts per billion.

1-(Phenylazo)-2-naphthalenol, not more than 10 parts per million.

Lead (as Pb), not more than 10 parts per million.

Arsenic (as As), not more than 3 parts per million.

Mercury (as Hg), not more than 1 part per million.

Total color, not less than 87 percent.

(c) Uses and restrictions. The color additive FD&C Yellow No. 6 may be safely used for coloring foods (including dietary supplements) generally in amounts consistent with current good manufacturing practice, except that it may not be used to color foods for which standards of identity have been promulgated under section 401 of the act unless added color is authorized by such standards.

(d) Labeling requirements. (1) The label of the color additive and any mixtures intended solely or in part for coloring purposes prepared therefrom shall conform to the requirements of §70.25 of this chapter.

(2) [Reserved]

(e) Certification. All batches of FD&C Yellow No. 6 shall be certified in accordance with regulations in part 80 of this chapter.

[51 FR 41782, Nov. 19, 1986, as amended at 52 FR 21508, June 8, 1987; 53 FR 49138, Dec. 6, 1988]

DECLARATION ON GENETIC MODIFICATION

This is to certify that, regarding cosmetic grade colours the scope relating to the subject of genetically modified foods and how it relates to our products is extensive and beyond the capabilities of our organisation, to categorically state that none



of the large number of chemicals used in our processes, have not been in contact with other materials which may have been modified in some way.

However, as we are not directly involved in the food chain and the processing of foods, or in the direct use of crops (modified plants) for food use, we are confident that none of the chemicals, either organic or inorganic are directly associated with any modifications or are derived from biotechnology industries. We can further qualify that the organic dyes, as manufactured, do not come under the scope of containing gluten, so are gluten free. We also state that we are not directly involved in the genetic modification of any of our products.

DECLARATION ON ANIMAL TESTING

This is to certify that, regarding cosmetic grade colours the scope relating to the subject of animal testing and how it relates to our above mentioned products is extensive and beyond the capabilities of our organization, to categorically state that none of the large number of chemicals used in our processes, have not been involved in animal testing as required by the laws or particular countries.

However, we can confirm that no animal testing is carried out within our organisation in any of the technical laboratories and we have not been involved nor have requested animal testing to be carried out by third parties

DECLARATION ON IRRADIATION

This is to certify that cosmetic grade colours are neither treated for any radiation nor exposed to radiation. Food colours products are declared as irradiation free.

DECLARATION ON PETROLEUM COMPOUNDS

This is to certify that cosmetic grade colours are Synthetic dyestuffs and there is no possibility of the presence of Petroleum Compounds in detectable quantities from our best of chemical knowledge of these products and the manufacturing process involved.

DECLARATION FOR VEGETARIANS AND VEGANS

This is to certify that all the products are suitable for Vegetarians and Vegans from our best knowledge of these products and the manufacturing processes involved.

DECLARATION ON ALLERGENS

This is to certify that cosmetic grade colours are synthetic dyestuffs and do not contain or consist of any Allergens like Milk or Milk derivatives, Egg or Egg derivatives, Soybean or Soybean derivatives, Peanuts or Peanut derivatives, Tree nuts or Tree nut derivatives, Grains or Grain derivatives, Fish or Seafood and their derivatives, Seed or Seed derivatives and any Sensitisers and have not been in contact with other materials which have been modified in some way. We also declare that the intermediates used for manufacturing of colours do not contain or consist of any allergens as above.

DECLARATION FOR MAJOR ALLERGENS



Allergen	Yes	No
Milk and products thereof		✓
Eggs and products thereof		✓
Fish and products thereof		✓
Shellfish Mollusc / Crustacean and products thereof		✓
Peanuts and products thereof		✓
Soybeans and products thereof		✓
Tree Nuts and products thereof		✓
Almond		✓
Brazil		✓
Cashew		✓
Coconut		✓
Hazelnut (filbert)		✓
Pine nuts (Pinyon, Pinon)		✓
Pistachio		✓
Pecan		✓
Macadamia		✓
Walnut		✓
Gluten (wheat, Rye, Oat or Barley and products thereof)		✓
Seed Products (Excluding refined Oils)		✓
Canary Seed		✓
Sesame Seeds		✓
Poppy Seed		✓
Sunflower Seed		✓
Celery (Stalks, Leafs or roots excluding seeds)		✓
Sulfites (more than 10 PPM)		✓
Mustard and products thereof		✓
Lupin and products thereof		✓
Molluscs and products thereof		✓

DECLARATION ON METAL DETECTOR

This is to certify that cosmetic grade colours after getting product in the final stage (powder form), it passes through a Magnet with Gauss power 8000 – 10000 to remove any iron particles.
Also, a metal detection (free iron) test is carried out by a QC Chemist on all batches at the finished goods stage by using a hand magnet with Gauss power 8000 – 10000.

NON COMEDOGENIC DECLARATION

This is to certify that cosmetic grade colours are synthetic dyestuffs.
The quality of our products comply as per CFR and EC regulation for use in Food, Drugs & Cosmetics applications.
From the best of our chemical knowledge our product is Non Comedogenic for humans.

DECLARATION ON PARTICLE SIZE



This is to certify that cosmetic grade colours, in the manufacturing process nanomaterial producing technology has not been used, consequently there are not intentionally produced nanoparticles.

Therefore there is no possibility of the presence of Nanoparticles in our range produced from the best of our knowledge of our product and manufacturing process involved for it.

From the best of our knowledge of products and the manufacturing process the average particle size for the range is < 5 micron.

SECTION 17: ABBREVIATIONS AND ACRONYMS

CAS	Chemical Abstracts Service (division of the American Chemical Society)
CI	Colour index number.
D&C	Drug and Cosmetic
EINECS	European Inventory of Existing Commercial Chemical Substances
FAO	Food and Agriculture Organisation of the United States
FD & C	Food, Drug and Cosmetic
GHS	Globally Harmonised System of Classification and Labelling of Chemicals
IARC	International Agency for Research on Cancer
INS	Refer to CI
JECFA	The Joint FAO/WHO Expert Committee on Food Additives
LC ₅₀	Lethal concentration, 50 percent
LD ₅₀	Lethal dose, 50 percent
NES Contaminants)	National Exposure Standard(Safe Work Australia-Workplace Exposure Standards For Airborne
PPM	Parts Per Million
SDS	Safety Data Sheet. Formally known as Material Safety Data Sheet (MSDS)
STEL	Short Term Exposure Limit
SUSMP	Standard for the Uniform Scheduling of Drugs and Poisons
TWA	Time Weighted Average
WHO	World Health Organisation
WS	Water Soluble

DISCLAIMER

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - December 2011" The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Heirloom Body Care Pty Limited makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. Heirloom Body Care Pty Limited is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.