

Experimental Measurement and Modeling Analysis of the Heat Transfer in Graphene Oxide/Turbine Oil NonNewtonian Nanofluids



By Ali H Alibak

Soran University (SUN)

Faculty of Engineering

لينكى توپىزىنەوە:

<https://doi.org/10.1155/2024/5572387>

Abstract

Heat transfer characteristics of graphene oxide (GO)/turbine oil as a non-Newtonian nanofluid are assessed both experimentally and numerically in this paper. To do so, 0.2, 0.3, 0.5, and 1 mass percent (wt%) of GO is homogeneously dispersed in the base liquid. First, the specific heat capacity, thermal conductivity, viscosity, and density of the synthesized nanofluids are measured using standard laboratory methods. After that, constants of the shear stress equation are determined through the nonlinear regression of the rheology data on the power law model. Finally, the heat transfer from turbine blades with a constant surface temperature to the coolant nanofluid is investigated using mathematical modeling. The results suggest that while the nanofluid density, viscosity, and thermal conductivity increase by increasing the nanoparticle concentration by 0.57%, 7.07%, and 18.89% in succession, respectively, and its specific heat capacity decreases by 0.54%. Moreover, both the convective heat transfer coefficient and the temperature profile in the considered nanofluids depend on the average velocity and Reynolds number. Furthermore, the convective heat transfer coefficient increases by 5.5%, 9.5%, 14%, and 17% in exchange for 0.2, 0.3, 0.5, and 1 wt% of GO nanoparticles in the base liquid, respectively.

الملخص

يتم تقييم خصائص نقل الحرارة لأكسيد الجرافين (GO) / زيت التوربين باعتباره مادة نانوية غير نيوتونية تجريبياً وعددياً في هذه الورقة. وللقيام بذلك، يتم توزيع 0.2 و 0.3 و 0.5 و 1 بالمائة من الكتلة (بالوزن%) من GO بشكل متجانس في الماء السائل. أولاً، يتم قياس السعة الحرارية المحددة، والتوصيل الحراري، والزوجة، والكثافة للسوائل النانوية المصنعة.

باستخدام الطرق المخبرية القياسية. وبعد ذلك يتم تحديد ثوابت معادلة إجهاد القص من خلال الخط اللاخطي انحدار بيانات الريولوجيا على نموذج قانون الطاقة. وأخيراً، انتقال الحرارة من ريش التوربين ذات السطح الثابت تم التحقق من درجة حرارة السائل النانوي المبرد باستخدام النمذجة الرياضية. تشير النتائج إلى أنه في حين أن السائل النانوي تزداد الكثافة والزوجة والتوصيل الحراري بزيادة تركيز الجسيمات النانوية بنسبة 0.57% و 7.07% و 18.89% في المتعاقبة، على التوالي، وتقل قدرتها الحرارية المحددة بنسبة 0.54%. علاوة على ذلك، فإن كلاً من معامل نقل الحرارة بالحمل الحراري ويعتمد ملف درجة الحرارة في السوائل النانوية قيد النظر على متوسط السرعة ورقم رينولدز. علاوة على ذلك، يزيد معامل انتقال الحرارة بالحمل الحراري بنسبة 5.5% و 9.5% و 14% و 17% مقابل 0.2 و 0.3 و 0.5 و 1% بالوزن من GO الجسيمات النانوية في الماء الأساسي، على التوالي.

تایپه‌نمکی‌کانی گواستنومه‌ی گرمی نوکسیدی گرافین (GO)/رُونی تورباین و مک نانوفلوبیدیکی نانیوتونی به هم‌دو شیوه‌ی تاکیکاری و له رووی ژماره‌ییمه‌ه لمه توزیزینه‌یه میدا هم‌ده‌سنه‌نگیندرینت. بوقئم مه‌بسته، 0.2، 0.3، 0.5، و 1 لمسدی بارسته (%)ی GO به شیوه‌یه کی یه‌کسان له شله‌س بنکه‌که‌دا بلاو بیوه‌هه.

سمره‌تا توانای گرمی تاییه‌ت، ریبیرایه‌تی گرمی، لینجی و چری نانوفوییده دروستکراو هکان.

به هکار هینانی شیوازه ستاندار دهکانی تاکیگیه دهپیوریت. دوای ئمه‌ه نه‌گور مکانی هاوکیشیه فشاری برين له ریگه‌ی پاشه‌کشه‌ی ناهنیلییمه داتاکانی ریقولزی له‌سمر مودیلی یاسای دمه‌ه‌لات (power law). دیاری دهکرین. له کوتاییدا گواستنومه‌ی گرمی له تیغه‌کانی تورباین به پله‌ی گرمی نه‌گور بوق نانوفوییدی سار دکه‌هه به به‌کار هینانی مودیلکردنی بیرکاری لیکولینه‌ه له‌سمر دهکرینت. ئه‌نjamame‌کان پیشیاری ئمه‌ه دهکمن که له کاتیکدا چری، چه‌سپاوی و ریبیرایه‌تی گرمی نانوفویید به زیادکردنی چری نانوگر دیله‌کان به ریزه‌ی 0.57%， 18.89%， و 7.07% له یهک له دوای یهک زیاد دهکات، توانای گرمی تاییه‌هکه‌ی به ریزه‌ی 0.54% کم ده‌بینت‌هه.

جگه له‌وش هم‌دو ریزه‌ی گواستنومه‌ی گرمی و پروفایلی پله‌ی گرمی له نانوفوییده لم‌هرا چاوگیر او هکاندا به‌نه به تیکرای خیرایی و ژماره‌ی رینولدز. جگه له‌وش، ریزه‌ی گواستنومه‌ی گرمی و مرگه‌ران به ریزه‌ی 5.5%， 9.5%， 14%， و 17% زیاد دهکات له بهرامبهر 0.2، 0.3، و 0.5%wt GO نانوگر دیله‌کان له شله‌س بن‌هه‌تیدا، به ریکه‌هه.

About Soran University

[Soran University \(SUN\)](#) is located in the city of Soran, which is about a two-hour drive north-east of [Erbil](#) (Arbil, Hewlér), the capital of the [Kurdistan Region](#) of Iraq (KRIQ). The city is flanked by the famous Korek, Zozik, Henderén, and Biradost mountains. The medieval mountain village of [Rewandiz \(Rawanduz, رواندز\)](#) is a stone-cast away, and the two cities share this lovely, harmonious upland. While waiting for its green, environmentally friendly building to be erected on a hilltop overlooking the cities of Soran and Rewandiz, its existing city campus has been meticulously set out to accommodate the lovely natural landscape. The new campus will be the first of its type, being walkable, balanced, powered by renewable energy, and compliant with all international environmental regulations. There are 5 Faculties in [SUN](#); [Faculty of Arts](#) (FAAR), [Faculty of Science](#) (FSCN), [Faculty of Education](#) (FEDU), [Faculty of Law](#), Political Science, and Management (FLAW/PSM), and [Faculty of Engineering](#) (FENG). Also, there is SUN research centre. Moreover, at SUN, there is a Language Center. SUN signed many Memoranda of Understandings (MoU) with many International Universities,

How to get here

Soran University (SUN) is located in the heart of the city of Soran. The main city campus is easily found on Google Maps for direction.