

When a server is up:

```
<mjml>
  <mj-head>
    <mj-font name="Roboto"
href="https://fonts.googleapis.com/css?family=Roboto:300,500"></mj-font>
    <mj-attributes>
      <mj-all font-family="Roboto, Helvetica, sans-serif"></mj-all>
      <mj-text font-weight="300" font-size="16px" color="#616161" line-height="24px"></mj-text>
      <mj-section padding="0px"></mj-section>
    </mj-attributes>
  </mj-head>
  <mj-body>
    <mj-section padding="20px 0">
      <mj-column width="100%">
        <mj-text align=left font-size="10px">Message from BlueWave Uptime Service</mj-text>
      </mj-column>
      <mj-column width="45%" padding-top="20px">
        <mj-text align="center" font-weight="500" padding="0px" font-size="18px"
color=green>Google.com is up</mj-text>
        <mj-divider border-width="2px" border-color="#616161"></mj-divider>
      </mj-column>
    </mj-section>
    <mj-section>
      <mj-column width="100%">
        <mj-text>
          <p>Hello Alex!</p>
          <p> Your latest incident is resolved and your monitored service is up again.</p>
          <p><b>Monitor name:</b> Google.com</p>
          <p><b>URL:</b> https://google.com</p>
          <p><b>Problem:</b> Connection timeout</p>
          <p><b>Start date:</b> Jun 8, 2024 8:15pm</p>
          <p><b>Resolved date:</b> Jun 8, 2024 8:15pm</p>
          <p><b>Duration:</b>3 minutes and 15 seconds</p>

        </mj-text>
      </mj-column>
      <mj-column width="100%">
        <mj-divider border-width="1px" border-color="#E0E0E0"></mj-divider>
        <mj-button background-color=#1570EF>View incident details</mj-button>
        <mj-text font-size=12px>
```

```
<p>This email was sent by BlueWave Uptime.</p>
</mj-text>
</mj-column>
</mj-section>
</mj-body>
</mjml>
```

When a server is down:

```
<mjml>
  <mj-head>
    <mj-font name="Roboto"
href="https://fonts.googleapis.com/css?family=Roboto:300,500"></mj-font>
    <mj-attributes>
      <mj-all font-family="Roboto, Helvetica, sans-serif"></mj-all>
      <mj-text font-weight="300" font-size="16px" color="#616161" line-height="24px"></mj-text>
      <mj-section padding="0px"></mj-section>
    </mj-attributes>
  </mj-head>
  <mj-body>
    <mj-section padding="20px 0">
      <mj-column width="100%">
        <mj-text align=left font-size="10px">Message from BlueWave Uptime Service</mj-text>
      </mj-column>
      <mj-column width="45%" padding-top="20px">
        <mj-text align="center" font-weight="500" padding="0px" font-size="18px"
color=red>Google.com is down</mj-text>
        <mj-divider border-width="2px" border-color="#616161"></mj-divider>
      </mj-column>
    </mj-section>
    <mj-section>
      <mj-column width="100%">
        <mj-text>
          <p>Hello Alex!</p>
          <p> We detected an incident on one of your monitors. Your service is currently down.
We'll send a message to you once it is up again. </p>
          <p><b>Monitor name:</b> Google.com</p>
          <p><b>URL:</b> https://google.com</p>
          <p><b>Problem:</b> Connection timeout</p>
```

```
<p><b>Start date:</b> Jun 8, 2024 8:15pm</p>
</mj-text>
</mj-column>
<mj-column width="100%">
  <mj-divider border-width="1px" border-color="#E0E0E0"></mj-divider>
  <mj-button background-color=#1570EF>View incident details</mj-button>
  <mj-text font-size=12px>
    <p>This email was sent by BlueWave Uptime.</p>
  </mj-text>
</mj-column>
</mj-section>
</mj-body>
</mjml>
```

Password reset:

```
<mjml>
  <mj-head>
    <mj-font name="Roboto"
href="https://fonts.googleapis.com/css?family=Roboto:300,500"></mj-font>
    <mj-attributes>
      <mj-all font-family="Roboto, Helvetica, sans-serif"></mj-all>
      <mj-text font-weight="300" font-size="16px" color="#616161" line-height="24px"></mj-text>
      <mj-section padding="0px"></mj-section>
    </mj-attributes>
  </mj-head>
  <mj-body>
    <mj-section padding="20px 0">
      <mj-column width="100%">
        <mj-text align=left font-size="10px">Message from BlueWave Uptime Service</mj-text>
      </mj-column>
    </mj-section>
    <mj-section>
      <mj-column width="100%">
        <mj-text>
          <p>Hello Alex!</p>
          <p>You are receiving this email because a password reset request has been made for
gorkem.cetin@bluewavelabs.ca. Please use the code below on the site to reset your password.
</p>
          <p>Verification Code: <b>4CCDFC45</b></P>
          <P>If you didn't request this, please ignore this email.</P>
```

```
    <P>Thank you.</P>
</p>
</mj-text>
</mj-column>
<mj-column width="100%">
  <mj-divider border-width="1px" border-color="#E0E0E0"></mj-divider>
  <mj-text font-size=12px>
    <p>This email was sent by BlueWave Uptime.</p>
  </mj-text>
</mj-column>
</mj-section>
</mj-body>
</mjml>
```

Welcome email:

```
<mjml>
  <mj-head>
    <mj-font name="Roboto"
href="https://fonts.googleapis.com/css?family=Roboto:300,500"></mj-font>
    <mj-attributes>
      <mj-all font-family="Roboto, Helvetica, sans-serif"></mj-all>
      <mj-text font-weight="300" font-size="16px" color="#616161" line-height="24px"></mj-text>
      <mj-section padding="0px"></mj-section>
    </mj-attributes>
  </mj-head>
  <mj-body>
    <mj-section padding="20px 0">
      <mj-column width="100%">
        <mj-text align=left font-size="10px">Message from BlueWave Uptime Service</mj-text>
      </mj-column>
    </mj-section>
    <mj-section>
      <mj-column width="100%">
        <mj-text>
          <p>Hello Alex!</p>
          <p>Thank you for trying out BlueWave Uptime! We developed it with great care to meet
our own needs, and we're excited to share it with you.</p>
          <p>BlueWave Uptime is an automated way of checking whether a service such as a
website or an application is available or not.</P>
          <P>We hope you find our service as valuable as we do.</P>
          <P>Thank you.</P>
        </p>
```

```
</mj-text>
</mj-column>
<mj-column width="100%">
  <mj-divider border-width="1px" border-color="#E0E0E0"></mj-divider>
  <mj-text font-size=12px>
    <p>This email was sent by BlueWave Uptime.</p>
  </mj-text>
</mj-column>
</mj-section>
</mj-body>
</mjml>
```

Employee activation email

```
<mjml>
  <mj-head>
    <mj-font name="Roboto"
href="https://fonts.googleapis.com/css?family=Roboto:300,500"></mj-font>
    <mj-attributes>
      <mj-all font-family="Roboto, Helvetica, sans-serif"></mj-all>
      <mj-text font-weight="300" font-size="16px" color="#616161" line-height="24px"></mj-text>
      <mj-section padding="0px"></mj-section>
    </mj-attributes>
  </mj-head>
  <mj-body>
    <mj-section padding="20px 0">
      <mj-column width="100%">
        <mj-text align=left font-size="10px">Message from BlueWave Uptime Service</mj-text>
      </mj-column>
    </mj-section>
    <mj-section>
      <mj-column width="100%">
        <mj-text>
          <p>Hello {{username}}!</p>
          <p>One of the admins created an account for you on the BlueWave Uptime server.</p>
          <p>You can go ahead and create your account using this link.</P>
          <P>{{url}}</P>
          <P>Thank you.</P>
        </mj-text>
      </mj-column>
```

```
<mj-column width="100%">
  <mj-divider border-width="1px" border-color="#E0E0E0"></mj-divider>
  <mj-text font-size=12px>
    <p>This email was sent by BlueWave Uptime.</p>
  </mj-text>
</mj-column>
</mj-section>
</mj-body>
</mjml>
```

No incidents this week email

```
<mjml>
  <mj-head>
    <mj-font name="Roboto"
href="https://fonts.googleapis.com/css?family=Roboto:300,500"></mj-font>
    <mj-attributes>
      <mj-all font-family="Roboto, Helvetica, sans-serif"></mj-all>
      <mj-text font-weight="300" font-size="16px" color="#616161" line-height="24px"></mj-text>
      <mj-section padding="0px"></mj-section>
    </mj-attributes>
  </mj-head>
  <mj-body>
    <mj-section padding="20px 0">
      <mj-column width="100%">
        <mj-text align=left font-size="10px">Message from BlueWave Uptime Service</mj-text>
      </mj-column>
      <mj-column width="45%" padding-top="20px">
        <mj-text align="center" font-weight="500" padding="0px" font-size="18px" color=green>No
incidents this week!</mj-text>
        <mj-divider border-width="2px" border-color="#616161"></mj-divider>
      </mj-column>
    </mj-section>
    <mj-section>
      <mj-column width="100%">
        <mj-text>
          <p>Hello Alex!</p>
          <p>There were no incidents this week. Good job!</p>
          <p><b>Current monitors:</b></p>
          <p><b>Google:</b> 100% availability</p>
          <p><b>Canada.ca:</b>100% availability</p>
        </mj-text>
```

```
</mj-column>
<mj-column width="100%">
  <mj-divider border-width="1px" border-color="#E0E0E0"></mj-divider>
  <mj-text font-size=12px>
    <p>This email was sent by BlueWave Uptime.</p>
  </mj-text>
</mj-column>
</mj-section>
</mj-body>
</mjml>
```