

```

#
## Nginx configuration for Elgg 1.8
#

server {
    listen      80;
    server_name myurl.com
#    rewrite    ^ https://$server_name$request_uri permanent;
#    access_log off;
#}

#server {
#    listen      443 ssl;
#    charset     utf8;

#    access_log off;
#    access_log  /home/nginx/domains/myurl.com/access.log;
#    error_log   /home/nginx/domains/myurl.com/error.log;

#    root        /home/nginx/domains/myurl.com/public;
#    index       index.php;

#    fastcgi_index index.php;

#    client_max_body_size      8M;
#    client_body_buffer_size 256K;

#    rewrite ^/action\([A-Za-z0-9_\-\V]+\)$ /engine/handlers/action_handler.php?action=$1&$args;
#    rewrite action\([A-Za-z0-9_\-\V]+\)$ engine/handlers/action_handler.php?action=$1&$args;
#    rewrite action\([A-Za-z0-9_\-\V]+\)$ engine/handlers/action_handler.php?action=$1 last;
#    rewrite actions\([A-Za-z0-9_\-\V]+\)$ engine/handlers/action_handler.php?action=$1 last;
#    rewrite action/login\([A-Za-z0-9_\-\V]+\)$ engine/handlers/action_handler.php?action=$1
#    last;

#    rewrite pg\([A-Za-z0-9_\-\V]+\)\(.*)$ engine/handlers/page_handler.php?handler=$1&page=$2
#    last;
#    rewrite pg\([A-Za-z0-9_\-\V]+\)$ engine/handlers/page_handler.php?handler=$1 last;

#    rewrite cache\(.*)$ engine/handlers/cache_handler.php?request=$1 last;

```

```

rewrite services/Vapi/([A-Za-z0-9\_\-]+)/(.*)$
engine/handlers/service_handler.php?handler=$1&request=$2 last;

rewrite export/([A-Za-z]+)/([0-9]+)/?$ engine/handlers/export_handler.php?view=$1&guid=$2
last;
rewrite export/([A-Za-z]+)/([0-9]+)/([A-Za-z]+)/([A-Za-z0-9\_\-]+)/?$
engine/handlers/export_handler.php?view=$1&guid=$2&type=$3&idname=$4 last;

rewrite xml-rpc.php engine/handlers/xml-rpc_handler.php last;
rewrite mt/mt-xmlrpc.cgi engine/handlers/xml-rpc_handler.php last;

rewrite tag/(.+)?/$ engine/handlers/page_handler.php?handler=search&page=$1 last;

# rule for rewrite module test during install - can be removed after installation
rewrite rewrite\.php$ install.php last;

if (!-d $request_filename){
    set $rule_11 1$rule_11;
}
if (!-f $request_filename){
    set $rule_11 2$rule_11;
}
if ($rule_11 = "21"){
    rewrite ^/([A-Za-z0-9\_\-]+)$ /engine/handlers/page_handler.php?handler=$1;
}
if (!-d $request_filename){
    set $rule_12 1$rule_12;
}
if (!-f $request_filename){
    set $rule_12 2$rule_12;
}
if ($rule_12 = "21"){
    rewrite ^/([A-Za-z0-9\_\-]+)/(.*)$
/engine/handlers/page_handler.php?handler=$1&page=$2;
}

location ~ \.php$ {
    include fastcgi_params;

    # Assuming php-fastcgi running on localhost port 9000
    fastcgi_pass 127.0.0.1:9000;
    fastcgi_param SCRIPT_FILENAME $document_root$fastcgi_script_name;

```

```

    }

    # Do not put CSS there or it will break simplecache
    location ~* \.(bmp|js|gif|ico|jpg|jpeg|png)$ {
        expires max;
        # log_not_found off;
    }

}

```

EJEMPLO PARA MEMCACHED

```

server {
    listen *:80 default;
    server_name _;
    access_log /home/blogs/logs/nginx/access.log;
    error_log /home/blogs/logs/nginx/error.log debug;
    location / {
        deny all;
    }
}

server {
    listen *:80;
    server_name site.com *.site.com the.site.com;

    root /home/blogs/wordpress/;
    index index.html index.php index.htm;

    access_log /home/blogs/logs/nginx/site/access.log;
    error_log /home/blogs/logs/nginx/site/error.log debug;

    proxy_redirect off;
    set $myuri $request_uri;

    rewrite ^/wp-admin/a$ /wp-admin/index.php;

    if (!-e $request_filename) {
        rewrite /wp-admin$ $scheme://$host$uri/ permanent;
    }
}

```

```
rewrite ^/[_0-9a-zA-Z-]+(/wp-.* ) $1 last;  
rewrite ^/[_0-9a-zA-Z-]+(/.*\.php)$ $1 last;  
}
```

```
location ~ \.php$ {  
    fastcgi_pass 127.0.0.1:9000;  
    fastcgi_index index.php;  
    fastcgi_param SCRIPT_FILENAME /home/blogs/wordpress$fastcgi_script_name;  
    include fastcgi_params;  
}
```

```
# Try MemCached First  
location / {  
    set $memcached_key "$uri?$args";  
    memcached_pass 127.0.0.1:11211;  
    error_page 404 405 502 504 = @fallback;  
}
```

```
location @fallback {  
    try_files $uri $uri/ /index.php?$args;  
}
```

```
location ~* \.(js|css|png|jpg|jpeg|gif|ico)$ {  
    expires max;  
    log_not_found off;  
}  
}
```