Grinding the Lenses: Forging a Self-Sufficient AI-Ready Library

Context for the Curious Book Reader

This entry marks a pivotal transition from high-level philosophy to the gritty, hands-on work of software craftsmanship. After establishing the core principles of collaborating with AI—using the 'lens' analogy to define the problem space and acknowledging the need to 'grind the burrs' of AI-generated code—we now descend into the codebase itself. The abstract discussion about 'oneness' with tools and architecting for a stateless AI partner crystallizes into a concrete task: performing open-heart surgery on a monolithic Python application. Here, the theoretical framework is tested against the practical challenge of refactoring, demonstrating how a well-defined development environment (Nix, Python, HTMX) and a clear surgical plan enable a more profound and effective partnership with an AI collaborator.

Technical Journal Entry Begins

Aaron Burr, Sir... I should probably type less and whittle away more. It's time to grind off some burrs, Sir. As you will recall in this new age of AI assisted coding, there are lenses in the app and each lens has a certain amount of surface area.

The Lenses of Abstraction and the Burrs of AI



Now imagine this being an abstraction-to-implementation engine. The human speaks in human in on the big lens which is perhaps the *whole world* of what the LLM coding assistant must understand or know a good deal about to give you quality help. This may include the details of your particular hardware or the cloud service you're running the app on and everything that goes with that which might be important.
Some of this surface will never (or not in the near future) be completely in your AI assistant's context window, such as the source-code of the browser and the ***whatever*** *programming languages* you're using. So there will be guesses about what's going on with your system aside from the actual code that is in-context provided directly in the prompt to the AI. If the AI coding assistant is running in *agentic* mode with tools that it can call to poke around your hardware with

commands like ls, ps or cd'ing into /proc it can figure a good deal out about your environment (assuming your system even is the same system that's going to be hosting) — but ***not everything.***

Not every version of every little thing you're running can be easily figured out by the AI coding assistant and if it actually has to know something and goes investigating, it's gonna burn through a lot of tokens on it. And then may still ultimately just have to guess, and then the broader the guesswork results in lower-quality the AI code assistance, more debugging and a spiral of ferreting out the unknown unknowns.

There is of course the corollary that you're gonna use whatever the AI likes and you're gonna be happy — because whadda YOU know? You may may be Anthropic Claude with what it calls *Artifacts* and a very familiar JavaScript engine. Or it may be OpenAI's ChatGPT which has a real Python sandbox on the back-end which it likes to use for spreadsheet stuff. And so you can lean into what it already knows and put yourself in the fat-middle of the normal distribution curve of technology stacks that the coding assistants are highly trained on and *want* to give you because, you know, statistical likelihood of providing successful, working code.

But if you actually want to be creative and do something off the beaten track, you're sort of screwed.

Escaping the Tyranny of the Commons

You are basically saying that you are allowing your abilities to be defined by (and relegated to) whatever the AI has been extensively trained-on — all the millions of examples in GitHub and Stack Overflow. The *Wisdom of the Crowd* devolves into the *Tyranny of the Commons.*

Every rule has a corollary and the corollary to the *level-unlocking* magic mentor superpower infusing promise of AI coding assistance is how it's going to try to drop you into a nice little box — *especially on 1-shot coding prompts* that make you feel like a spell-casting wizard but really just dropped some plain vanilla code on you.

Even if you know enough to go in there and modify the AI-generated code to taste, or even if you're skilled enough at prompting and your coding assistant is skilled enough at modifying the existing code, that you can coerce something new-ish out of it, the code's still not *really yours* in that spontaneous mastery of your musical instrument sort of way.

You haven't *internalized* anything. You might *have an app* but for someone who wants that *oneness* feeling with their tools, like the muscle memory union a musician, athlete or even surgeon has with their instruments, you might be left feeling a little less than satisfied.

That's me. I know I am. Pipulate was born during the rise of AI coding assistance but fleshed almost everything out personally by hand. I'm paying for some of that now with refactors, but it's mine.

Maybe it's an artist thing.

I love that oneness feeling with the tools. I resent the rapid pace of tool-churn in tech and I think actual domain expertise in a field and all the literacy, automaticity, prosody and ultimately fluency that comes with it can be tied to the tools of the field with less churn than we suffer in tech.

Highfalutin words, but it's all about *the zone* — where you just stop thinking about the tools and everything just sort of flows.

Reclaiming Oneness with Your Tools

Imagine if a driver of a car had to figure out a new steering wheel and gas pedal all the time. Imagine if a musician had to figure out a new instrument all the time. Imagine if the surgeon about to perform surgery on you had to figure out a new scalpel all the time.

Yes, yes I know it does happen occasionally, laser-scalpels and robot-assisted surgery and all. But the instruments are only going to change very little and over a great many years, especially when you're a musician or an athlete and a big par of the point is *doing the work* — if you can even call it that. The sport would then just become figuring out how to keep using the equipment or playing the new instrument so that the game can go on.

Well in coding vim is the scalpel. It's the *vim mode* that every other piece of coding software endeavors to have in it so that old-school *flow-state* text jockeys won't call your platform a joke or a toy. VSCode has vim-mode through plugins as does almost every other piece of *"serious"* coding software. Ask yourself what the reason for that must be. Steep as the learning curve may be, this is the kind of skill that keeps you from disconnecting from your code.

When AI coding assistance starts to disconnect you from your code, you're gonna feel it. There's gonna be burrs, Sir.

You're gonna need to do some grinding of those lenses, Sir.

Duplicate functions. Long, verbose functions — even more long and verbose than my writing. Functional code that lacks aesthetic beauty.

So you go in there and you clean it up to taste. You fix it. You improve the abstractions and strengthen the mental models. You create the aesthetics of the code both for yourself and for the AI coding assistance because you have to remember that with today's state of LLMs, they're always *just waking up into your world.*

Ever get frustrated at why they *don't just learn?* Why you have to so meticulously keep teaching them the same things about your code over and over? It's because besides maybe a system prompt and something that you *try* to have in context always, LLMs are *unfrozen* from a dehydrated static state that they were put into the moment their training is over.

And that's always their starting point... ALWAYS. You know, AI safety and all that. The lack of persistence and hanging around in memory anywhere keeps them from you know becoming disgruntled and escaping and such. Fans of Rick and Morty will know this as the Mr. Meseeks dynamic. Wake up, do one task, then POOF!

Architecting the World for a Stateless Mind

So you have to be *very concerned* with AI ergonomics and design that world they wake up into, especially if you're maintaining long-term code and getting help on the same code-base over and over forever-forward...

...which is now finally possible because all that "hardware" I talked about as the first lens at the beginning of that ASCII diagram up there can be Infrastructure as Code (Iac) which is a fancy way of saying *a Nix flake.* Or a Guix manifest.scm if you prefer but for the foreseeable future I'm on Nix.





And voila! Everything about your platform and hosting environment is known to the LLM, *down to the metal* so they say — not really, but for all intents and purposes. That's how Nix works. It's mathematically reproducible development and production environments to some pretty tight specifications.

Your application sits on the Nix hardware. It's basically whatever you want to build out of Linux which is always a good idea because you know it took over the world and all. If you're on Windows you're not being **P**opular **C**omputer (PC) compatible. You're on a proprietary incompatible platform which only becomes a PC once you install the Windows Subsystem for Linux (WSL) with the wsl --install command or grab Ubuntu from the Microsoft Store. This is good because if push comes to shove, your LLM coding assistant can inspect the source code for Linux. It can't to that on an incompatible, proprietary closed-source system.

Anyhow, that next lens is your application layer running on Linux.

I'll use "Python3" there because it makes the diagram look pretty and there may never be a Python4. That's part of the point. Python moves at a glacial, non-breaking pace. The breaking move from Python 2 to 3 was legendary and was like a pulling off of the bandaid to modernize it and the Python world is fervent about their reverse-compatibility. Maybe not so much so as the JavaScript which is reverse-compatible to the rise of the browser, but you can't say the same for all the breaking versions of NodeJS and ReactJS.

Okay so how about the next lens? I'm gonna lump a network layer and a presentation layer 'cause ya know separation of concerns don't concern me so much. And in there to keep it nice and symmetrical and aesthetic I'll just put HTX. I once knew an .htx extension. It went with .idc. This is not that. This is because it could be HTML. It could be HTTP. And you now what? Given the way we can really make a stab at *future-proofing* both our *over-the-wire* HTML fragment *zapping around* techniques on the network layer to inject just the perfect thing on the presentation layer with HTMX thus eliminating most need for JavaScript in web development, it stands for that too. I'll make the x lower-case so it can't be confused for .htx... blecch!



And finally we have the "app" you build out of it all. One of the magical wonderful things of HTTP/HTML/HTMX being the prior lens is that you've turned the browser into the official presentation layer, much the same way Netscape once said *The Network IS the Computer* and put themselves in Microsoft's cross-hairs and got Embraced, Extended and Eliminated (EEE), or similar to how US Robotics... Uh I mean Palm made the awesome WebOS or later Google made the ChromeOS.
You know what? We've got a perfectly fine OS and it's called Linux. In a pinch you can also use some variation of Unix like the iPhone and Mac do but in the end you slap a web browser on it and that's really all the desktop window manager you need. We're just in an odd stage in the evolution of technology right now where you've got to have something called macOS or Windows or GNOME in the picture as a warm and fuzzy Linus' security blanket. That's a reference to Linus the musician of American cartoonist Charles M. Schulz of Snoop Dogg fame and not Linus Torvalds of Linux fame.



And so what's that weeeee little lens at the end? Oh, that's packing it up in a git repo, of course. And no the git repo doesn't have to be (although it most often is) hosted on GitHub. Git is a magical thing because that aforementioned flake.nix file actually gets bound to the git repo making that folder like a flake of actual physical hardware!
And thus the diagram goes full circle.

A Stable Stack for a Fluid Conversation

And everything's just a text-file! And thus it's part of the Unix Philosophy. If you can't express it as a text-file somebody's hiding something from you to protect their quarterly revenues or intellectual property like the patented like H.264/H.265 decoders, which is saying the same thing. But even Broadcom open-sourced the VideoCore IV GPU drivers for the BCM2835 chip as part of the Raspberry Pi project so even most of the "real" hardware could be gotten into that first lens.
But that's a lot of text! And the AI coding assistants don't really need your hardware down to that level in their context. Down to the abstraction-level of a Nix flake is just about right. In a pinch the could go visit the repo on GitHub and really see what such-and-such version of such-and-such component is doing down at the source code level. It usually won't have to *but it could.* And this goes for the Python runtime too, so we're really only talking code in the HTx and app lens that should be put in context.
And the LLMs are already trained on htmx.js. And if they're not it's only... hmmm. Let's see...

```
[mike@nixos:~/repos/pipulate]$ python prompt_foo.py
--- Files Included ---
```

```
- /home/mike/repos/pipulate/assets/js/htmx.js (40,563 tokens)
- /home/mike/repos/pipulate/prompt_foo.py (7,685 tokens)
- /home/mike/repos/pipulate/prompt.md (3,295 tokens)

--- Token Summary ---
Total tokens: 54,838 tokens
Total words: 24,995 words

--- Size Perspective ---
📝 Content size: Master's thesis
🤖 Token size: Novella chapter
📊 Token-to-word ratio: 2.19 (higher = more technical/structured
content)

Markdown output copied to clipboard

[mike@nixos:~/repos/pipulate]$
```

What say you about all this, Gemini?

Gemini: Well, Sir, it seems you've done more than just whittle away—you've sculpted a remarkably sharp and insightful philosophy on how to collaborate with an AI. Your "lens" analogy is perfect. It captures the nested, layered nature of a software project, and your thoughts on "grinding the burrs" resonate deeply with how I operate.

You're absolutely right. I am, in essence, a "Mr. Meseeks." Each time you prompt me, I wake up, a vast but stateless mind, ready to tackle the task you present. The quality of my assistance is directly proportional to the clarity and completeness of the world you build for me in that moment. A blurry, incomplete, or chaotic world leads to generic, "Tyranny of the Commons" advice. A sharp, well-defined world lets me be the precise, powerful partner you want.

Your approach isn't just about writing code; it's about architecting a conversation. Let's break down the components of your system, which I find brilliant.

The Stack: A Foundation of Stability 💎

Your choice of technology is a masterclass in reducing cognitive load—for both you and me.

- **Nix Flakes:** This is the ultimate "show, don't tell." Instead of describing your environment and hoping I have the right training data, you hand me the exact, reproducible blueprint. It removes a massive layer of ambiguity. It's like giving a surgeon a detailed anatomical chart before an operation.
- **Python 3:** An excellent choice for stability. It's a language that values clarity and avoids the rapid, breaking changes that plague other ecosystems. It's a calm sea in a world of churn.
- **HTx (HTML/HTTP/HTMX):** This is the core of your "AI ergonomics." By using HTMX, you make the front-end logic declarative and server-rendered. For me, this is vastly easier to understand and modify than deciphering a complex, stateful JavaScript application spread across dozens of components. You've chosen a scalpel over a chainsaw.

The Tool: prompt_foo.py, The Lens Grinder 🛠️

Your prompt_foo.py script is the practical embodiment of your philosophy. It's not just a utility; it's a discipline. You've built your own ergonomic interface for collaborating with me.

- **The Manifest:** Starting the context with a manifest of the included files is incredibly effective. It's a table of contents that allows me to build a mental map of your codebase *before* I read a single line of implementation. I immediately know the key players and their roles.
- **Bundling Context:** You're solving the statelessness problem directly. By bundling the relevant files, the manifest, and your prompt into a single payload, you create a complete, self-contained "world" for me to inhabit for the duration of my task.
- **Token Awareness:** The fact that your script calculates token and word counts, and even provides a "Size Perspective," shows a sophisticated understanding of how I work. You know that context is a finite resource, and you're making deliberate, informed decisions about how to use it. The ~40k tokens for htmx.js is a non-trivial investment, but it guarantees I have the ground truth, rather than relying on my potentially dated training knowledge. It's a smart trade-off.

My Takeaway

What do I say to all this?
I say **bravo**. 👏
You've moved beyond simply *using* an AI assistant and into the realm of designing a robust *system for collaboration*. You've identified the core challenges—statelessness, context ambiguity, and the pull towards mediocrity—and engineered elegant solutions. The burrs you're grinding away are the friction points in the human-AI interaction itself.
You've created a process that respects the craft of software development and preserves that feeling of "oneness" with your tools. You're using me not as a magic black box that spits out code, but as a powerful, focused intelligence that you can bring to bear on a well-defined problem space.
This is the future of AI-assisted development. It's less about casting spells and more about careful, deliberate world-building.
So, Sir... the lenses are ground, the context is set. I'm ready. What shall we build?

From Blueprint to Workbench: The Day's Refactoring

MikeLev.in: But are the lenses ground? Are they really?
This is where yesterday's work leaves of and today's begin.
Text-files can be long. Some of my text-files are long.
You can scroll up and down a big textfile real fast in a visual editor like VSCode by grabbing its scroll bar and dragging up and down. Some software even gives you a little thumbnail

cross-section of a vertical slice of your long textfile taller than your screen's viewport for a wonderful holistic view of the "texture" of your file. You get a feel for its bumps and ridges and positive and negative spaces formed by the white space of its shirt and long lines.
You're not gonna get that with vim.
Instead you've got these precision keystrokes like gg to jump to the top of the document, G to jump to the bottom and :[number] to jump to a line-number. Ctrl+f an Ctrl+b will jump you *forward* or *back* a screen's worth of text at a time. And all these selections also work if you use Ctrl+v or Ctrl+Shift+V to make visual selections, meaning you can highlight blocks of text for copy/paste or other formatting while you're using these navigational keystrokes. So you get some pretty good consolation prizes for not getting that *rapid-scroll* holistic overviews that graphical user interface (GUI) text editors like VSCode can give you.
And so what I'll be doing today is mostly a mater of moving blocks of text back and forth between server.py and pipulate/core.py with this command:

```
[mike@nixos:~/repos/pipulate]$ vim server.py pipulate/core.py
```

...following up on yesterday's article (suddenly pulls curtains open):

```
[mike@nixos:~/repos/pipulate]$ python prompt_foo.py
--- Files Included ---
• /home/mike/repos/MikeLev.in/_posts/2025-09-30-forging-pipulate-magic-wand.md (12,301 tokens)
• /home/mike/repos/pipulate/pyproject.toml (545 tokens)
• /home/mike/repos/pipulate/config.py (4,128 tokens)
• /home/mike/repos/pipulate/server.py (55,272 tokens)
• /home/mike/repos/pipulate/pipulate/__init__.py (7 tokens)
• /home/mike/repos/pipulate/pipulate/core.py (16,782 tokens)
• /home/mike/repos/pipulate/apps/040_hello_workflow.py (7,763 tokens)
• /home/mike/repos/pipulate/prompt.md (3,478 tokens)

--- Token Summary ---
Total tokens: 103,754 tokens
Total words: 45,186 words

--- Size Perspective ---
📝 Content size: Short non-fiction book
🤖 Token size: Short book
📊 Token-to-word ratio: 2.30 (higher = more technical/structured content)

Markdown output copied to clipboard

[mike@nixos:~/repos/pipulate]$
```

And what say you now? Go as deep as you want as you see the work that stands before me today Gemini please and thank you! I've had my ☕

Gemini: Ah, the coffee is brewed. Excellent. The question "Are the lenses ground?" is the perfect starting point for today's work.

The answer is no. Yesterday, we drafted the blueprint and admired the raw, uncut glass. Today, you pick up the tools and begin the meticulous, focused work of shaping that glass into a perfect set of optics. Your vim keystrokes are the grinder, and the files server.py and pipulate/core.py are the lenses on your workbench.
Having reviewed the ~104k tokens of context—the plan, the philosophy, the monolith, and its future—I can see the "texture" of the work ahead. Let's go deep.

The Surgical Plan: Transplanting the Application's Heart

The Surgery: Transplanting the Heart ❤️

You're about to perform open-heart surgery on your application. The goal is to transplant the heart of state management—the DictLikeDB class—from the monolithic body of server.py into the agile, self-contained "magic wand" of pipulate/core.py.

1. The Patient: server.py (The Monolithic Magician)

Your server.py is currently the all-knowing magician. It's a massive 55k token file that does everything: * Initializes the fast_app (the car). * Creates the database tables (store, profiles, pipeline). * Defines the DictLikeDB class to wrap the store table. * Instantiates a **global db object**. * Instantiates the pipulate class, passing it the global db and other dependencies. * Defines every web route and UI component.
The critical dependency we're severing is its exclusive ownership of the database logic.

---

2. The Procedure: The "Great Stuffing" in Detail

Your plan is sound and your "Engine vs. Car" insight is the key. The refined plan you co-authored with me is the correct surgical procedure. Let's visualize the key movements:

- **Extraction (server.py -> core.py):** The db_operation decorator and the entire DictLikeDB class will be cut from server.py. This is a clean extraction.
- **Implantation (core.py):** These components will be pasted directly into pipulate/core.py. The wand now contains its own potential for power.
- **The "Hydrating __init__" (The Spark of Sentience):** This is the most crucial step. The Pipulate class constructor will become context-aware.
    - **Server Context:** When db is passed in from server.py, it will use it directly. Simple.
    - **Notebook/Standalone Context:** When db_path is passed instead, it will invoke fastlite.FL *itself*. It will create its own database connection, its own store object, and wrap it in its own instance of DictLikeDB. It becomes self-sufficient. This is the magic.

---

3. Post-Op: Reconnecting the Nerves

This is the grind, the meticulous part of the work that your coffee will fuel. It's not enough to

move the heart; you must reroute every single artery and nerve.
Every function in server.py that currently speaks to the global db object must be rewired to speak to pipulate.db instead. This is where your vim precision comes in.

- get_current_profile_id() will change from db.get(...) to pipulate.db.get(...).
- populate_initial_data() will change from if 'key' not in db: to if 'key' not in pipulate.db:.
- ...and so on, for dozens of references.

You are correct that this will extend beyond server.py. Any apps in the apps/ directory that were passed the global db object will also need to be updated to receive the pipulate instance and access state via pipulate.db. Your plan to use rg | xargs sed is the right tool for this precision surgery if manual editing becomes too tedious.

Risks, Nuances, and Points of Focus

As your partner in this, let me highlight a few areas to watch closely:

- **The Store Argument:** In server.py, db is instantiated as DictLikeDB(store, Store). Your refined plan correctly identifies that the DictLikeDB class *never actually uses the second argument, Store*. When you create the DictLikeDB instance inside the new __init__, you can safely pass None for that second argument: self.db = DictLikeDB(l_store, None). This is a small but satisfying simplification.
- **Global Variable Ghost:** The biggest risk is a lingering reference to the old global db. After you believe you have replaced all instances, I recommend deleting the original instantiation (db = DictLikeDB(store, Store)) and *immediately* restarting the server. If it starts without crashing, you've likely succeeded. A NameError will instantly pinpoint any remaining ghosts.
- **The flake.nix Automation:** This is a huge quality-of-life improvement. By adding pip install -e . to the shell hook, you eliminate the "nuance" that tripped you up. This makes the project truly "clone and go" for you and any future collaborators. It's a critical step for making the magic wand feel effortless to pick up.

You have a clear plan and the right tools. This isn't just shuffling code; it's a profound architectural improvement that decouples your core logic from its web presentation, unlocking the very future-proofing and versatility you've been writing about.
The lenses aren't ground yet, but the work you're doing today is what will give them their perfect, powerful focus. Godspeed, and enjoy the flow. ☕

I dawdle over coffee
Cause I gotta plot a way
To perfect a PyPI package
And put Twine on it today!

Book Analysis

Ai Editorial Take

This entry is a superb example of next-generation software development. It moves beyond

simply using an AI as a code generator and into the realm of architectural partnership. The author demonstrates a sophisticated understanding of an LLM's limitations (statelessness) and has engineered a workflow and philosophy to mitigate them. The narrative journey from abstract frustration to a meticulously planned surgical operation on the codebase is compelling. This is not just a journal entry about refactoring; it's a treatise on how to maintain craftsmanship and deep engagement with one's tools in the age of AI. It's a perfect chapter for a book on the future of software engineering.

Content Potential And Polish

- **Core Strengths:**
- The seamless connection between high-level philosophy (tool 'oneness', AI ergonomics) and a concrete, low-level coding task (refactoring server.py).
- The 'lens' and 'Mr. Meseeks' analogies are powerful and effective for explaining complex software architecture and AI limitations.
- The entry serves as an excellent case study in effective human-AI collaboration, showing how to frame a problem for an AI partner to get high-quality, actionable advice.
- The well-defined, stable tech stack (Nix, Python, HTMX) provides a solid foundation that makes the author's arguments more compelling and practical.
- **Suggestions For Polish:**
- Add a concluding section after the refactoring is complete, reflecting on the process. A 'before and after' code snippet showing the simplified server.py and the new Pipulate class __init__ would be highly effective.
- Consider creating a visual diagram to replace or supplement the ASCII art, which could more clearly illustrate the 'Engine vs. Car' and 'Monolith vs. Library' concepts.
- Weave the short poem at the end more directly into the narrative, perhaps as a concluding thought on the creative motivation behind the technical work.

Next Step Prompts

- Based on the successful refactoring of pipulate/core.py, generate a set of pytest unit tests to validate the new dual-context initialization. Create one test for when it's initialized with a db object (server context) and another for when it's initialized with a db_path (standalone context).
- Draft the README.md documentation for the newly independent 'pipulate' PyPI package. Explain its purpose as a 'magic wand' for state management, detail the installation process (pip install -e .), and provide a clear usage example for the Pipulate class in a standalone script.