



Allergy Policy

Agreed: September 2026

Next Review: September 2027

On a journey together where learning has no limits.
'They will soar on wings like eagles.' Isaiah 40:31

Our values: compassion, integrity, respect, community, patience, awareness

At our school, the safety and wellbeing of every child is a priority. Guided by our values of community, respect, compassion and awareness, we work together to support pupils with allergies and medical needs. We recognise that allergic reactions can be serious and are committed to fostering an environment where everyone understands their role in reducing risks and helping to ensure that all children feel safe, included and valued.

Contents

- Introduction
- Roles and responsibilities
- Allergy action plans
- Emergency treatment and management of anaphylaxis
- Supply, storage and care of medication
- 'Spare' adrenaline auto-injectors in school
- Staff training
- Inclusion and safeguarding
- Catering
- School trips
- Allergy awareness and nut bans
- Risk assessment
- Useful links



On a journey together where learning has no limits.
'They will soar on wings like eagles.' Isaiah 40:31

Introduction

An allergy is a reaction of the body's immune system to substances that are usually harmless. The reaction can cause minor symptoms such as itching, sneezing or rashes but sometimes causes a much more severe reaction called anaphylaxis.

Anaphylaxis is a serious, life-threatening allergic reaction. The whole body is affected often within minutes of exposure to the allergen, but sometimes it can be hours later. Causes can include foods, insect stings, and drugs.

Most healthcare professionals consider an allergic reaction to be anaphylaxis when it involves difficulty breathing or affects the heart rhythm or blood pressure. Anaphylaxis symptoms are often referred to as the ABC symptoms (Airway, Breathing, Circulation).

It is possible to be allergic to anything which contains a protein, however most people will react to a fairly small group of potent allergens.

Common UK Allergens include (but are not limited to):-

- Peanuts, Tree Nuts, Sesame, Milk, Egg, Fish, Latex, Insect venom, Pollen and Animal Dander.

This policy sets out how Ixworth CE Primary School will support pupils with allergies, to ensure they are safe and are not disadvantaged in any way whilst taking part in school life.

Role and responsibilities

Parent Responsibilities

- On entry to the school, it is the parent's responsibility to inform reception staff/SENCO/First Aider/office staff of any allergies. This information should include all previous serious allergic reactions, history of anaphylaxis and details of all prescribed medication.
- Parents are to supply a copy of their child's Allergy Action Plan to school. If they do not currently have an Allergy Action Plan this should be developed as soon as possible in collaboration with a healthcare professional e.g. School nurse / GP / allergy specialist.
- Parents are responsible for ensuring any required medication is supplied, in date and replaced as necessary.
- Parents are requested to keep the school up to date with any changes in allergy management. The Allergy Action Plan will be kept updated accordingly.



On a journey together where learning has no limits.

They will soar on wings like eagles.' Isaiah 40:31

Staff Responsibilities

- All staff will complete anaphylaxis training. Training is provided for all staff on a yearly basis and on an ad-hoc basis for any new members of staff.
- Staff (regular or cover classes) must be aware of the pupils in their care who have known allergies as an allergic reaction could occur at any time and not just at mealtimes. Any food-related activities must be supervised with due caution
- Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all pupils with medical conditions, including allergies, carry their medication. Pupils unable to produce their required medication will not be able to attend the excursion
- SENCO/First Aider / allocated staff *will* ensure that the up-to-date Allergy Action Plan is kept with the pupil's medication.
- It is the parent's responsibility to ensure all medication is in date, however, the SENCO/First Aider/allocated staff member will check medication kept at school on a termly basis and send a reminder to parents if medication is approaching expiry.
- SENCO/First Aider/allocated staff member keeps a register of pupils who have been prescribed an adrenaline auto-injector (AAI) and a record of use of any AAI(s) and emergency treatment given.
- SENCO/First Aider/allocated staff member ensures that any reaction or near misses is recorded and reported internally or in accordance with RIDDOR

Pupil Responsibilities

- Pupils are encouraged to have a good awareness of their symptoms and to let an adult know as soon as they suspect they are having an allergic reaction.
- Pupils who are trained and confident to administer their own AAIs will be encouraged to take responsibility for carrying them on their person at all times, if needed (eg, on school trips).

Allergy Action Plans

- Allergy action plans are designed to function as individual healthcare plans for children with food allergies, providing medical and parental consent for schools to administer medicines in the event of an allergic reaction, including consent to administer a spare adrenaline auto- injector.
- British Society of Allergy and Clinical Immunology (BSACI) Allergy



On a journey together where learning has no limits.

'They will soar on wings like eagles.' Isaiah 40:31

Action Plans are produced by a medical professional and should not be created by school. These are a national plan that has been agreed by the BSACI, Anaphylaxis UK and Allergy UK. The allergy action plans are designed to function as an individual healthcare plan.

Emergency Treatment and Management of Anaphylaxis

What to look for:

Symptoms usually come on quickly, within minutes of exposure to the allergen.

Mild to moderate allergic reaction symptoms may include:

- a red raised rash (known as hives or urticaria) anywhere on the body
- a tingling or itchy feeling in the mouth
- swelling of lips, face or eyes
- stomach pain or vomiting.

More serious symptoms are often referred to as the ABC symptoms and can include:

- AIRWAY - swelling in the throat, tongue or upper airways (tightening of the throat, hoarse voice, difficulty swallowing).
- BREATHING - sudden onset wheezing, breathing difficulty, noisy breathing.
- CIRCULATION - dizziness, feeling faint, sudden sleepiness, tiredness, confusion, pale clammy skin, loss of consciousness.

The term for this more severe reaction is anaphylaxis. In extreme cases there could be a dramatic fall in blood pressure. The person may become weak and floppy and may have a sense of something terrible happening. This may lead to collapse and unconsciousness and, on rare occasions, can be fatal.

If the pupil has been exposed to something they are known to be allergic to, then it is more likely to be an anaphylactic reaction.

Anaphylaxis can develop very rapidly, so a treatment is needed that works rapidly. Adrenaline is the mainstay of treatment, and it starts to work within seconds.



On a journey together where learning has no limits.

They will soar on wings like eagles.' Isaiah 40:31

What does adrenaline do?

- 1) It opens up the airways
- 2) It stops swelling
- 3) It raises the blood pressure

As soon as anaphylaxis is suspected, adrenaline must be administered without delay. Action:

- 4) Keep the child where they are, call for help and do not leave them unattended.
- 5) LIE CHILD FLAT WITH LEGS RAISED – they can be propped up if struggling to breathe but this should be for as short a time as possible.
- 6) USE ADRENALINE AUTO-INJECTOR WITHOUT DELAY and note the time given. AAls should be given into the muscle in the outer thigh. Specific instructions vary by brand – always follow the instructions on the device.
- 7) CALL 999 and state ANAPHYLAXIS (ana-fil-axis).
- 8) If no improvement after 5 minutes, administer second AAI.
- 9) If no signs of life commence CPR.
- 10) Call parent/carer as soon as possible.

Whilst you are waiting for the ambulance, keep the child where they are. Do not stand them up, or sit them in a chair, even if they are feeling better. This could lower their blood pressure drastically, causing their heart to stop.

All pupils must go to hospital for observation after anaphylaxis even if they appear to have recovered as a reaction can reoccur after treatment.

Supply, storage and care of medication

Depending on their level of understanding and competence, pupils will be encouraged to take responsibility for and to carry their own two AAls on them at all times in a suitable bag/container.

For younger children or those not ready to take responsibility for their own medication, there should be an anaphylaxis kit which is kept within 5 minutes of them, not locked away and accessible to all staff.



On a journey together where learning has no limits.

'They will soar on wings like eagles.' Isaiah 40:31

Medication should be stored in a suitable container and clearly labelled with the pupil's name. The pupil's medication storage container should contain:

- Two AAls i.e. EpiPen® or Jext®
- An up-to-date allergy action plan
- Antihistamine as tablets or syrup (if included on allergy action plan)
- Spoon if required
- Asthma inhaler (if included on allergy action plan).

It is the responsibility of the child's parents to ensure that the anaphylaxis kit is up-to-date and clearly labelled, however the SENCO/First Aider/allocated staff member will check medication kept at school on a termly basis and send a reminder to parents if medication is approaching expiry.

Older children and medication

Older children and teenagers should, whenever possible, assume responsibility for their emergency kit under the guidance of their parents. However, symptoms of anaphylaxis can come on very suddenly, so school staff need to be prepared to administer medication if the young person cannot.

Storage

AAls should be stored at room temperature, protected from direct sunlight and temperature extremes.

Disposal

AAls are single use only and must be disposed of as sharps. Used AAls can be given to ambulance paramedics on arrival or can be disposed of in a pre-ordered sharps bin. Sharps bins to be obtained from and disposed of by a specialist collection service. The sharps bin is kept in the office.

'Spare' adrenaline auto-injectors in school

Ixworth CE Primary School has purchased spare AAls for emergency use in children who are risk of anaphylaxis, but their own devices are not available or not working (e.g. because they are out of date) or are experiencing anaphylaxis for the first time.

These are stored in the medical box on the school hall wall, clearly labelled, kept safely, not locked away and accessible and known to all staff.

The SENCO/First Aider/ allocated staff member is responsible for checking the spare medication is in date on a monthly basis and to replace as needed.



On a journey together where learning has no limits.

'They will soar on wings like eagles.' Isaiah 40:31

Staff Training

The named staff members responsible for coordinating staff anaphylaxis training and the upkeep of the school's anaphylaxis policy are:-

Marie Bird

All staff will complete allergy and anaphylaxis training annually, and on an ad-hoc basis during induction of new staff.

Training includes:

- Knowing the common allergens and triggers of allergy
- Spotting the signs and symptoms of an allergic reaction and anaphylaxis. Early recognition of symptoms is key, including knowing when to call for emergency services
- Administering emergency treatment (including AAls) in the event of anaphylaxis – knowing how and when to administer the medication/device
- Measures to reduce the risk of a child having an allergic reaction e.g. allergen avoidance, knowing who is responsible for what
- Managing allergy action plans and ensuring these are up to date

Ixworth CE Primary School ensures that staff undertake a practical session using trainer devices (these can be obtained from the manufacturers' websites: www.epipen.co.uk and www.jext.co.uk)

Inclusion and safeguarding

Ixworth CE Primary School is committed to ensuring that all children with medical conditions, including allergies, in terms of both physical and mental health, are properly supported in school so that they can play a full and active role in school life, remain healthy and achieve their academic potential.

Catering

All food businesses (including school caterers) must follow the Food Information Regulations 2014 which states that allergen information relating to the 'Top 14' allergens must be available for all food products.

The school's menu is available for parents to view in advance with all ingredients listed and allergens highlighted on the organisation website at <https://sites.google.com/tilian.org.uk/ixworthceprimary/home>



On a journey together where learning has no limits.

'They will soar on wings like eagles.' Isaiah 40:31

The SENCO/First Aider/allocated staff member will inform the Catering Manager/Cook of pupils with food allergies.

Parents/carers are encouraged to meet with the Catering Manager/Cook/Chef to discuss their child's needs.

The school adheres to the following Department of Health guidance recommendations:

- Bottles, other drinks and lunch boxes provided by parents for pupils with food allergies should be clearly labelled with the name of the child for whom they are intended.
- If food is purchased from the school canteen/tuck shop, parents should check the appropriateness of foods by speaking directly to the catering manager.
- The pupil should be taught to also check with catering staff, before purchasing food or selecting their lunch choice.
- Where food is provided by the school, staff should be educated about how to read labels for food allergens and instructed about measures to prevent cross contamination during the handling, preparation and serving of food. Examples include: preparing food for children with food allergies first; careful cleaning (using warm soapy water) of food preparation areas and utensils. For further information, parents/carers are encouraged to liaise with the Catering Manager.
- Food should not be given to primary school age food-allergic children without parental engagement and permission (e.g. birthday parties, food treats).
- Use of food in crafts, cooking classes, science experiments and special events (e.g. fetes, assemblies, cultural events) needs to be considered and may need to be restricted/risk assessed depending on the allergies of particular children and their age.

School trips

Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all pupils with medical conditions, including allergies, carry their medication. Pupils unable to produce their required medication will not be able to attend the excursion.

All the activities on the school trip will be risk assessed to see if they pose a threat to allergic pupils and alternative activities planned to ensure inclusion.



On a journey together where learning has no limits.

They will soar on wings like eagles.' Isaiah 40:31

Overnight school trips should be possible with careful planning and a meeting for parents with the lead member of staff planning the trip should be arranged. Staff at the venue for an overnight school trip should be briefed early on that an allergic child is attending and will need appropriate food (if provided by the venue).

Sporting Excursions

Allergic children should have every opportunity to attend sports trips to other schools. The school will ensure that the P.E. teacher/s are fully aware of the situation. The school being visited will be notified that a member of the team has an allergy when arranging the fixture. A member of staff trained in administering adrenaline will accompany the team. If another school feels that they are not equipped to cater for any food-allergic child, the school will arrange for the child to take alternative/their own food.

Most parents are keen that their children should be included in the full life of the school where possible, and the school will need their co-operation with any special arrangements required.

Allergy awareness and nut bans

Ixworth CE Primary School supports the approach advocated by Anaphylaxis UK towards nut bans/nut free schools. They would not necessarily support a blanket ban on any particular allergen in any establishment, including in schools. This is because nuts are only one of many allergens that could affect pupils, and no school could guarantee a truly allergen free environment for a child living with food allergy. They advocate instead for schools to adopt a culture of allergy awareness and education.

A 'whole school awareness of allergies' is a much better approach, as it ensures teachers, pupils and all other staff are aware of what allergies are, the importance of avoiding the pupils' allergens, the signs & symptoms, how to deal with allergic reactions and to ensure policies and procedures are in place to minimise risk.

Risk Assessment

Ixworth CE Primary School will conduct a detailed individual risk assessment for all new joining pupils with allergies and any pupils newly diagnosed, to help identify any gaps in our systems and processes for keeping allergic children safe.

School and individual risk assessments can be downloaded for free from: <https://www.anaphylaxis.org.uk/downloads-form/safer-schools-download/>.



On a journey together where learning has no limits.

'They will soar on wings like eagles.' Isaiah 40:31

Useful Links

Anaphylaxis UK - <https://www.anaphylaxis.org.uk/>

- 1) Safer Schools Programme - <https://www.anaphylaxis.org.uk/education/safer-schools-programme/>
- 2) AllergyWise for Schools online training - <https://www.allergywise.org.uk/p/allergywise-for-schools/>

Allergy UK - <https://www.allergyuk.org>

- 3) Whole school allergy and awareness management - <https://www.allergyuk.org/schools/whole-school-allergy-awareness-andmanagement>

BSACI Allergy Action Plans - <https://www.bsaci.org/professional-resources/resources/paediatric-allergy-action-plans/>

Spare Pens in Schools - <http://www.sparepensinschools.uk>

Department for Education Supporting pupils at school with medical conditions - https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/803956/supporting-pupils-at-school-with-medical-conditions.pdf

Department of Health Guidance on the use of adrenaline auto-injectors in schools - https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/645476/Adrenaline_auto_injectors_in_schools.pdf

Food allergy quality standards (The National Institute for Health and Care Excellence, March 2016) <https://www.nice.org.uk/guidance/qs118>

Anaphylaxis: assessment and referral after emergency treatment (The National Institute for Health and Care Excellence, 2020) <https://www.nice.org.uk/guidance/cg134?unlid=22904150420167115834>



On a journey together where learning has no limits.
They will soar on wings like eagles.' Isaiah 40:31

Footnotes:

- It is strongly recommended that all staff complete allergy and anaphylaxis training to ensure that any member of staff can react quickly and accurately when a child has a reaction. When the training is limited to one or only a few members of staff, children with allergies are left in a potentially life-threatening situation if that member of staff is absent or deployed elsewhere.
- AllergyWise® training is produced by Anaphylaxis UK, the only charity in the UK supporting those with severe allergies. The training is medically reviewed by leading allergy specialist



On a journey together where learning has no limits.

They will soar on wings like eagles.' Isaiah 40:31



On a journey together where learning has no limits.

They will soar on wings like eagles.' Isaiah 40:31

Appendix I - First Aid for Anaphylaxis poster

ANAPHYLAXIS

HOW TO USE EPIPEN AAIS

If you think someone has an anaphylactic reaction, give the AAI without delay. It will not harm them.

Always consider anaphylaxis in a food-allergic person even if there are no signs of a rash, hives or swelling.

1. Remove the blue safety cap

Grasp the EpiPen in your dominant hand and remove the blue safety cap by pulling straight up. Remember: **Blue to the Sky, Orange to the Thigh!**



2. Position the orange tip

Hold the EpiPen at 90°, approximately 10cm away from the leg, with the orange tip pointing towards the outer thigh.

3. Administer the EpiPen AAI

Jab the EpiPen firmly into the outer thigh at a right angle. Hold firmly for 3 seconds, before removing and safely discarding.



4. Once the EpiPen AAI has been administered call 999

Ask for an ambulance and say "ana-fill-axis".

5. Lie the person down with legs raised immediately

If the person is not already lying down, they should do so, with legs raised if possible.

If breathing is difficult, allow them to sit. If they have vomited or feel sick, gently turn them on their side.



6. If there are no signs of improvement after 5 minutes, use a second EpiPen AAI

The person should remain still and lying down until the ambulance arrives. **Don't try to get up, even if you start to feel better.**

7. Start CPR

If there are no signs of life, **start CPR immediately** until help arrives.



For more information on EpiPen AAI's >>



Sign up to the free expiry alert service and receive reminders by text or email when your EpiPen is about to expire >>



Appendix II - Epipen AAI and Jext AAI Instructions

ANAPHYLAXIS

HOW TO USE JEXT AAIS

If you think someone is have an anaphylactic reaction,
give the AAI without delay. It will not harm them.

Always consider anaphylaxis in a food-allergic person even if there are no signs of a rash, hives or swelling.

- 1. Hold the Jext AAI in the hand you write with**

Hold with your thumb closest to the yellow cap. Pull off the yellow cap with your other hand.



- 2. Place the black injector tip against the outer thigh**

Hold the injector at a right angles (approx. 90°) to the thigh.



- 3. Push the black tip as hard as you can into the outer thigh**

Wait until you hear a 'click' confirming the injection has started, then keep it pushed in. Hold the injector firmly in place against the thigh for 10 seconds (a slow count to 10) then remove. The black tip will extend automatically and hide the needle.



- 4. Massage the injection area for 10 seconds**

- 5. Once the Jext AAI has been administered call 999**

Ask for an ambulance and say "ana-fill-axis".



- 6. Lie the person down with legs raised immediately**

If the person is not already lying down, they should do so, with legs raised if possible.

If breathing is difficult, allow them to sit. If they have vomited or feel sick, gently turn them on their side.



- 7. If there are no signs of improvement after 5 minutes, use a second Jext AAI**

The person should remain still and lying down until the ambulance arrives. Don't try to get up, even if you start to feel better.

- 8. Start CPR**

If there are no signs of life, start CPR immediately until help arrives.



For more information
on Jext AAIs >>



Sign up to the free expiry alert service
and receive reminders by text or email when
your Jext AAI is about to expire >>




Appendix III

Appendix III

Flowchart for Allergic Reaction without use of Adrenaline Auto-Injector.

Refer to the child's BSACI Allergy Action Plan if they have one and call for other staff help if needed




Appendix IV

Appendix IV

Flowchart for Allergic Reaction with use of Adrenaline Auto-Injector.

Refer to the child's BSACI Allergy Action Plan if they have one and call for other staff help if needed



They will soar on wings like eagles. Isaiah 40:31

Appendix V

Information on allergies

The most common causes of food allergies relevant to this Policy are the fourteen food allergens:

- Cereals containing Gluten
- Celery
- Crustaceans
- Eggs
- Fish
- Soya
- Milk
- Nuts
- Peanuts
- Mustard
- Sesame Seeds
- Sulphur dioxide/Sulphites
- Lupin
- Molluscs

However, it is possible that any food has the potential to cause an allergic reaction. Contact with any food or materials containing a child's allergen has the potential to cause an allergic reaction for that child.

Latex, chemicals, medicines, grasses, pollen, weeds, trees, pets, insect venom and animal dander (shedded flakes of skin) can also cause allergic reactions.

Symptoms

Mild to moderate symptoms include:

- Swelling of the eyes, face and lips
- Runny or congested nose
- Raised itchy rash (hives), eczema flare, skin flushing
- Itchy mouth
- Stomach cramps, nausea, vomiting, diarrhoea

Severe symptoms include:

- Swollen tongue, hoarse voice or cry, difficulty swallowing and talking
- Chest tightness
- Breathing difficulties, persistent cough, wheeze
- Low blood pressure, feeling faint, collapse
- Pale and floppy (babies and small children)



On a journey together where learning has no limits.
'They will soar on wings like eagles.' Isaiah 40:31

Appendix VI

Other support and resources

- Allergy Guidance for Schools - <https://www.gov.uk/government/publications/school-foodstandards-resources-for-schools/allergy-guidance-for-schools>
- Allergy UK Helpline: providing support, advice and information for those living with allergic disease tel. weekdays 9am-5pm 01322 619898 - www.allergyuk.org
- Early Years Foundation Stage Statutory Guidance, Section 3 Safeguarding and Welfare Requirements - Food and Drink - Statutory framework for the early years foundation stage (publishing.service.gov.uk)
- Example menus for early years settings in England - Part I Guidance - Example menus for early years settings in England: part 1 (publishing.service.gov.uk) - Managing food allergies, intolerances and meeting cultural needs; Providing food allergen information; Reading food labels; Allergen information
- Food Standards Agency food allergy and intolerance online training - <https://allergytraining.food.gov.uk/>
- For pupils / students with Medical Conditions at School - Supporting pupils with medical conditions at school - GOV.UK (www.gov.uk)
- FSA reporting tool for allergies - <https://www.gov.uk/government/news/fsa-launchesallergy-and-intolerance-reporting-tool>
- Guidance on the use of adrenaline auto-injectors in schools (Department of Health, 2017) https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/645476/Adrenaline_auto_injectors_in_schools.pdf
- Training for Schools - <https://www.anaphylaxis.org.uk/information-training/allergywisetraining/for-schools/>
- Transitioning to Secondary School - <https://www.anaphylaxis.org.uk/living-with-seriousallergies/serious-allergy-guidance-for-parents/preparing-for-and-managing-thetransition-to-secondary-school/>
- Whole school allergy and awareness management - <https://www.allergyuk.org/schools/>
Whole-school-allergy-awareness-andmanagement



On a journey together where learning has no limits.
'They will soar on wings like eagles.' Isaiah 40:31

Appendix VII



Top 14 Allergens

 Celery	 Cereals containing gluten	 Crustaceans	 Eggs	 Fish	 Lupin	 Milk
 Molluscs	 Mustard	 Peanuts	 Sesame Seeds	 Soya	 Sulphur Dioxide	 Tree Nuts



Natasha Allergy Research Foundation

The UK's Food Allergy Charity

Empower • Include • Protect

AllergySchool.org.uk

© Copyright 2024 The Natasha Allergy Research Foundation UK
Registered Charity No. 1182056 Scotland No. SC051810



On a journey together where learning has no limits.
‘They will soar on wings like eagles.’ Isaiah 40:31