

ROYAL HOSES



CATALOG | 2024-2025

WATER DELIVERY HOSES AND SOLUTIONS



Mobile: 0554812800 email: sales@royalehoses.com

About Us :

'BRIGHT CHOICE' is one of the companies in the RAV Group, which includes several commercial and industrial companies.

The first of these companies was founded by Mr. Ravinder Singh in 1982, and since its establishment, it has relied on credibility in its dealings.

In addition to high quality in all its products and services, the RAV Group has gained significant trust from its customers and suppliers in all the sectors it has worked in. This has facilitated its regional and global spread.

Rav Group established its first industry in the MENA region in 1992 and since then it has expanded to other regions of the gulf including UAE with a factory size of 100,000 SQFT adding manufacturing lines of industrial grade Level hose , Reinforced hose , Lay flat hose , Suction hoses , high grade Garden pipe hoses and Steel wire hose.

Rav Group in cooperation with its sister concern Bright Choice Trading LLC & Ravankar Plastic LLC in UAE has achieved being a one stop shop solution for all your

- WATER DELIVERY
- DEWATERING
- CONSTRUCTION
- IRRIGATION
- DELIVERY HOSES SOLUTIONS

Our Core Values :

- Passion to grow
- Integrity
- Commitment
- Great Quality
- Customer Service

Contents

Garden Hose High Pressure



Reinforced Hose



Reinforced Garden Hose



Lay Flat (Discharge) Hose



Lay Flat (Dewatering) Hose



Level Hose



Reinforced Transparent Hose



Gas Hose



Air Hose



High Pressure Hose



Fire Hose



Steel Wire Hose



Suction Hose



Twin Hose



Garden Hose High Pressure

Product Specifications	
Type	Multipurpose Hose, Liquid Delivery, Gardening
Size	From 12.55mm to 25mm
Material	Poly Vinyl Chloride (P.V.C.)
Reinforcement	High Tensile Textile Reinforcement
Features	Four layers inside are in different colors and outer layer is transparent plus two color line in the outer layer 15 year life time
Application	For gardening or Light industrials, Oil and Sun heat resistant, High Pressure

Hose I.D.		Hose O.D.	Working Pressure		Roll Length
<i>inch</i>	<i>mm</i>	<i>mm</i>	<i>bar</i>	<i>psi</i>	<i>meter</i>
½"	13	17	4	60	25,50
¾"	19	24	4	60	25,50
1"	25	30	4	60	25,50

Reinforced Hoses

Product Specifications	
Type	Multipurpose Hose, Water Delivery, Gardening
Size	From 12.55mm to 50mm
Material	Poly Vinyl Chloride (P.V.C.)
Reinforcement	High Tensile Textile Reinforcement
Features	Clear layer inside and outer layer is transparent plus two color line in the outer layer
Applications	For gardening or light industrials, oil and sun heat resistant

Hose I.D.		Hose O.D.	Working Pressure		Roll Length
<i>inch</i>	<i>mm</i>	<i>mm</i>	<i>bar</i>	<i>psi</i>	<i>meter</i>
½"	13	18	10	145	25,50
¾"	19	25	8	116	25,50
1"	25	32	8	116	25,50
1 ¼"	32	40	6	87	25,50
1 ½"	38	46	5	72	25,50
2"	50	60	4	58	25,50

Garden Hoses

Product Specifications	
Type	Multipurpose Hose, Water Delivery, Gardening
Size	From 12.55mm to 50mm
Material	Poly Vinyl Chloride (P.V.C.)
Features	Two layer inside is black and outer layer is yellow, green, red or blue, plus two color line in the outer layer
Applications	For gardening or light industrials, oil and sun heat resistant

Hose I.D.		Hose O.D.	Working Pressure		Roll Length
<i>inch</i>	<i>mm</i>	<i>mm</i>	<i>bar</i>	<i>psi</i>	<i>meter</i>
½"	13	17	6	87	25,50
¾"	19	25	5	72	25,50
1"	25	32	5	72	25,50
1 ¼"	32	40	4	58	25,50
1 ½"	38	48	4	58	25,50
2"	50	60	4	58	25,50

Level Hose

Product Specifications	
Type	Transparent Clear Hose
Size	From 6mm to 50mm
Material	Poly Vinyl Chloride (P.V.C.)
Features	One layer of high quality transparent material
Applications	Liquids delivery, leveling

Hose I.D.		Hose O.D.	Roll Length
<i>inch</i>	<i>mm</i>	<i>mm</i>	<i>meter</i>
¼"	6	8	50
5/16"	8	10	50
¾"	10	13	50
½"	12.5	16	50
5/8"	16	20	50
¾"	19	23	50
1"	25	30	50

Reinforced Garden Hose

Product Specifications	
Type	Multipurpose Hose, Water Delivery, Gardening
Size	From 12.55mm to 25mm
Material	Poly Vinyl Chloride (P.V.C.)
Reinforcement	High Tensile Textile Reinforcement
Features	Two layer inside is black and outer layer is yellow or green plus two color line in the outer layer
Applications	For gardening or light industrials, oil and sun heat resistant

Hose I.D.		Hose O.D.	Working Pressure		Roll Length
<i>inch</i>	<i>mm</i>	<i>mm</i>	<i>bar</i>	<i>psi</i>	<i>meter</i>
½"	12.5	15.5	4	60	25,30,50
¾"	19	23	4	60	25,30,50
1"	25	29	4	60	25,30,50

Steel Wire Hose

Product Specifications	
Type	Suction steel wire hose
Size	From 6mm to 200mm
Material	Poly Vinyl Chloride (P.V.C.)
Features	Manufactured from PVC with steel wire
Applications	Industrial agriculture suction hose, oil and sun heat resistant

Hose I.D.		Hose O.D.	Roll Length
<i>inch</i>	<i>mm</i>	<i>mm</i>	<i>meter</i>
¾"	19	24	30,50
1"	25	30	30,50
1 ¼"	31	37	20,30,40,50
1 ½"	38	43	20,30,40,50
2"	50	56	20,30,40,50
2 ½"	63	70.5	30
3"	76	83	20,30
4"	101,6	110	20,25

Layflat Discharge Hose

Product Specifications	
Type	Lay flat (discharge) hose
Size	From 50mm to 150mm
Material	Polyester - Poly Vinyl Chloride (P.V.C.)
Features	Three layers inside and outside with reinforced yarn in between
Applications	Drip irrigation, construction, industrial and agricultural

Size	Approx Wall Thickness	Working pressure	Roll Length
<i>inch</i>	<i>mm</i>	<i>Kg/cm2</i>	<i>Meter</i>
2"	1	3.5	50 or 100
3"	1.35	3	50 or 100
4"	1.40	3	50 or 100
6"	1.65	2.5	50 or 100

Layflat Dewatering Hose

Product Specifications	
Type	Lay flat (dewatering) hose
Size	from 2 inch up to 6 inch
Material	Polyester - Poly Vinyl Chloride (P.V.C.)
Features	Two layers inside and outside with reinforced yarn in between
Applications	Agriculture, surface irrigation, sprinkler irrigation, supply line

Size	Wall Thickness	Working Pressure	Roll Length
<i>inch</i>	<i>mm</i>	<i>Kg/cm2</i>	<i>Meter</i>
2	1.60	7.0	50 or 100
3	1.90	6.0	50 or 100
4	2.15	6.0	50 or 100
6	2.60	6.0	50 or 100

Suction Hose

Product Specifications	
Type	Suction hose
Size	From 1 inch up to 8 inches
Material	Polyester - Poly Vinyl Chloride (P.V.C.)
Features	Smooth both inner & outer surface
Applications	Drip irrigation, construction, industrial and agricultural

Hose I.D.		Hose O.D.		Working pressure @		Roll Length
<i>inch</i>	<i>mm</i>	<i>inch</i>	<i>mm</i>	20°	40°	<i>Mtr/Roll</i>
2	50.8	2.26	57.3	90	65	25/30/50
3	76.2	3.35	85.2	65	45	25/30/50
4	101.6	4.41	112.1	55	40	15
6	152.4	6.71	170.4	40	25	30

Price List

Royal Hose- Garden Hose 2 Layer With Yarn

ALL PRICES ARE FOR YELLOW AND GREEN HOSES. FOR CLEAR KINDLY ADD 2 DHS.

Size	Metre	Price
1/2 "	50y	29
1/2 "	50	33
3/4 "	50y	39
3/4 "	50	44
1"	50y	57
1"	50m	63

**CUSTOMIZATION OF LENGTH AND QUALITY AVAILABLE UNDER YOUR OWN BRAND.MIN QTY
10,000.00 DHS**

Garden Hose - Super Hose - Made With 2 Layer And Yarn

ALL PRICES ARE FOR YELLOW AND GREEN HOSES. FOR CLEAR KINDLY ADD 2 DHS.

Size	Yard	Price
½"	50	27
¾"	50	37
1"	50	55

**CUSTOMIZATION OF LENGTH AND QUALITY AVAILABLE UNDER YOUR OWN BRAND.MIN QTY
10,000.00 DHS**

Reinforced Garden Hose Heavy Duty - Royal Hose Ultra

ALL PRICES ARE FOR YELLOW AND GREEN HOSES. FOR CLEAR KINDLY ADD 2 DHS.

Size	Metre	Price
½"	50	48
¾"	50	82
1"	50	95

**CUSTOMIZATION OF LENGTH AND QUALITY AVAILABLE UNDER YOUR OWN BRAND.MIN QTY
10,000.00 DHS**

Steel Wire Hose

<u>Size</u>	<u>Metre</u>	<u>Price</u>
1"	40	160
2"	40	305
3"	20	255
4"	20	455

Layflat Discharge Hose

<u>Size</u>	<u>Metre</u>	<u>Price</u>
2"	50	86
2"	100	175
3"	50	160
3"	100	325
4"	50	240
4"	100	490
6"	50	380
6"	100	780

**CUSTOMIZATION OF LENGTH AND QUALITY AVAILABLE UNDER YOUR OWN BRAND.MIN QTY
50,000.00 DHS**

Layflat Dewatering Hose - Royale Hose - Heavy
MADE IN KOREA

<u>Size</u>	<u>Metre</u>	<u>Price</u>
2"	50	160
2"	100	330
3"	50	270
3"	100	567
4"	50	410
4"	100	820
6"	50	649
6"	100	1325

**CUSTOMIZATION OF LENGTH AND QUALITY AVAILABLE UNDER YOUR OWN BRAND.MIN QTY
50,000.00 DHS**

Mobile: 0554812800 email: sales@royalehoses.com

Suction Hose - Royale Hose

<u>Size</u>	<u>Metre</u>	<u>Price</u>
2"	25	125
3"	25	240
4"	25	410
6"	15	650

All our hoses are UAE and / or Korea made with certification and 6 months manufacturing defect warranty

Mobile:



WATER DELIVERY HOSES AND SOLUTIONS


Layflat Dewatering Hose - Royale Hose - Heavy

<u>Size</u>	<u>Metre</u>	<u>Price</u>
2"	50	160
2"	100	330
3"	50	270
3"	100	567
4"	50	410
4"	100	820
6"	50	649
6"	100	1325

BRIGHT CHOICE TRADING LLC

Petroleum And Oil Hoses

Tank Drop Hose



- *Transfer of oil, fuel, and grease in gasoline tank drop applications.*
- *Handling of oil slurry, hydrocarbons, and animal fats.*

Characteristics

- *Special fuel-resistant rubber compound.*
- *Resistant to oil, gasoline, petroleum, aromatics, and naphtha.*
- *Embedded anti-static copper wire for safety ohm requirements.*
- *Heavy-duty with excellent flexibility.*
- *Economical.*
- *Service Temperature Range: -30 °F to 140 °F.*

RH-120ST

<i>I.D(Inches)</i>	<i>O.D(Inches)</i>	<i>Pitch(Inches)</i>	<i>Minimum Bend Radius 72°F(Inches)</i>	<i>Working Pressure 72°F(Psi)</i>	<i>Vacuum Rating 72°F(In Hg)</i>	<i>Weight Lbs/ft</i>	<i>Standard Length ft</i>
2	2.67	0.43	4.5	70	29.8	1.12	60,100
3	3.68	0.59	6.3	65	29.8	1.38	60,100
4	4.80	0.65	7.4	65	29.8	2.18	60,100

009714-8856117 , 0097155-4812800 (Mr Faisal)

Jebel Ali Industrial Area - 1,

Plot no 9 , Dubai - U.A.E .

Mobile: 0554812800 email: sales@royalehoses.com

Oil Suction & Discharge Hose 150 PSI

This robust and pliable hose is designed for use in tank trucks, in-plant operations, and oil field loading, and is suitable for transferring gasoline, oil, and various petroleum products.

I.D.		O.D.		Standard Length		Bend Radius		Working Pressure		Approx. Weight
in	mm	in	mm	ft	m	in	mm	PSI	kg/cm ²	kg/m
1	25.4	1.42 1	36.1	200	60	6	150	150	10	0.80
1 1/4	31.8	1.67 3	42.5	200	60	8	200	150	10	0.98
1 1/2	38.1	1.92 1	48.8	200	60	10	250	150	10	1.16
2	50.8	2.45 7	62.4	200	60	12	300	150	10	1.69

2 1/2	63.5	2.95 7	75.1	200	60	16	400	150	10	2.07
3	76.2	3.48 0	88.4	200	60	20	500	150	10	2.75
4	101. 6	4.54 3	115. 4	200	60	28	700	150	10	4.06
5	127. 0	5.72 8	145. 5	200	60	40	1, 000	150	10	6.81
6	152. 4	6.79 1	172. 5	200	60	48	1, 200	150	10	9.10
8	203. 2	8.92 1	226. 6	100	30	64	1, 600	150	10	13.25

ACCESSORIES AND EQUIPMENTS FOR DEWATERING



