

```

# BEGIN WordPress
# The directives (lines) between `BEGIN WordPress` and `END WordPress` are
# dynamically generated, and should only be modified via WordPress filters.
# Any changes to the directives between these markers will be overwritten.
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]

# uploaded files
RewriteRule ^([_0-9a-zA-Z-]+)/)?files/(.+) wp-includes/ms-files.php?file=$2 [L]

# add a trailing slash to /wp-admin
RewriteRule ^([_0-9a-zA-Z-]+)/)?wp-admin$ $1wp-admin/ [R=301,L]

RewriteCond %{REQUEST_FILENAME} -f [OR]
RewriteCond %{REQUEST_FILENAME} -d
RewriteRule ^ - [L]
RewriteRule ^([_0-9a-zA-Z-]+)/?(wp-(content|admin|includes).*) $1 [L]
RewriteRule ^([_0-9a-zA-Z-]+)/?(.*\.php)$ $1 [L]
RewriteRule . index.php [L]

</IfModule>

# END WordPress

# BEGIN cPanel-generated php ini directives, do not edit
# Manual editing of this file may result in unexpected behavior.
# To make changes to this file, use the cPanel MultiPHP INI Editor (Home >> Software >>
MultiPHP INI Editor)
# For more information, read our documentation (https://go.cpanel.net/EA4ModifyINI)
<IfModule php7_module>
    php_flag display_errors Off
    php_value max_execution_time 30
    php_value max_input_time 60
    php_value max_input_vars 1000
    php_value memory_limit 128M
    php_value post_max_size 128M
    php_value session.gc_maxlifetime 1440
    php_value session.save_path "/var/cpanel/php/sessions/ea-php72"
    php_value upload_max_filesize 128M
    php_flag zlib.output_compression Off
</IfModule>

```

```
<IfModule lsapi_module>
    php_flag display_errors Off
    php_value max_execution_time 30
    php_value max_input_time 60
    php_value max_input_vars 1000
    php_value memory_limit 128M
    php_value post_max_size 128M
    php_value session.gc_maxlifetime 1440
    php_value session.save_path "/var/cpanel/php/sessions/ea-php72"
    php_value upload_max_filesize 128M
    php_flag zlib.output_compression Off
</IfModule>
# END cPanel-generated php ini directives, do not edit

# php -- BEGIN cPanel-generated handler, do not edit
# Set the "ea-php72" package as the default "PHP" programming language.
<IfModule mime_module>
    AddHandler application/x-httpd-ea-php72___lsphp .php .php7 .phtml
</IfModule>
# php -- END cPanel-generated handler, do not edit
```