

## ARCHIVED: PatternFly & UXD Design Share

**\*This meeting has been combined with [PatternFly Office hours](#).**

**Add topics to this [agenda](#) instead\***



This meeting is sponsored by the PatternFly team as a place for sharing design work within the Red Hat UXD team and beyond. Valid agenda items for this meeting include: Ongoing design work in PatternFly that we present for feedback, requests for new PatternFly features, getting feedback from a wider audience about project work that utilizes PatternFly and presentations or discussions about general interaction and visual design topics and tools that may be of interest to the PatternFly design community.


**Tags:** [Design feedback](#) [Figma kits](#) [Feature request](#) [Research](#) [Broadcasting finished work](#) [Awareness](#) [Discuss](#)

### Agenda and meeting notes

Apr 28, 2025

NAME/AREA	TOPIC & LINKS	TIME & TAG X min	NOTES
Kayla	Codeblock - Expandable section vs truncate	<a href="#">Design feedback</a> 5 min	<ul style="list-style-type: none"><li>Design wants to update the codeblock component to use a "Expandable Section Truncate" (no caret) instead of the "Expandable Section" (with caret)<ul style="list-style-type: none"><li>Are there reservations around this proposed change?</li></ul></li></ul>

			<ul style="list-style-type: none"> <li>○ Are there any specific reasons for using the link button with the caret over the inline link?</li> </ul> <p><b>Expandable</b></p>  <p><b>Expandable</b></p>  <p>Good to go to switch to using the expandable truncate section. Lets make a core issue to track the changes and a design issue to update the codeblock</p>
Pankaj	External link icon placement inside a label	<div>Design feedback ▾</div> <div>5-10 mins</div>	<ul style="list-style-type: none"> <li>● Labels           <ul style="list-style-type: none"> <li>○ I'm designing a label for Konflux and wanted to get feedback on the icon placement:</li> </ul> </li> </ul> <p><a href="#">Figma file</a></p> <ul style="list-style-type: none"> <li>● Table cells           <ul style="list-style-type: none"> <li>○ Support more than text in the table</li> </ul> </li> </ul>

			cell. For e.g. link, labels
Shayna	Comparison table - with column/row selection	Design feedback ▾	<p>The Compliance feature wants to compare policy rules between minor RHEL versions. But, we may also want to allow users to select “new rules” for a recently updated policy.</p> <p>Can we do this?</p> <p>BASIC idea of what I was thinking:</p> 
James	Drawer scrolling with sticky header and footer	Design feedback ▾	

Mar 31, 2025

NAME/AREA	TOPIC & LINKS	TIME & TAG X min	NOTES
Asumi	<a href="#">Menu dropdown groups</a> feedback	5 min	<ul style="list-style-type: none"> <li>Feedback from UXers on diff tenants that the group title looks like it's clickable, annoyed when couldn't interact with it</li> <li>Due to secondary text color shade not being noticeably different from regular text color</li> <li>To do: Lucia to create design issue to explore solutions – possibly add weight to menu titles to differentiate?</li> </ul>

			<ul style="list-style-type: none"> <li>◦ <a href="https://github.com/patternfly/patternfly-design/issues/1391">https://github.com/patternfly/patternfly-design/issues/1391</a></li> </ul>
Asumi	Table tree view figma help?	5 min	<ul style="list-style-type: none"> <li>• Good way to nest table rows for a tree view without detaching the component and doing each one?</li> <li>• To do: immediate hack would be to adjust auto layout margins/spacer tokens within table component to avoid detaching. More permanent solution to open design kit issue to add tree view table component to figma component library.</li> </ul>
			<ul style="list-style-type: none"> <li>•</li> </ul>

Mar 17, 2025

NAME/AREA	TOPIC & LINKS	TIME & TAG X min	NOTES
Tal	Figma Column header(cell component) <a href="#">Figma</a>	5-10 min Figma kits ▾	Andrew will create a task for the PF team to explore this
Andrew for Shiran	Support trophies & badges	5-10 min Feature request ▾	
			<ul style="list-style-type: none"> <li>•</li> </ul>

Mar 3, 2025

NAME/AREA	TOPIC & LINKS	TIME & TAG	NOTES
-----------	---------------	------------	-------

		X min	
Tina	High Contrast Theming	5-10 min Discuss ▾	<ul style="list-style-type: none"> <li>• Early explorations of high contrast theming to address accessibility using border weights/styling</li> <li>• Ex: <a href="#">AAP screens</a></li> <li>• To do: Annotate where there are new borders vs pre-existing tokens</li> </ul>
Andrew (and others?)	HCC Widgetized dashboard	5-10 min Discuss ▾	

Feb 17, 2025

Meeting Canceled due to Holiday - Next meeting is Monday, March 3rd!

Feb 4, 2025

NAME/AREA	TOPIC & LINKS	TIME & TAG X min	NOTES
Asumi	Pagination question	5 min Discuss ▾	<ul style="list-style-type: none"> <li>• UX for paging when it's infeasible to know the exact count</li> <li>• <a href="#">Indeterminate pagination</a> (<b>1-20</b> of <b>many</b>)</li> <li>• Can we get an approximate count? "<b>1-20</b> of <b>500+</b>"</li> </ul>
Andrew	filter tags		<ul style="list-style-type: none"> <li>• Issue from HCC <a href="https://issues.redhat.com/browse/RHCLLOUD-31556">https://issues.redhat.com/browse/RHCLLOUD-31556</a></li> </ul>

			•
Kevin	<p>General OCP UX question</p> <ul style="list-style-type: none"> <li>- Sam, Ali and team are looking to “improving the visual cues” for resources within OCP - <a href="#">Jira</a> <ul style="list-style-type: none"> <li>- Sounds like <a href="#">Pankaj started working</a> on this?</li> <li>- Example from Sam (<a href="#">Eclipse</a>)</li> <li>- Bringing this up for awareness (we touched on badges and labels previous, however I don’t think today we can effectively gauge their efficiency?</li> <li>- Curious if we have any recommendations for this?</li> </ul> </li> </ul>	5 min <span>Need Feedback ▾</span>	<ul style="list-style-type: none"> <li>- Would this approach benefit any other “table” display or pages where we want to indicate the type of resource and where they come from?</li> </ul>

Jan 20, 2025

NAME/AREA	TOPIC & LINKS	TIME & TAG X min	NOTES
-----------	---------------	---------------------	-------

Bekah	Sub navigation fly-out panel	5-10 min Design feedback ▾	<ul style="list-style-type: none"> <li>Clicking nav item is a relatively quick action, so overlay makes more sense (rather than pushing all of the page content)</li> <li>How is this secondary panel triggered? Lots of problems if it's on hover</li> <li><a href="https://m3.material.io/">https://m3.material.io/</a> has a similar flyout drawer pattern w/ rounded edges <ul style="list-style-type: none"> <li>This version has the flyout content "taking over" the left nav content instead of being a second panel</li> </ul> </li> <li>This is how Composer wanted to use it (click Assistants): <a href="https://chatbot-ui-rhsaia-v2-dev.apps.rhsaia.vg6c.pl.openshiftapps.com/">https://chatbot-ui-rhsaia-v2-dev.apps.rhsaia.vg6c.pl.openshiftapps.com/</a> (based on concepts from Mark Riggan)</li> <li>Make sure we have a design for mobile <ul style="list-style-type: none"> <li>Could we have it handled like the m3 site? Where the secondary nav "takes over" the nav panel on smaller screens instead of extending out</li> </ul> </li> <li>Consider using a right arrow instead of a caret to illustrate the opening of the flyout panel</li> </ul>
Andrew	Commenting pattern	5 min	<ul style="list-style-type: none"> <li>re: avatar sizing -- relates to a previous topic we've discussed about matching our PF avatar component sizes with RHDS's avatar sizes <a href="https://ux.redhat.com/elements/avatar/guidelines/#sizes">https://ux.redhat.com/elements/avatar/guidelines/#sizes</a></li> <li>Examples: Figma, ...</li> </ul>
Andrew	V6 Migration experience	5 min Research ▾	

Nov 25, 2024

Name	Share topic	Notes
Tal	Empty state for overview page <ul style="list-style-type: none"> <li>Any new suggestions for designing an empty state for an overview page with</li> </ul>	<ul style="list-style-type: none"> <li>Using the shared empty state design is the recommended option.</li> <li>Empty state card with multiple</li> </ul>

	<p>multiple cards?</p> <ul style="list-style-type: none"> <li>Any recommendations for using an empty state with two cards as options?</li> </ul>	<p>cards within (Deployed Models)- The recommendation for this was to keep it as implemented = separated cards, without a center aligned empty state.</p>
Tal	<p>Breadcrumbs</p> <ul style="list-style-type: none"> <li>Is it feasible to include an icon at the center of a breadcrumb item?</li> <li>Are there any concerns with placing a link after the breadcrumb, separated by a divider?</li> </ul>	<ul style="list-style-type: none"> <li>Andrew will check if it's feasible to include an icon at the center of a breadcrumb item.</li> <li>Placing a link after the breadcrumb isn't part of the default PF breadcrumbs, but it can be customized in RHOAI.</li> </ul>

Nov 11, 2024

Name	Notes	Share topic
Asumi		<p>Question about primary detail component usage</p> <p>Currently using in a table with multiple clickable things in the row</p> <p>Eric on Accessibility: It could potentially be an issue to have a clickable item on top of another clickable item. Could cause a misclick when attempting to click smaller action within larger action. Alternative: have a separate button within the table row or card specifically for triggering a drawer to open. <a href="#">Link to demo here</a></p>



		<p>PF Design to revisit this</p> <p>Comment from James Talton: Interesting design principle in Material 3, which I love but requires a lot of design. Principal: No clickable region should be less than 48x48 pixels. The visual element can be smaller, but the clickable region needs to be 48x48. This helps with accessibility. +1 from Eric on this.</p> <p>Opened issue:  <a href="https://github.com/patternfly/patternfly-design/issues/1356">https://github.com/patternfly/patternfly-design/issues/1356</a></p>
Asumi		<p>Masthead toolbar icons - component has outlined icons but PF site does not. Does it matter which we use?</p> <p>notes/feedback: Outlined buttons may infer that it is a toggle. In early PF 6, outlined was a way to draw out those masthead controls against the gray background. If product feels strongly about updating these demos/designs, we can absolutely revisit and explore other options to better align and keep consistency. More discussion to be had.</p>

Oct 28, 2024

Name	Notes	Share topic
Sim/ Haley	<ul style="list-style-type: none"> <li>- Links shared:</li> <li>- <a href="https://staging.patt">https://staging.patt</a></li> </ul>	Show the description of a selected option in a dropdown

[ernfly.org/components/input-group/#with-popover](https://www.patternfly.org/components/input-group/#with-popover)

- Another idea is to use quick start drawer for more in-context help <https://www.patternfly.org/extensions/quick-starts/in-app-documentation/>

Option 1: show the info icon inside the dropdown

Model registry finance-team-registry ⓘ ▼

- Any accessibility issues with it? (also asked in [this](#) Slack thread)
- Can PF library support it without any code customization?
- Example from jira

▼ People


Assignee:

Reporter:

Votes:

Watchers:

▼ Dates

 Yihui (Haley) Wang ⓘ  
yihwang@redhat.com  
11:58 AM - Thursday - Shanghai

Activity More ▼


Option 2: show info icon next to the dropdown

Model registry finance-team-registry ▼ ⓘ

- Is it clear that the info depends on the selected option, or is it more like the overall info to the whole dropdown?

Option 3: show description directly below the dropdown

- May not be applicable to the case where the space is limited

		
Andrew	- holy macaroni it's finally happening!	PatternFly 6 release!

Oct 14, 2024

Name	Share topic	Notes
Asumi	<p>Clipboard copy component</p> <ul style="list-style-type: none"> <li>Got feedback from some devs that it is misleading that it's a read only input field when it's something that we are providing and it is never given by the user</li> <li>Guidance says, "This is useful for copying system generated key values..."</li> <li>Is the solution to use the compact?</li> </ul>	<ul style="list-style-type: none"> <li>Let's revise the usage guidelines and provide some clarity around use cases for compact vs default clipboard copy</li> </ul>
Asumi	<p>Icon guidance: When and how to use in tables</p> <p>Existing <a href="#">doc</a></p> <p>Ask coming from HCC for PatternFly to take on creating explicit guidance for when to use icons and when not to. EG, include in table cells when? Don't include in table cells when...</p>	<ul style="list-style-type: none"> <li>Seeking guidance around consistency of using icons(colored or not) within table cells. Update usage guidelines</li> <li>Discuss with Lucia when she comes back from PTO</li> <li>Has this been a discussion with DPO?</li> </ul>

Sep 30, 2024

Name	Share topic	Notes
Ann	KBase Components Exploration  Some components needed for KBase are not available in PF6 yet so we'd like to discuss possible ways to a) use alternate components/templates to achieve the same goals or b) add these to the PF6 design/development backlog	<a href="#">Figma</a>
Andrew	PatternFly updates	Code freeze Release process Design migrations & support What's next?

Sep 16, 2024

Name	Share topic	Notes
Tal Tobias	Sorting question: <ul style="list-style-type: none"><li>• In OpenShift, an upward-pointing arrow is used for alphabetical sorting and to show the oldest created time on top.</li><li>• In this <a href="#">PF react demo</a> it's the opposite- using a downward-pointing arrow for</li></ul>	<ul style="list-style-type: none"><li>• For placing favorites on top, should we use an upward or downward arrow? Why?<ul style="list-style-type: none"><li>◦ Upwards is ascending for table sort</li></ul></li></ul>

	<p>alphabetical sorting</p> <ul style="list-style-type: none"> <li>○ *In this <a href="#">Sorting by columns</a> it's mentioned- "...arrow to point upwards and the content to be sorted in ascending order."</li> <li>● For favorites, In this <a href="#">PF react demo</a>, a downward-pointing arrow is used to place favorites on top.</li> </ul> <p><u>Q:</u> What do the arrow directions indicate?</p> <p><u>Q:</u> For alphabetical sorting, should we use an upward or downward arrow? why?</p> <p><u>Q:</u> For placing favorites on top, should we use an upward or downward arrow? why?</p>	<ul style="list-style-type: none"> <li>● Eric to open issue in pf react repo</li> <li>● Final thoughts: alphabetically sorting, if the column is in ascending order than the favorited rows would be first(ascending=upward arrow)</li> </ul>

Aug 19, 2024

Name	Share topic	Notes
Asumi/Anna	<p>Tree structure in a menu dropdown</p> <ul style="list-style-type: none"> <li>● Incorporating guides</li> <li>● Search behavior</li> </ul>	<ul style="list-style-type: none"> <li>● If a menu dropdown cannot support the tree view structure and behavior, we will consider <a href="#">advanced search/panel component</a></li> <li>● The carat expands and collapses the subworkspaces, and the actual workspace text should select it (with the tree view still visible and not collapsed from the dropdown)</li> <li>● We will follow this <a href="#">tree search behavior</a>, but think through how we will work through the</li> </ul>

		<p>height of the dropdown if there are quite a lot of matches (fixed height and scroll behavior?)</p> <ul style="list-style-type: none"> <li>In a search with a direct match, it should also be able to support highlighting the match in some way (the grey hover color perhaps?)</li> </ul>


Aug 5, 2024

Name	Share topic	Notes
Sim	<p>Drawer with preview form. Which <a href="#">option</a> seems the best? (From a Slack <a href="#">thread</a>)</p> <p>Interact with Preview fields or not?</p>	Discussed – going with option that has a white drawer header, gray drawer body with form preview in card.
Mary	<p>Customizable dashboard components -- we have done a lot of work on customizable dashboard components for our <a href="#">homepage on ConsoleDot</a> and I'd love for these to be PF</p>	<p>Mary to open a discussion topic in the PF <a href="#">discussions github board</a>. Looks like an interesting candidate for PF support – not sure if it would be a new widget component/card enhancement or demo/extension.</p> <p>If product is using a separate library dependency</p>


	<p>components to increase ease of adoption for use on <a href="#">other landing page</a></p>	<p>like charts, would they be able to place those interactive charts in this component? How do we make this flexible?</p> <p>Discussion topic opened:  <a href="https://github.com/orgs/patternfly/discussions/6946">https://github.com/orgs/patternfly/discussions/6946</a></p>
--	--	--

Jul 8, 2024

Tal	<p>What's the PF roadmap related to combining UI icons in the PF library?</p>	<p>As part of RHOAI, we are using various types of icon libraries (<a href="#">RHOAI Icon design pattern</a>):</p> <ul style="list-style-type: none"> <li>• <u>PF icons</u>: As recommended by PF.</li> <li>• <u>Standard icons</u>(from the brand team): To be used in larger sizes as decorative elements (32px-100px).</li> <li>• <u>UI icons</u>: Icons that don't exist in the PF library but fit the RHOAI language, used in small sizes in tables/dropdown selectors (24px and smaller).</li> </ul> <p>Jenn mentioned-</p> <p><i>It would be good to dig into this topic a bit more, and make sure we understand what the PF roadmap is related to the current icon set so that the effort we're putting into this is going to align with what PF would recommend in the future. There is a gh issue that looks like it's targeted for the Penta beta release:</i>  <a href="https://github.com/patternfly/patternfly-design/issues/1129">https://github.com/patternfly/patternfly-design/issues/1129</a></p> <p>I see that this issue has been moved to the "Parking lot." I wanted to ask if our use of UI icons and other icons aligns with what PF</p>
-----	---	---

		<p>would recommend in the future</p> <p>Notes:</p> <ul style="list-style-type: none"> <li>UI icon support in PF is not expected until after PF6. For now, teams can pull in UI icons if needed.</li> </ul>
Sim	<p>Checkbox vs Switch for a table inside a full-page form</p> <p><a href="https://www.patternfly.org/components/forms/checkbox/design-guidelines/#when-to-use-switches-vs.-checkboxes">https://www.patternfly.org/components/forms/checkbox/design-guidelines/#when-to-use-switches-vs.-checkboxes</a></p>	 <p>Notes:</p> <ul style="list-style-type: none"> <li>Can use the switch for the table</li> </ul>
Sim	<p>Expandable table with custom drag and drop. Seeking feedback.</p> <p>Any accessibility issues with this? Should all kebab menu options have move up/down items</p>	<p>(See same frame as above)</p> <p>Notes:</p> <ul style="list-style-type: none"> <li>Katie is working on an updated UI react component for drag &amp; drop.</li> <li>PF dev office hours would be a good forum for raising questions about this. Katie can help provide guidance on what's possible relative to the design above.</li> <li><a href="https://www.patternfly.org/components/drag-and-drop/react-next">https://www.patternfly.org/components/drag-and-drop/react-next</a></li> </ul>



	that duplicate the drag&drop action?	<ul style="list-style-type: none"> <li>• <a href="https://www.patternfly.org/components/drag-and-drop/html">https://www.patternfly.org/components/drag-and-drop/html</a></li> </ul>
Sim	Menu design when there are more than 20 items to display.	<p>[Sim] Additional notes: Seeking opinions on menu design when there are more than 20 items to display. While scrollable menus with custom heights are common, a developer recently pointed out that some users may find them confusing, potentially causing them to miss items. Have any of you encountered this feedback? Alternatively, do you have suggestions for effectively presenting large menus?</p>  <p>[PF meeting] notes:</p> <ul style="list-style-type: none"> <li>• Try a search bar along with menu</li> <li>• Or a 'View more' variant of menu</li> <li>• A scrollbar might not appear for some users if the browser settings are not properly set</li> </ul>

Jun 10, 2024

<p>Shayna, Ann, Becky, and Fabien</p>	<p>Addressing the “design system” we have for status icons</p> <ul style="list-style-type: none"><li>- Seeing if the UXD team has a need for cohesiveness</li></ul>	<p>Current status examples: (these are “time-based”)</p> <p>In progress, verified, unverified - for solutions</p> <p>Ongoing, resolved, emergent - for security issues</p> <p>Historical, in progress, valid, invalid, active, inactive - for compliances (more nuanced)</p> <div data-bbox="871 475 1039 755"><p>Filter by state ▾</p><ul style="list-style-type: none"><li><input type="checkbox"/> Idling</li><li><input type="checkbox"/> Optimized</li><li><input type="checkbox"/> Oversized</li><li><input type="checkbox"/> Under pressure</li><li><input type="checkbox"/> Undersized</li><li><input type="checkbox"/> Waiting for data</li></ul></div> <p>From Resource Optimization in RHEL Insights</p> <p>State vs Status??</p> <ul style="list-style-type: none"><li>- Currently working on defining status (such as color)</li><li>- Timeline vs stagnant</li><li>- Why do we have all these different states in the first place? Are we “forcing” users to learn as they go?</li><li>- Actionable vs informational?</li></ul> <p>Tracking in UXD hub and socializing in other teams to get a better and broader understanding.</p>
---	---	--

May 27, 2024

USA Holiday

May 13, 2024

Clíodhna	Project metrics page of distributed workloads - dividers question	<ul style="list-style-type: none"><li>- Option 1: Remove the separators (this is what was done in the current implementation to get things over the line for Summit)</li><li>- Option 2: If we deem it significantly better for the designs to include the separators - can this be supported</li><li>- <a href="#">GitHub Issue</a></li><li>- <a href="#">PF capacity-card</a></li><li>- <a href="#">Kafka metrics</a></li><li>- <a href="#">Figma</a></li></ul> <p>Notes:</p> <ul style="list-style-type: none"><li>- This design looks fine without the separators. It is fairly clear that they are all separate</li><li>- Another option is to have all of the charts on separate cards and to have the title on the main page with the grey background</li><li>- The issue can stay open and there may be a chance to look into supporting this case in the future</li><li>- We could bring the droptown options for Resource usage over time up to the same line as the title</li><li>- In the alerts section I can remove the border below "Status" and "Alerts"</li><li>- There is also no need for the vertical separator here as the alerts will provide this naturally</li></ul>

--	--	--

Apr 25, 2024 [[recording](#)][[transcript](#)]

Name	Share topic	Notes
Jenn, Tal	location for buttons on a page	<p>See <a href="#">discussion in slack</a>, especially the last comment from Tal:</p> <p>My concern is mainly about the <a href="#">Actionable table</a>- "The actionable table provides checkboxes or radio buttons that enable users to select one or more rows in a table. Users may then act on those selections using options in the toolbar." ... The location of the action button is part of the toolbar, but I wonder how would we add a "create" button to that so it won't be confusing what button refers to the selected items and what's not.</p> <p>So, in general, I wonder how we would present an actionable table item together with the "create" button, because it seems to conflict.</p> <p>See some examples-<a href="#">Screenshots of RHOAI</a> (refer to first 2 examples):</p> <ul style="list-style-type: none"> <li>• Pipeline server actions in the page header - does this action belong in the toolbar?</li> <li>• Projects page with Launch Jupyter action in toolbar - does this action belong in the page header?</li> </ul> <p>Takeaways:</p> <ul style="list-style-type: none"> <li>- Update guidelines to be more specific about actions on a page: <ul style="list-style-type: none"> <li>- Whatever impacts the table directly put it in the table toolbar</li> </ul> </li> </ul>

		<ul style="list-style-type: none"> <li>- Whatever impacts the page as a whole, or any other action that does not directly impact the table, put it on the top right of the page</li> <li>- Found these old guidelines that discuss this - <a href="https://docs.google.com/document/d/1TA6uBuNlyA5F1X2rmz0pSUs0vkc7TYTIRp-fkQg-xo/edit">https://docs.google.com/document/d/1TA6uBuNlyA5F1X2rmz0pSUs0vkc7TYTIRp-fkQg-xo/edit</a> figure out where to put the guidelines - new "Action" patterns page, OR add to table guidelines (maybe both)</li> <li>- Pipeline server actions in the page header - does this action belong in the toolbar? - current design is correct with having these actions in the top right</li> <li>- Projects page with Launch Jupyter action in toolbar - does this action belong in the page header? - Yes, this action should move to the top right. The primary Create action should also be moved to the left, right after the filter.</li> </ul>
Vince	Question	Is there any work toward a Figma wireframe library?
Burundi	Question	<p>Sorry, I can't attend today's meeting as I have conflicts.</p> <p>Do we have a mapping library or intend to include one in the future?</p> <p>Takeaways</p> <ul style="list-style-type: none"> <li>- There wasn't but can look into it</li> <li>- Found this external one online: <a href="https://www.react-simple-maps.io/examples/">https://www.react-simple-maps.io/examples/</a></li> <li>- Doesn't have to be accessible as long as there's a table view</li> </ul>

April 11, 2023 [[recording](#)][[transcript](#)]

Name	Share topic	Notes
Jeff	Comparison tables	<p>Questions to answer:</p> <ul style="list-style-type: none"><li>- What should a comparison table look like?</li><li>- Value vs Parameter - which should be left column or top columns<ul style="list-style-type: none"><li>- 2+ for parameter being the left column with values being compared being top row</li></ul></li><li>- <a href="#">Github discussion</a></li></ul> <p>Other</p> <ul style="list-style-type: none"><li>- Don't necessarily need new variant just a decision on how it should look and guidelines around it</li><li>- Concern over symbols used:<ul style="list-style-type: none"><li>- Dev point of view: they're standard dev symbols<ul style="list-style-type: none"><li>- <code>[]</code> = empty list of things</li><li>- <code>{}</code> = empty bucket of key-value pairs</li></ul></li></ul></li><li>- People like some elements of the drift table we could bring in (like the colors, and dividers)</li><li>- Guidelines needed around when is it appropriate to use lines between cells!</li><li>- Could this also use the double layer table thing? Might be difficult</li><li>- Guideline: can sticky columns appear as gray?</li></ul>
Lucia	V6 demo	
Jessie	Wizard interaction	<p><a href="#">Wizard examples on org</a></p> <p>Conclusion: most common use case is to go through each step fully (step - body - next, step -body-next), and not so much the</p>

		preview use case of looking through the steps first
--	--	---

Mar 28, 2023 [[recording](#)][[transcript](#)]


Name	Share topic	Notes
Margot	Drill down / Drawer	

Mar 14, 2023 [[recording](#)][[transcript](#)]

Name	Share topic	Notes
Shayna	Interactive timeline chart	

Feb 29, 2023 [Special day of learning PF/Figma Q&A session]

Name	Share topic	Notes
------	-------------	-------

	Left nav only ui	

Jan 31, 2023 [[recording](#)][[transcript](#)]

Name	Share topic	Notes
Shayna	New severity design system <a href="#">Slides</a>	Severity vs Priority <a href="#">Link</a>
Margot	"No value" states <a href="#">documentation</a>	<ul style="list-style-type: none"> <li>They all start with "Not" which makes it harder to scan - maybe "unavailable" instead of Not available</li> <li>- Where to put it:</li> </ul>



		<ul style="list-style-type: none"> <li>- +1 -- i like linking to ux terminology from the component guidelines</li> <li>- we have a source file we use to populate all our tables in the PF docs, so we can update that source file to reflect some of those terms</li> <li>- Abi - maybe add it to terminology</li> </ul>
--	--	---

Jan 10, 2023 CANCELED

Dec 20, 2023 CANCELED

Nov 29, 2023 [[recording](#)][[transcript](#)]

Name	Share topic	Notes
Mark	<p>Questions related to wizard steps</p> <ol style="list-style-type: none"> <li>1. Make sure user clicks Download button on a step before Next (or Finish). Download and Finish Download and Close</li> <li>2. Pro and con of multiple links to doc pages in UI versus single link to overview doc page which has links.</li> <li>3. Related to Next versus Finish and multiple versus single, task is occasional:</li> </ol>	

	prerequisite at initial onboarding, and then annual planned before certificate expiration or urgent unplanned after certificate exposure.	
John C.	(Not sure if this is a PatternFly question.) Is there guidance on "pretty" URLs? Specifically, including filters in the URL, and how the browser back button should behave.	<ul style="list-style-type: none"> <li>• No known general guidance.</li> <li>• Shareability of URLs leans toward keeping the terms in the URL.</li> <li>• From Andrew R.: <ul style="list-style-type: none"> <li>◦ Example from UXD Hub where I can pass the filter through the URL to a Results page.  <a href="https://www.uxd-hub.com/areas/design/results/eyJyZXN1bHRfcGFuZSI6ImFyZWZzXC9kZXNpZ25cL3Jlc3VsdHNclYlslmNhdGVnb3J5IjoimTCifQ">https://www.uxd-hub.com/areas/design/results/eyJyZXN1bHRfcGFuZSI6ImFyZWZzXC9kZXNpZ25cL3Jlc3VsdHNclYlslmNhdGVnb3J5IjoimTCifQ</a></li> <li>◦ URL get's a bit bonkers though</li> </ul> </li> </ul>
Andrew	Penta kit update	

Nov 8, 2023 [[recording](#)][[transcript](#)]

Name	Share topic	Notes
Shayna	Severity icons	Feedback <ul style="list-style-type: none"> <li>- Brighter colors for more important things</li> </ul>

		<ul style="list-style-type: none"> <li>- Blue screams info - confusing to people</li> <li>- Using bolding maybe to draw more attention to higher critical things</li> <li>- Another thing to consider is using same shapes but rotated (square, and diamond 45° square)</li> <li>- What would you show in severity unknown?</li> </ul>
John C.	Is a compact table bottom toolbar a thing?	Conclusion: There is no compact bottom toolbar! The 8px padding example in the Sketch template file is an outlier.
Chris	V5 Figma kit updates	<a href="https://www.figma.com/@patternfly">https://www.figma.com/@patternfly</a>  File bugs here: <a href="https://github.com/patternfly/patternfly-design-kit/issues">https://github.com/patternfly/patternfly-design-kit/issues</a>
Andrew	Penta Design Kit updates	Tracking work for Penta library: <a href="https://github.com/orgs/patternfly/projects/20/views/4">https://github.com/orgs/patternfly/projects/20/views/4</a>

Oct 18, 2023 [[recording](#)]

Name	Share topic	Notes
Lucia	Figma V5 library vs Penta library	<b>Takeaways:</b> <ul style="list-style-type: none"> <li>- <b>V5 figma library</b> - is the one you should be using when migrating over to Figma!</li> </ul>

		<p>Almost ready - Chris will share out when fully ready.</p> <ul style="list-style-type: none"> <li>- There will not be an official "template" library the same way we had for Sketch, but there will be more complex symbols that work as a template available in the future.</li> </ul> <p>If you find a bug in the library, you can file it <a href="#">here</a>.</p> <ul style="list-style-type: none"> <li>- <b>Penta</b> figma library is ongoing design work for V6 which will be released <u>next year. Not ready to be used yet.</u></li> <li>- This library will have pre-assembled components offered (kind of like templates)</li> </ul>
Mark	Product design decisions when to use clipboard copy or code block?	
Mark	Link to past designs for query builder? Any products have designed and built a query builder who would be willing to discuss with Mansur Syed RHACS UXD?	<p>Takeaways: Call for examples!!! I</p> <p><a href="#">Query builder PF mock:</a></p> <ul style="list-style-type: none"> <li>- Candidate design work (this was never built by PF) <a href="https://www.sketch.com/s/d09ebd44-cbf2-4bb1-84c1-da1601697542">https://www.sketch.com/s/d09ebd44-cbf2-4bb1-84c1-da1601697542</a></li> </ul> <p>^ from Lucia Boehling</p>
John C.	<p>Two table topics:</p> <ul style="list-style-type: none"> <li>- Vertical column headers</li> <li>- Expanded table rows with the same headers/spacing as the main table</li> </ul>	<p><a href="#">Mock</a> shown on call</p> <p>John, if you do move forward, am interested to follow your progress <a href="mailto:mpedrott@redhat.com">mpedrott@redhat.com</a></p>

		<p>Suggestions from call</p> <ul style="list-style-type: none"> <li>- Is there any other way you can present this?</li> <li>- Do you have a tooltip on those vertical headers to get a horizontal view of the text?</li> <li>- Have truncation</li> <li>- Could use <a href="#">tree view table</a></li> </ul>
--	--	--

Oct 11, 2023 [canceled]

Sep 6, 2023 [[recording](#)]

Name	Share topic	Notes
Lucia	PF Penta in Figma WIP Demo/Update	
Stefan	How N/A and – and other translate to filtering	
James Talton	Ansible UI Demo (long demo, lots to discuss, can be moved after other topics.)	<p>Ansible UI is a project to unify the UIs of the projects that make up the Ansible ecosystem. We have created a framework that handles common patterns at a high level. We have streamlined tables, toolbars, select components, etc... and would like to show what we have to get feedback on the approaches.</p> <p><a href="https://github.com/ansible/ansible-ui">https://github.com/ansible/ansible-ui</a></p>

Aug 16, 2023 [[recording](#)]

Name	Share topic	Notes
Stefan	Icons in Patternfly vs Icons in Font Awesome	<a href="#">How to contribute</a> <ul style="list-style-type: none"><li>- Take icon from Font awesome and propose to add to Patternfly</li><li>- And then is the idea just to write a description for a font awesome icon?</li></ul>
Margot	Design share <a href="#">survey</a>	

July 26, 2023 [[recording](#)]

Name	Share topic	Notes
Shayna	Icon - very very quick	<ul style="list-style-type: none"><li>- Everyone guessed what the icon was, and everyone preferred the one on the left</li></ul>
Asumi	Light button style	<ul style="list-style-type: none"><li>- Suggestion to use PF tertiary button [dark mode version]</li></ul>
Andrew	PF Updates	<ul style="list-style-type: none"><li>- What is in the staging site should be live in the next few days or so with dark theme toggle <a href="https://staging.patternfly.org">https://staging.patternfly.org</a></li><li>-</li></ul>

July 5, 2023 [[recording](#)]

Name	Share topic	Notes
Andrew	PatternFly updates	-

Jun 14, 2023 CANCELED

May 24, 2023 [[recording](#)]

Name	Share topic	Notes
Stefan	New Label color	<p>Feedback/Takeaways</p> <ul style="list-style-type: none"><li>- Yifat had similar situation<ul style="list-style-type: none"><li>- She used a Blue "New" label in the nav</li></ul></li><li>- Blue label could work because it stands out more from other labels</li><li>- Suggestion to use inline alert for information inside the popover about integrations, instead of having one popover per label<ul style="list-style-type: none"><li>- Don't bury in label</li></ul></li><li>- Could show new label based on last session, or based on it being new within the last 24 hours</li></ul>

		<ul style="list-style-type: none"> <li>- Could the default table sort be based on the most recent?</li> </ul>
--	--	---

May 3, 2023 [[recording](#)]

Name	Share topic	Notes
Zhenpeng	Navigation feature badge	Takeaways: <ul style="list-style-type: none"> <li>- Make sure to think about how this would look if the nav text is longer and there's not room for the nav text AND the label.               <ul style="list-style-type: none"> <li>- Does the nav text truncate? Does the badge truncate? What happens?</li> <li>- People like truncating rather than wrapping</li> </ul> </li> <li>- When would <b>New</b> badge disappear               <ul style="list-style-type: none"> <li>- On first click on a nav item?</li> <li>- After x amount of days?</li> <li>- After x amount of visits to the page?</li> </ul> </li> </ul>
Andrew	<a href="#">GitHub Discussions</a>	Takeaways: <ul style="list-style-type: none"> <li>- From now on, if you want to file a request for a new component or component enhancement in PF, file it under the discussions board. From there, people can upvote requests, and PF design team can decide what to work on from there.</li> </ul>
Kelsea	Progress Button part 2	Takeaways:



		<ul style="list-style-type: none"> <li>- Question posed: <ul style="list-style-type: none"> <li>- Should we use the active button state when the button is loading, or should it be use disabled?</li> </ul> </li> <li>- John shared example of <a href="#">similar design</a> but with danger button</li> <li>- Comments on text change - sometimes can be kind of awkward. Maybe we just have the check + original text. <ul style="list-style-type: none"> <li>- Arguably, maybe would just need the toast - no need to change the label of the button.</li> <li>- Flow would be Button - loading button - Success toast +Back to original button state. No text change.</li> <li>- Decided whether to disable at the end based on the use case</li> </ul> </li> </ul>
--	--	---

April 12, 2023 [[recording](#)]

Name	Share topic	Notes
Mark Pedrotti	Icon guidelines	<p>Do other products have guidance?</p> <p>Alert icons seem like a semantic stretch for some contrasts like:</p> <p>security policy enabled/disabled (check seems</p>

		<p>intuitive for enabled, but what for disabled?)</p> <p>security policy pass/fail (green check seems intuitive for pass, but is red danger too strong for a non-error negative state like fail?)</p> <p>or especially vulnerability fixable/not fixable (green check might imply has been fixed instead of able to be fixed, and red danger is wrong for not fixable, especially if you fixed everything that is fixable).</p> <p>Sometimes there are auxiliary states like security policy is disabled (see above) or has not yet been evaluated (maybe pending icon?).</p> <p><b>Takeaways:</b></p> <ul style="list-style-type: none"> <li>- Could use fa-minus-circle icon for disabled</li> <li>- Pass (thumbs-up); Fail (thumbs-down)</li> <li>- For fixable and not fixable <ul style="list-style-type: none"> <li>- Could use black text and icons with checkmark and X</li> <li>- ✓ Yes</li> <li>- X No</li> <li>- Could use a wrench for fixable</li> </ul> </li> <li>- For disabled in the second example, don't use - use the fa-minus-circle icon also</li> </ul>
Maria	Navigation search bar	<p>In Foreman (Satellite) there is a need to have a search bar (it's requested, and perceived as a great improvement by customers) As there is no pf4 guidance, I have two options to present.</p> <p><a href="#">Option 1</a></p> <p><a href="#">Option 2</a></p>

		<b>Takeaways:</b> <ul style="list-style-type: none"> <li>- Option 2 is more clear</li> <li>- Except that clicking on menu item would redirect the user to that page, AND expand the nav and select that item</li> <li>- Add description of where the item lives (it's path) right underneath each menu item.</li> <li>- Example "Host &gt; Hosts details"</li> <li>- Have specific placeholder</li> </ul>
Andrew Ronald...	Severity color palette	<b>Takeaways:</b> <ul style="list-style-type: none"> <li>- Looks good</li> <li>- Could there be 5 levels of severity</li> <li>- 1 arrow, then 2 arrows for higher than that (this is in ACM)</li> </ul>

Mar 22, 2023 [[recording](#)]

Name	Share topic	Notes
Shayna	Stateful Buttons	Takeaways: <ul style="list-style-type: none"> <li>- Accessibility concern brought up:               <ul style="list-style-type: none"> <li>- Nicole discussed some accessibility things that could be built in</li> </ul> </li> </ul>
Zhenpeng	Onboarding card	Gdoc <a href="#">PatternFly Proposal: Onboarding and learning</a>

		<p>Takeaways:</p> <ul style="list-style-type: none"> <li>- Add some guidance around when to use which card. If there isn't a good reason to have that many onboarding methods/solutions, try to consolidate</li> </ul>
Yifat	Follow up on primary tab contains secondary tabs	<p>Github  <a href="https://github.com/patternfly/patternfly-design/issues/1224">https://github.com/patternfly/patternfly-design/issues/1224</a></p> <p>Gdoc  <a href="https://docs.google.com/document/d/1zokCPRft9Pt9QSZSCNNk9hgPp2coMgzTy9cfloGYQTA/edit">https://docs.google.com/document/d/1zokCPRft9Pt9QSZSCNNk9hgPp2coMgzTy9cfloGYQTA/edit</a></p> <p>Takeaways:</p> <ul style="list-style-type: none"> <li>- Potentially overkill - either way they will have to explore to find out the information underneath</li> <li>- Would be more valuable if you could hover over tab and see a preview of what else is there</li> <li>- Potentially do user test on this</li> </ul>
Lucia/Michael	PF5 Theme Tweaks	Moving to design share & sync at 3pm EST tomorrow (3/23)

Mar 1, 2023 [[recording](#)]

Name	Share topic	Notes
Stefan	Bulk selector	<ul style="list-style-type: none"><li>- Look into filtering use cases</li><li>- Gmail example - maybe adding something at the top to clarify whether you're selecting the page vs selecting the whole table</li><li>- In filtering use case, "select all" could be confusing - is it select all in the table or select all that is filtered - opportunity to clarify that</li><li>- Spinner in bulk select has been implemented</li></ul>
Anastasia	Chart Colors v. Success/Failed Colors	

Feb 8, 2023 [[recording](#)]

Name	Share topic	Notes
------	-------------	-------

Kelsea	Spinner and Skeletons	Takeaways <ul style="list-style-type: none"> <li>- No feedback, everyone liked it !</li> </ul>
Yichen	File upload	<a href="#">Github ticket</a> , <a href="#">Sketch</a>  Takeaways: <ul style="list-style-type: none"> <li>- No feedback, everyone liked it !</li> </ul>
Yifat	Follow up on primary tab contains secondary tabs	Github <a href="https://github.com/patternfly/patternfly-design/issues/1224">https://github.com/patternfly/patternfly-design/issues/1224</a>  Gdoc <a href="https://docs.google.com/document/d/1zokCPRft9Pt9QSZSCNNk9hgPp2coMgzTy9cfloGYQTA/edit">https://docs.google.com/document/d/1zokCPRft9Pt9QSZSCNNk9hgPp2coMgzTy9cfloGYQTA/edit</a>  Takeaways:
Joy	Support group title for context selector selection	<a href="#">Doc</a> Takeaways: <ul style="list-style-type: none"> <li>- 3rd option is preferred (with group title) and icon for All Clusters</li> <li>- To review with wider audience</li> <li>- Context selector being deprecated</li> <li>- In future, could use menu component. File enhancement against Menu or MenuToggle</li> </ul>
Margot	Icon colors	Takeaways: <ul style="list-style-type: none"> <li>- People like all black</li> <li>- But maybe instead of changing the color of the icon when actionable, use a background situation (like in google)</li> </ul>

Joy	Status icon on icon	<a href="#">Doc</a> <a href="#">Design issue</a>  Takeaways: <ul style="list-style-type: none"> <li>- Has potential, Margot likes the dot, Missy has potential use case of dot on tabs</li> <li>- Joy to create doc and issue</li> </ul>
-----	---------------------	---

Jan 18, 2023 [[recording](#)]

Name	Share topic	Notes
Maggie	<a href="#">New icons: number with circles</a>	<p>The icons are currently used in two products: OpenShift Cluster Manager and Advanced Cluster Management. Similar icons are available online in a few svg platforms or UI libraries. However, patternfly icons do not have anything similar. As products which strongly align with Patternfly designs, we wonder if we should standardize these icons or review them to <u>become official Patternfly components for doc-driven pages</u>.</p> <p>Takeaways:</p> <ul style="list-style-type: none"> <li>- Other products would find this useful</li> <li>- Maggie to create issue</li> <li>- Yifat shared this doc with similar design: <a href="https://docs.google.com/document/d/1HTF6_H2WDXwIVy7RnrHH28dzFlhNla15Hhpeoyg2R0Q/edit#">https://docs.google.com/document/d/1HTF6_H2WDXwIVy7RnrHH28dzFlhNla15Hhpeoyg2R0Q/edit#</a></li> </ul>

Matt	Usage of default status for alerts and notifications.	<p>How is the Default status used today? How are default notifications different from Info? Ref <a href="https://www.patternfly.org/v4/components/alert#variant-examples">https://www.patternfly.org/v4/components/alert#variant-examples</a></p> <p>Takeaways:</p> <ul style="list-style-type: none"> <li>- People confused by it / doesn't seem that used by others</li> <li>- What we call "default" was really intended to allow for creating a custom alert. We should rework naming and documentation to reflect this.</li> <li>-</li> </ul>
Margot	Chips as labels	<p><a href="https://www.sketch.com/s/d7e287f4-39e3-4c17-a302-2131d8f3ea87">https://www.sketch.com/s/d7e287f4-39e3-4c17-a302-2131d8f3ea87</a></p> <p>Yes to darker border Ppl like the darker filter labels <b>To do:</b> mock up a darker border, with a filled label. Still compact. No one said anything about the double X (jk one person said keep X, other one feels like collapse)</p> <p>Everyone likes filled for the labels in toggle !!!</p>
Yifat	Allow users know that a primary tab has some secondary tabs that contain additional related information	<p><a href="https://docs.google.com/document/d/1zokCPRft9Pt9QSZSCN-Nk9hgPp2coMqzTy9cfloGYQTA/edit">https://docs.google.com/document/d/1zokCPRft9Pt9QSZSCN-Nk9hgPp2coMqzTy9cfloGYQTA/edit</a></p>



Tina	Card interactions - selectable & clickable - <a href="#">Prototype</a>	<a href="https://github.com/patternfly/patternfly-design/issues/1211">https://github.com/patternfly/patternfly-design/issues/1211</a>
Joy	Loading state for full page	<a href="https://docs.google.com/document/d/1jTBONNS1xKpVK1acikqc_bIFFhQ1NvhyHSsV8TUITPmk/edit?usp=sharing">https://docs.google.com/document/d/1jTBONNS1xKpVK1acikqc_bIFFhQ1NvhyHSsV8TUITPmk/edit?usp=sharing</a>

Nov 30, 2022 [recording]

Name	Share topic	Notes
Missy	<a href="#">Add images to quick starts #207 Miro</a>	<ul style="list-style-type: none"> <li>- Comments on potentially focusing on the quickstart highlight feature rather than having images in the drawer</li> <li>- Concerns with updating, and light vs dark theme</li> <li>- People liked the first option - simple cursor change</li> </ul>
Manzi	<a href="#">Severity Icons Questions</a>	<p>We ran across inconsistencies on how severity icons were displayed and wanted to discuss how we can converge on it (at least bring it to the table for input or advice).</p> <p>Comments:</p> <ul style="list-style-type: none"> <li>- People liked having the label, but suggested using the unfilled colored label so that the outline matched the severity (eg: yellow instead of gray outline)</li> <li>- For hidden - consider just not showing the</li> </ul>

		label at all. - Probably don't use the eye icon bc it feels like a show/hide action
Mary	<a href="#">ConsoleDot navigation</a>	

November 9, 2022 [\[recording\]](#)

Name	Share topic	Notes
Alessandro	PF Wireframe kit GA announcement	<a href="https://github.com/patternfly/patternfly-design-kit/">https://github.com/patternfly/patternfly-design-kit/</a>
Ethan	Catalog view vertical tabs extension <a href="#">PatternFly</a>	Need to understand gaps, etc with current extension. Ethan will <a href="#">document issues</a> he sees and raise to Matt/Jessie for visibility..
Zhenpeng	<a href="#">Onboarding pattern proposal</a>	Suggest also reaching out on Slack.

October 19, 2022 [\[recording\]](#)

Name	Share topic	Notes
------	-------------	-------

Andy	Modal wizard vs. in-page wizard - which one? Do we need both? <a href="#">Miro</a>	<ul style="list-style-type: none"> <li>- Openshift app <ul style="list-style-type: none"> <li>- Always do in page wizard bc whenever they have more info they use a modal</li> <li>- Never do modal on modal</li> </ul> </li> <li>- Pro wizard modal: <ul style="list-style-type: none"> <li>- Bc wizard use in context of something else - temporary popping out - don't want to lose that context that you would lose from an full page wizard</li> </ul> </li> <li>- Idea of having wizard drawer to avoid modal on modal situations [<a href="#">mock</a>]</li> <li>- Reach out to wizard working group</li> </ul>
Ethan	Preserving the context: catalog to wizard <a href="#">Motion</a>   <a href="#">Prototype</a>	
Tina	Empty state icon options - <a href="#">Prototype</a>	<ul style="list-style-type: none"> <li>- 2 people like option 1</li> <li>- Config: <ul style="list-style-type: none"> <li>- Proposed ++</li> <li>- Option 1 +++++</li> </ul> </li> <li>- Adding/creating <ul style="list-style-type: none"> <li>- People like the plus better, but looks kind of medical to them</li> </ul> </li> <li>- Congrats <ul style="list-style-type: none"> <li>- Everyone likes the party hat</li> </ul> </li> </ul>
Sim	Custom Avro code editor - <a href="#">Javro</a>	Give contacts
Justin	Animated Banner - <a href="#">Figma Prototype</a>   <a href="#">Figma Board</a>   <a href="#">GH</a>	+1 for drop in

September 28, 2022 **CANCELED**

September 7, 2022 [recording]

Name	Share topic	Notes
Jeff Puzzo	<a href="#">Design link</a> <ul style="list-style-type: none"><li>- Common components for Wizard "review" steps.</li><li>- Alert message displayed above WizardFooter</li><li>- Status icons for wizard nav items</li></ul>	<ul style="list-style-type: none"><li>- Would products benefit from components built specifically for "review" content that would display in the last steps of PF's Wizard?</li><li>- Is there a use-case for alert messages displayed above wizard footers?</li><li>- Is there a need for icons to be displayed next to nav items and do we want to consider icons other than red exclamation marks indicating errors?</li></ul>
Marionne Patel	<ul style="list-style-type: none"><li>- Link tile in Red Hat Design System</li></ul>	<ul style="list-style-type: none"><li>- <a href="#">XD share link</a></li><li>- Would there be naming confusion with PF's tile?</li><li>- Are there opportunities for future alignment on tile's functionality?</li><li>- Action item</li></ul>

August 17, 2022 [[recording](#)]

Name	Share topic	Notes
Matt	Destructive styling for menu items [ <a href="#">issue</a> ]	<ul style="list-style-type: none"><li>- Wouldn't use this within menu at all</li><li>- Maybe use a grouped menu and have divider line between safe and destructive actions</li><li>- Useful? Meh - prefer option 1</li><li>- Need to evaluate in dark theme</li></ul>

July 27, 2022 [[recording](#)]

Name	Share topic	Notes
Ben/Natalie	Negative filtering (what to use for words?) <a href="#">mocks</a>	<p>Feedback:</p> <ul style="list-style-type: none"><li>- Maybe use exclude/include</li><li>- Maybe use has/not<ul style="list-style-type: none"><li>- Including colon with operator perhaps - "not: xyz"</li></ul></li><li>- Potential visual treatment to chip element</li><li>- Exclamation might not be understood from an accessibility standpoint</li><li>- Thinking about "word match" between the dropdown option, and what it says in the chip (for example, "exclude → NOT" or "exclude → exclude")</li></ul>

Yichen	<a href="#">Banner</a>	Feedback: <ul style="list-style-type: none"> <li>- Good to go!</li> </ul>
Matt	Adding indication of timeout countdown for toast alerts [ <a href="#">issue</a> ]	Feedback: <ul style="list-style-type: none"> <li>- Comment about timing - is it customizable, because the expected time is 8 secs, not 5 secs as shown in the animation.</li> <li>- Otherwise, no one seems to have an issue with this</li> </ul>
Matt	Chart accessibility [ <a href="#">issue</a> ]	Feedback: <ul style="list-style-type: none"> <li>- Would be nice to see examples with more than 2 colors</li> <li>-</li> </ul>
Matt	Progress stepper with intermediate progress [ <a href="#">issue</a> ]	Feedback: <ul style="list-style-type: none"> <li>- Wonder if it's clear that it's between steps loading and not the step</li> <li>- Potentially touch base with Liz Clayton around something like this - doing testing</li> <li>- Potential issue that sometimes a process could take a lot of time to get to the next step, and there's no way to indicate that (could take 1 min, or 20) - looking into/for something that tells users how long it'll take and how much is actually remaining</li> </ul>


July 6, 2022 [no recording]

Name	Share topic	Notes
------	-------------	-------


Justin X.	Quay redirect failure	<ul style="list-style-type: none"> <li>- <a href="#">Marvel</a>: Not sure if this notification should be in an inform alert (there is already an alert in the modal), a modal over the modal, or something else more feasible?</li> <li>- Takeaways: inline alert</li> <li>- No modal on modal</li> <li>- Inline alert should have 24px padding to the left and right</li> <li>- No worries about the double inline alert</li> </ul>
-----------	-----------------------	--

June 15, 2022 [\[recording\]](#)

Name	Share topic	Notes
Andrew	Pipeline design refresh <a href="#">[Marvel]</a>	<ul style="list-style-type: none"> <li>- Questions about sequence <ul style="list-style-type: none"> <li>- Could things run in parallel</li> <li>- Are they sequential ?</li> </ul> </li> <li>- Moving away from underline within the label for accessibility reasons (?)</li> </ul>
Andrew	Test button interaction on forms	<ul style="list-style-type: none"> <li>- Loading button, and then error just like you'd have in any form validation scenario</li> <li>- Potentially confusing to have a test button at full page level (?)</li> <li>- App Studio example <ul style="list-style-type: none"> <li>- Bring your own code (<a href="#">Marvel</a>   this <a href="#">marvel</a> may show more)</li> </ul> </li> </ul>
Jessie	Quick Starts floating feature <a href="#">[issue]</a> <a href="#">[Marvel]</a>	<ul style="list-style-type: none"> <li>- Floating might be too busy, especially for mobile</li> </ul>

		<p>users</p> <ul style="list-style-type: none"> <li>- Would it make more sense to focus on pulling this out into a new window and allow browser to handle</li> <li>- Potentially a question for OCP if this makes sense to include, Managed Kafka could be interested</li> </ul>
Brie	Onboarding proposal doc [ <a href="#">doc</a> ]	<p>[Jenn] Designs from IBM showing some informational contents via "Kafka basics" tile:  <a href="https://ibm.invisionapp.com/share/8PNZRRH9EXA#/screens/319451029">https://ibm.invisionapp.com/share/8PNZRRH9EXA#/screens/319451029</a></p> <p>The IBM Cloud version of this is slightly different, you can see screencaps of their Getting Started tabs here:   Kafka 30-day workstream 5 - UX flow (look at the next slide, too, that's where the contents are more interesting)</p>
Jenn	Adopt the <a href="#">OpenShift patterns for button styles</a> in headers [link]	<p>ACM has moved away from having the buttons in the headers. When you have secondary navigation on a page it makes sense to have the primary action button below the navigation as it changes based on navigation. PatternFly already has a pattern for placing a primary action button on the toolbar.</p>



		 <p>Usability studies found that customers liked that primary buttons for a sub navigation were in the context of that subnavigation.</p> <p>Takeaway:</p> <ul style="list-style-type: none"> <li>- Potentially file patternfly-design issue to address this and go from there → <a href="https://github.com/patternfly/patternfly-design/issues/1174">https://github.com/patternfly/patternfly-design/issues/1174</a></li> </ul>
Sim	Toggle button with badge for opening drawer [ <a href="#">Figma</a> ]	<ul style="list-style-type: none"> <li>- File issue in patternfly-design repo</li> </ul>

May 25, 2022 [[recording](#)]

Name	Share topic	Notes
Matt	Social login - current examples and requirements [ <a href="#">Issue</a> ] [ <a href="#">Google doc</a> ]	

Vince	Save button on tabbed settings page in RHODS? [ <a href="#">Marvel</a> ]	<ul style="list-style-type: none"> <li>- Don't have a save button for each separate page - just have one</li> <li>- Consider not having a tab per section, and instead have a vertical nav, or jump links with form sections, or expandable sections</li> <li>- Consider sticky footer with save button (especially if the form is long scrolling) (By default, save button is at the bottom of the form, but sticky footer save appears as soon as the user makes a change)</li> <li>- Keep save button disabled until someone engages</li> </ul>
Margot	Wizard with drawer demo [ <a href="#">Issue</a> ] [ <a href="#">Marvel</a> ]	<ul style="list-style-type: none"> <li>- If go with current non-dismissable design - change caret direction</li> <li>- OR - have same mobile interaction for drawer whether it's dismissible or not</li> </ul>

May 4, 2022 [[recording](#)]

Name	Share topic	Notes
Brie	Onboarding cards [ <a href="#">Issue</a> ]	<p>Conclusion: write up info doc to share out to get people's feedback</p> <p>Figure out what the final proposal is, so that we can then decide what the best PF solution is to present them</p>
Pankaj	Alerts Demo [ <a href="#">Issue</a> ] [ <a href="#">Marvel</a> ]	<p>People don't seem to have an issue.</p> <p>Jessie says Jump links could be a good solution, would have to double check though/test it</p>

		<p>Discussion on whether we should be showing two inline alerts within the same modal - maybe it's not a problem? Maybe we should replace the info alert when the error happens? Lucia also shared use case about field level replacement of alerts - could discuss more with her.</p> <p>Kevin example link:  <a href="https://marvelapp.com/prototype/a77a24d/screen/85213674">https://marvelapp.com/prototype/a77a24d/screen/85213674</a></p> <p>Jessie: If it's helpful, I just dug up an old doc that Jenn and I created about error handling in forms based on deque ally recommendations:  <a href="https://docs.google.com/document/d/1MY8v7KqSjYOn_SH5C3rnthaAk0BCg4-6_oAHrBFx-eY/edit#heading=h.bxwc6twatzev">https://docs.google.com/document/d/1MY8v7KqSjYOn_SH5C3rnthaAk0BCg4-6_oAHrBFx-eY/edit#heading=h.bxwc6twatzev</a></p>
--	--	---

April 13, 2022 [\[recording\]](#)

Name	Share topic	Notes
Justin	Timestamps <a href="#">[marvel]</a> <a href="#">[Issue]</a>	Do we need an even shorted option, i.e abbreviate month? To fit in a table or other small space. Control wrapping?
Andrew	Progressive form & progress stepper designs	Consider as a variant of Jump Links Do we need an option for a sticky footer?
Katie	Dual List Selector	[Move me to next time!]

March 23, 2022 [\[recording\]](#)

Name	Share topic	Notes
Marie	Responsive tabs <a href="#">[Mock links]</a>	<b>Takeaways:</b> People liked the first version better (the non material design version), but maybe think about changing the styling to look more like a link
Marie	Switcher <a href="#">[Mocks]</a>	<b>Takeaways:</b> Seems no one has a problem with it! Proceed with implementation of check mark in all switcher version + Switch drag grey and light grey usage
Andrew	Progress stepper - minor waypoints <a href="#">[Mocks]</a> <a href="#">[Issue]</a>	<b>Takeaways:</b> Get clarity on whether we'd want to show progress on these "in-between" steps
Pankaj	<a href="#">Editable Label Groups</a>	
Alessandro	PatternFly Wireframe library – Research study recruiting	Interested in giving feedback about your experience with the PF Wireframe library? Reach out to Ivan Pham <a href="mailto:ipham@redhat.com">ipham@redhat.com</a>