

2.5.2 Pointer Cancellation, mapping doc

WCAG 2.x ID / name	WCAG 2.5.2 Pointer Cancellation Understanding 2.5.2
Functional need(s)	Use without fine point control Use with limited mobility Use with limited coordination skill
User need(s)	Users can operate controls
Unit(s) Component / View / User process / Aggregate	Component
Test type(s) Objective / Condition / Test Case / Protocol	Objective: No Down-Event (Objective, automatable) Objective: Abort or Undo (Objective, not automatable) Objective: Up Reversal (Objective, not automatable) Condition: Essential (Subjective, not automatable)
Requirements from the understanding doc	[Perhaps add in references to Design Notes (i.e. How To Make Content Usable For People With Cognitive And Learning Disabilities).]

Sub-guidelines

New name	
Description	
Functional need(s)	
User need(s)	

<u>Unit(s)</u> Component / View / User process / Aggregate	
<u>Test type(s)</u> Objective / Condition / Test Case / Protocol	
Notes	

New name	
Description	
<u>Functional need(s)</u>	
<u>User need(s)</u>	
<u>Unit(s)</u> Component / View / User process / Aggregate	
<u>Test type(s)</u> Objective / Condition / Test Case / Protocol	
Notes	

New name	
Description	

Functional need(s)	
User need(s)	
Unit(s) Component / View / User process / Aggregate	
Test type(s) Objective / Condition / Test Case / Protocol	
Notes	

New name	
Description	
Functional need(s)	
User need(s)	
Unit(s) Component / View / User process / Aggregate	
Test type(s) Objective / Condition / Test Case / Protocol	
Notes	

New name	
Description	
Functional need(s)	
User need(s)	
Unit(s) Component / View / User process / Aggregate	
Test type(s) Objective / Condition / Test Case / Protocol	
Notes	