



Title (Maximum 18 words, font type : Calibri , Font Size 14 pt)

First Author Name^{1*}, Second Author Name², Third Author Name³ (Font : Calibri , Bold, 11 pt)

¹Department of Pharmacy, Faculty of Pharmacy, Universitas Pekalongan, Pekalongan, Indonesia

² Department of Pharmacy, Faculty of Pharmacy, Universitas Pekalongan, Pekalongan, Indonesia

Article Info	ABSTRACT
Received: DD-MM-YYYY Revised: DD-MM-YYYY Accepted: DD-MM-YYYY *Corresponding author: Name of corresponding author Email: email of corresponding author	Background: Emphasizes the importance of the research topic discussed and contains a Brief Background on the Importance of the Research (Not a General Background) Objective: Contains a Clear Objective And/Or Scope of the Research. Method: Briefly explains the procedures conducted Results: Explains the research findings Conclusion: Explains the conclusion of the research. The abstract must be written in Indonesian, and it is mandatory to use past tense sentences. The length of the abstract must be 200–250 words. The abstract must not contain tables, figures, citations, or equations. Keywords: Keyword 1; keyword 2; keyword 3; keyword 4; keyword 5 (size 11 pt, maximum of 5 words or short phrases)

INTRODUCTION (12 pt)

Body text should be written using calibri (body), 12 pt, 1.15 space, justify, A4 paper size, margin top 3 cm, buttom 2 cm, right 2 cm, left 3 cm). Citations can be written with the name and year of the journal (APA 7th, using Mendeley/zotero) (Cattaneo et al., 2013; van Heeswijk et al., 2014)

The article should include the background, research objectives, and its position relative to previous research to strengthen its novelty. The importance of conducting research should be emphasized. Theoretical foundations directly relevant to the article's content may be included but do not need to be considered separate subchapters. The introduction should avoid a detailed literature review or summary of the results.

METHODS

Materials

It must contain an explanation of the research materials by stating the origin and the qualifications of the research material.

Methods

Subsection

Research methods include how the research was conducted. Each research procedure performed must be clearly described. Previously published procedures should be referenced. In this subsection, include a description of the ethics review certificate if the research involved experimental animals.

RESULTS AND DISCUSSION

This section explains the results of all the stages described in the method section. The contents of the explanation of the results must be able to show important things briefly and simply, also correlations and trends that occur based on data. Results can be presented in the form of drawings, tables, diagrams, or writing. All pictures, tables, and diagrams must be explained using words or sentences so that the readers will be able to know the things that are important. It should be noted that raw data are not displayed in the journal text. All artworks, figures, images, illustrations, graphics, photos, pictures, plots and schemes should be labeled as Figures. To ensure the highest print quality, your figures should be submitted in JPEG format at the highest possible resolution (300 dpi or higher). Attention should be paid to the matter of significant figures (usually, no more than three) (Quigley et al., 2020)

Please submit tables as editable text and not as images. Table headings should be given above the table and written in sentence case. Be sparing in the use of tables and ensure that the data presented in them do not duplicate results described elsewhere in the article. Please avoid using vertical rules. The same data should not be presented in more than one figure or in both a figure and a table.

To show pictures and tables, it must be accompanied by clear references in accordance with the intended table or picture, for examples: (1) Structure of hexylresorcinol can be seen in Figure 1.; (2) Results of the antibacterial activity test for hexylresorcinol can be seen in Table 1. unless there is only one table or figure, in which case it should be labelled “Table” or “Figure” with no numbering. The font used in the figures should be Calibri, 10pt. (Mahapatra et al., 2005; Sierra-Hernandez et al., 2025)




Figure 1. Structure of hexylresorcinol (Minimum resolution of 300 dpi), calibri, 10 pt

Penulisan rumus (1)




Table 1. Results of the antibacterial activity test for hexylresorcinol

(The number of tables is bold and the first letter is capitalized, center, tables cannot be separeated, made in 1 space, the note/annotation must be in one page, if the table is too large or not enough to be placed in 2 page columns, then one column is created, and the table file is placed separately from the script)

Concentration (%)	Bacterial Inhibiton Zone (mm)		Standard Deviation (calibri 11 pt, spasing 1.0)	
	S.aureus	E.coli	S.aureus	E.coli
0.5	9.0	9.1	0.01	0.03
1	9.6	9.2	0.02	0.04
2	8.7	10.4	0.13	0.15

CONCLUSION

The conclusion contains a summary of what is obtained from the results of research and what needs to be further studied. In addition, it can also contain an evaluation of the shortcomings, advantages, and recommendations of the research that has been done.

ACKNOWLEDGMENT

Contains acknowledgments to those who helped conducting the research.

CONFLICT OF INTEREST

All authors are required to disclose honestly and transparently any conflicts of interest that could influence the research results, data interpretation, or the objectivity of the submitted manuscript. Conflicts of interest may be financial or non-financial in nature. If there is no potential conflict of interest, the following statement is typically included:

“No potential conflicts of interest have been reported by the authors.”

REFERENCES

The reference list must include at least 15 articles. At least 80% must be original articles. Use the 7th edition of APA style with Mendeley or Zotero. (Calibri, 12 pt, justify, 1.15 space)

Cattaneo, D., Orlando, G., Cozzi, V., Cordier, L., Baldelli, S., Merli, S., Fucile, S., Gulisano, C., Rizzardini, G., & Clementi, E. (2013). Linezolid plasma concentrations and occurrence of drug-related haematological toxicity in patients with Gram-positive infections. *International Journal of Antimicrobial Agents*, 41(6), 586–589. <https://doi.org/10.1016/j.ijantimicag.2013.02.020>

Mahapatra, S., Scherman, H., Brennan, P. J., & Crick, D. C. (2005). N glycolylation of the nucleotide precursors of peptidoglycan biosynthesis of Mycobacterium spp. is altered by drug treatment. *Journal of Bacteriology*, 187(7), 2341–2347. <https://doi.org/10.1128/JB.187.7.2341-2347.2005>

Quigley, J., Peoples, A., Sarybaeva, A., Hughes, D., Ghiglieri, M., Achorn, C., Desrosiers, A., Felix, C., Liang, L., Malveira, S., Millett, W., Nitti, A., Tran, B., Zullo, A., Anklin, C., Spoering, A., Ling, L. L., & Lewis, K. (2020). Novel antimicrobials from uncultured bacteria acting against mycobacterium tuberculosis. *MBio*, 11(4), 1–13. <https://doi.org/10.1128/mBio.01516-20>

Sierra-Hernandez, O., Saurith-Coronell, O., Rodríguez-Macías, J., Márquez, E., Mora, J. R., Paz, J. L., Flores-Sumoza, M., Mendoza-Mendoza, A., Flores-Morales, V., Marrero-Ponce, Y., Barigye, S. J., & Martinez-Rios, F. (2025). In Silico Identification of Potential Clovibactin-like Antibiotics Binding to Unique Cell Wall Precursors in Diverse Gram-Positive Bacterial Strains. *International Journal of Molecular Sciences*, 26(4). <https://doi.org/10.3390/ijms26041724>

van Heeswijk, R. P. G., Dannemann, B., & Hoetelmans, R. M. W. (2014). Bedaquiline: A review of human pharmacokinetics and drug-drug interactions. *Journal of Antimicrobial Chemotherapy*, 69(9), 2310–2318. <https://doi.org/10.1093/jac/dku171>

