


021 910 244 

Water Heaters



Make/Model	Supplier/Cost	Dimensions	Energy Consumption	Details	Other Types/Suppliers
Suburban Water Heater - 22L, Gas/230V 12V Ignition Plus Gas only model 12V Ignition	RVShop \$930 on sale RRP \$1,125 Vantage RV Sw6dea model Gas only	Dimensions (excluding door) 320 x 320x 500mm Weight when empty 15 Weight when full 37	230V?	Capacity 22 litre Burner rating 12,000 btu (approx) 4kW Fuel LPG/240V Recovery (litres per hour) 40 ltr	RECALL 4/11/19 Serial numbers affected From 181315552 to 193002648 Also 8183311827 and 8190201139
Aqueous 5l, 12V <i>Shower Box + Pressure Pump options available</i>	Aus J A\$318	265mm x 220mm x 210mm	12V, 15A	Stainless steel tank (304) with high density insulation. Over temperature and run dry protection. Combination pressure relief valve and non return valve.	
Aqueous 6l, 12V	New model AusJ A\$318	305mm x 305mm x 304mm	12v (13.3A) DC 12V/180W (AQU-6-12)		
Aqueous 6l, 240V	New model Aus J Old model Aus J A\$318	305mm x 305mm x 304mm	240v (4.2A) AC 240V/1000W 50Hz (AQU-6)	Variable thermostat control allowing water temperature selection between 30°C and 75°C Over temperature, over pressure and run dry protection Combination pressure relief valve and non-return valve	
Aqueous MK2 Water Heater (10L 240V)	Aus J	409mm x 262mm x 267mm	240v (4.2A, 1000W)	Variable thermostat 30-75°C Durable outer case with service and inspection points SPCC steel and enamel tank (304) with high density insulation. Over temperature, over pressure and run dry protection. Combination pressure relief valve and non	

				return valve.	
Living Water Heater (10l 240V)	RVWorldStore \$345 Sale \$299 RVSupplies	350 W x 270 Dx 350 H (or 375 incl. water connections)	Rated Voltage: 220-240V Rated Power: 1500W Rated Frequency: 50HZ Incoloy s840 element	Rated Pressure: 0.85MPa (116psi) Rated Water Temperature: 75°C Waterproof Grade 1PX4 Heating Efficiency: >90%	
Duoetto MK2 Water Heater (10L 12V/240V) <i>Shower Box + Pressure Pump options available</i>	Aus J A\$345	409mm x 262mm x 267mm	12v (25A, 300W) and/or 240v (4.2A, 1000W)	Variable thermostat 30-75°C on 240v Fixed thermostat up to 70°C on 12v Durable outer case with service and inspection points SPCC steel & enamel tank Automatic voltage detection switching from 12v to 240v and vice versa	Over temperature and run dry protection Combination pressure relief valve and non return valve Incoloy 840 heating element
Whale 11l, 12V Water Heater	MarineDeals \$1,999		30 Amps Electrical supply 12 V DC, 300W Maximum water temperature 140°F (60°C)	<i>Low current switching Intefrated temperature and pressure valve Thermal cut-out Heating indication output Ignition protected (ABYC E-11)</i>	
Whale 13l Water Heater RVC 810 Gas/230V	RVShop \$1265	Maximum dimensions inside RV: Height 271mm, Width: 385mm, Length: 470mm, dry weight 10.0kg		<i>New flue design, no cover required New pressure relief valve with drain function, drains entire water system faster</i>	
Whale Expanse Under Vehicle 8l Gas and 230V Water Heater	RVshop \$1487			Winter protection External gas connections Underside flue connector 8 litre capacity water tank Easy mounting option	More details here whale.com
Camec Digital Instantaneous Gas Water Heater	Camec Au\$999 (Check availability in NZ) Camec.co.nz RVSuperCentre	Weight 12.1kg Installation cut-out dimensions: 320mm (w) x 320mm (h) x 380mm (d)	Maximum current draw of only 0.44A Power requirement: 10.5-15V DC 12V Ignition	Super efficient 36,500BTU heating power Temperature selectable from 35-60C Minimum starting water flow: 2.5l/min Shut down water flow: 1.3l/min Temperature rise at 3.3l/min water flow: 37.7C	Black and White models available
	RV Parts				
Challenger 16Ltr Califont	RVShop \$850		240V and 12V kit options	Needs to be flued Check external	

LPG Gas Water Heater			available (sold separately) Check if internal D batteries	positioning? ?	
Challenger 5Ltr Califont LPG Gas Water Heater - White	RVShop \$399 Discount Marine 6l New stock \$469		240V and 12V kit options available (sold separately) Check if internal D batteries	Needs to be flued Check external positioning?	ChallengerYachts Other sizes/flues and stainless covers available.
Pump Instantaneous 8Ltr LPG Gas Water Heater	Pump ? No longer available ?	Dimension: 52X33X14cm Weight: 9Kg	1.6KG Heat Exchanger Adjustable flow shower head and hose, 2D sized batteries (to ignite the electronic spark module (pilot light),and a mounting block.	Installation either inside and flued or outside in an area that is protected from the weather. Hot water capacity: 8L/Min(Increase incoming water temp by 25 degree base on 8L/min flow) Operation pressure: 0.025-1MPa (Connect to mains pressure water or water pump would be fine)	
Millen Califont 6l and 10l Gas	boats.net \$338.31 – \$719.0	6L Dimensions: 493H x 320W x 146D (mm) 10L Dimensions: 679H x 370W x 213D (mm)	– Battery Ignition	LPG Califont FLUE TYPE GAS WATER HEATER (CE APPROVAL) – LPG Gas Only – Low pressure water	
Model Name 27L Rheem Gas Continuous Flow Water Heater - External Model Number 874627NFZ	Bunnings \$1267.90	Product Dimensions (mm) W:351 H:601 L:226 Package Dimensions (mm) W:351 H:601 L:226 Weight 21kg Energy Star Rating 6 Fuel Type Natural Gas	80 Watts Burner on, anti frost device inactive 175 Watts Burner on, anti frost device active	Solar/direct sun water input available	Other sizes available
Rinnai Instantaneous Gas Infinity VT 16,	Elgas	16l per minute		20, 24+ models available	Note: Reported issue with Rinnai LPG VT16 not operating on a 9kg bottle in winter as the gas draw was too great and the 'gas' may freeze.

					Gas fitters recommend a 45kg bottle Further verification needed.
Bosch H10 hydropower Gas continuous flow heater	Bosch		Ignition operated by water tap no electricity needed.	H13, H16 also available	An Exogel valve is recommended for areas that drop to 0°C for short periods.
ISOTEMP WATER HEATER - SQUARE 16L 230V/HEAT EXCHANGE	RVWorldStore \$995	Dimensions (mm): 400 x 180 x 560 Weight: 16kg	Heat supply 230V element / engine water heat exchange	Max pressure: 80PSI	Variety of different cylindrical models available from 15l to 75l
Indel Webasto Marine Isotemp 15l 230V/Heat Exchange	RVshop	520(L) x 295(øD) Weight 10.5 Kg Max Pressure (bar) 7.0 Immersion Heater ** 230V / 750W	Immersion heating element available in 750,1200, 2000, 3000 W as an option		
Diesel Eberspacher Hydronic D5WSC Water Heater - RV Kit	Absolute Marine \$3299				
Catch power Solar Relay Solar diverter for hot water	Paladin Solar hot water diverter				