

Ear Injections

This article covers:

- When to get started with ear injections
- How to administer your ear injections
- What to expect during and after your ear injections

For Morgellons*

When to get started with ear injections

You have been doing behind the ear sessions or using your electric scrub brush with level 5 cleanser for a minimum of 90 to 120 days

- You have been using Megan's Miracle level 5X soap and/or other topical products for a minimum of 90 to 120 days, head to toe.
- You have been administering bee venom skin injections for a minimum of 90 to 120 days.
- You have adjusted to daily bee venom injections or multiple daily injections with natural grade venom.
- You can tolerate 10 units of bee venom solution per 10 pounds of body weight, for daily injections. E.g if you weigh 120 pounds, you should be able to tolerate 120 units of bee venom for daily injections.
- You have adjusted to natural grade bee venom for daily injections, and do not experience intolerable burning/stinging sensations or pain from your therapy.
- You have been using an electric razor to shave and exfoliate your skin head to toe, for a minimum of 90 to 120 days (once a week or more often).

For other conditions*

When to get started with ear injections

1. You have been using Megan's miracle level 5x cleansers a minimum of one time weekly, head to toe for at least 30 days or longer. (The longer, the better- as this will make your injections significantly more tolerable)
2. You have adjusted to regular exposure with our natural grade bee venom at Megan's miracle.
3. You can tolerate 10 units of bee venom solution per 10 pounds of body weight, for daily injections. E.g if you weigh 120 pounds, you should be able to tolerate 120 units of bee venom for daily injections.
4. You have started using level 5x apitherapy cleansers from Megan's miracle with an electric scrub brush behind the ears, for 5-10 minutes a week.

When you are ready to get started with ear injections you will need:

1. [Natural Grade bee venom solution](#) from Megan's Miracle
2. [Auto-injector pen](#) or [31G syringe needles](#)
3. Ice pack to help numb the injection site as needed
4. Alcohol swabs to clean the top of your injection vial and the skin prior to each injection

How to administer your ear injection

1. Use an ice pack on the injection site, behind the ear, a few minutes before administering your ear injection, to numb the area.
2. Use an alcohol swab to wipe the top of the injection vial and fill two new, unused syringe needles with venom solution.
3. Locate the main connection shown in the photo below e.g the liquid transportation tube (more visible with MD patients)


4. Wipe the injection location with an alcohol swab.
5. Inject 0.1 ml (10 units) of venom solution into the injection site behind the ear.

When injecting into the ear tube, angle the needle down, toward the floor or toward the backside of the neck. This helps all of the venom go down the tube so it can spread out, underneath the skin.

Use a 45 degree angle when inserting the needle.

6. Inject 0.1 ml (10 units) of solution into the other ear, in the same location, on the same day, if tolerable. If necessary, you may do your ear injections up to several hours apart. If applicable, wait a day or so before administering venom into your other ear until both ears can be done on the same day.

Below are photos of ideal injection site locations that you can use as an example. The tip of the arrow indicates where the needle should be inserted into the skin. And, the angle or direction the arrow is pointing, represents the angle of the syringe and needle, during injection.




The main tube behind the ear in this photo is neon pink in color, compared to the rest of the skin, on the back of the ear. You may need to ask for help finding this or, take a photo of the back of your ear and examine the photo to see if you can locate it.

If you are unable to locate the tube shown in the photo above, this is okay. Move forward with your ear injection and do your best to administer the bee venom into an example area below.

It is important to note that your ear tube may not be as visible until after you have administered 1-3 bee venom injections behind the ear. If you are unable to inject into it, or you miss... do not panic! It happens. Your ear injections will still be helpful.. Try again in a few days.









What to Expect During your Ear Injections

- Your ear injection may burn just as bad as other locations so keep this in mind before administering your treatment. If desired, dilute your venom solution so it is not as potent- using the materials in your [Accessory Kit](#) from [Megan's Miracle](#).



- If you administer your injection into the right location, your ear is going to swell up immediately. The swelling may not subside for 24 to 48 hours after administering your first several ear injections. Eventually, the ears will no longer swell following your venom treatments.
- To speed up the progress and get rid of the inflammation faster, shower with your level 5X apitherapy soap from Megan's Miracle and wash your ear thoroughly, often. And, use an [electric shower brush](#) for 5 to 10 minutes behind each ear. Adding more warm water and soap to your brush as needed to prevent any pain from the friction on the skin.

- After the swelling of the ear and the area behind the ear subsides, the skin is going to peel and shed debris, for up to several days, following your venom treatments. This is a good indication that the venom is working and activating the immune system.
- In time, the pain and other detox reactions that occur following your ear injections in other locations will diminish: the immune system and your body need to adjust- be patient.

What's Next?

- Continue your ear injections 3 times a week, per ear, as tolerable. Increase dose administered per injection by 0.1 ml (10 units) of solution weekly or as tolerable. Increase dose per ear injection up to 0.3 ml (30 units) of venom solution, per ear, daily.

Once you are able to tolerate 0.3 ml (30 units) of venom solution per ear, daily, you do not have to increase your dose from here.

If you can only tolerate 0.1 ml for several weeks or are unable to increase the dose administered per injection right away, this is okay. Do not worry! Continue your injections with as much venom solution as you can tolerate and increase your dose when you're ready.

- Continue administering your subcutaneous injections in other locations as you normally would. Do not skip your other venom injection treatments on the days you administer your ear injections. It does not matter when you administer your other venom injections. You may do your injections in other locations before or after your ear injections when you desire.

How to decrease the pain associated with your venom injections

(ear injections & regular subcutaneous injections)

- Use an apitherapy cleanser a minimum of 3 times weekly, head to toe, and on your ears. E.g [Megan's Miracle Apitherapy Cleansers](#) with buckwheat honey, royal jelly, propolis, bee pollen, and 0.5%+ honeybee venom
- Use an [electric shower brush](#) with your apitherapy cleanser behind each ear, for 5 to 10 minutes a minimum of 1 time a week.
- Apply apitherapy moisturizers, serums, and/or conditioners to problem areas and/or injection site locations 1 to 3 times a week. E.g [Megan's Miracle Apitherapy Moisturizers](#) with buckwheat honey, royal jelly, propolis, bee pollen, and 0.5%+ honeybee venom
- Always use the right size needle to administer your subcutaneous injections: 31 Gage needle with 3CC to 10CC syringe like these [syringes on amazon here](#). If 31G syringes are unavailable in your area, you may use 30G.
- Use an ice pack to numb the area before and after injections as needed.
- Take daily apitherapy supplements with propolis, royal jelly, bee pollen, and buckwheat honey. E.g [Megan's Miracle Apitherapy Supplements](#)
- Use [raw royal jelly](#) to brush your teeth 1 to 3 times a week or more often.

Pro Tip: Lidocaine and various other anesthetics or numbing agents do not help with pain or numb the areas after or during venom treatments.

It's important to note that all of the steps listed above will help decrease the detox reactions and pain associated with your venom injections, regardless of which health conditions or symptoms you are treating. Additionally, following the steps listed above

will also boost the efficacy of each venom injection significantly, regardless of which health condition or symptoms you are presently looking to eradicate.

If you have any questions, comments, or concerns please do not hesitate to [contact us](#). We are happy to assist you with anything you need.

Visit [MegansMiracleStudio.com](#) for more information on bee venom therapy, more apitherapy products, and informational articles.

For online education courses to defeat Morgellons disease visit
[MegansMiracle.Thinkific.com](#)

For a quick list of detox symptoms and what you can expect from your venom injections visit [MegansMiracleStudio.com/detox-symptoms-of-morgellons](#)

Disclaimer: Product statements have not been evaluated by the Food and Drug Administration or their equivalent organization in any country. No product is intended to diagnose, treat, cure or prevent any disease. The information provided does not substitute for, or replace, the advice of a qualified healthcare professional. This site is not intended to provide diagnosis, treatment or medical advice. Products, services, information and other content provided on this site, including information that may be provided on this site directly or by linking to third-party websites are provided for informational purposes only. Please consult with a physician or other healthcare professional regarding any medical or health related diagnosis or treatment options.