

```
main.js:7 Block definition "text" overwrites previous definition.
overrideMethod @ hook.js:608
(anonymous) @ main.js:7
ue @ main.js:7
ce @ main.js:7
(anonymous) @ main.js:1
r @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
r @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
r @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
r @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
r @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
r @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
r @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
r @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
r @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
r @ main.js:1
(anonymous) @ main.js:1
main.js:7 Block definition "text_join" overwrites previous
definition.
overrideMethod @ hook.js:608
(anonymous) @ main.js:7
ue @ main.js:7
ce @ main.js:7
```

```
(anonymous) @ main.js:1
r @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
r @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
r @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
r @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
r @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
r @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
r @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
r @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
r @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
r @ main.js:1
e @ main.js:1
(anonymous) @ main.js:1
pxtapp.js:1 Browser: chrome 134.0.0.0 on windows
pxtapp.js:1 workspace: browser
```

Chrome is moving towards a new experience that allows users to choose to browse without third-party cookies.

```
pxtapp.js:1 [Violation] 'success' handler took 200ms
pxtapp.js:1
```

```
POST https://arcade.makecode.com/api/user/project 500
(Internal Server Error)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
staticApiAsync @ pxtapp.js:1
await in staticApiAsync
apiAsync @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
(anonymous) @ main.js:1
(anonymous) @ main.js:1
E @ main.js:1
await in E
(anonymous) @ main.js:1
(anonymous) @ pxtapp.js:1
await in (anonymous)
c @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
_ @ main.js:1
(anonymous) @ main.js:1
Promise.then
(anonymous) @ main.js:1
Promise.then
(anonymous) @ main.js:1
pxtapp.js:1
```

```
POST https://arcade.makecode.com/api/user/project 500
(Internal Server Error)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
staticApiAsync @ pxtapp.js:1
await in staticApiAsync
apiAsync @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
(anonymous) @ main.js:1
(anonymous) @ main.js:1
E @ main.js:1
await in E
```

```
(anonymous) @ main.js:1
(anonymous) @ pxtapp.js:1
await in (anonymous)
c @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
_ @ main.js:1
(anonymous) @ main.js:1
Promise.then
(anonymous) @ main.js:1
Promise.then
(anonymous) @ main.js:1
main.js:7 [Violation] Added non-passive event listener to a
scroll-blocking 'wheel' event. Consider marking event handler as
'passive' to make the page more responsive. See
https://www.chromestatus.com/feature/5745543795965952
be @ main.js:7
createDom @ main.js:7
Ns @ main.js:7
Is @ main.js:7
prepareBlockly @ main.js:1
(anonymous) @ main.js:1
main.js:7 [Violation] Added non-passive event listener to a
scroll-blocking 'wheel' event. Consider marking event handler as
'passive' to make the page more responsive. See
https://www.chromestatus.com/feature/5745543795965952
be @ main.js:7
createDom @ main.js:7
createDom @ main.js:1
init @ main.js:7
Rs @ main.js:7
Is @ main.js:7
prepareBlockly @ main.js:1
(anonymous) @ main.js:1
pxtapp.js:1
```

```
POST https://arcade.makecode.com/api/user/project 500
(Internal Server Error)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
staticApiAsync @ pxtapp.js:1
await in staticApiAsync
apiAsync @ pxtapp.js:1
```

```
(anonymous) @ main.js:1
await in (anonymous)
(anonymous) @ main.js:1
(anonymous) @ main.js:1
E @ main.js:1
await in E
(anonymous) @ main.js:1
(anonymous) @ pxtapp.js:1
c @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
_ @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
n @ main.js:1
setTimeout
I @ main.js:1
(anonymous) @ main.js:1
onDataChanged @ main.js:1
(anonymous) @ main.js:1
Promise.then
(anonymous) @ pxtapp.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
n @ main.js:1
v @ main.js:1
(anonymous) @ main.js:1
w @ main.js:1
updateVisibilityAsync @ main.js:1
(anonymous) @ main.js:1
pxtapp.js:1
```

POST <https://arcade.makecode.com/api/user/project> 500

```
(Internal Server Error)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
staticApiAsync @ pxtapp.js:1
await in staticApiAsync
apiAsync @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
(anonymous) @ main.js:1
(anonymous) @ main.js:1
```

```
E @ main.js:1
await in E
(anonymous) @ main.js:1
(anonymous) @ pxtapp.js:1
c @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
_ @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
n @ main.js:1
setTimeout
I @ main.js:1
(anonymous) @ main.js:1
onDataChanged @ main.js:1
(anonymous) @ main.js:1
Promise.then
(anonymous) @ pxtapp.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
n @ main.js:1
v @ main.js:1
(anonymous) @ main.js:1
w @ main.js:1
updateVisibilityAsync @ main.js:1
(anonymous) @ main.js:1
[Violation] Forced reflow while executing JavaScript took 93ms
pxtapp.js:1
```

```
GET
https://cdn.makecode.com/api/gh/unsignedarduino/procedurally-generate
d-platformer-2?cdn=20250403 404 (Not Found)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
l @ pxtapp.js:1
o @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
T @ pxtapp.js:1
Se @ main.js:1
await in Se
(anonymous) @ main.js:1
Promise.then
showImportGithubDialog @ main.js:1
```

```
cloneGithub @ main.js:1
h @ main.js:1
Ge @ main.js:7
Ke @ main.js:7
(anonymous) @ main.js:7
Ci @ main.js:7
Si @ main.js:7
(anonymous) @ main.js:7
Pe @ main.js:7
(anonymous) @ main.js:7
Ri @ main.js:7
Qt @ main.js:7
Jt @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
De @ main.js:7
Zt @ main.js:7
pxtapp.js:1 Error: Bad HTTP status code: 404 at
https://cdn.makecode.com/api/gh/unsignedarduino/procedurally-generate
d-platformer-2?cdn=20250403; message: {"message":"maximum file size
in package is ~128k; file main.blocks; size 222349"}
    at pxtapp.js:1:68280
    at async Object.T [as repoAsync] (pxtapp.js:1:215852)
    at async Se (main.js:1:715336)
overrideMethod @ hook.js:608
error @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
Promise.catch
(anonymous) @ pxtapp.js:1
T @ pxtapp.js:1
Se @ main.js:1
await in Se
(anonymous) @ main.js:1
Promise.then
showImportGithubDialog @ main.js:1
cloneGithub @ main.js:1
h @ main.js:1
Ge @ main.js:7
Ke @ main.js:7
(anonymous) @ main.js:7
Ci @ main.js:7
Si @ main.js:7
```

```
(anonymous) @ main.js:7
Pe @ main.js:7
(anonymous) @ main.js:7
Ri @ main.js:7
Qt @ main.js:7
Jt @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
De @ main.js:7
Zt @ main.js:7
pxtapp.js:1 invalid package this: invalid pxt.json file
main.js:1 Uncaught (in promise) TypeError: Cannot read properties of
null (reading 'targetVersion')
    at Object.applyUpgradesAsync (main.js:1:875192)
    at _e.internalLoadHeaderAsync (main.js:1:636855)
    at async _e.loadHeaderAsync (main.js:1:635943)
    at async Se (main.js:1:715656)
(anonymous) @ main.js:1
internalLoadHeaderAsync @ main.js:1
await in internalLoadHeaderAsync
loadHeaderAsync @ main.js:1
await in loadHeaderAsync
Se @ main.js:1
await in Se
(anonymous) @ main.js:1
Promise.then
showImportGithubDialog @ main.js:1
cloneGithub @ main.js:1
h @ main.js:1
Ge @ main.js:7
Ke @ main.js:7
(anonymous) @ main.js:7
Ci @ main.js:7
Si @ main.js:7
(anonymous) @ main.js:7
Pe @ main.js:7
(anonymous) @ main.js:7
Ri @ main.js:7
Qt @ main.js:7
Jt @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
De @ main.js:7
Zt @ main.js:7
---serviceworker:1 check for existing lock
```

sim.js:300 [Violation] Added non-passive event listener to a scroll-blocking 'wheel' event. Consider marking event handler as 'passive' to make the page more responsive. See <https://www.chromestatus.com/feature/5745543795965952>
registerPointerEvents @ sim.js:300
(anonymous) @ sim.js:208
pxtweb.js:1 Performance Report:

Milestones:

- first JS running @ 426ms
- DOM loaded @ 1s776ms
- workspace init finished @ 8s
- loading started @ 1m13s
 - id: githublist
- loading done @ 1m19s
 - id: githublist
- loading started @ 1m21s
 - id: loadingheader
- loading done @ 1m23s
 - id: loadingheader
- simulator ready @ 1m23s

Measurements:

- setAppTarget took ~ 68ms (1s776ms - 1s844ms)
- network.request took ~ 292ms (1s852ms - 2s144ms)
 - url: /api/user/preferences
 - method: GET
 - sizeInBytes: 137
 - statusCode: 200
- network.request took ~ 463ms (8s - 8s)
 - url: /api/user/project
 - method: GET
 - sizeInBytes: 62948
 - statusCode: 200
- network.request took ~ 827ms (9s - 10s)
 - url: /api/user/project
 - method: POST
 - sizeInBytes: 42
 - statusCode: 200
- network.request took ~ 269ms (17s - 18s)
 - url: /api/user/project/56be796d-245d-454d-7a8c-62fd9f6eff4f
 - method: GET
 - sizeInBytes: 3256555
 - statusCode: 200

```
network.request took ~ 26ms (18s - 18s)
  url:
https://cdn.makecode.com/api/config/arcade/targetconfig/v2.0.46...
  method: GET
  sizeInBytes: 13889
  statusCode: 200
prepareBlockly took ~ 65ms (18s - 18s)
loadBlockly took ~ 120ms (18s - 18s)
network.request took ~ 362ms (32s - 33s)
  url: /api/user/project...
  method: GET
  sizeInBytes: 2
  statusCode: 200
network.request took ~ 7s (33s - 41s)
  url: /api/user/project
  method: POST
network.request took ~ 5s995ms (1m13s - 1m19s)
  url: https://api.github.com/graphql
  method: POST
  sizeInBytes: 222631
  statusCode: 200
network.request took ~ 396ms (1m21s - 1m22s)
  url:
https://cdn.makecode.com/api/gh/unsignedarduino/procedurally-generate
d-platformer-2...
  method: GET
network.request took ~ 412ms (1m22s - 1m22s)
  url: /api/user/project...
  method: GET
  sizeInBytes: 1044
  statusCode: 200
network.request took ~ 484ms (1m22s - 1m22s)
  url:
/api/user/project/56be796d-245d-454d-7a8c-62fd9f6eff4f
  method: GET
  sizeInBytes: 3256555
  statusCode: 200
```

```
pxtsim.js:1 Simulator ServiceWorker registration successful with
scope: https://trg-arcade.userpxt.io/
---serviceworker:1 Timed-out check for existing lock
---serviceworker:1 Received lock request
90fbb5e5-9467-449a-bbea-63df0bc32bc1
---serviceworker:1 Granted lock request
90fbb5e5-9467-449a-bbea-63df0bc32bc1
```

[Violation] Forced reflow while executing JavaScript took 44ms
[Violation] Forced reflow while executing JavaScript took 71ms
pxtapp.js:1

```
      GET
https://cdn.makecode.com/api/gh/unsignedarduino/procedurally-generate
d-platformer-2?cdn=20250403 404 (Not Found)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
l @ pxtapp.js:1
o @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
T @ pxtapp.js:1
Se @ main.js:1
await in Se
(anonymous) @ main.js:1
Promise.then
showImportGithubDialog @ main.js:1
cloneGithub @ main.js:1
h @ main.js:1
Ge @ main.js:7
Ke @ main.js:7
(anonymous) @ main.js:7
Ci @ main.js:7
Si @ main.js:7
(anonymous) @ main.js:7
Pe @ main.js:7
(anonymous) @ main.js:7
Ri @ main.js:7
Qt @ main.js:7
Jt @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
De @ main.js:7
Zt @ main.js:7
pxtapp.js:1 Error: Bad HTTP status code: 404 at
https://cdn.makecode.com/api/gh/unsignedarduino/procedurally-generate
d-platformer-2?cdn=20250403; message: {"message":"maximum file size
in package is ~128k; file main.blocks; size 222349"}
    at pxtapp.js:1:68280
    at async Object.T [as repoAsync] (pxtapp.js:1:215852)
    at async Se (main.js:1:715336)
overrideMethod @ hook.js:608
```

```
error @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
Promise.catch
(anonymous) @ pxtapp.js:1
T @ pxtapp.js:1
Se @ main.js:1
await in Se
(anonymous) @ main.js:1
Promise.then
showImportGithubDialog @ main.js:1
cloneGithub @ main.js:1
h @ main.js:1
Ge @ main.js:7
Ke @ main.js:7
(anonymous) @ main.js:7
Ci @ main.js:7
Si @ main.js:7
(anonymous) @ main.js:7
Pe @ main.js:7
(anonymous) @ main.js:7
Ri @ main.js:7
Qt @ main.js:7
Jt @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
De @ main.js:7
Zt @ main.js:7
pxtapp.js:1
```

GET

```
https://cdn.makecode.com/api/gh/unsignedarduino/procedurally-generate
d-platformer-2?cdn=20250403 404 (Not Found)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
l @ pxtapp.js:1
o @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
T @ pxtapp.js:1
de @ main.js:1
(anonymous) @ main.js:1
```

```
Promise.then
o @ main.js:1
downloadPackageAsync @ main.js:1
(anonymous) @ main.js:1
internalLoadHeaderAsync @ main.js:1
await in internalLoadHeaderAsync
loadHeaderAsync @ main.js:1
await in loadHeaderAsync
Se @ main.js:1
await in Se
(anonymous) @ main.js:1
Promise.then
showImportGithubDialog @ main.js:1
cloneGithub @ main.js:1
h @ main.js:1
Ge @ main.js:7
Ke @ main.js:7
(anonymous) @ main.js:7
Ci @ main.js:7
Si @ main.js:7
(anonymous) @ main.js:7
Pe @ main.js:7
(anonymous) @ main.js:7
Ri @ main.js:7
Qt @ main.js:7
Jt @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
De @ main.js:7
Zt @ main.js:7
pxtapp.js:1 Error: Bad HTTP status code: 404 at
https://cdn.makecode.com/api/gh/unsignedarduino/procedurally-generate
d-platformer-2?cdn=20250403; message: {"message":"maximum file size
in package is ~128k; file main.blocks; size 222349"}
    at pxtapp.js:1:68280
    at async Object.T [as repoAsync] (pxtapp.js:1:215852)
    at async Object.de [as recomputeHeaderFlagsAsync]
(main.js:1:1799481)
    at async _e.internalLoadHeaderAsync (main.js:1:636733)
    at async _e.loadHeaderAsync (main.js:1:635943)
    at async Se (main.js:1:715656)
overrideMethod @ hook.js:608
error @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
```

```
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
Promise.catch
(anonymous) @ pxtapp.js:1
T @ pxtapp.js:1
de @ main.js:1
(anonymous) @ main.js:1
Promise.then
o @ main.js:1
downloadPackageAsync @ main.js:1
(anonymous) @ main.js:1
internalLoadHeaderAsync @ main.js:1
await in internalLoadHeaderAsync
loadHeaderAsync @ main.js:1
await in loadHeaderAsync
Se @ main.js:1
await in Se
(anonymous) @ main.js:1
Promise.then
showImportGithubDialog @ main.js:1
cloneGithub @ main.js:1
h @ main.js:1
Ge @ main.js:7
Ke @ main.js:7
(anonymous) @ main.js:7
Ci @ main.js:7
Si @ main.js:7
(anonymous) @ main.js:7
Pe @ main.js:7
(anonymous) @ main.js:7
Ri @ main.js:7
Qt @ main.js:7
Jt @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
De @ main.js:7
Zt @ main.js:7
sim.js:300 [Violation] Added non-passive event listener to a
scroll-blocking 'wheel' event. Consider marking event handler as
'passive' to make the page more responsive. See
https://www.chromestatus.com/feature/5745543795965952
registerPointerEvents @ sim.js:300
(anonymous) @ sim.js:208
pxtapp.js:1
```

```
GET
https://cdn.makecode.com/api/gh/unsignedarduino/procedurally-generate
d-platformer-2?cdn=20250403 404 (Not Found)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
l @ pxtapp.js:1
o @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
T @ pxtapp.js:1
de @ main.js:1
(anonymous) @ main.js:1
Promise.then
o @ main.js:1
downloadPackageAsync @ main.js:1
(anonymous) @ pxtapp.js:1
Promise.then
downloadAsync @ pxtapp.js:1
loadAsync @ pxtapp.js:1
installAllAsync @ pxtapp.js:1
(anonymous) @ main.js:1
Promise.then
(anonymous) @ main.js:1
internalLoadHeaderAsync @ main.js:1
await in internalLoadHeaderAsync
loadHeaderAsync @ main.js:1
await in loadHeaderAsync
Se @ main.js:1
await in Se
(anonymous) @ main.js:1
Promise.then
showImportGithubDialog @ main.js:1
cloneGithub @ main.js:1
h @ main.js:1
Ge @ main.js:7
Ke @ main.js:7
(anonymous) @ main.js:7
Ci @ main.js:7
Si @ main.js:7
(anonymous) @ main.js:7
Pe @ main.js:7
(anonymous) @ main.js:7
Ri @ main.js:7
Qt @ main.js:7
```

```
Jt @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
De @ main.js:7
Zt @ main.js:7
pxtapp.js:1 Error: Bad HTTP status code: 404 at
https://cdn.makecode.com/api/gh/unsignedarduino/procedurally-generate
d-platformer-2?cdn=20250403; message: {"message":"maximum file size
in package is ~128k; file main.blocks; size 222349"}
    at pxtapp.js:1:68280
    at async Object.T [as repoAsync] (pxtapp.js:1:215852)
    at async Object.de [as recomputeHeaderFlagsAsync]
(main.js:1:1799481)
    at async n.loadAsync (pxtapp.js:1:295983)
    at async _e.internalLoadHeaderAsync (main.js:1:636733)
    at async _e.loadHeaderAsync (main.js:1:635943)
    at async Se (main.js:1:715656)
overrideMethod @ hook.js:608
error @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
Promise.catch
(anonymous) @ pxtapp.js:1
T @ pxtapp.js:1
de @ main.js:1
(anonymous) @ main.js:1
Promise.then
o @ main.js:1
downloadPackageAsync @ main.js:1
(anonymous) @ pxtapp.js:1
Promise.then
downloadAsync @ pxtapp.js:1
loadAsync @ pxtapp.js:1
installAllAsync @ pxtapp.js:1
(anonymous) @ main.js:1
Promise.then
(anonymous) @ main.js:1
internalLoadHeaderAsync @ main.js:1
await in internalLoadHeaderAsync
loadHeaderAsync @ main.js:1
await in loadHeaderAsync
Se @ main.js:1
await in Se
```

```
(anonymous) @ main.js:1
Promise.then
showImportGithubDialog @ main.js:1
cloneGithub @ main.js:1
h @ main.js:1
Ge @ main.js:7
Ke @ main.js:7
(anonymous) @ main.js:7
Ci @ main.js:7
Si @ main.js:7
(anonymous) @ main.js:7
Pe @ main.js:7
(anonymous) @ main.js:7
Ri @ main.js:7
Qt @ main.js:7
Jt @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
De @ main.js:7
Zt @ main.js:7
pxtapp.js:1 invalid upgrade rule:
github:microsoft/arcade-sprite-data#v0.2.1 -> m
pxtapp.js:1 invalid upgrade rule:
github:microsoft/arcade-sprite-data#v0.2.1 -> i
pxtapp.js:1 invalid upgrade rule:
github:microsoft/arcade-sprite-data#v0.2.1 -> n
pxtapp.js:1 invalid upgrade rule:
github:microsoft/arcade-sprite-data#v0.2.1 -> :
pxtapp.js:1 invalid upgrade rule:
github:microsoft/arcade-sprite-data#v0.2.1 -> v
pxtapp.js:1 invalid upgrade rule:
github:microsoft/arcade-sprite-data#v0.2.1 -> 0
pxtapp.js:1 invalid upgrade rule:
github:microsoft/arcade-sprite-data#v0.2.1 -> .
pxtapp.js:1 invalid upgrade rule:
github:microsoft/arcade-sprite-data#v0.2.1 -> 0
pxtapp.js:1 invalid upgrade rule:
github:microsoft/arcade-sprite-data#v0.2.1 -> .
pxtapp.js:1 invalid upgrade rule:
github:microsoft/arcade-sprite-data#v0.2.1 -> 6
pxtsim.js:1 Simulator ServiceWorker registration successful with
scope: https://trg-arcade.userpxt.io/
pxtapp.js:1
```

```
GET
https://cdn.makecode.com/api/gh/unsignedarduino/procedurally-generate
d-platformer-2?cdn=20250403 404 (Not Found)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
l @ pxtapp.js:1
o @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
T @ pxtapp.js:1
de @ main.js:1
re @ main.js:1
await in re
getAsync @ main.js:1
v @ main.js:1
C @ main.js:1
E @ main.js:1
getDataWithStatus @ main.js:1
getData @ main.js:1
renderCore @ main.js:1
render @ main.js:1
Gs @ main.js:7
Hs @ main.js:7
Va @ main.js:7
Sl @ main.js:7
wl @ main.js:7
xl @ main.js:7
gl @ main.js:7
(anonymous) @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
zr @ main.js:7
Wr @ main.js:7
ul @ main.js:7
enqueueSetState @ main.js:7
(anonymous) @ main.js:7
internalLoadHeaderAsync @ main.js:1
await in internalLoadHeaderAsync
loadHeaderAsync @ main.js:1
await in loadHeaderAsync
Se @ main.js:1
await in Se
(anonymous) @ main.js:1
Promise.then
showImportGithubDialog @ main.js:1
```

```
cloneGithub @ main.js:1
h @ main.js:1
Ge @ main.js:7
Ke @ main.js:7
(anonymous) @ main.js:7
Ci @ main.js:7
Si @ main.js:7
(anonymous) @ main.js:7
Pe @ main.js:7
(anonymous) @ main.js:7
Ri @ main.js:7
Qt @ main.js:7
Jt @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
De @ main.js:7
Zt @ main.js:7
pxtapp.js:1 Error: Bad HTTP status code: 404 at
https://cdn.makecode.com/api/gh/unsignedarduino/procedurally-generate
d-platformer-2?cdn=20250403; message: {"message":"maximum file size
in package is ~128k; file main.blocks; size 222349"}
    at pxtapp.js:1:68280
    at async Object.T [as repoAsync] (pxtapp.js:1:215852)
    at async de (main.js:1:1799481)
    at async Object.re [as pullAsync] (main.js:1:1791274)
overrideMethod @ hook.js:608
error @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
Promise.catch
(anonymous) @ pxtapp.js:1
T @ pxtapp.js:1
de @ main.js:1
re @ main.js:1
await in re
getAsync @ main.js:1
v @ main.js:1
C @ main.js:1
E @ main.js:1
getDataWithStatus @ main.js:1
getData @ main.js:1
renderCore @ main.js:1
render @ main.js:1
```

```
Gs @ main.js:7
Hs @ main.js:7
Va @ main.js:7
Sl @ main.js:7
wl @ main.js:7
xl @ main.js:7
gl @ main.js:7
(anonymous) @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
zr @ main.js:7
Wr @ main.js:7
ul @ main.js:7
enqueueSetState @ main.js:7
(anonymous) @ main.js:7
internalLoadHeaderAsync @ main.js:1
await in internalLoadHeaderAsync
loadHeaderAsync @ main.js:1
await in loadHeaderAsync
Se @ main.js:1
await in Se
(anonymous) @ main.js:1
Promise.then
showImportGithubDialog @ main.js:1
cloneGithub @ main.js:1
h @ main.js:1
Ge @ main.js:7
Ke @ main.js:7
(anonymous) @ main.js:7
Ci @ main.js:7
Si @ main.js:7
(anonymous) @ main.js:7
Pe @ main.js:7
(anonymous) @ main.js:7
Ri @ main.js:7
Qt @ main.js:7
Jt @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
De @ main.js:7
Zt @ main.js:7
main.js:7 [Violation] 'setTimeout' handler took 66ms
main.js:7 setEnabled was deprecated in v11 and will be deleted in
v12.
Use the setDisabledReason method of BlockSvg instead.
```

```
overrideMethod @ hook.js:608
u @ main.js:7
setEnabled @ main.js:7
  (anonymous) @ main.js:1
  (anonymous) @ main.js:1
  (anonymous) @ main.js:1
  (anonymous) @ main.js:1
saveToTypeScriptAsync @ main.js:1
  (anonymous) @ main.js:1
Promise.then
saveTypeScriptAsync @ main.js:1
saveFileAsync @ main.js:1
  (anonymous) @ main.js:1
o @ pxtapp.js:1
setTimeout
  (anonymous) @ pxtapp.js:1
e @ main.js:1
  (anonymous) @ main.js:1
fireChangeListener @ main.js:7
$ @ main.js:7
setTimeout
  (anonymous) @ main.js:7
requestAnimationFrame
U @ main.js:7
j @ main.js:7
moveBy @ main.js:7
initLayout @ main.js:1
loadBlockly @ main.js:1
  (anonymous) @ main.js:1
Promise.then
domUpdate @ main.js:1
componentDidUpdate @ main.js:1
pa @ main.js:7
Il @ main.js:7
  (anonymous) @ main.js:7
Gr @ main.js:7
Al @ main.js:7
gl @ main.js:7
  (anonymous) @ main.js:7
  (anonymous) @ main.js:7
Gr @ main.js:7
zr @ main.js:7
Wr @ main.js:7
ul @ main.js:7
enqueueForceUpdate @ main.js:7
```

```
(anonymous) @ main.js:7
(anonymous) @ main.js:1
Promise.finally
updateEditorFileAsync @ main.js:1
(anonymous) @ main.js:1
Promise.then
componentDidUpdate @ main.js:1
pa @ main.js:7
Il @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
Al @ main.js:7
gl @ main.js:7
(anonymous) @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
zr @ main.js:7
Wr @ main.js:7
ul @ main.js:7
enqueueSetState @ main.js:7
(anonymous) @ main.js:7
internalLoadHeaderAsync @ main.js:1
await in internalLoadHeaderAsync
loadHeaderAsync @ main.js:1
await in loadHeaderAsync
Se @ main.js:1
await in Se
(anonymous) @ main.js:1
main.js:7 setEnabled was deprecated in v11 and will be deleted in
v12.
Use the setDisabledReason method of Block instead.
overrideMethod @ hook.js:608
u @ main.js:7
setEnabled @ main.js:7
setEnabled @ main.js:7
(anonymous) @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
saveToTypeScriptAsync @ main.js:1
(anonymous) @ main.js:1
Promise.then
saveTypeScriptAsync @ main.js:1
saveFileAsync @ main.js:1
(anonymous) @ main.js:1
```

```
o @ pxtapp.js:1
setTimeout
(anonymous) @ pxtapp.js:1
e @ main.js:1
(anonymous) @ main.js:1
fireChangeListener @ main.js:7
$ @ main.js:7
setTimeout
(anonymous) @ main.js:7
requestAnimationFrame
U @ main.js:7
j @ main.js:7
moveBy @ main.js:7
initLayout @ main.js:1
loadBlockly @ main.js:1
(anonymous) @ main.js:1
Promise.then
domUpdate @ main.js:1
componentDidUpdate @ main.js:1
pa @ main.js:7
Il @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
Al @ main.js:7
gl @ main.js:7
(anonymous) @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
zr @ main.js:7
Wr @ main.js:7
ul @ main.js:7
enqueueForceUpdate @ main.js:7
(anonymous) @ main.js:7
(anonymous) @ main.js:1
Promise.finally
updateEditorFileAsync @ main.js:1
(anonymous) @ main.js:1
Promise.then
componentDidUpdate @ main.js:1
pa @ main.js:7
Il @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
Al @ main.js:7
gl @ main.js:7
```

```
(anonymous) @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
zr @ main.js:7
Wr @ main.js:7
ul @ main.js:7
enqueueSetState @ main.js:7
(anonymous) @ main.js:7
internalLoadHeaderAsync @ main.js:1
await in internalLoadHeaderAsync
loadHeaderAsync @ main.js:1
await in loadHeaderAsync
Se @ main.js:1
await in Se
(anonymous) @ main.js:1
pxtapp.js:1
```

```
POST https://arcade.makecode.com/api/user/project 500
(Internal Server Error)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
staticApiAsync @ pxtapp.js:1
await in staticApiAsync
apiAsync @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
(anonymous) @ main.js:1
(anonymous) @ main.js:1
E @ main.js:1
await in E
(anonymous) @ main.js:1
(anonymous) @ pxtapp.js:1
c @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
_ @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
n @ main.js:1
setTimeout
I @ main.js:1
(anonymous) @ main.js:1
onDataChanged @ main.js:1
```

```
(anonymous) @ main.js:1
Promise.then
(anonymous) @ pxtapp.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
n @ main.js:1
v @ main.js:1
(anonymous) @ main.js:1
w @ main.js:1
M @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
enqueue @ pxtapp.js:1
z @ main.js:1
internalLoadHeaderAsync @ main.js:1
await in internalLoadHeaderAsync
loadHeaderAsync @ main.js:1
await in loadHeaderAsync
Se @ main.js:1
await in Se
(anonymous) @ main.js:1
Promise.then
showImportGithubDialog @ main.js:1
cloneGithub @ main.js:1
h @ main.js:1
Ge @ main.js:7
Ke @ main.js:7
(anonymous) @ main.js:7
Ci @ main.js:7
Si @ main.js:7
(anonymous) @ main.js:7
Pe @ main.js:7
(anonymous) @ main.js:7
Ri @ main.js:7
Qt @ main.js:7
Jt @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
De @ main.js:7
Zt @ main.js:7
pxtapp.js:1
```

POST https://arcade.makecode.com/api/user/project 500

```
(Internal Server Error)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
staticApiAsync @ pxtapp.js:1
await in staticApiAsync
apiAsync @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
(anonymous) @ main.js:1
(anonymous) @ main.js:1
E @ main.js:1
await in E
(anonymous) @ main.js:1
(anonymous) @ pxtapp.js:1
c @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
_ @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
n @ main.js:1
setTimeout
I @ main.js:1
(anonymous) @ main.js:1
onDataChanged @ main.js:1
(anonymous) @ main.js:1
Promise.then
(anonymous) @ pxtapp.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
n @ main.js:1
v @ main.js:1
(anonymous) @ main.js:1
w @ main.js:1
M @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
enqueue @ pxtapp.js:1
z @ main.js:1
internalLoadHeaderAsync @ main.js:1
await in internalLoadHeaderAsync
```

```
loadHeaderAsync @ main.js:1
await in loadHeaderAsync
Se @ main.js:1
await in Se
(anonymous) @ main.js:1
Promise.then
showImportGithubDialog @ main.js:1
cloneGithub @ main.js:1
h @ main.js:1
Ge @ main.js:7
Ke @ main.js:7
(anonymous) @ main.js:7
Ci @ main.js:7
Si @ main.js:7
(anonymous) @ main.js:7
Pe @ main.js:7
(anonymous) @ main.js:7
Ri @ main.js:7
Qt @ main.js:7
Jt @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
De @ main.js:7
Zt @ main.js:7
pxtsim.js:1 [Violation] 'message' handler took 169ms
sim.js:1378 Canvas2D: Multiple readback operations using getImageData
are faster with the willReadFrequently attribute set to true. See:
https://html.spec.whatwg.org/multipage/canvas.html#concept-canvas-will-read-frequently
draw @ sim.js:1378
(anonymous) @ sim.js:521
(anonymous) @ sim.js:723
requestAnimationFrame
(anonymous) @ sim.js:722
showImage @ sim.js:2988
updateScreen @ sim.js:2842
__screen_internal_inline__P5190 @ VM47:1371
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_isOutsideMap__P2746 @ VM47:4624
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
Promise.then
```

```
(anonymous) @ pxtsim.js:1
s @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
flushLoopLock @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
Promise.then
(anonymous) @ pxtsim.js:1
s @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
flushLoopLock @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMap_getTilesByType__P2771 @ VM47:4306
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_getTile__P2740 @ VM47:4548
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
characterAnimations_loopFrames__P4566 @ VM47:9074
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
stateTransitions_TransitionState_getButtonHandler__P7699 @ VM47:29460
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
create_player__P4921 @ VM47:6391
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
game_calculateHitBox__P2238 @ VM47:10903
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMap_getTilesByType__P2771 @ VM47:4306
loop @ pxtsim.js:1
```

```
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMap_getTilesByType__P2771 @ VM47:4306
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_isOutsideMap__P2746 @ VM47:4624
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_isOutsideMap__P2746 @ VM47:4624
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_getTile__P2740 @ VM47:4548
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMap_getTilesByType__P2771 @ VM47:4306
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMap_getTilesByType__P2771 @ VM47:4306
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMap_getTilesByType__P2771 @ VM47:4306
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_getTile__P2740 @ VM47:4548
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_isOutsideMap__P2746 @ VM47:4624
loop @ pxtsim.js:1
```

```
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_getTile__P2740 @ VM47:4548
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMap_getTilesByType__P2771 @ VM47:4306
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMap_getTilesByType__P2771 @ VM47:4306
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMap_getTilesByType__P2771 @ VM47:4306
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_getTile__P2740 @ VM47:4548
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMap_getTilesByType__P2771 @ VM47:4306
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
scene_Scene_init__P2884 @ VM47:35149
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMap_getTilesByType__P2771 @ VM47:4306
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_isOutsideMap__P2746 @ VM47:4624
loop @ pxtsim.js:1
```

```
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_getTile__P2740 @ VM47:4548
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_isOutsideMap__P2746 @ VM47:4624
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
scene_setBackgroundColor__P2900 @ VM47:33994
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
pxtapp.js:1
```

GET

```
https://api.github.com/repos/UnsignedArduino/Fast-Random-Blocks/git/r
efs/tags/?per_page=100&rnd=0.2909688761316509 404 (Not Found)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
i @ pxtapp.js:1
s @ pxtapp.js:1
r @ pxtapp.js:1
m @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
Promise.then
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
await in (anonymous)
F @ main.js:1
await in F
H @ main.js:1
onClick @ main.js:1
g @ main.js:1
onClick @ main.js:1
Ge @ main.js:7
Ke @ main.js:7
(anonymous) @ main.js:7
Ci @ main.js:7
Si @ main.js:7
```

```
(anonymous) @ main.js:7
Pe @ main.js:7
(anonymous) @ main.js:7
Ri @ main.js:7
Qt @ main.js:7
Jt @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
De @ main.js:7
Zt @ main.js:7
pxtapp.js:1
```

GET

```
https://api.github.com/repos/UnsignedArduino/Fast-Random-Blocks/git/r
efs/tags/master?rnd=0.7492226888651279 404 (Not Found)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
i @ pxtapp.js:1
s @ pxtapp.js:1
r @ pxtapp.js:1
b @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
Promise.then
(anonymous) @ pxtapp.js:1
Promise.then
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
await in (anonymous)
F @ main.js:1
await in F
H @ main.js:1
onClick @ main.js:1
g @ main.js:1
onClick @ main.js:1
Ge @ main.js:7
Ke @ main.js:7
(anonymous) @ main.js:7
Ci @ main.js:7
Si @ main.js:7
(anonymous) @ main.js:7
Pe @ main.js:7
(anonymous) @ main.js:7
Ri @ main.js:7
```

```
Qt @ main.js:7
Jt @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
De @ main.js:7
Zt @ main.js:7
pxtapp.js:1
```

```
POST https://arcade.makecode.com/api/user/project 500
(Internal Server Error)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
staticApiAsync @ pxtapp.js:1
await in staticApiAsync
apiAsync @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
(anonymous) @ main.js:1
(anonymous) @ main.js:1
E @ main.js:1
await in E
(anonymous) @ main.js:1
(anonymous) @ pxtapp.js:1
c @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
_ @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
n @ main.js:1
setTimeout
I @ main.js:1
(anonymous) @ main.js:1
onDataChanged @ main.js:1
(anonymous) @ main.js:1
Promise.then
(anonymous) @ pxtapp.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
n @ main.js:1
v @ main.js:1
(anonymous) @ main.js:1
w @ main.js:1
```

```
M @ main.js:1
  (anonymous) @ main.js:1
await in (anonymous)
  (anonymous) @ pxtapp.js:1
  (anonymous) @ pxtapp.js:1
enqueue @ pxtapp.js:1
z @ main.js:1
  (anonymous) @ main.js:1
await in (anonymous)
saveFileAsync @ main.js:1
setContentAsync @ main.js:1
saveCurrentSourceAsync @ main.js:1
  (anonymous) @ main.js:1
Promise.then
saveFileAsync @ main.js:1
  (anonymous) @ main.js:1
o @ pxtapp.js:1
setTimeout
  (anonymous) @ pxtapp.js:1
e @ main.js:1
  (anonymous) @ main.js:1
fireChangeListener @ main.js:7
$ @ main.js:7
setTimeout
  (anonymous) @ main.js:7
requestAnimationFrame
U @ main.js:7
j @ main.js:7
moveBy @ main.js:7
initLayout @ main.js:1
loadBlockly @ main.js:1
  (anonymous) @ main.js:1
Promise.then
domUpdate @ main.js:1
componentDidUpdate @ main.js:1
pa @ main.js:7
Il @ main.js:7
  (anonymous) @ main.js:7
Gr @ main.js:7
Al @ main.js:7
gl @ main.js:7
  (anonymous) @ main.js:7
  (anonymous) @ main.js:7
Gr @ main.js:7
zr @ main.js:7
```

```
Wr @ main.js:7
ul @ main.js:7
enqueueForceUpdate @ main.js:7
  (anonymous) @ main.js:7
  (anonymous) @ main.js:1
Promise.finally
updateEditorFileAsync @ main.js:1
  (anonymous) @ main.js:1
Promise.then
componentDidUpdate @ main.js:1
pa @ main.js:7
Il @ main.js:7
  (anonymous) @ main.js:7
Gr @ main.js:7
Al @ main.js:7
gl @ main.js:7
  (anonymous) @ main.js:7
  (anonymous) @ main.js:7
Gr @ main.js:7
zr @ main.js:7
Wr @ main.js:7
ul @ main.js:7
enqueueSetState @ main.js:7
  (anonymous) @ main.js:7
internalLoadHeaderAsync @ main.js:1
await in internalLoadHeaderAsync
loadHeaderAsync @ main.js:1
await in loadHeaderAsync
Se @ main.js:1
await in Se
  (anonymous) @ main.js:1
pxtapp.js:1
```

```
      POST https://arcade.makecode.com/api/user/project 500
(Internal Server Error)
  (anonymous) @ pxtapp.js:1
  (anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
staticApiAsync @ pxtapp.js:1
await in staticApiAsync
apiAsync @ pxtapp.js:1
  (anonymous) @ main.js:1
await in (anonymous)
  (anonymous) @ main.js:1
```

```
(anonymous) @ main.js:1
E @ main.js:1
await in E
(anonymous) @ main.js:1
(anonymous) @ pxtapp.js:1
c @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
_ @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
n @ main.js:1
setTimeout
I @ main.js:1
(anonymous) @ main.js:1
onDataChanged @ main.js:1
(anonymous) @ main.js:1
Promise.then
(anonymous) @ pxtapp.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
n @ main.js:1
v @ main.js:1
(anonymous) @ main.js:1
w @ main.js:1
M @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
enqueue @ pxtapp.js:1
z @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
saveFileAsync @ main.js:1
setContentAsync @ main.js:1
saveCurrentSourceAsync @ main.js:1
(anonymous) @ main.js:1
Promise.then
saveFileAsync @ main.js:1
(anonymous) @ main.js:1
o @ pxtapp.js:1
setTimeout
(anonymous) @ pxtapp.js:1
e @ main.js:1
```

```
(anonymous) @ main.js:1
fireChangeListener @ main.js:7
$ @ main.js:7
setTimeout
  (anonymous) @ main.js:7
  requestAnimationFrame
    U @ main.js:7
    j @ main.js:7
    moveBy @ main.js:7
    initLayout @ main.js:1
    loadBlockly @ main.js:1
    (anonymous) @ main.js:1
    Promise.then
      domUpdate @ main.js:1
      componentDidUpdate @ main.js:1
      pa @ main.js:7
      Il @ main.js:7
      (anonymous) @ main.js:7
      Gr @ main.js:7
      Al @ main.js:7
      gl @ main.js:7
      (anonymous) @ main.js:7
      (anonymous) @ main.js:7
      Gr @ main.js:7
      zr @ main.js:7
      Wr @ main.js:7
      ul @ main.js:7
      enqueueForceUpdate @ main.js:7
      (anonymous) @ main.js:7
      (anonymous) @ main.js:1
      Promise.finally
        updateEditorFileAsync @ main.js:1
        (anonymous) @ main.js:1
        Promise.then
          componentDidUpdate @ main.js:1
          pa @ main.js:7
          Il @ main.js:7
          (anonymous) @ main.js:7
          Gr @ main.js:7
          Al @ main.js:7
          gl @ main.js:7
          (anonymous) @ main.js:7
          (anonymous) @ main.js:7
          Gr @ main.js:7
          zr @ main.js:7
```

```
Wr @ main.js:7
ul @ main.js:7
enqueueSetState @ main.js:7
(anonymous) @ main.js:7
internalLoadHeaderAsync @ main.js:1
await in internalLoadHeaderAsync
loadHeaderAsync @ main.js:1
await in loadHeaderAsync
Se @ main.js:1
await in Se
(anonymous) @ main.js:1
sim.js:300 [Violation] Added non-passive event listener to a
scroll-blocking 'wheel' event. Consider marking event handler as
'passive' to make the page more responsive. See
https://www.chromestatus.com/feature/5745543795965952
registerPointerEvents @ sim.js:300
(anonymous) @ sim.js:208
pxtsim.js:1 Simulator ServiceWorker registration successful with
scope: https://trg-arcade.userpxt.io/
pxtapp.js:1
```

GET

```
https://cdn.makecode.com/api/gh/unsignedarduino/procedurally-generate
d-platformer-2?cdn=20250403 404 (Not Found)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
l @ pxtapp.js:1
o @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
T @ pxtapp.js:1
de @ main.js:1
await in de
(anonymous) @ main.js:1
Promise.then
o @ main.js:1
downloadPackageAsync @ main.js:1
(anonymous) @ main.js:1
internalLoadHeaderAsync @ main.js:1
await in internalLoadHeaderAsync
loadHeaderAsync @ main.js:1
await in loadHeaderAsync
reloadHeaderAsync @ main.js:1
reloadHeaderAsync @ main.js:1
```

```
B @ main.js:1
await in B
F @ main.js:1
await in F
H @ main.js:1
onClick @ main.js:1
g @ main.js:1
onClick @ main.js:1
Ge @ main.js:7
Ke @ main.js:7
  (anonymous) @ main.js:7
Ci @ main.js:7
Si @ main.js:7
  (anonymous) @ main.js:7
Pe @ main.js:7
  (anonymous) @ main.js:7
Ri @ main.js:7
Qt @ main.js:7
Jt @ main.js:7
  (anonymous) @ main.js:7
Gr @ main.js:7
De @ main.js:7
Zt @ main.js:7
pxtapp.js:1 Error: Bad HTTP status code: 404 at
https://cdn.makecode.com/api/gh/unsignedarduino/procedurally-generate
d-platformer-2?cdn=20250403; message: {"message":"maximum file size
in package is ~128k; file main.blocks; size 222349"}
    at pxTapp.js:1:68280
    at async Object.T [as repoAsync] (pxTapp.js:1:215852)
    at async Object.de [as recomputeHeaderFlagsAsync]
(main.js:1:1799481)
    at async _e.internalLoadHeaderAsync (main.js:1:636733)
    at async _e.loadHeaderAsync (main.js:1:635943)
    at async Object.reloadHeaderAsync (main.js:1:706715)
    at async B (main.js:1:1253384)
    at async F (main.js:1:1253863)
overrideMethod @ hook.js:608
error @ pxTapp.js:1
  (anonymous) @ pxTapp.js:1
  (anonymous) @ pxTapp.js:1
  (anonymous) @ pxTapp.js:1
  (anonymous) @ pxTapp.js:1
Promise.catch
  (anonymous) @ pxTapp.js:1
T @ pxTapp.js:1
```

```
de @ main.js:1
await in de
(anonymous) @ main.js:1
Promise.then
o @ main.js:1
downloadPackageAsync @ main.js:1
(anonymous) @ main.js:1
internalLoadHeaderAsync @ main.js:1
await in internalLoadHeaderAsync
loadHeaderAsync @ main.js:1
await in loadHeaderAsync
reloadHeaderAsync @ main.js:1
reloadHeaderAsync @ main.js:1
B @ main.js:1
await in B
F @ main.js:1
await in F
H @ main.js:1
onClick @ main.js:1
g @ main.js:1
onClick @ main.js:1
Ge @ main.js:7
Ke @ main.js:7
(anonymous) @ main.js:7
Ci @ main.js:7
Si @ main.js:7
(anonymous) @ main.js:7
Pe @ main.js:7
(anonymous) @ main.js:7
Ri @ main.js:7
Qt @ main.js:7
Jt @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
De @ main.js:7
Zt @ main.js:7
pxtapp.js:1
```

GET

```
https://cdn.makecode.com/api/gh/unsignedarduino/procedurally-generate
d-platformer-2?cdn=20250403 404 (Not Found)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
```

```
l @ pxtapp.js:1
o @ pxtapp.js:1
  (anonymous) @ pxtapp.js:1
T @ pxtapp.js:1
de @ main.js:1
  await in de
    (anonymous) @ main.js:1
Promise.then
o @ main.js:1
downloadPackageAsync @ main.js:1
  (anonymous) @ pxtapp.js:1
Promise.then
downloadAsync @ pxtapp.js:1
loadAsync @ pxtapp.js:1
installAllAsync @ pxtapp.js:1
  (anonymous) @ main.js:1
Promise.then
  (anonymous) @ main.js:1
internalLoadHeaderAsync @ main.js:1
  await in internalLoadHeaderAsync
    loadHeaderAsync @ main.js:1
      await in loadHeaderAsync
        reloadHeaderAsync @ main.js:1
          reloadHeaderAsync @ main.js:1
B @ main.js:1
  await in B
F @ main.js:1
  await in F
H @ main.js:1
  onClick @ main.js:1
g @ main.js:1
  onClick @ main.js:1
Ge @ main.js:7
Ke @ main.js:7
  (anonymous) @ main.js:7
Ci @ main.js:7
Si @ main.js:7
  (anonymous) @ main.js:7
Pe @ main.js:7
  (anonymous) @ main.js:7
Ri @ main.js:7
Qt @ main.js:7
Jt @ main.js:7
  (anonymous) @ main.js:7
Gr @ main.js:7
```

```
De @ main.js:7
Zt @ main.js:7
pxtapp.js:1 Error: Bad HTTP status code: 404 at
https://cdn.makecode.com/api/gh/unsignedarduino/procedurally-generate
d-platformer-2?cdn=20250403; message: {"message":"maximum file size
in package is ~128k; file main.blocks; size 222349"}
    at pxtapp.js:1:68280
    at async Object.T [as repoAsync] (pxtapp.js:1:215852)
    at async Object.de [as recomputeHeaderFlagsAsync]
(main.js:1:1799481)
    at async n.loadAsync (pxtapp.js:1:295983)
    at async _e.internalLoadHeaderAsync (main.js:1:636733)
    at async _e.loadHeaderAsync (main.js:1:635943)
    at async Object.reloadHeaderAsync (main.js:1:706715)
    at async B (main.js:1:1253384)
    at async F (main.js:1:1253863)
overrideMethod @ hook.js:608
error @ pxtapp.js:1
    (anonymous) @ pxtapp.js:1
    (anonymous) @ pxtapp.js:1
    (anonymous) @ pxtapp.js:1
    (anonymous) @ pxtapp.js:1
Promise.catch
    (anonymous) @ pxtapp.js:1
T @ pxtapp.js:1
de @ main.js:1
await in de
    (anonymous) @ main.js:1
Promise.then
    o @ main.js:1
downloadPackageAsync @ main.js:1
    (anonymous) @ pxtapp.js:1
Promise.then
downloadAsync @ pxtapp.js:1
loadAsync @ pxtapp.js:1
installAllAsync @ pxtapp.js:1
    (anonymous) @ main.js:1
Promise.then
    (anonymous) @ main.js:1
internalLoadHeaderAsync @ main.js:1
await in internalLoadHeaderAsync
loadHeaderAsync @ main.js:1
await in loadHeaderAsync
reloadHeaderAsync @ main.js:1
reloadHeaderAsync @ main.js:1
```

```
B @ main.js:1
await in B
F @ main.js:1
await in F
H @ main.js:1
onClick @ main.js:1
g @ main.js:1
onClick @ main.js:1
Ge @ main.js:7
Ke @ main.js:7
(anonymous) @ main.js:7
Ci @ main.js:7
Si @ main.js:7
(anonymous) @ main.js:7
Pe @ main.js:7
(anonymous) @ main.js:7
Ri @ main.js:7
Qt @ main.js:7
Jt @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
De @ main.js:7
Zt @ main.js:7
pxtapp.js:1 invalid upgrade rule:
github:microsoft/arcade-sprite-data#v0.2.1 -> m
pxtapp.js:1 invalid upgrade rule:
github:microsoft/arcade-sprite-data#v0.2.1 -> i
pxtapp.js:1 invalid upgrade rule:
github:microsoft/arcade-sprite-data#v0.2.1 -> n
pxtapp.js:1 invalid upgrade rule:
github:microsoft/arcade-sprite-data#v0.2.1 -> :
pxtapp.js:1 invalid upgrade rule:
github:microsoft/arcade-sprite-data#v0.2.1 -> v
pxtapp.js:1 invalid upgrade rule:
github:microsoft/arcade-sprite-data#v0.2.1 -> 0
pxtapp.js:1 invalid upgrade rule:
github:microsoft/arcade-sprite-data#v0.2.1 -> .
pxtapp.js:1 invalid upgrade rule:
github:microsoft/arcade-sprite-data#v0.2.1 -> 0
pxtapp.js:1 invalid upgrade rule:
github:microsoft/arcade-sprite-data#v0.2.1 -> .
pxtapp.js:1 invalid upgrade rule:
github:microsoft/arcade-sprite-data#v0.2.1 -> 6
pxtapp.js:1
```

```
POST https://arcade.makecode.com/api/user/project 500
(Internal Server Error)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
staticApiAsync @ pxtapp.js:1
await in staticApiAsync
apiAsync @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
(anonymous) @ main.js:1
(anonymous) @ main.js:1
E @ main.js:1
await in E
(anonymous) @ main.js:1
(anonymous) @ pxtapp.js:1
c @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
_ @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
n @ main.js:1
setTimeout
I @ main.js:1
onDataChanged @ main.js:1
(anonymous) @ main.js:1
Promise.then
(anonymous) @ pxtapp.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
n @ main.js:1
v @ main.js:1
(anonymous) @ main.js:1
w @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
enqueue @ pxtapp.js:1
z @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
```

```
saveFileAsync @ main.js:1
setContentAsync @ main.js:1
(anonymous) @ main.js:1
setTimeout
setSimState @ main.js:1
setState @ main.js:1
onSimulatorCommand @ main.js:1
handleSimulatorCommand @ pxtapp.js:1
handleMessage @ pxtapp.js:1
listener.listener @ pxtapp.js:1
pxtapp.js:1
```

```
      POST https://arcade.makecode.com/api/user/project 500
(Internat Server Error)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
staticApiAsync @ pxtapp.js:1
await in staticApiAsync
apiAsync @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
(anonymous) @ main.js:1
(anonymous) @ main.js:1
E @ main.js:1
await in E
(anonymous) @ main.js:1
(anonymous) @ pxtapp.js:1
c @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
_ @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
n @ main.js:1
setTimeout
I @ main.js:1
onDataChanged @ main.js:1
(anonymous) @ main.js:1
Promise.then
(anonymous) @ pxtapp.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
n @ main.js:1
```

```
v @ main.js:1
(anonymous) @ main.js:1
w @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
enqueue @ pxtapp.js:1
z @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
saveFileAsync @ main.js:1
setContentAsync @ main.js:1
(anonymous) @ main.js:1
setTimeout
setSimState @ main.js:1
setState @ main.js:1
onSimulatorCommand @ main.js:1
handleSimulatorCommand @ pxtapp.js:1
handleMessage @ pxtapp.js:1
listener.listener @ pxtapp.js:1
sim.js:1378 Canvas2D: Multiple readback operations using getImageData
are faster with the willReadFrequently attribute set to true. See:
https://html.spec.whatwg.org/multipage/canvas.html#concept-canvas-will-read-frequently
draw @ sim.js:1378
(anonymous) @ sim.js:521
(anonymous) @ sim.js:723
requestAnimationFrame
(anonymous) @ sim.js:722
showImage @ sim.js:2988
updateScreen @ sim.js:2842
_screen_internal_inline__P32188 @ VM69:1371
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_isOutsideMap__P29744 @ VM69:4624
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
Promise.then
(anonymous) @ pxtsim.js:1
s @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
```

```
flushLoopLock @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
Promise.then
(anonymous) @ pxtsim.js:1
s @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
flushLoopLock @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMap_getTilesByType__P29769 @ VM69:4306
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMap_sampleTilesByType__P29770 @ VM69:5798
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
characterAnimations_rule__P31570 @ VM69:8855
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
stateTransitions_resolveButton__P34712 @ VM69:28701
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
game_calculateHitBox__P29236 @ VM69:10903
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_getTile__P29738 @ VM69:4548
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_isOutsideMap__P29744 @ VM69:4624
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
```

```
tiles_TileMapData_getTile__P29738 @ VM69:4548
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_isOutsideMap__P29744 @ VM69:4624
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_isOutsideMap__P29744 @ VM69:4624
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_isOutsideMap__P29744 @ VM69:4624
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_getTile__P29738 @ VM69:4548
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_getTile__P29738 @ VM69:4548
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_getTile__P29738 @ VM69:4548
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_getTile__P29738 @ VM69:4548
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMapData_isOutsideMap__P29744 @ VM69:4624
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
```

```
tiles_TileMapData_getTile__P29738 @ VM69:4548
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
tiles_TileMap_getTilesByType__P29769 @ VM69:4306
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
text_Format_advance__P34474 @ VM69:34973
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
particles_cacheSin__P30215 @ VM69:16834
loop @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
setTimeout
maybeYield @ pxtsim.js:1
_main__P53762 @ VM69:568
loop @ pxtsim.js:1
topCall @ pxtsim.js:1
Runtime.run @ pxtsim.js:1
(anonymous) @ pxtsim.js:1
Promise.then
l @ pxtsim.js:1
n @ pxtsim.js:1
pxtapp.js:1
```

```
POST https://arcade.makecode.com/api/user/project 500
(Internal Server Error)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
staticApiAsync @ pxtapp.js:1
await in staticApiAsync
apiAsync @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
(anonymous) @ main.js:1
(anonymous) @ main.js:1
E @ main.js:1
await in E
```

```
(anonymous) @ main.js:1
(anonymous) @ pxtapp.js:1
c @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
_ @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
n @ main.js:1
setTimeout
I @ main.js:1
onDataChanged @ main.js:1
(anonymous) @ main.js:1
Promise.then
(anonymous) @ pxtapp.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
n @ main.js:1
v @ main.js:1
(anonymous) @ main.js:1
w @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
enqueue @ pxtapp.js:1
z @ main.js:1
saveFilesAsync @ main.js:1
(anonymous) @ main.js:1
Promise.then
setDependencyAsync @ main.js:1
(anonymous) @ main.js:1
Promise.then
(anonymous) @ main.js:1
Promise.then
addDependencyAsync @ main.js:1
B @ main.js:1
F @ main.js:1
await in F
H @ main.js:1
onClick @ main.js:1
g @ main.js:1
onClick @ main.js:1
Ge @ main.js:7
```

```
Ke @ main.js:7
  (anonymous) @ main.js:7
Ci @ main.js:7
Si @ main.js:7
  (anonymous) @ main.js:7
Pe @ main.js:7
  (anonymous) @ main.js:7
Ri @ main.js:7
Qt @ main.js:7
Jt @ main.js:7
  (anonymous) @ main.js:7
Gr @ main.js:7
De @ main.js:7
Zt @ main.js:7
pxtapp.js:1
```

```
      POST https://arcade.makecode.com/api/user/project 500
  (Internal Server Error)
  (anonymous) @ pxtapp.js:1
  (anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
staticApiAsync @ pxtapp.js:1
  await in staticApiAsync
  apiAsync @ pxtapp.js:1
    (anonymous) @ main.js:1
    await in (anonymous)
    (anonymous) @ main.js:1
    (anonymous) @ main.js:1
E @ main.js:1
  await in E
    (anonymous) @ main.js:1
    (anonymous) @ pxtapp.js:1
c @ pxtapp.js:1
  (anonymous) @ main.js:1
  await in (anonymous)
  _ @ main.js:1
    (anonymous) @ main.js:1
    await in (anonymous)
n @ main.js:1
  setTimeout
I @ main.js:1
  onDataChange @ main.js:1
    (anonymous) @ main.js:1
  Promise.then
```

```
(anonymous) @ pxtapp.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
n @ main.js:1
v @ main.js:1
(anonymous) @ main.js:1
w @ main.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
enqueue @ pxtapp.js:1
z @ main.js:1
saveFilesAsync @ main.js:1
(anonymous) @ main.js:1
Promise.then
setDependencyAsync @ main.js:1
(anonymous) @ main.js:1
Promise.then
(anonymous) @ main.js:1
Promise.then
addDependencyAsync @ main.js:1
B @ main.js:1
F @ main.js:1
await in F
H @ main.js:1
onClick @ main.js:1
g @ main.js:1
onClick @ main.js:1
Ge @ main.js:7
Ke @ main.js:7
(anonymous) @ main.js:7
Ci @ main.js:7
Si @ main.js:7
(anonymous) @ main.js:7
Pe @ main.js:7
(anonymous) @ main.js:7
Ri @ main.js:7
Qt @ main.js:7
Jt @ main.js:7
(anonymous) @ main.js:7
Gr @ main.js:7
De @ main.js:7
Zt @ main.js:7
```

pxtapp.js:1

GET

https://cdn.makecode.com/api/gh/unsignedarduino/procedurally-generate
d-platformer-2?cdn=20250403 404 (Not Found)

(anonymous) @ pxtapp.js:1

(anonymous) @ pxtapp.js:1

h @ pxtapp.js:1

l @ pxtapp.js:1

o @ pxtapp.js:1

(anonymous) @ pxtapp.js:1

T @ pxtapp.js:1

de @ main.js:1

await in de

re @ main.js:1

await in re

getAsync @ main.js:1

v @ main.js:1

(anonymous) @ main.js:1

w @ main.js:1

updateVisibilityAsync @ main.js:1

(anonymous) @ main.js:1

pxtapp.js:1 Error: Bad HTTP status code: 404 at

https://cdn.makecode.com/api/gh/unsignedarduino/procedurally-generate
d-platformer-2?cdn=20250403; message: {"message":"maximum file size
in package is ~128k; file main.blocks; size 222349"}

at pxtapp.js:1:68280

at async Object.T [as repoAsync] (pxtapp.js:1:215852)

at async de (main.js:1:1799481)

at async Object.re [as pullAsync] (main.js:1:1791274)

overrideMethod @ hook.js:608

error @ pxtapp.js:1

(anonymous) @ pxtapp.js:1

(anonymous) @ pxtapp.js:1

(anonymous) @ pxtapp.js:1

(anonymous) @ pxtapp.js:1

Promise.catch

(anonymous) @ pxtapp.js:1

T @ pxtapp.js:1

de @ main.js:1

await in de

re @ main.js:1

await in re

getAsync @ main.js:1

```
v @ main.js:1
(anonymous) @ main.js:1
w @ main.js:1
updateVisibilityAsync @ main.js:1
(anonymous) @ main.js:1
pxtapp.js:1
```

GET

```
https://cdn.makecode.com/api/gh/unsignedarduino/procedurally-generate
d-platformer-2?cdn=20250403 404 (Not Found)
```

```
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
```

```
h @ pxtapp.js:1
```

```
l @ pxtapp.js:1
```

```
o @ pxtapp.js:1
```

```
(anonymous) @ pxtapp.js:1
```

```
T @ pxtapp.js:1
```

```
de @ main.js:1
```

```
await in de
```

```
re @ main.js:1
```

```
await in re
```

```
getAsync @ main.js:1
```

```
v @ main.js:1
```

```
(anonymous) @ main.js:1
```

```
w @ main.js:1
```

```
updateVisibilityAsync @ main.js:1
```

```
(anonymous) @ main.js:1
```

```
pxtapp.js:1 Error: Bad HTTP status code: 404 at
```

```
https://cdn.makecode.com/api/gh/unsignedarduino/procedurally-generate
d-platformer-2?cdn=20250403; message: {"message":"maximum file size
in package is ~128k; file main.blocks; size 222349"}
```

```
    at pxtapp.js:1:68280
```

```
    at async Object.T [as repoAsync] (pxtapp.js:1:215852)
```

```
    at async de (main.js:1:1799481)
```

```
    at async Object.re [as pullAsync] (main.js:1:1791274)
```

```
overrideMethod @ hook.js:608
```

```
error @ pxtapp.js:1
```

```
(anonymous) @ pxtapp.js:1
```

```
(anonymous) @ pxtapp.js:1
```

```
(anonymous) @ pxtapp.js:1
```

```
(anonymous) @ pxtapp.js:1
```

```
Promise.catch
```

```
(anonymous) @ pxtapp.js:1
```

```
T @ pxtapp.js:1
```

```
de @ main.js:1
await in de
re @ main.js:1
await in re
getAsync @ main.js:1
v @ main.js:1
(anonymous) @ main.js:1
w @ main.js:1
updateVisibilityAsync @ main.js:1
(anonymous) @ main.js:1
pxtsim.js:1 [Violation] 'message' handler took 162ms
pxtapp.js:1
```

```
GET
https://cdn.makecode.com/api/gh/unsignedarduino/procedurally-generate
d-platformer-2?cdn=20250403 404 (Not Found)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
l @ pxtapp.js:1
o @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
T @ pxtapp.js:1
de @ main.js:1
await in de
re @ main.js:1
await in re
getAsync @ main.js:1
v @ main.js:1
(anonymous) @ main.js:1
w @ main.js:1
updateVisibilityAsync @ main.js:1
(anonymous) @ main.js:1
pxtapp.js:1 Error: Bad HTTP status code: 404 at
https://cdn.makecode.com/api/gh/unsignedarduino/procedurally-generate
d-platformer-2?cdn=20250403; message: {"message":"maximum file size
in package is ~128k; file main.blocks; size 222349"}
    at pxtapp.js:1:68280
    at async Object.T [as repoAsync] (pxtapp.js:1:215852)
    at async de (main.js:1:1799481)
    at async Object.re [as pullAsync] (main.js:1:1791274)
overrideMethod @ hook.js:608
error @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
```

```
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
Promise.catch
(anonymous) @ pxtapp.js:1
T @ pxtapp.js:1
de @ main.js:1
await in de
re @ main.js:1
await in re
getAsync @ main.js:1
v @ main.js:1
(anonymous) @ main.js:1
w @ main.js:1
updateVisibilityAsync @ main.js:1
(anonymous) @ main.js:1
pxtapp.js:1
```

POST <https://arcade.makecode.com/api/user/project> 500

```
(Internal Server Error)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
staticApiAsync @ pxtapp.js:1
await in staticApiAsync
apiAsync @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
(anonymous) @ main.js:1
(anonymous) @ main.js:1
E @ main.js:1
await in E
(anonymous) @ main.js:1
(anonymous) @ pxtapp.js:1
c @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
_ @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
n @ main.js:1
setTimeout
I @ main.js:1
(anonymous) @ main.js:1
```

```
onDataChanged @ main.js:1
(anonymous) @ main.js:1
Promise.then
(anonymous) @ pxtapp.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
n @ main.js:1
v @ main.js:1
(anonymous) @ main.js:1
w @ main.js:1
updateVisibilityAsync @ main.js:1
(anonymous) @ main.js:1
pxtapp.js:1
```

```
POST https://arcade.makecode.com/api/user/project 500
(Internal Server Error)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
staticApiAsync @ pxtapp.js:1
await in staticApiAsync
apiAsync @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
(anonymous) @ main.js:1
(anonymous) @ main.js:1
E @ main.js:1
await in E
(anonymous) @ main.js:1
(anonymous) @ pxtapp.js:1
c @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
_ @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
n @ main.js:1
setTimeout
I @ main.js:1
(anonymous) @ main.js:1
onDataChanged @ main.js:1
(anonymous) @ main.js:1
Promise.then
(anonymous) @ pxtapp.js:1
```

```
(anonymous) @ main.js:1
(anonymous) @ main.js:1
n @ main.js:1
v @ main.js:1
(anonymous) @ main.js:1
w @ main.js:1
updateVisibilityAsync @ main.js:1
(anonymous) @ main.js:1
pxtapp.js:1
```

```
POST https://arcade.makecode.com/api/user/project 500
(Internal Server Error)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
staticApiAsync @ pxtapp.js:1
await in staticApiAsync
apiAsync @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
(anonymous) @ main.js:1
(anonymous) @ main.js:1
E @ main.js:1
await in E
(anonymous) @ main.js:1
(anonymous) @ pxtapp.js:1
c @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
_ @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
n @ main.js:1
setTimeout
I @ main.js:1
(anonymous) @ main.js:1
onDataChanged @ main.js:1
(anonymous) @ main.js:1
Promise.then
(anonymous) @ pxtapp.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
n @ main.js:1
v @ main.js:1
```

```
(anonymous) @ main.js:1
w @ main.js:1
updateVisibilityAsync @ main.js:1
(anonymous) @ main.js:1
pxtapp.js:1
```

```
POST https://arcade.makecode.com/api/user/project 500
(Internal Server Error)
(anonymous) @ pxtapp.js:1
(anonymous) @ pxtapp.js:1
h @ pxtapp.js:1
staticApiAsync @ pxtapp.js:1
await in staticApiAsync
apiAsync @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
(anonymous) @ main.js:1
(anonymous) @ main.js:1
E @ main.js:1
await in E
(anonymous) @ main.js:1
(anonymous) @ pxtapp.js:1
c @ pxtapp.js:1
(anonymous) @ main.js:1
await in (anonymous)
_ @ main.js:1
(anonymous) @ main.js:1
await in (anonymous)
n @ main.js:1
setTimeout
I @ main.js:1
(anonymous) @ main.js:1
onDataChanged @ main.js:1
(anonymous) @ main.js:1
Promise.then
(anonymous) @ pxtapp.js:1
(anonymous) @ main.js:1
(anonymous) @ main.js:1
n @ main.js:1
v @ main.js:1
(anonymous) @ main.js:1
w @ main.js:1
updateVisibilityAsync @ main.js:1
(anonymous) @ main.js:1
```

