

Slot Cars NEPA 1/24 Rules

1/24 H&R Classes

- Vintage Trans Am
 - Any Historic Trans-Am car, 1966-1972
 - Unmodified H&R Brass 2-piece chassis
 - Must use H&R 26k RPM Motor
 - Must use 9t brass pinion
 - Any 48p plastic crown gear
 - Front Wheels, 27x10mm foam, may be trued and cut
 - Rear Wheels, 27x10mm H&R Solid Silicone
- Modern Trans Am 3
 - Any Trans-Am 3 car
 - Unmodified H&R Brass 2-piece chassis
 - Must use H&R 26k RPM Motor
 - Must use 9t brass pinion
 - Any 48p plastic crown gear
 - Front Wheels, 27x10mm foam, may be trued and cut
 - Rear Wheels, 27x18mm Silicotes, "Candies" (Clem Caps are legal)
- IMSA GT
 - Any IMSA GT car
 - Unmodified H&R Brass 2-piece chassis
 - Must use H&R 26k RPM Motor
 - Must use 9t brass pinion
 - Any 48p plastic crown gear
 - Front Wheels, 27x10mm foam, may be trued and cut
 - Rear Wheels, 27x18mm Silicotes, "Candies" (Clem Caps are legal)
- Can-Am
 - Any Can-Am car
 - Unmodified H&R Brass 2-piece chassis
 - Must use H&R 26k RPM Motor
 - Must use 9t brass pinion
 - Any 48p plastic crown gear
 - Front Wheels, 27x10mm foam, may be trued and cut
 - Rear Wheels, 27x18mm Silicotes, "Candies" (Clem Caps are legal)
- Vintage GT
 - Any GT car, pre 1966
 - H&R Brass 2-piece chassis, may modify for wheel base only
 - Must use H&R 18k RPM Motor
 - Must use 9t brass pinion
 - Any 48p plastic crown gear
 - Front Wheels, 27x10mm foam, may be trued and cut
 - Rear Wheels, 27x10mm H&R Solid Silicone

Slot Cars NEPA 1/24 Rules

- Vintage LeMans
 - Any LeMans raced sports car or sports prototype, 1960-1972
 - H&R Brass 2-piece chassis, may modify for wheel base only
 - Must use H&R 26k RPM Motor
 - Must use 9t brass pinion
 - Any 48p plastic crown gear
 - Front Wheels, 27x10mm foam, may be trued and cut
 - Rear Wheels, 27x10mm H&R Solid Silicone, Silicotes, or "Candies"
- Modern NASCAR
 - Any NASCAR 1990 - present
 - Unmodified H&R Brass 2-piece chassis
 - Must use JK Products Hawk 25 motor
 - Must use 9t brass pinion
 - Any 48p plastic crown gear
 - Front Wheels, 27x10mm foam, can not be cut
 - Rear Wheels, 27x18mm Silicotes, "Candies" (Clem Caps are legal)
- Vintage NASCAR
 - Any NASCAR 1960 - 1972
 - Unmodified H&R Brass 2-piece chassis
 - Must use JK H&R 26k RPM Motor
 - Must use 9t brass pinion
 - Any 48p plastic crown gear
 - Front Wheels, 27x10mm foam, can not be cut
 - Rear Wheels, 27x10mm H&R Solid Silicone, Silicotes, or "Candies"
- Fairground Bomber
 - Any American made coupe or sedan, as would race at a local track
 - Unmodified H&R Brass 2-piece chassis
 - Must use JK Products Hawk 25 motor
 - Must use 9t brass pinion
 - Any 48p plastic crown gear
 - Front Wheels, 27x10mm foam, can not be cut
 - Rear Wheels, 27x18mm Silicotes, "Candies" (Clem Caps are legal)
- NASCAR Trucks (NASTruck)
 - Any NASCAR Truck body
 - Unmodified H&R Brass 2-piece chassis
 - Must use JK Products Hawk 25 motor
 - Must use 9t brass pinion
 - Any 48p plastic crown gear
 - Front Wheels, 27x10mm foam, can not be cut
 - Rear Wheels, 27x18mm Silicotes, "Candies" (Clem Caps are legal)

Slot Cars NEPA 1/24 Rules

- 1980s INDY CAR
 - Any 1980's INDY CAR
 - H&R Brass 2-piece chassis, cut to fit body
 - Must use Slot.it Boxxer motor
 - Must use 9t brass pinion
 - Any 48p plastic crown gear
 - Front Wheels, 27x10mm foam, may be trued and cut
 - Rear Wheels, 27x18mm Silicotes, "Candies" (Clem Caps are legal)