


Hướng dẫn Active Office 2016


Bước 1: Sau khi cài đặt xong Office 2016, bạn copy đoạn mã ở cuối bài

Bước 2: Bạn click chuột phải vào màn hình, chọn **New > Text Document** và dán đoạn mã vừa sao chép vào đó. (Tạo note mới)

Bước 3: Tiếp theo, bạn click vào **File > Save As...** và lưu file với tên **Office2016.cmd**.



Bước 4: Bạn tắt toàn bộ chương trình Office đang mở trên máy tính và click chuột phải vào file **Office2016.cmd** vừa tạo và chọn **Run as administrator**.



Bước 5: Chờ trong giây lát và nếu thấy dòng chữ **Product activation successful** xuất hiện, điều đó có nghĩa là bạn đã kích hoạt Office 2016 thành công.

- - - - - ĐOẠN MÃ CẦN COPY - - - - -

```
@echo off
title Activate Microsoft Office 2016 (ALL versions) for FREE -
MSGuides.com&cls&echo
=====
=====&echo #Project: Activating Microsoft software products
for FREE without additional software&echo
=====
=====&echo.&echo #Supported products:&echo - Microsoft Office
Standard 2016&echo - Microsoft Office Professional Plus
2016&echo.&echo.&(if exist "%ProgramFiles%\Microsoft
Office\Office16\ospp.vbs" cd /d "%ProgramFiles%\Microsoft
Office\Office16")&(if exist "%ProgramFiles(x86)%\Microsoft
Office\Office16\ospp.vbs" cd /d "%ProgramFiles(x86)%\Microsoft
Office\Office16")&(for /f %x in ('dir /b
..\root\Licenses16\proplusvl_kms*.xrm-ms') do cscript ospp.vbs
/inslic:"..\root\Licenses16\%x" >nul)&(for /f %x in ('dir /b
..\root\Licenses16\proplusvl_mak*.xrm-ms') do cscript ospp.vbs
```

```

/inslic:"..\root\Licenses16\%%x" >nul)&echo.&echo
=====
====&echo Activating your Office...&cscript //nologo ospp.vbs
/setprt:1688 >nul&cscript //nologo ospp.vbs /unpkey:WFG99 >nul&cscript
//nologo ospp.vbs /unpkey:DRTFM >nul&cscript //nologo ospp.vbs
/unpkey:BTDRB >nul&cscript //nologo ospp.vbs /unpkey:CPQVG >nul&set
i=1&cscript //nologo ospp.vbs /inpkey:XQNVK-8JYDB-WJ9W3-YJ8YR-WFG99
>nul||goto notsupported
:skms
if %i% GTR 10 goto busy
if %i% EQU 1 set KMS=kms7.MSGuides.com
if %i% EQU 2 set KMS=e8.us.to
if %i% EQU 3 set KMS=e9.us.to
if %i% GTR 3 goto ato
cscript //nologo ospp.vbs /sethst:%KMS% >nul
:ato
echo
=====
====&echo.&echo.&cscript //nologo ospp.vbs /act | find /i "successful"
&& (echo.&echo
=====
====&echo.&echo #My official blog: MSGuides.com&echo.&echo #How it
works: bit.ly/kms-server&echo.&echo #Please feel free to contact me at
msguides.com@gmail.com if you have any questions or
concerns.&echo.&echo #Please consider supporting this project:
donate.msguides.com&echo #Your support is helping me keep my servers
running 24/7!&echo.&echo
=====
====&choice /n /c YN /m "Would you like to visit my blog [Y,N]?" & if
errorlevel 2 exit) || (echo The connection to my KMS server failed!
Trying to connect to another one... & echo Please wait... & echo. &
echo. & set /a i+=1 & goto skms)
explorer "http://MSGuides.com"&goto halt
:notsupported

```

```
echo
=====
====&echo.&echo Sorry, your version is not supported.&echo.&goto halt
:busy
echo
=====
====&echo.&echo Sorry, the server is busy and can't respond to your
request. Please try again.&echo.
:halt
pause >nul
```