

Single-page form with validations

```
<html >
<head>
  <title>Form</title>
</head>
<body>
  <p>This is a form</p>
  <form>
    <p>Name:</p>
    <input type="text" required>
    <p>Email:</p>
    <input type="email" required>
    <p>Address:</p>
    <input type="text" required>
    <br>
    <button style="margin-top: 5px;">
      Submit
    </button>
  </form>
</body>
</html>
```

Start a PHP Session

```
<?php
// Start the session
session_start();
?>

<html>
<body>

<?php
// Set session variables
$_SESSION["favcolor"] = "green";
$_SESSION["favourite"] = "cat";
echo "Session variables are set.";
?>

</body>
</html>
```

Get PHP Session Variable Values

```
<?php
```

```
session_start();
```

```
?>
```

```
<html>
```

```
<body>
```

```
<?php
```

```
// Echo session variables that were set on previous page
```

```
echo "Favorite color is " . $_SESSION["favcolor"] . ".<br>";
```

```
echo "Favorite animal is " . $_SESSION["favanimal"] . " .";
```

```
?>
```

```
</body>
```

```
</html>
```

Modify a PHP Session Variable

```
<?php
session_start();

?>

<html>

<body>

<?php
// to change a session variable, just overwrite it
$_SESSION["favcolor"] = "yellow";
print_r($_SESSION);
?>

</body>

</html>
```

Destroy a PHP Session

```
<?php
```

```
session_start();
```

```
?>
```

```
<html>
```

```
<body>
```

```
<?php
```

```
// remove all session variables
```

```
session_unset();
```

```
// destroy the session
```

```
session_destroy();
```

```
?>
```

```
</body>
```

```
</html>
```