Journal of Ocean, Mechanical and Aerospace
-Science and Engineering-
……., 2025
..... 2025. Vol.... No...

Title Should Be Written In Times New Roman Font Size 18 and Centered Alignment

bbbbbbbbb,[a,*] and ccccccccccc,[b]

[a)]*Pipeline and Subsea System Engineering, Ocean and Aerospace Engineering Research Institute, Japan*
[b)]*Mechanical Engineering, Universitas Riau, Indonesia*

*Corresponding author: xxxxxxx@xxxx.edu

Paper History

Received: xxxxx
Received in revised form: xxxxx
Accepted: xxxxxxx

ABSTRACT

The abstract should be consisting summary for the paper. Total number of words in summary should be around 150 words.

KEYWORDS: *Please give three to five key words for each paper, the keywords should be font Times New Roman 9 pt ITALIC.*

NOMENCLATURE

API	American Petroleum Institute
ΔT ΔT	Temperature Difference in and out
F_T F_T	Thermal Expansion
L_A L_A	Anchor Length
ΔL ΔL	Expansion
F_P F_P	Pressure Force
ε_{sd} ε_{sd}	Design Compressive Strain

1. SUBTITLE

Subtitle should be labeled as 1.0, 2.0 etc. The subtitle should write in Times New Roman and font size 10. TWO line space is required between the subtitles to the end of previous paragraph. Give ONE line between the main texts after the subtitle too. It is required ONE space between the number label and the Subtitle.

1.1 Sub-Subtitles

Give ONE line spacing between the Sub-subtitles to previous main text paragraph. No line spacing required between the Sub-subtitles to the main text paragraph after the Sub-subtitle. The subtitle should write in Times New Roman and font size 9. Please and Capitalize Each Word and **BOLD** all sub-subtitles. It is required ONE space between the number label and the Sub-subtitle.

2. PAPER FORMAT

2.1 Font Format

The font text should be Times New Roman for whole paper included main texts, title and subtitle. Title should be written in Times New Roman Font Size 18, Capital Letter for first alphabet of word, **BOLD** and centered alignment. Font size 10, **BOLD** and CAPITAL LETTER used for subtitle, (Example: 1.0 SUBTITLE, ABSTRACT, KEYWORDS, NOMENCLATURE). Sub-subtitle should be used font size 9, **BOLD** and Capitalize Each Word. Font size 9 should use for other text in the paper. The KEYWORDS should be used Times New Roman *ITALIC* size 9.

2.2 Spacing Format

Please use single spacing 1.0 for whole paper. The spacing before and after should settled to 0 pt. Do not add space before or after paragraph. Besides, it is no line space between paragraphs in same subtitle or sub-subtitles.

Indentation for first paragraph after the Subtitle or Sub-subtitles is 0 cm for left and right and (None) Special. For second paragraph, the Indentation is 0 cm for left and right. However, the Special should settle to First Line by 0.5 cm. Please select justify alignment for whole texts inside paper except for the table and figure labels which can be fixed into one line only. A screen shoot example for the spacing format is shown in Figure 1.

3. TABLE AND FIGURE

All tables must have a table label with the font size 9 before the table. No line spacing needed between the table's labels with the table. But ONE line spae is needed between the tables' labels with the previous paragraph and between the tables with the next paragraph. The example of table and its label are as shown in Table 1.

JOMAse | Received: xxxxx | Accepted: xxxxx | [(1) 1: 1-3]
Published by International Society of Ocean, Mechanical and Aerospace Scientists and Engineers, www.isomase.org., ISSN: 2354-7065 & e-ISSN: 2527-6085



Figure 1: Spacing setup for the journal paper

Table 1: SMYS and SMTS

API Grade	SMYS MPa	SMTS MPa
X42	289	413
X46	317	434
X52	358	455
X56	386	489
X60	413	517
X65	448	530
X70	482	565
X80	551	620

The figure label should put after the figure. No line spacing is needed between figure and label. However, ONE line space is needed between figure with previous paragraph and between the figure labels with next paragraph. The Figure label should write in Times New Roman size 9. Example of the figure and it label is depicted in Figure 2.

All figure and table inside the paper should give a number follow by it sequence inside paper. Only short description is needed for every figure and table.



Figure 2: Stern hull designs for podded propulsion system

4. EQUATION

All equation must be written in *Times New Roman ITALIC* with font size 9. All equation must be labeled by number. An example equation is shown as below:

$$F_{P1} = PA_i[\,1 - \frac{2v(D-t)}{(D-2t)}]\; F_{P1} = PA_i[\,1 - \frac{2v(D-t)}{(D-2t)}] \quad (1)$$

JOMAse | Received: xxxxx | Accepted: xxxxx | [(1) 1: 1-3]
Published by International Society of Ocean, Mechanical and Aerospace Scientists and Engineers, www.isomase.org., ISSN: 2354-7065 & e-ISSN: 2527-6085

$$F_{F1} = fW_S x_1 \; F_{F1} = fW_S x_1$$
(2)

Please give ONE line space before equation, after equation and between equations.

5. REFERENCES

All citation in this paper must be labeled in square bracket and number. (*The example to make a citation in paper is in next paragraph)*.

It should be emphasized that the effective rescue may be carried out if two components are available: quick notification about the catastrophe and quick arriving to the rescue means to the point of distress [1-5]. According to Graham K Taylor, its main attributes wing in ground is: turning the business machine faster, bringing destinations closer together, opening new routes within acceptable journey times, no sea motion, or sea sickness low fatigue for occupants or equipment, no wash, no environmental damage to waterways, no effect on other waterway users [6]. Immune to sea or river currents, will not hit floating objects such as driftwood, whales, etc. In the rescue environment Wing In Ground attributes are: ability to cover a wide area within a short time, Rapid response capability – rapid closure [7,8].

All references must be listed in "**REFERENCE"**. Please label the reference list by number. Also, please refer to the attachment for the detail to make the reference list.

Please give TWO lines Space before the label "**REFERENCE"** with previous paragraph and give ONE line space after the label before start to list your references.

5.0 CONCLUSION

In conclusion, this paper explained the format used in Journal Ocean, Mechanical and Aerospace -Science and Engineering-. To easy the authors organize their paper, please download the empty template from the webpage. Inside the template, the formatwere pre-settled for authors in "Styles" function of Microsoft Word 2010. The format Styles Title, Subtitles, Sub-subtitle and normal were pre-set for author to format the paper.

ACKNOWLEDGEMENTS

The authors would like to convey a great appreciation to Ocean and Aerospace Engineering Research Institute, Japan for supporting this research.

REFERENCES

This guide contains examples of references.

Journal

[1] Shao, B., Yan, X.Z. & Yang, X.J. (2011). Reliability analysis of locally thinned submarine pipelines in cheng dao oil field. *Applied Mechanics and Materials*, 94-96, 1527-1530.

[2] Susilawati, A., Roni, G., Yohanes, Y., Anuar, K. & Fatiya, F. (2024). Development of rice threshing machine based quality function deployment approach – A case study. *Journal of Ocean, Mechanical and Aerospace -Science and Engineering-, 68*(2), 99-105. doi:10.36842/jomase.v68i2.373.

[3] Appiah, M.K., Danuor, S.K. & Bienibuor, A.K. (2024). Performance of continuous wavelet transform over Fourier transform in features resolutions. *International Journal of Geosciences,* 15(2), 87–105.

Conference Proceedings

[4] Koto, J., Khair, A. & Selamat, A. (2015). Ultra deep water subsea pipeline design and assessment. *Proceeding of Ocean, Mechanical and Aerospace -Science and Engineering*, 2, 38-43.

[5] Li, Z.G., Chen, Y., Gong, S.F. & Jin, W.L. (2010). Configuration of submarine pipeline for deepwater s-lay technique. In *ISOPE International Ocean and Polar Engineering Conference* (pp. ISOPE-I). ISOPE.

[6] Arief, D.S., Wirjosentono, B., Ginting, A., Koto, J. & Dalil, M. (2024). Simulation and experimental study of friction stir welding on high-density polyethylene with variation of tool rotation speed. In *AIP Conference Proceedings* (Vol. 3053, No. 1). AIP Publishing.

Books

[7] Palmer, A.C. & King, R.A. (2008). *Subsea Pipeline Engineering*: Pennwell Corporation.

[8] Bai, Y. & Bai,Q. (2010). *Subsea Engineering Handbook*: Elsevier.

[9] Nisbett, J.K. & Budynas, R.G. (2024). *Shigley's Mechanical Engineering Design*. New York, USA: McGraw-Hill.

Theses and Dissertations

[10] Leon, S.E. (2022). *Evolution of Trending Topics in Mechanical Engineering Research Theses*. Doctoral dissertation, Massachusetts Institute of Technology.

[11] Bahtiri, D. (2022). *Accelarating Multiphase Computional Fluid Dynamics using Artificial Neural Networks*. Master theses, Eindhoven University of Technology.

Electronic Document and Internet Site

[12] https://digiwarestore.com/id/other-appliances/usb-mini-submersible-water-pump-5v-dc-713504.html. Accessed: 2 August 2024.

[13] Badan Pusat Statistik (BPS). (2024). *Geografi dan iklim Kabupaten Tapanuli Selatan dalam angka 2024*. https://tapanuliutarakab.bps.go.id/id/publication/2024/02/28/32a5f20758bf49758c3a19a5/kabupaten-tapanuli-utara-dalam-angka-2024.html. Accessed: 19 December 2024.

[14] American Concrete Institute Technical Committee 440, (2008). Guide for the design and construction of externally bonded FRP syste for strengthening concrete structures, ACI 440.2R-0. https://helpcomposite.ru/f/no2-02_aci_4402r-08.pdf. Accessed: 07 March 2023.

JOMAse | Received: xxxxx | Accepted: xxxxx | [(1) 1: 1-3]
Published by International Society of Ocean, Mechanical and Aerospace Scientists and Engineers, www.isomase.org., ISSN: 2354-7065 & e-ISSN: 2527-6085