

Приложение 1

Annex 1

ФОРМА КОММЕРЧЕСКОГО ПРЕДЛОЖЕНИЯ ДЛЯ RFQ закупка оборудования для сертификации Боксов биологической безопасности/ REQUEST FOR QUOTATION FORM for EpiC:011/25 Procurement of equipment for Biosafety cabinets certification

Дата / Date	
Полное юридическое название компании Full legal name of the organization	
Полное название на английском языке Full name in English	
Юридический статус Legal status	
ФИО уполномоченного представителя компании Name of authorized representative of the company	
ФИО руководителя компании Director of the company	
ИНН TIN	
Юридический адрес Legal Address	
Фактический адрес Actual Address	
Контактные данные (номер телефона, адрес электронной почты) /Contact details (Telephone, e-mail)	
Банковские реквизиты Bank details	
Статус плательщика НДС VAT payer status	
Сколько времени компания работает на рынке? How long has the company been in the market?	
Список аналогичных контрактов (не менее 2-х и не более 10, поставка аналогичных товаров и услуг, название заказчика, вид товаров/услуг, сумма контракта) List of similar contracts (at least 2 and no more than 10, delivery of similar goods and services, customer name, type of goods / services, contract amount)	

Изучив запрос коммерческого предложения, любезно предлагаем на рассмотрение наше коммерческое предложение в соответствии с указанными Техническими спецификациями.

Ответ на запрос не влечет за собой каких-либо обязательств со стороны заказчика.

Having examined the request for quotation, we kindly offer our quotation for your consideration in accordance with the specified Technical Specifications.

The response to the request does not entail any obligations from the part of the customer.

Дата/Date:

ФИО, Должность /Name, Position

Подпись/Signature:_____ Печать/Stamp:

ЦЕНОВОЕ ПРЕДЛОЖЕНИЕ ДЛЯ RFQ EpiC:011/25 / PRICE OFFER FOR RFQ EpiC:011/25

Наименование товара / Description of goods	Спецификации/ Specifications	Кол-во / Quantity	Стоимость за ед. (с учётом всех расходов) / Unit price (including all expenses)	Общая стоимость (с учётом всех расходов) / Total amount (including all expenses)	Сроки доставки / Delivery timeframe	Предоставьте детальную информацию по каждому оборудованию с техническими характеристиками, включая производителя предлагаемого оборудования и/или фотографию оборудования.) / Please provide detailed information on each equipment with technical specification including reference to the manufacturer of the proposed equipment and/or a photo of the equipment.
Digital Multimeter	True RMS AC/DC Clamp Meter: 600V Range, 0.1A Resolution, 2% Accuracy	2 units				
Thermoanemometer Articulated Probe	Measuring Capabilities of: Velocity (Velocity Range: 25- 2,500 ft/min), Relative Humidity (5-95%), Temperature (40-140F). 3% Accuracy	2 units				
Thermoanemometer Straight Probe	Measuring Capabilities of: Velocity (Velocity Range: 25- 2,500 ft/min), Temperature (40-140F). 3% Accuracy	2 units				
Canopy	10" x 20" (255 mm x 535 mm) Canopy-air capture hood for certification Biosafety cabinets.	2 units				
Aerosol Photometer	Case: Black Aluminum w/ comb. lock Size: 13" L x 18" W x 6.5" H Weight: 20 lbs. (9.1 kg) Power: 100-250 VAC 50/60 Hz Power Consumption: .92Amps @ 120V .46Amps @ 240V Minimum Display Reading: .0001% Maximum Display Reading: 1000% Sample Flow Rate: 1 CFM (28.3 SLPM)	2 units				

Aerosol Generator	Case: Black Aluminum w/ Handle Size: 14.5" L x 11.25" W x 9.75" H Weight: 35 lbs. (15.9 kg) Power: 115 VAC 60 Hz or 220VAC 50 Hz Reagent: PAO or equivalent Testing Range: 34 – 2,025 CFM Aerosol Generation: 0.25 → 1.5 laskin nozzles: Aerosol Output @ 34cfm: 100 ug/l Aerosol Output @ 2025cfm: 10 ug/l	2 units				
Balometer	Electronic Micromanometer, Back Pressure Compensation, 25 - 2,500 ft ³ /min, 0.00001"wg. Instrument for measuring air velocity, pressure and temperature. Included Items: air capture hood/frame/base.	2 units				
Smoke Generator	Remote Controlled. Dimensions-10.1 x 5.4 x 3.8" / 25.7 x 13.7 x 9.7 cm. Weight-385 g. Power Consumption-30 W.	2 units				
Smoke Solution	Vegetable/Glycerin Based Smoke Fluid. Designed for smoke machine (generator). 12ml/ bottle, 6 bottles/box.	2 boxes				
Holder	Holder, Jumbo. Use wherever clamping at 90° is required. Material-Aluminum, includes Thumb Screws. Autoclavable. Capacity (Metric)-18 mm.	2 units				
Ring Stand	Material: Cast Iron Base, Epoxy Powder Coating, Nickel Plated Steel Rod, Rod Length-49.5 cm, Width (Metric)-20.3 cm. Length (Metric) Rod-49.5 cm.	2 units				
Three Finger Adjustable Clamp	0-60mm Grip, Chrome-plate Zinc Alloy or Stainless Steel, Length-154mm	2 units				
PAO oil	Reagents are used for in situ leakage testing and production quality control efficiency testing of high-efficiency air filters. Available Sizes- 1-gallon and 5-gallon containers	5 gallon				
ИТОГО / TOTAL:						

Дата/Date:

ФИО, Должность /Name, Position

Подпись/Signature: _____ Печать/Stamp:

