

## Notice

### **Canalside Crematorium**

**2504271 Ontario Limited c.o.b. Canalside Crematorium** has submitted by-laws to the Registrar of the *Funeral, Burial, and Cremation Services Act, 2002*. Any interested parties may contact **Steve Bremner** at Tel: (289) 969-7529 for information, or to make copies. By-laws or amendments may be reviewed or copied at **421 Prince Charles Drive S., Welland, Ontario**.

These by-laws are subject to the approval of the Registrar, *Funeral, Burial, and Cremation Services Act, 2002*. Telephone: Bereavement Authority of Ontario 647-483-2645 or 1-844-493-6356

---

By-Law 1: Identification of the deceased shall be made prior to the delivery of the deceased to the crematorium

By-law 2: The crematorium hours of operation are 8:30 a.m. to 4:30 p.m. Monday - Friday

By-Law 3: Before cremation can take place, the following documents must be completed, delivered to the office or crematorium, signed by the proper authority, and approved:

1. Cremation contract
2. Cremation application
3. Coroner's certificate
4. Burial permit

By-Law 4: A deceased person shall only be received for cremation in a fully combustible casket or container deemed appropriate and with a top, four sides and a solid bottom allowing the casket/container which encases the human remains to be moved by using a set of rollers.

By-Law 6: The crematorium will not cremate a casket/container constructed of non-flammable or hazardous material or a material prescribed by the regulations under the Funeral Burial and Cremation Services Act, 2002, of Ontario Regulation 30/11, nor will the crematorium cremate a body in which a pacemaker or other prescribed device is present. This does not limit the right to refuse to cremate, in any instance, and without assigning reasons.

By-law 7: The crematorium will not under any circumstances cremate an individual with radioactive implants, or an individual who has received microscopic radioactive isotope implant treatment such as thera-seed. An implant heart pacemaker or other implanted radioactive devices could explode during the cremation process and are to be removed by the funeral establishment or transfer service operator, or others before the deceased is delivered to the

crematorium for cremation. The purchaser of the cremation services will be liable for any damage caused to the crematorium or for the injury/exposure to crematorium staff for failing to notify the funeral establishment or transfer service, or any other personnel responsible for the removal of such a device, of the existence of such radioactive implants.

By-Law 8: Twelve (12) working hours' notice is required before a cremation can take place.

By-Law 9: Twelve (12) working hours' notice is required if relatives and friends wish to view the cremation process. A limited number of observers will be allowed in the crematorium before or during a cremation. Access can be denied by the crematorium staff.

By-Law 10: Stainless steel/metal Identification tags will be placed with the human remains throughout all the stages of the cremation process.

### **ADDENDUM**

By-Law 5: Once received by the crematorium personnel, the casket/container will remain closed unless permission is given by the purchaser or authorized representative or Judge's order allowing the licensed funeral director to open the casket or container. Under no circumstances will crematorium staff be allowed to open the casket or container.

By-Law 11: Due to the nature of the cremation process, no valuables or personal property will be recoverable and should be removed by the Applicant before the casket or cremation container is transferred into the care of the Crematorium. Any valuables or personal property left in the casket or cremation container is at the sole risk of the Applicant and the Owner shall not be responsible for damage or loss occurring.

By-Law 12: Human remains only will be cremated

By-Law 13: Owner will not cremate the remains of more than one person at a time without consent from the legally authorized person.

By-Law 14: The Owner's decision to determine what items may be placed in the casket or cremation container shall be final.