

Login system

```
// Import required packages
import com.mysql.jdbc.Connection
import java.sql.ResultSet
import java.sql.SQLException
import javax.swing.JOptionPane
import java.sql.*
import java.io.*

// Define a class named MenuLogin
class MenuLogin extends javax.swing.JFrame {

    // Define private fields
    private static Connection Con
    private ResultSet RsUser
    private String username
    private KoneksiMySQL kmsql

    // Define the constructor
    MenuLogin() {
        // Call the superclass constructor and set the title
        super("Sistem Penilaian Kinerja Karyawan")
        // Call the initComponents method
        initComponents()
    }

    // Define a private method named initComponents
    private void initComponents() {
        // Create GUI components
        buttonGroup1 = new javax.swing.ButtonGroup()
        jPanel1 = new javax.swing.JPanel()
        jLabel1 = new javax.swing.JLabel()
        jLabel2 = new javax.swing.JLabel()
        jLabel3 = new javax.swing.JLabel()
        user = new javax.swing.JTextField()
        pass = new javax.swing.JPasswordField()
        jButton1 = new javax.swing.JButton()
        jButton2 = new javax.swing.JButton()
        jButton3 = new javax.swing.JButton()

        // Set the default close operation and disable resizing
        setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE)
        setResizable(false)
```

```

// Set the panel border
jPanel1.setBorder(javax.swing.BorderFactory.createTitledBorder("HRIS LOGIN SYSTEM"))

// Set the label text
jLabel1.setText("Masukkan Username dan Password")

// Set the icon and label text for jLabel2 and jLabel3
jLabel2.setIcon(new javax.swing.ImageIcon(getClass().getResource("/Gambar/pembeli.png")))
jLabel2.setText("Username")
jLabel3.setIcon(new javax.swing.ImageIcon(getClass().getResource("/Gambar/daftar
pelanggan.png")))
jLabel3.setText("Password")

// Set the button icon, text and add action listener for jButton1
jButton1.setIcon(new javax.swing.ImageIcon(getClass().getResource("/Gambar/daftar
anggota.png")))
jButton1.setText("LOGIN")
jButton1.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton1ActionPerformed(evt)
    }
})

// Set the button icon, text and add action listener for jButton2
jButton2.setIcon(new javax.swing.ImageIcon(getClass().getResource("/Gambar/report film.png")))
jButton2.setText("CLEAR")
jButton2.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton2ActionPerformed(evt)
    }
})

// Set the button icon, text and add action listener for jButton3
jButton3.setIcon(new javax.swing.ImageIcon(getClass().getResource("/Gambar/exit.png")))
jButton3.setText("EXIT")
jButton3.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton3ActionPerformed(evt)
    }
})

// Set the panel layout and add the components
javax.swing.GroupLayout jPanel1Layout = new javax.swing.GroupLayout(jPanel1)

```

```
jPanel1.setLayout(jPanel1Layout)
jPanel1Layout.setHorizontalGroup(
    jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel1Layout.createSequentialGroup()
            .addGap(36, 36, 36)

            .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
                .addComponent(jLabel1)
                .addGroup(jPanel1Layout.createSequentialGroup()
                    .addGap(17, 17, 17)

                    .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                        .addComponent(jLabel3)
                        .addComponent(jLabel2))
                    .addGap(57, 57, 57)
                    .addGroup(jPanel1Layout
```

Original code:

[8514tV - Online Java Compiler & Debugging Tool - Ideone.com](https://ideone.com/8514tV)