

DATA SHEET

# ASTRID PLUS RT-XL

**6x320W LED**



\*image for illustration purposes

**LED**

6x320W LED

**LUMEN**

270.000 lm

**LIGHTING AREA**

7800 sqm (20 lux)  
13200 sqm (01 lux)

Rated frequency	50 Hz
Voltage	230 V
Operating temperature	-30 / +50
Sound Level	61 dB
Control unit	ComAp LTC80 / DeepSea L401
Auxiliary power	2 kVA

**ENGINE**

Model	Yanmar 3TNM68
Speed	1500 rpm
Coolant	Liquid
Cylinders	3
Emissions	Stage V

**ALTERATOR**

Model	Linz Alumen
Output power	5 kVA

**CONSUMPTION**

Fuel consumption	0,6 l/h
Tank	110 l
Fuel	Diesel
Running time	183 h

**GALVENIZED MAST FEATURES**

Height	8.5 m
Mast	Hydraulic
Rotation	350°
Wind speed resistance	110 km/h

**CANOPY & TRAILER**

Trailer	Road - tow trailer EU approved
Tyres	185/70/R13
Bunded tank base	110%
Stabilizers	4 + 1 (wheel)
Canopy	Powder coating paint



**TECHNICAL SPECIFICATIONS** **ASTRID PLUS RT-XL**

**SHIPMENT DATA**

Dimension	240x148,5x266,5 cm
Weight	900 kg
Truck	11 unit
Container 40"	11 unit

**OPTIONAL**

Optional included as standard	Grid-engine selector
	-----
	Dusk to dawn sensor with Autostart
	-----
	AMOSS KIT (Trolley safety system)
	-----
	Battery isolator
-----	
Variable trailer height	
-----	
Electric tilting head	
-----	
Oil extraction pump	

