

Local Manager GUI
SFTPPlus Client MFT
Slide Overview

GENERAL Status Past activity Reports Keys and Certificates Review changes CONFIGURATION Server Services Transfers Resources Authentications Databases Locations Groups Accounts Roles Administrators


Event Handlers

Transfers Transfers are used to monitor file changes and trigger file exchange. Create new transfer + Add transfer • rules to automate Name your file transfer Copy Transfer - ACC - Weekends operations. Copy Transfer ACC 1 Copy Copy Transfer ACC 2 Сору Copy Transfer Test - with postporcess Move Move Transfer - ACG - Weekends Move Move Transfer ACG 1 Move Move Transfer ACG 2 Move Transfer Test - with postprocess Move

Browser-based web administration interface to manage all transfers


GENERAL Status Past activity Reports Keys and Certificates Review changes CONFIGURATION Server Services Transfers Resources Authentications Databases Locations Groups Accounts Roles Administrators **Event Handlers**

Configure transfer "Copy Transfer - ACC1"



Transfer rules are initiated based on changes to monitored paths, such as the source path

Source configuration



FTPPlus Local Manage	er Authenticated as admin	Logout	
	rectly count	7	
GENERAL		Number of times a file is retried to be transferred on failures.	Configure
Status	Retry wait	60	detailed transfer
Past activity		Number of seconds to wait before retrying a failed file.	
Reports		Number of seconds to wait before retrying a failed file.	rules according
Keys and Certificates	Archive success path	/Account_Payroll/Success	
Review changes		Path to a folder on the local location where to keep a copy of files which were successfully transf	to requirements
CONFIGURATION	Archive failed path	/Account_Payroll/Fail	
Server		Path to a folder on the local location where to keep a copy of files which failed to be transferred.	o disable archiving, leave this option empty.
Services			
Transfers	Execute before		
Resources		Executable or script called before processing a source file. Called with full path to file as first argu	ment.
Authentications	Execute after success	archive_and_date_transfers.bat	
Databases		Executable or script called after a file was successfully transferred. Called with full path to file as f	rst argument.
Locations			
Groups	Execute after failure	archive_and_date_fail.bat	
Accounts		Executable or script called after a file transfer failed. Called with full path to file as first argument.	
Roles	Execute before on		Add custom
Administrators	destination	List of commands called before processing a transfer.	
Event Handlers	Execute after success on destination	List of commands called after a successful transfer.	scripts for any additional
	Execute after failure on destination		transfer actions

List of commands called after a transfer failed.

Status

Past activity

Reports

Keys and Certificates

Review changes

CONFIGURATION

Server

Services

Transfers

Resources

Authentications

Databases

Locations

Groups

Accounts

Roles

Administrators

Event Handlers

Event Handlers Event handlers perform actions based on emitted events. Log the event, send to remote locations, etc...

+ Add event	handler -		
Startup	Name	Туре	
Enabled	Account activity of failied transfers	Audit account activity	*
Enabled	Database Logger	Store in database	×
Enabled	Default Local Log File	Store in local file	/ ×
Enabled	Dispatch File - Finance - DMZ Inbox to DMZ Outbox	Dispatch file	×
Disabled	Dispatch File - IT_Dept - DMZ Inbox to DMZ Outbox	Dispatch file	×
Enabled	Dispatch File - Marketing - DMZ Inbox to DMZ Outbox	Dispatch file	×
Disabled	Dispatch File - test for YourCompany	Dispatch file	×
Enabled	Email Alert for Accounts - Failed Transfers - PDF	Send as email	×
			/ ×

Browser-based web administration interface to manage event handlers including file dispatch

Status

Past activity

Reports

Keys and Certificates

Review changes

CONFIGURATION

Server

Services

Transfers

Resources

Authentications

Databases

Locations

Groups

Accounts

Roles

Administrators

Event Handlers

Configure event handler "Dispatch File - Finance - DMZ Inbox to DMZ Outbox"

Enable at startup Yes No Enable this log handler at server startup. dcbbb109-65a9-4cf9-9225-a879910d5d43 Cannot be changed at runtime. Identifier Dispatch File - Finance - DMZ Inbox to DMZ Name A short name to identify this event handler. Cannot be changed at runtime. This is the Event Handler to dispatch files from the Finance Description department DMZ Inbox to DMZ Outbox. This will dispatch only on event ID 20169. This means that a file was created in the monitored (DMZ Inbox) folder. As soon as the event is emitted, the dispatch rule will be triggered. Free text description for this event handler.

Add dispatch events to automate dispatch activities from source to destination paths

Events 20169 × Type a new event

List with IDs of events for which this handler is active. Invalid/short IDs are not accepted. Separate events using Enter), Space or Comma

Accounts finance-account-uuid × Type a new username

List with names of users for whom this handler is active. Separate names using Enter, Space or Comma

Components

Type a valid UUID

List with component UUIDs for which this handler is active. Separate UUIDs using Enter, Space or Comma

	- 1	_	_	/h 1
-		-	.,	D-1
1, 20	- 11		п.,	м. і

Status

Past activity

Reports

Keys and Certificates

Review changes

CONFIGURATION

Server

Services

Transfers

Resources

Authentications

Databases

Locations

Groups

Accounts

Roles

Administrators

Review changes Apply or revert individual or all changes.

Actions	Туре	Name	Operation	Old Value	New Value
Apply Revert	Service	FTPS Explicit Service for Yo urCompany Inc > authentic ations	update		custom-authentication-meth od-1, custom-authenticatio n-method-2
Apply Revert	Service	FTPS Explicit Service for Yo urCompany Inc > ssl_key	update	configuration/yourcompany _ssl_key.pem	configuration/yourcompany _new_ssl_key.pem
Apply Revert	Service	FTPS Explicit Service for Yo urCompany Inc > ascii_data _type_as_default		false	true
Apply Revert	Service	FTPS Explicit Service for Yo urCompany Inc > maximum _concurrent_connections	update	100	200
Apply Revert	Service	FTPS Explicit Service for Yo urCompany Inc > ssl_key_p assword	update	Masked password	Masked password
Apply Revert	Service	FTPS Explicit Service for Yo urCompany Inc > ssl_certifi cate	update	configuration/yourcompany _self_signed_certificate.pe m	configuration/yourcompany _new_self_signed_certificat e.pem
Apply Revert	Service	FTPS Explicit Service for Yo urCompany Inc > ssl_certifi cate_revocation_list	update	configuration/yourcompany _crl.crl	configuration/yourcompany _new_crl.crl
changes	s to any	FTPS Explicit Service for Yo urCompany Inc > idle_conn ection_timeout	update	300	800

update

FTPS Explicit Service for Yo

urCompany Inc > ignore_as

cii_data_type

true

false

Review components before application

Status

Past activity

Reports

Keys and Certificates

Review changes

CONFIGURATION

Server

Services

Transfers

Resources

Authentications

Databases

Locations

Groups

Accounts

Roles

Administrators

Event Handlers

Review changes Apply or revert individual or all changes.

All pending changes applied.

Require restart Components that require restart.

Name	Changed configuration	
Email Alert for Accounts - Failed Transfers - PDF	email_to_recipients	S
SQLite DB for Accounts Transfers	path	S
FTPS Explicit Service for YourCompany Inc	configuration/ssl_certificate, configuration/ssl_key, configuration/ssl_certificate_authority, configuration/ssl_certificate_revocation_list	S
HTTPS Service for YourCompany Inc.	configuration/ssl_certificate, configuration/ssl_key, configuration/ssl_certificate_revocation_list	3

Once changes are applied, find out which components and changed configuration require a restart

Status

Past activity

Reports

Keys and Certificates

Review changes

CONFIGURATION

Server

Services

Transfers

Resources

Authentications

Databases

Locations

Groups


Accounts

Roles

Administrators

Event Handlers

Past Activity Events occurred on this server.



Started

GENERAL

Status

Past activity

Reports

Keys and Certificates

Review changes

CONFIGURATION

Server

Services

11.000

Resources

Transfers

Authentications

Databases

Locations


Groups

Accounts

Roles

Administrators

Event Handlers




Application Accounts


Event handlers defined on the server.

Enabled

Application Accounts

State	Startup	Name	Туре	
Stopped	Enabled	Email Alert for Accounts - Failed Transfers - PDF	Send as email	0 5
Started	Disabled	Dispatch File - IT_Dept - DMZ Inbox to DMZ Outbox	Dispatch file	(U) C
Stopped	Enabled	Default Local Log File	Store in local file	(U) S
Stopped	Disabled	file-transfer-hooks	Send as HTTP POST request	(U) (S)
Started	Enabled	Dispatch File - Finance - DMZ Inbox to DMZ Outbox	Dispatch file	(b) (c)
Started	Enabled	Database Logger	Store in database	(U) S
Stopped	Disabled	WebAdmin HTTP Post	Send as HTTP POST request	0 3
Started	Enabled	Account activity of failied transfers	Audit account activity	0 5
Started	Enabled	Dispatch File - Marketing - DMZ Inbox to DMZ Outbo	Dispatch file	0 3
Stopped	Disabled	Dispatch File - test for YourCompany	Dispatch file	0 5









Do you need help?

Email us at sales@proatria.com or chat with us on sftpplus.com