W3C Community Group Hangout

2020-11-28

Accessibility Proposal - Refresher

```
"accessibilitySupportLevel": "Inclusion Support",
"transportNote": [{
    "@type: "TransportNote",
    "transportMode": "Bus"
    "description": "The number 37 southbund stops at the Stop 37..."}],
"accessibilitySupport": [{
    "name": "Gym Quiet Time",
    "description": "During Gym Quiet Time all audiovisual ....",
    "participantConditionSupported": ["Social and behavioural needs"],
    "carerPolicy": "Individuals attending in support ...",
    "url": "https://example.org/inclusion/social-and-behavioural-needs",
    "contactPoint": {
        "@type": "ContactPoint",
        "contactType": "Social and behavioural needs inclusion",
        "email": "sabn@example.org",
        "telephone": "0555 555 5555" }}]
```

OpenActive

Open Questions - Repeated Information

- Information repetition
  - repeated `contactPoint` information
  - `carerPolicy`
- Conceivably could end up with eight or nine repetitions

OpenActive

Open Questions - Modelling

- Where should this be attached?
  - the `Event`?
  - the `Place` (as in Active Places)?
  - multiple locations?

OpenActive

Open Questions - Currency, Provenance

- Do we need an 'updated' value?
  - and who is responsible for updating it?

OpenActive

Open Questions - Modularity

- Is this a separate standard?
- Does accessibility information belong in a separate feed?
- Should this be pushed up to schema.org?

OpenActive

AOB

OpenActive