

## SPECIES RECORDS FOR ROCKY HILL

compiled and constructed by G. Burrows,  
CSU (email: gburrows@csu.edu.au)

- . native grasses and garden escapees need more work
- . as of 05/04/2024 159 species, 84 (53%) are introduced species
- . for any updates/corrections please email me

| SPECIES                                      | COMMON NAME              | gf |
|--|--------------------------|----|
| <b>ASPLENIACEAE</b>                          | <b>(i,53; 31)</b>        |    |
| <i>Pleurosorus rutifolius/subglandulosus</i> | blanket fern             | ph |
| <b>SINOPTERIDACEAE</b>                       | <b>(i,24; 28)</b>        |    |
| <i>Cheilanthes austrotenuifolia</i>          | rock fern                | ph |
| <i>Cheilanthes distans</i>                   | bristly cloak fern       | ph |
| <i>Cheilanthes sieberi</i>                   | mulga fern               | ph |
| <b>CUPRESSACEAE</b>                          | <b>(i,83; 35)</b>        |    |
| <i>Callitris glaucophylla</i>                | white cypress pine       | t  |
| <b>ASPARAGACEAE</b>                          | <b>(iv,44;</b>           |    |
| <i>Arthropodium minus</i>                    | small vanilla-lily       | ph |
| <i>Dichopogon strictus</i>                   | chocolate lily           | ph |
| * <i>Myrsiphyllum asparagoides</i>           | smilax asparagus         | ph |
| <i>Lomandra multiflora</i>                   | many-flowered mat-rush   | ph |
| <i>Tricoryne elatior</i>                     | yellow rush-lily         | ph |
| <b>COLCHICACEAE</b>                          | <b>(iv,108;</b>          |    |
| <i>Wurmbea dioica</i>                        | early nancy              | ph |
| <b>CYPERACEAE</b>                            | <b>(iv,293; 155)</b>     |    |
| * <i>Cyperus eragrostis</i>                  | umbrella sedge           | ph |
| * <i>Cyperus rotundus</i>                    | nutgrass                 | ph |
| <i>Schoenus ?apogon</i>                      | common bog rush          | a  |
| <b>HYPOXIDACEAE</b>                          | <b>(iv,70; 192)</b>      |    |
| <i>Hypoxis glabella</i>                      | tiny star                | ph |
| <b>IRIDACEAE</b>                             | <b>(iv,114; 192)</b>     |    |
| * <i>Romulea minutiflora</i>                 | small flower onion grass | ph |
| * <i>Romulea rosea</i>                       | onion grass              | ph |
| * <i>Sparaxis</i> sp.                        | harlequin flower         | ph |
| <b>PHORMIACEAE</b>                           | <b>(iv,73;</b>           |    |
| <i>Dianella longifolia</i>                   | smooth flax-lily         | ph |
| <i>Dianella revoluta</i>                     | spreading flax-lily      | ph |
| <b>POACEAE</b>                               | <b>(iv,410; 47)</b>      |    |
| <i>Austrostipa scabra subsp. falcata</i>     | rough speargrass         | ph |
| <i>Aristida behriana</i>                     | brush wiregrass          | ph |
| <i>Aristida ramosa</i>                       | purple wiregrass         | ph |
| * <i>Avena fatua</i>                         | wild oat                 | a  |
| <i>Bothriochloa decipiens</i>                | pitted bluegrass         | ph |
| * <i>Briza maxima</i>                        | quaking grass            | a  |
| * <i>Bromus diandrus</i>                     | great brome              | a  |
| * <i>Bromus hordeaceus</i>                   | soft brome               | a  |
| * <i>Cenchrus setaceus</i>                   | fountain grass           | ph |
| <i>Digitaria divaricatissima</i>             | spreading umbrella g.    | ph |

|  |                         |      |
|--|-------------------------|------|
| <i>*Digitaria sanguinalis</i>                              | summer grass            | a    |
| <i>Elymus scabra</i>                                       | wheatgrass              | ph   |
| <i>Enneapogon nigricans</i>                                | bottlewashers           | ph   |
| <i>Enteropogon acicularis</i>                              | curly windmill grass    | ph   |
| <i>*Eragrostis cilianensis</i>                             | stinkgrass              | a    |
| <i>Eragrostis parviflora</i>                               | weeping lovegrass       | a    |
| <i>Eriochloa pseudoacrotricha</i>                          | early spring grass      | a/ph |
| <i>*Hordeum leporinum</i>                                  | barley grass            | a    |
| <i>*Lolium perenne/multiflorum</i>                         | peren./italian ryegrass | a    |
| <i>*Panicum capillare</i>                                  | witchgrass              | a    |
| <i>Panicum decompositum</i>                                | native millet           | ph   |
| <i>Paspalidium constrictum</i>                             | knottybutt grass        | ph   |
| <i>*Phalaris paradoxa</i>                                  | paradoxa grass          | a    |
| <i>*Poa annua</i>  | winter grass            | a    |
| <i>*Poa bulbosa</i>  | bulbous bluegrass       | ph   |
| <i>Rytidosperma setaceum syn. Austrodanthonia caespit.</i> | wallaby grass           | ph   |
| <i>*Setaria gracilis</i>                                   | bent pigeon grass       | ph   |
| <i>*Sorghum halepense</i>                                  | Johnson grass           | ph   |
| <i>Tripogonella loliiformis</i>                            | five-minute grass       | ph   |
| <b>AGAVACEAE</b>   |                         |      |
| <i>*Agave americana</i>                                    | century plant           | ph   |
| <b>AMARANTHACEAE</b>                                       |                         |      |
| <i>*Alternanthera pungens</i>                              | khaki-weed              | ph   |
| <b>ANACARDIACEAE</b>                                       |                         |      |
| <i>*Schinus areira</i>                                     | pepper tree             | t    |
| <b>APOCYNACEAE</b>   |                         |      |
| <i>*Oxypetalum coeruleum</i>                               | southern star           | s    |
| <b>ASTERACEAE</b>  |                         |      |
| <i>*Arctotheca calendula</i>                               | capeweed                | a    |
| <i>*Bidens ?pilosa</i>                                     | cobbler's peg           | a    |
| <i>Calotis lappulacea</i>                                  | yellow burr-daisy       | ph   |
| <i>*Carduus tenuiflorus/pycnocephalus</i>                  | winged slender thistle  | a    |
| <i>*Centaurea solstitialis</i>                             | St. Barnaby's thistle   | a    |
| <i>Chloris truncata</i>                                    | windmill grass          | ph   |
| <i>*Chondrilla juncea</i>                                  | skeleton weed           | ph   |
| <i>*Cirsium vulgare</i>                                    | spear thistle           | bi   |
| <i>*Conyza ?bonariensis</i>                                | flax-leaf fleabane      | a    |
| <i>Cotula australis</i>                                    | common cotula           | a    |
| <i>Cynodon dactylon</i>                                    | couch grass             | ph   |
| <i>*Hypochaeris radicata/glabra</i>                        | flatweed                | ph   |
| <i>Pseudognaphalium luteoalbum</i>                         | jersey cudweed          | a    |
| <i>Senecio quadridentatus</i>                              | cotton fireweed         | ph   |
| <i>Sigesbeckia australiensis</i>                           | pale indian weed        | a    |
| <i>*Silybum marianum</i>                                   | variegated thistle      | bi   |
| <i>*Sonchus asper</i>                                      | prickly sowthistle      | a    |
| <i>*Sonchus oleraceus</i>                                  | common sowthistle       | a    |
| <i>Vittadinia ?cuneata</i>                                 | fuzzweed                | a    |
| <i>Xerochrysum viscosum</i>                                | sticky everlasting      | a/ph |
| <b>BIGNONIACEAE</b>  |                         |      |
| <i>Pandorea pandorana</i>                                  | wonga wonga vine        | s    |
| <b>BORANGINACEAE</b>                                       |                         |      |
| <i>*Echium plantagineum</i>                                | paterson's curse        | a    |

|                                       |                         |     |  |
|---------------------------------------|-------------------------|-----|--|
| <i>*Heliotropium europaeum</i>        | common heliotrope       | a   |  |
| <b>BRASSICACEAE</b>                   | <b>(i,459; 316)</b>     |     |  |
| <i>*Capsella bursa-pastoris</i>       | shepherd's purse        | a   |  |
| <i>Lepidium pseudohyssopifolium</i>   | peppergrass             | a   |  |
| <i>*Raphanus raphanistrum</i>         | wild radish             | a   |  |
| <b>CAMPANULACEAE</b>                  | <b>(iii,117; 626)</b>   |     |  |
| <i>Wahlenbergia stricta</i>           | tall bluebell           | ph  |  |
| <b>CARYOPHYLLACEAE</b>                | <b>(i,260; 300)</b>     |     |  |
| <i>*Cerastium glomeratum</i>          | mouse-ear chickweed     | a   |  |
| <i>*Petrohragia velutina</i>          | velvet pink             | a   |  |
| <b>CASUARINACEAE</b>                  | <b>(i,507; 207)</b>     |     |  |
| <i>Allocasuarina verticillata</i>     | drooping she-oak        | t   |  |
| <b>CHENOPODIACEAE</b>                 | <b>(i,206; 236)</b>     |     |  |
| <i>Chenopodium pumilo</i>             | small crumb weed        | a   |  |
| <i>Einadia nutans</i>                 | climbing saltbush       | ph  |  |
| <b>CLUSIACEAE</b>                     | <b>(i,490; 497)</b>     |     |  |
| <i>*Hypericum perforatum</i>          | St. John's wort         | ph  |  |
| <b>CONVOLVULACEAE</b>                 | <b>(iii,373; 555)</b>   |     |  |
| <i>Convolvulus erubescens</i>         | Australian bindweed     | ph  |  |
| <i>Dichondra repens</i>               | kidneyweed              | ph  |  |
| <b>CRASSULACEAE</b>                   | <b>(i,524; 340)</b>     |     |  |
| <i>Crassula decumbens</i>             | spreading stonecrop     | a   |  |
| <i>Crassula ?sieberiana</i>           | Australian stonecrop    | a   |  |
| <b>CUCURBITACEAE</b>                  | <b>(i,441; 624)</b>     |     |  |
| <i>*Citrullus lanatus</i>             | camel melon             | a   |  |
| <b>EUPHORBIACEAE</b>                  | <b>(i,389; 452)</b>     |     |  |
| <i>Chamaesyce drummondii</i>          | caustic weed            | ph  |  |
| <b>FABACEAE</b>                       |                         |     |  |
| <b>Caesalpinioideae</b>               | <b>(ii,311; 377)</b>    |     |  |
| <i>Senna barclayana</i>               | smooth senna            | s   |  |
| <b>Faboideae</b>                      | <b>(ii,395; 383)</b>    |     |  |
| <i>*Chamaecytisus palmensis</i>       | tree lucerne            | s   |  |
| <i>Glycine clandestina</i>            | twining glycine         | ph  |  |
| <i>Hardenbergia violacea</i>          | false sarsaparilla      | s   |  |
| <i>*Medicago polymorpha</i>           | burr medic              | a   |  |
| <i>*Medicago truncatula</i>           | barrel medic            | a   |  |
| <i>*Trifolium angustifolium</i>       | narrow-leaf clover      | a   |  |
| <i>*Trifolium arvense</i>             | haresfoot clover        | a   |  |
| <i>*Trifolium glomeratum</i>          | clustered clover        | a   |  |
| <i>*Trifolium subterraneum</i>        | subterranean clover     | a   |  |
| <i>*Trifolium tomentosum</i>          | woolly clover           | a   |  |
| <i>*Vicia sativa</i>                  | common vetch            | a   |  |
| <b>Mimosoideae</b>                    | <b>(ii,324; 346)</b>    |     |  |
| <i>*Acacia baileyana</i>              | Cootamundra wattle      | s/t |  |
| <i>Acacia deanei subsp. paucijuga</i> | Deane's wattle          | t   |  |
| <i>Acacia decora</i>                  | western golden wattle   | s   |  |
| <i>Acacia genistifolia</i>            | early wattle            | s   |  |
| <i>Acacia implexa</i>                 | hickory wattle          | t   |  |
| <i>Acacia pycnantha</i>               | golden wattle           | t   |  |
| <b>FUMARIACEAE</b>                    | <b>(i,172; 314)</b>     |     |  |
| <i>*Fumaria capreolata</i>            | white-flowered fumitory | a   |  |
| <i>*Fumaria muralis</i>               | wall fumitory           | a   |  |
| <b>GERANIACEAE</b>                    | <b>(iii,22; 430)</b>    |     |  |

|   |                       |      |  |
|---|-----------------------|------|--|
| <i>*Erodium botrys</i>                      | long storksbill       | a    |  |
| <i>Erodium crinitum</i>                     | blue crowfoot         | a    |  |
| <i>*Erodium moschatum</i>                   | musky crowfoot        | a    |  |
| <b>GOODENIACEAE</b>                         | <b>(iii,465; 635)</b> |      |  |
| <i>Goodenia pinnatifida</i>                 | scrambled eggs        | a    |  |
| <b>HALORAGACEAE</b>                         | <b>(ii, 211; 535)</b> |      |  |
| <i>Gonocarpus tetragynus</i>                | common rasport        | ph   |  |
| <b>LAMIACEAE</b>                            | <b>(iii,623; 572)</b> |      |  |
| <i>*Marrubium vulgare</i>                   | horehound             | ph   |  |
| <i>*Salvia verbenaca</i>                    | wild sage             | ph   |  |
| <i>*Stachys arvensis</i>                    | stagger-weed          | a    |  |
| <b>LOBELIACEAE</b>                          | <b>(iii,123; 629)</b> |      |  |
| <i>Isotoma axillaris</i>                    | showy isotome         | ph   |  |
| <b>LORANTHACEAE</b>                         | <b>(iii,46; 218)</b>  |      |  |
| <i>Amyema miquelii</i>                      | box mistletoe         | s    |  |
| <b>MALVACEAE</b>                            | <b>(i,320; 478)</b>   |      |  |
| <i>*Malva parviflora</i>                    | small-flowered mallow | a    |  |
| <i>*Modiola caroliniana</i>                 | red-flowered mallow   | ph   |  |
| <i>*Pavonia hastata</i>                     | pink pavonia          | s    |  |
| <i>Sida corrugata</i>                       | corrugated sida       | ph   |  |
| <b>MELIACEAE</b>                            | <b>(ii,278; 450)</b>  |      |  |
| <i>Melia azedarach</i>                      | white cedar           | t    |  |
| <b>MYRTACEAE</b>                            | <b>(ii,71; 510)</b>   |      |  |
| <i>*Corymbia citriodora</i>                 | lemon-scented gum     | t    |  |
| <i>Eucalyptus albens</i>                    | white box             | t    |  |
| <i>Eucalyptus blakelyi</i>                  | Blakely's red gum     | t    |  |
| <b>NYCTAGINACEAE</b>                        | <b>(i,185; 289)</b>   |      |  |
| <i>Boerhavia dominii</i>                    | tar vine              | ph   |  |
| <b>OLEACEAE</b>                             | <b>(iii,470; 548)</b> |      |  |
| <i>*Fraxinis sp.</i>                        | ash                   | t    |  |
| <i>*Ligustrum sp.</i>                       | privet                | s/t  |  |
| <i>*Olea europea</i>                        | common olive          | t    |  |
| <b>ONAGRACEAE</b>                           | <b>(ii,200; 533)</b>  |      |  |
| <i>Epilobium ?hirtigerum</i>                | hoary willow herb     | ph   |  |
| <b>OXALIDACEAE</b>                          | <b>(iii,17; 434)</b>  |      |  |
| <i>Oxalis perennans</i>                     | yellow wood-sorrel    | ph   |  |
| <i>*Oxalis pes-caprae</i>                   | sour sob              | ph   |  |
| <b>PAPAVERACEAE</b>                         | <b>(i,169; 312)</b>   |      |  |
| <i>*Papaver somniferum subsp. setigerum</i> | opium poppy           | a    |  |
| <b>PLANTAGINACEAE</b>                       | <b>(iii,592; 618)</b> |      |  |
| <i>*Plantago lanceolata</i>                 | ribwort               | a/bi |  |
| <b>POLYGONACEAE</b>                         | <b>(i,278; 228)</b>   |      |  |
| <i>*Polygonum aviculare</i>                 | wireweed              | a    |  |
| <i>Rumex brownii</i>                        | slender dock          | ph   |  |
| <i>*Rumex crispus</i>                       | curled dock           | ph   |  |
| <b>PORTULACACEAE</b>                        | <b>(i,178; 297)</b>   |      |  |
| <i>Portulaca oleracea</i>                   | common pigweed        | a    |  |
| <b>PRIMULACEAE</b>                          | <b>(i,504; 546)</b>   |      |  |
| <i>*Anagallis arvensis</i>                  | pimpernel             | a    |  |
| <b>RANUNCULACEAE</b>                        |                       |      |  |
| <i>Clematis microphylla</i>                 | small-leaved clematis | s    |  |
| <b>ROSACEAE</b>                             | <b>(i,528; 344)</b>   |      |  |
| <i>Acaena ?novae-zelandiae</i>              | bidgee-widgee         | ph   |  |

|                               |                        |    |     |
|-------------------------------|------------------------|----|-----|
| <i>*Rosa rubiginosa</i>       | sweet briar            | s  |     |
| <b>RUBIACEAE</b>              | <b>(iii,481; 619)</b>  |    |     |
| <i>*Sherardia arvensis</i>    | field madder           | a  |     |
| <i>*Galium aparine</i>        | cleavers               | a  |     |
| <b>SCROPHULARIACEAE</b>       | <b>(iii,552; 596)</b>  |    |     |
| <i>*Misopates orontium</i>    | lesser snapdragon      | a  |     |
| <i>*Orobanche minor</i>       | broomrape              | a  |     |
| <i>*Verbascum virgatum</i>    | twiggy mullein         | bi |     |
| <b>SIMAROUBACEAE</b>          | <b>(ii,275; 450)</b>   |    |     |
| <i>*Ailanthus altissima</i>   | tree-of-heaven         | t  |     |
| <b>SOLANACEAE</b>             | <b>(iii,341; 581)</b>  |    |     |
| <i>*Lycium ferocissimum</i>   | African boxthorn       | s  |     |
| <i>Solanum esuriale</i>       | quena                  | ph |     |
| <i>*Solanum nigrum</i>        | black-berry nightshade | ph |     |
| <b>STERCULIACEAE</b>          | <b>(i,303; 493)</b>    |    |     |
| <i>Brachychiton populneus</i> | kurrajong              | t  |     |
| <b>THYMELEACEAE</b>           | <b>(i,375; 504)</b>    |    |     |
| <i>Pimelea curviflora</i>     | curved rice-flower     | s  |     |
| <b>ZYGOPHYLLACEAE</b>         | <b>(iii,7; 437)</b>    |    |     |
| <i>*Tribulus terrestris</i>   | cat-head, caltrop      | a  |     |
|                               |                        |    |     |
| <b>TOTAL</b>                  |                        |    | 159 |

**NOTES:**

- . please request permission before using information contained in this spreadsheet
- . please acknowledge the source of this information if it is used - formally published or otherwise
  
- . the numbers in brackets across from the family name indicates, (i) the volume and page number for that family in the "Flora of NSW" and (ii) the page number for that family (if available) in "Plants of Western New South Wales"; common names are from "Plants of Western NSW" where possible, if not they are mainly from Willis Vol. II or the "Flora of NSW".
- . '\*' indicates a naturalized taxon
  
- . the following abbreviations are used in the growth form column: annual (a), biennial (bi), perennial herb (ph), shrub (s) and tree (t). Information is from "Flora of NSW" or "Plants of Western NSW".

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |

| SPECIES                           | COMMON NAME              | gf |
|-----------------------------------|--------------------------|----|
| <b>ASPARAGACEAE</b>               | (iv,44;                  |    |
| <i>*Myrsiphyllum asparagoides</i> | smilax asparagus         | ph |
| <b>CYPERACEAE</b>                 | (iv,293; 155)            |    |
| <i>*Cyperus eragrostis</i>        | umbrella sedge           | ph |
| <i>*Cyperus rotundus</i>          | nutgrass                 | ph |
| <b>IRIDACEAE</b>                  | (iv,114; 192)            |    |
| <i>*Romulea minutiflora</i>       | small flower onion grass | ph |
| <i>*Romulea rosea</i>             | onion grass              | ph |
| <i>*Sparaxis sp.*Sparaxis sp.</i> | harlequin flower         | ph |
| <b>POACEAE</b>                    | (iv,410; 47)             |    |
| <i>*Avena fatua</i>               | wild oat                 | a  |
| <i>*Briza maxima</i>              | quaking grass            | a  |
| <i>*Bromus diandrus</i>           | great brome              | a  |
| <i>*Bromus hordeaceus</i>         | soft brome               | a  |
| <i>*Cenchrus setaceus</i>         | fountain grass           | ph |
| <i>*Digitaria sanguinalis</i>     | summer grass             | a  |
| <i>*Eragrostis cilianensis</i>    | stinkgrass               | a  |
| <i>*Hordeum leporinum</i>         | barley grass             | a  |
| <i>*Lolium perenne/multicaule</i> | peren./italian ryegrass  | a  |
| <i>*Panicum capillare</i>         | witchgrass               | a  |
| <i>*Phalaris paradoxa</i>         | paradoxa grass           | a  |
| <i>*Poa annua</i>                 | winter grass             | a  |
| <i>*Poa bulbosa</i>               | bulbous bluegrass        | ph |
| <i>*Setaria gracilis</i>          | bent pigeon grass        | ph |
| <i>*Sorghum halepense</i>         | Johnson grass            | ph |
|                                   |                          |    |
| <b>AGAVACEAE</b>                  |                          |    |
| <i>*Agave americana</i>           | century plant            | ph |
| <b>AMARANTHACEAE</b>              | (i,248; 281)             |    |
| <i>*Alternanthera pungens</i>     | khaki-weed               | ph |
| <b>ANACARDIACEAE</b>              | (ii,283; 466)            |    |
| <i>*Schinus areira</i>            | pepper tree              | t  |
| <b>APOCYNACEAE</b>                | (iii,512; 511)           |    |
| <i>*Oxypetalum coeruleum</i>      | southern star            | s  |
| <b>ASTERACEAE</b>                 | (iii,131; 640)           |    |

|                                   |                         |     |
|-----------------------------------|-------------------------|-----|
| * <i>Arctotheca calendula</i>     | capeweed                | a   |
| * <i>Bidens ?pilosa</i>           | cobbler's peg           | a   |
| * <i>Carduus tenuiflorus/p</i>    | winged slender thistle  | a   |
| * <i>Centaurea solstitialis</i>   | St. Barnaby's thistle   | a   |
| * <i>Chondrilla juncea</i>        | skeleton weed           | ph  |
| * <i>Cirsium vulgare</i>          | spear thistle           | bi  |
| * <i>Conyza ?bonariensis</i>      | flax-leaf fleabane      | a   |
| * <i>Hypochaeris radicata</i>     | flatweed                | ph  |
| * <i>Silybum marianum</i>         | variegated thistle      | bi  |
| * <i>Sonchus asper</i>            | prickly sowthistle      | a   |
| * <i>Sonchus oleraceus</i>        | common sowthistle       | a   |
| <b>BORANGINACEAE</b>              | <b>(iii,386; 560)</b>   |     |
| * <i>Echium plantagineum</i>      | paterson's curse        | a   |
| * <i>Heliotropium europaeum</i>   | common heliotrope       | a   |
| <b>BRASSICACEAE</b>               | <b>(i,459; 316)</b>     |     |
| * <i>Capsella bursa-pastoris</i>  | shepherd's purse        | a   |
| * <i>Raphanus raphanistrum</i>    | wild radish             | a   |
| <b>CARYOPHYLLACEAE</b>            | <b>(i,260; 300)</b>     |     |
| * <i>Cerastium glomeratum</i>     | mouse-ear chickweed     | a   |
| * <i>Petrorhagia velutina</i>     | velvet pink             | a   |
| <b>CLUSIACEAE</b>                 | <b>(i,490; 497)</b>     |     |
| * <i>Hypericum perforatum</i>     | St. John's wort         | ph  |
| <b>CUCURBITACEAE</b>              | <b>(i,441; 624)</b>     |     |
| * <i>Citrullus lanatus</i> *C     | camel melon             | a   |
| <b>FABACEAE</b>                   |                         |     |
| <b>Faboideae</b>                  | <b>(ii,395; 383)</b>    |     |
| * <i>Chamaecytisus palmifolia</i> | tree lucerne            | s   |
| * <i>Medicago polymorpha</i>      | burr medic              | a   |
| * <i>Medicago truncatula</i>      | barrel medic            | a   |
| * <i>Trifolium angustifolium</i>  | narrow-leaf clover      | a   |
| * <i>Trifolium arvense</i>        | haresfoot clover        | a   |
| * <i>Trifolium glomeratum</i>     | clustered clover        | a   |
| * <i>Trifolium subterraneum</i>   | subterranean clover     | a   |
| * <i>Trifolium tomentosum</i>     | woolly clover           | a   |
| * <i>Vicia sativa</i>             | common vetch            | a   |
| <b>Mimosoideae</b>                | <b>(ii,324; 346)</b>    |     |
| * <i>Acacia baileyana</i>         | Cootamundra wattle      | s/t |
| <b>FUMARIACEAE</b>                | <b>(i,172; 314)</b>     |     |
| * <i>Fumaria capreolata</i>       | white-flowered fumitory | a   |
| * <i>Fumaria muralis</i>          | wall fumitory           | a   |
| <b>GERANIACEAE</b>                | <b>(iii,22; 430)</b>    |     |
| * <i>Erodium botrys</i>           | long storksbill         | a   |
| * <i>Erodium moschatum</i>        | musky crowfoot          | a   |
| <b>LAMIACEAE</b>                  | <b>(iii,623; 572)</b>   |     |
| * <i>Marrubium vulgare</i>        | horehound               | ph  |

|                             |                        |      |
|-----------------------------|------------------------|------|
| <i>*Salvia verbenaca</i>    | wild sage              | ph   |
| <i>*Stachys arvensis</i>    | stagger-weed           | a    |
| <b>MALVACEAE</b>            | <b>(i,320; 478)</b>    |      |
| <i>*Malva parviflora</i>    | small-flowered mallow  | a    |
| <i>*Modiola caroliniana</i> | red-flowered mallow    | ph   |
| <i>*Pavonia hastata</i>     | pink pavonia           | s    |
| <b>MYRTACEAE</b>            | <b>(ii,71; 510)</b>    |      |
| <i>*Corymbia citriodora</i> | lemon-scented gum      | t    |
| <b>OLEACEAE</b>             | <b>(iii,470; 548)</b>  |      |
| <i>*Fraxinis sp.</i>        | ash                    | t    |
| <i>*Ligustrum sp.</i>       | privet privet privet   | s/t  |
| <i>*Olea europea</i>        | common olive           | t    |
| <b>OXALIDACEAE</b>          | <b>(iii,17; 434)</b>   |      |
| <i>*Oxalis pes-caprae</i>   | sour sob               | ph   |
| <b>PAPAVERACEAE</b>         | <b>(i,169; 312)</b>    |      |
| <i>*Papaver somniferum</i>  | opium poppy            | a    |
| <b>PLANTAGINACEAE</b>       | <b>(iii,592; 618)</b>  |      |
| <i>*Plantago lanceolata</i> | ribwort                | a/bi |
| <b>POLYGONACEAE</b>         | <b>(i,278; 228)</b>    |      |
| <i>*Polygonum aviculare</i> | wireweed               | a    |
| <i>*Rumex crispus</i>       | curled dock            | ph   |
| <b>PRIMULACEAE</b>          | <b>(i,504; 546)</b>    |      |
| <i>*Anagallis arvensis</i>  | pimpernel              | a    |
| <b>ROSACEAE</b>             | <b>(i,528; 344)</b>    |      |
| <i>*Rosa rubiginosa</i>     | sweet briar            | s    |
| <b>RUBIACEAE</b>            | <b>(iii,481; 619)</b>  |      |
| <i>*Sherardia arvensis</i>  | field madder           | a    |
| <i>*Galium aparine</i>      | cleavers               | a    |
| <b>SCROPHULARIACEAE</b>     | <b>(iii,552; 596)</b>  |      |
| <i>*Misopates orontium</i>  | lesser snapdragon      | a    |
| <i>*Orobancha minor</i>     | broomrape              | a    |
| <i>*Verbascum virgatum</i>  | twiggy mullein         | bi   |
| <b>SIMAROUBACEAE</b>        | <b>(ii,275; 450)</b>   |      |
| <i>*Ailanthus altissima</i> | tree-of-heaven         | t    |
| <b>SOLANACEAE</b>           | <b>(iii,341; 581)</b>  |      |
| <i>*Lycium ferocissimum</i> | African boxthorn       | s    |
| <i>*Solanum nigrum</i>      | black-berry nightshade | ph   |
| <b>ZYGOPHYLLACEAE</b>       | <b>(iii,7; 437)</b>    |      |
| <i>*Tribulus terrestris</i> | cat-head, caltrop      | a    |
| <b>TOTAL</b>                |                        | 84   |