

HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

| Group | Family | | Changes to name | Scientific Name | Common Name |
|-------------------------|---------------|-----------------------|-------------------------------|------------------------------|----------------------------|
| Trees | | | | | |
| | BETULACEAE | Birch Family | | <i>Alnus rubra</i> | red alder |
| | | | | <i>Corylus cornuta</i> | beaked hazelnut |
| | CORNACEAE | Dogwood Family | | <i>Cornus nuttallii</i> | western flowering dogwood |
| | CUPRESSACEAE | Cypress Family | | <i>Juniperus maritima</i> | seaside juniper |
| | | | | <i>Thuja plicata</i> | western red cedar |
| | ERICACEAE | Heather Family | | <i>Arbutus menziesii</i> | arbutus |
| | FAGACEAE | Beech Family | | <i>Quercus garryana</i> | Garry oak |
| | PINACEAE | Pine Family | | <i>Abies grandis</i> | grand fir |
| | | | | <i>Picea sitchensis</i> | Sitka spruce |
| | | | | <i>Pinus contorta</i> | lodgepole pine, shore pine |
| | | | | <i>Pinus monticola</i> | western white pine |
| | | | | <i>Pseudotsuga menziesii</i> | Douglas-fir |
| | | | | <i>Tsuga heterophylla</i> | western hemlock |
| | RHAMNACEAE | Buckthorn Family | | <i>Rhamnus purshiana</i> | cascara |
| | ROSACEAE | Rose Family | | <i>Malus fusca</i> | Pacific crab-apple |
| | | | | <i>Prunus emarginata</i> | bitter cherry |
| | | | | <i>Sorbus scopulina</i> | western mountain-ash |
| | | | | <i>Sorbus sitchensis</i> | Sitka mountain ash |
| | SALICACEAE | Willow Family | | <i>Populus tremuloides</i> | trembling aspen |
| | | | | <i>Populus trichocarpa</i> | black cottonwood |
| | | | | <i>Salix hookeriana</i> | Hooker's willow |
| | | | | <i>Salix lasiandra</i> | Pacific willow |
| | | | | <i>Salix scouleriana</i> | Scouler's willow |
| | | | | <i>Salix sitchensis</i> | Sitka willow |
| | SAPINDACEAE | Soapberry Family | (formerly ACERACEAE) | <i>Acer glabrum</i> | Douglas maple |
| | | | | <i>Acer macrophyllum</i> | bigleaf maple |
| | TAXACEAE | Yew Family | | <i>Taxus brevifolia</i> | western yew |
| Flowering Plants | | | | | |
| | ADOXACEAE | Elderberry Family | (formerly CAPRIFOLIACEAE) | <i>Sambucus cerulea</i> | blue elderberry |
| | | | | <i>Sambucus racemosa</i> | red elderberry |
| | AGAVACEAE | Agave Family | (formerly part of LILIACEAE) | <i>Camassia leichtlinii</i> | great camas |
| | | | | <i>Camassia quamash</i> | early camas |
| | ALISMATACEAE | Water Plantain Family | | <i>Alisma triviale</i> | American water plantain |
| | AMARANTHACEAE | Amaranth Family | (now includes CHENOPODIACEAE) | <i>Atriplex gmelinii</i> | Gmelin's orache |
| | | | | <i>Atriplex patula</i> | common orache |
| | | | | <i>Chenopodium album</i> | lamb's quarters |
| | | | | <i>Salicornia virginica</i> | American glasswort |

HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

| Group | Family | | Changes to name (formerly part of LILIACEAE) | Scientific Name | Common Name |
|-------|------------------|------------------|--|----------------------------------|---|
| | AMARYLLIDACEAE | Onion Family | | <i>Allium acuminatum</i> | Hooker's onion |
| | | | | <i>Allium cernuum</i> | nodding onion |
| | APIACEAE | Carrot Family | | <i>Anthriscus caucalis</i> | bur chervil |
| | | | | <i>Anthriscus sylvestris</i> | wild chervil |
| | | | | <i>Cicuta douglasii</i> | Douglas' water hemlock |
| | | | | <i>Conioselinum gmelinii</i> | Pacific hemlock-parsley |
| | | | | <i>Daucus carota</i> | wild carrot; Queen Anne's lace |
| | | | | <i>Daucus pusillus</i> | American wild carrot |
| | | | | <i>Heracleum mantegazzianum</i> | giant cow-parsnip; hogweed |
| | | | | <i>Heracleum maximum</i> | cow-parsnip |
| | | | | <i>Lileopsis occidentalis</i> | western lileopsis |
| | | | | <i>Lomatium nudicaule</i> | barestem desert parsley, Indian consumption plant |
| | | | | <i>Lomatium utriculatum</i> | spring-gold |
| | | | | <i>Oenanthe sarmentosa</i> | Pacific water-parsley |
| | | | | <i>Osmorhiza berteroi</i> | mountain sweet cicely |
| | | | | <i>Sanicula crassicaulis</i> | Pacific sanicle |
| | | | | <i>Sium suave</i> | hemlock water-parsnip |
| | APOCYNACEAE | Milkweed Family | | <i>Apocynum androsaemifolium</i> | spreading dogbane |
| | | | | <i>Vinca major</i> | large periwinkle |
| | ARACEAE | Arum Family | (now includes LEMNACEAE) | <i>Lemna minor</i> | common duckweed |
| | | | | <i>Lysichiton americanus</i> | skunk cabbage |
| | ARALIACEAE | Ivy Family | | <i>Hedera helix</i> | English ivy |
| | | | | <i>Oplopanax horridus</i> | devil's club |
| | ARISTOLOCHIACEAE | Birthwort Family | | <i>Asarum caudatum</i> | wild ginger |
| | ASPARAGAEAE | | (formerly part of LILIACEAE) | <i>Mianthemum dilatatum</i> | false lily-of-the-valley |
| | | | | <i>Mianthemum racemosum</i> | false Solomon's-seal |
| | | | | <i>Mianthemum stellatum</i> | star-flowered Solomon's-seal |
| | ASTERACEAE | Sunflower Family | | <i>Achillea millefolium</i> | yarrow |
| | | | | <i>Adenocaulon bicolor</i> | pathfinder |
| | | | | <i>Ambrosia chamissonis</i> | silver burweed |
| | | | | <i>Anaphalis margaritacea</i> | pearly everlasting |
| | | | | <i>Antennaria howellii</i> | Howell's pussytoes |
| | | | | <i>Arctium minus</i> | common burdock |
| | | | | <i>Artemisia campestris</i> | northern wormwood |
| | | | | <i>Artemisia suksdorfii</i> | Suksdorf's mugwort |
| | | | | <i>Aster subspicatus</i> | Douglas' aster |
| | | | | <i>Bellis perennis</i> | English daisy |
| | | | | <i>Bidens cernua</i> | nodding beggarticks |
| | | | | <i>Cichorium intybus</i> | chicory |
| | | | | <i>Cirsium avense</i> | Canada thistle |
| | | | | <i>Cirsium vulgare</i> | bull thistle |
| | | | | <i>Cotula coronopifolia</i> | brass buttons |
| | | | | <i>Crepis capillaris</i> | smooth hawksbeard |
| | | | | <i>Crocidium multicaule</i> | gold star |
| | | | | <i>Eriophyllum lanatum</i> | woolly eriophyllum |
| | | | | <i>Gnaphalium microcephalum</i> | slender cudweed |
| | | | | <i>Gnaphalium palustre</i> | lowland cudweed |
| | | | | <i>Grindelia stricta</i> | Oregon gumweed |

HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

| Group | Family | Changes to name | Scientific Name | Common Name |
|----------------|--------------------|----------------------------|---|-------------------------------------|
| | | | <i>Hieracium albiflorum</i> | white hawkweed |
| | | | <i>Hypochaeris radicata</i> | hairy cat's ear |
| | | | <i>Lactuca muralis</i> | wall lettuce |
| | | | <i>Lapsana communis</i> | nipplewort |
| | | | <i>Leontodon taraxacoides</i> | hairy hawkbit |
| | | | <i>Leucanthemum vulgare</i> | oxeye daisy |
| | | | <i>Luina hypoleuca</i> | silverback luina |
| | | | <i>Madia glomerata</i> | clustered tarweed |
| | | | <i>Matricaria discoidea</i> | pineapple weed |
| | | | <i>Packera macounii</i> | Macoun's groundsel |
| | | | <i>Petasites frigidus var. palmatus</i> | sweet coltsfoot |
| | | | <i>Senecio vulgaris</i> | common groundsel |
| | | | <i>Solidago canadensis</i> | Canada goldenrod |
| | | | <i>Sonchus arvensis</i> | perennial sow thistle |
| | | | <i>Sonchus oleraceus</i> | common sow thistle |
| | | | <i>Symphotrichum subspicatum</i> | Douglas' aster |
| | | | <i>Tanacetum vulgare</i> | common tansy |
| | | | <i>Taraxacum officinale</i> | common dandelion |
| | | | <i>Tragopogon porrifolius</i> | common salsify |
| BALSAMINACEAE | Balsam Family | | | |
| | | | <i>Impatiens noli-tangere</i> | common touch-me-not |
| BERBERIDACEAE | Barberry Family | | | |
| | | | <i>Achlys triphylla</i> | vanilla-leaf |
| | | | <i>Mahonia aquifolium</i> | tall Oregon-grape |
| | | | <i>Mahonia nervosa</i> | dull Oregon-grape |
| BORAGINACEAE | Borage Family | (Includes HYDROPHYLLACEAE) | | |
| | | | <i>Amsinckia spectabilis</i> | seaside fiddleneck |
| | | | <i>Myosotis discolor</i> | common forget-me-not |
| | | | <i>Myosotis laxa</i> | small-flowered forget-me-not |
| | | | <i>Nemophila parviflora</i> | small-flowered nemophila |
| | | | <i>Romanzoffia sitchensis</i> | Sitka mistmaiden |
| BRASSICACEAE | Mustard Family | | | |
| | | | <i>Arabis hirsuta</i> | hairy rockcress |
| | | | <i>Barbarea orthoceras</i> | American winter cress |
| | | | <i>Brassica campestris</i> | field mustard |
| | | | <i>Brassica juncea</i> | Indian mustard |
| | | | <i>Cakile edentula</i> | American searocket |
| | | | <i>Capsella bursa-pastoris</i> | shepherd's purse |
| | | | <i>Cardamine nuttallii</i> | slender toothwort |
| | | | <i>Cardamine oligosperma</i> | little western bitter-cress |
| | | | <i>Draba verna</i> | common draba |
| | | | <i>Hesperis matronalis</i> | sweet rocket |
| | | | <i>Lepidium campestre</i> | field pepper-grass |
| | | | <i>Lepidium heterophyllum</i> | Smith's pepper-grass |
| | | | <i>Lepidium virginicum var. menziesii</i> | Menzies' pepperweed |
| | | | <i>Raphanus raphanistrum</i> | wild radish |
| | | | <i>Sisymbrium officinale</i> | hedge mustard |
| | | | <i>Teesdalia nudicaulis</i> | shepherd's cress |
| | | | <i>Thlaspi arvense</i> | field pennycress |
| CAMPANULACEAE | Bellflower Family | | | |
| | | | <i>Campanula rotundifolia</i> | common harebell |
| | | | <i>Campanula scouleri</i> | Scouler's harebell |
| CAPRIFOLIACEAE | Honeysuckle Family | | | |
| | | | <i>Lonicera ciliosa</i> | western trumpet, orange honeysuckle |
| | | | <i>Lonicera hispidula</i> | hairy honeysuckle |
| | | | <i>Lonicera involucrata</i> | black twinberry |

HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

| Group | Family | Changes to name | Scientific Name | Common Name |
|-------|-----------------|------------------------|---|-------------------------------|
| | | | <i>Symphoricarpos albus</i> | common snowberry |
| | | | <i>Symphoricarpos hesperius</i> | trailing snowberry |
| | CARYOPHYLLACEAE | Carnation Family | | |
| | | | <i>Cerastium arvense</i> | field chickweed |
| | | | <i>Cerastium fontanum</i> | mouse-ear chickweed |
| | | | <i>Cerastium glomeratum</i> | sticky chickweed |
| | | | <i>Dianthus armeria</i> | Deptford pink |
| | | | <i>Honkenya peploides</i> | seabeach sandwort |
| | | | <i>Minuartia tenella</i> | slender sandwort |
| | | | <i>Meoiringia macrophylla</i> | big-leaved sandwort |
| | | | <i>Sagina maxima</i> | coastal pearlwort |
| | | | <i>Sagina procumbens</i> | bird's eye pearlwort |
| | | | <i>Silene gallica</i> | small-flowered catchfly |
| | | | <i>Spergula arvensis</i> | corn-spurry |
| | | | <i>Spergularia canadensis</i> | Canadian sand-spurry |
| | | | <i>Spergularia rubra</i> | red sand-spurry |
| | | | <i>Spergularia salina</i> | salt marsh sand-spurry |
| | | | <i>Stellaria media</i> | common chickweed |
| | CELASTRACEAE | Bittersweet Family | | |
| | | | <i>Euonymus occidentalis</i> | western wahoo |
| | | | <i>Paxistima myrsinites</i> | falsebox |
| | CLUSIACEAE | St. John's-wort Family | | |
| | | | <i>Hypericum anagalloides</i> | bog St. John's-wort |
| | | | <i>Hypericum perforatum</i> | common St. John's-wort |
| | | | <i>Hypericum scouleri</i> | western St. John's-wort |
| | COLCHICACEAE | Colchicum Family | (formerly part of LILIACEAE) | |
| | | | <i>Prosartes hookeri</i> | Hooker's fairy bells |
| | | | <i>Streptopus amplexifolius</i> | clasping twisted stalk |
| | | | <i>Streptopus lanceolatus</i> | rosy twisted stalk |
| | CONVALLARIACEAE | | (formerly part of LILIACEAE) | |
| | | | <i>Maianthemum dilatatum</i> | false lily-of-the-valley |
| | | | <i>Maianthemum racemosum</i> | false Solomon's-seal |
| | | | <i>Maianthemum stellatum</i> | star-flowered Solomon's-seal |
| | CONVOLVULACEAE | Morning Glory Family | (now includes CUSCUTACEAE) | |
| | | | <i>Convolvulus arvensis</i> | field bindweed |
| | | | <i>Convolvulus sepium</i> | hedge bindweed |
| | | | <i>Cuscuta pacifica</i> var. <i>pacifica</i> | salt marsh dodder |
| | CORNACEAE | Dogwood Family | | |
| | | | <i>Cornus canadensis</i> | bunchberry |
| | | | <i>Cornus stolonifera</i> | red-osier dogwood |
| | CRASSULACEAE | Stonecrop Family | | |
| | | | <i>Sedum oreganum</i> | Oregon stonecrop |
| | DROSERACEAE | | | |
| | | | <i>Drosera rotundifolia</i> | round-leaved sundew |
| | ERICACEAE | Heather Family | (now includes MONOTROPACEAE and PYROLACEAE and EMPETRACEAE) | |
| | | | <i>Allotropa virgata</i> | candystick |
| | | | <i>Arctostaphylos columbiana</i> | hairy manzanita |
| | | | <i>Arctostaphylos uva-ursi</i> | kinnikinnick |
| | | | <i>Arctostaphylos x media</i> | intermediate manzanita hybrid |
| | | | <i>Chimaphila menziesii</i> | Menzies' pipsissewa |
| | | | <i>Chimaphila umbellata</i> | prince's pine |
| | | | <i>Gaultheria shallon</i> | salal |
| | | | <i>Hemitomes congestum</i> | gnome-plant |

HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

| Group | Family | Changes to name | Scientific Name | Common Name |
|-------|-----------------|--------------------|--|------------------------------------|
| | | | <i>Kalmia microphylla</i> ssp. <i>occidentalis</i> | western bog-laurel |
| | | | <i>Menziesia ferruginea</i> | false azalea |
| | | | <i>Monotropa hypopithys</i> | pinetop |
| | | | <i>Monotropa uniflora</i> | Indian-pipe |
| | | | <i>Oxycoccus oxycoccus</i> | bog cranberry |
| | | | <i>Pterospora andromedea</i> | pinetops |
| | | | <i>Pyrola asarifolia</i> | pink wintergreen |
| | | | <i>Pyrola picta</i> | white-veined wintergreen |
| | | | <i>Rhododendron groenlandicum</i> | Labrador tea |
| | | | <i>Vaccinium caespitosum</i> | dwarf blueberry |
| | | | <i>Vaccinium parvifolium</i> | red huckleberry |
| | EUPHORBIACEAE | Spurge Family | | |
| | | | <i>Euphorbia peplus</i> | petty spurge |
| | FABACEAE | Pea Family | | |
| | | | <i>Acmispon parviflorus</i> | small-flowered bird's-foot trefoil |
| | | | <i>Cytisus scoparius</i> | Scotch broom |
| | | | <i>Lathyrus japonicus</i> | beach pea |
| | | | <i>Lathyrus latifolius</i> | broad-leaved peavine |
| | | | <i>Lathyrus nevadensis</i> | purple peavine |
| | | | <i>Lathyrus palustris</i> | marsh peavine |
| | | | <i>Lotus corniculatus</i> | bird's-foot trefoil |
| | | | <i>Lotus micranthus</i> | small-flowered bird's-foot trefoil |
| | | | <i>Lupinus arboreus</i> | tree lupine |
| | | | <i>Lupinus bicolor</i> | two-colored lupine |
| | | | <i>Lupinus littoralis</i> | seashore lupine |
| | | | <i>Lupinus polyphyllus</i> | large-leaved lupine |
| | | | <i>Medicago lupulina</i> | black medic |
| | | | <i>Melilotus alba</i> | white sweet clover |
| | | | <i>Melilotus officinalis</i> | yellow sweet clover |
| | | | <i>Trifolium arvense</i> | hare's-foot clover |
| | | | <i>Trifolium campestre</i> | low hop-clover |
| | | | <i>Trifolium dubium</i> | small hop-clover |
| | | | <i>Trifolium hybridum</i> | alfalfa clover |
| | | | <i>Trifolium microcephalum</i> | small-headed clover |
| | | | <i>Trifolium pratense</i> | red clover |
| | | | <i>Trifolium repens</i> | white clover |
| | | | <i>Trifolium willdenowii</i> | tomcat clover |
| | | | <i>Ulex europaeus</i> | gorse |
| | | | <i>Vicia americana</i> | American vetch |
| | | | <i>Vicia cracca</i> | tufted vetch |
| | | | <i>Vicia hirsuta</i> | tiny vetch |
| | | | <i>Vicia nigricans</i> | giant vetch |
| | | | <i>Vicia sativa</i> | common vetch |
| | GERANIACEAE | Geranium Family | | |
| | | | <i>Erodium cicutarium</i> | common stork's-bill |
| | | | <i>Geranium molle</i> | dovefoot geranium |
| | | | <i>Geranium robertianum</i> | Robert's geranium |
| | GROSSULARIACEAE | Currant Family | | |
| | | | <i>Ribes bracteosum</i> | stink currant |
| | | | <i>Ribes divaricatum</i> | wild black gooseberry |
| | | | <i>Ribes lacustre</i> | black gooseberry |
| | | | <i>Ribes sanguineum</i> | red-flowering currant |
| | IRIDACEAE | Iris Family | | |
| | | | <i>Iris pseudacorus</i> | yellow iris |
| | | | <i>Sisyrinchium californicum</i> | golden-eyed grass |
| | | | <i>Sisyrinchium idahoense</i> | Idaho blue-eyed grass |
| | JUNCAGINACEAE | Arrow-grass Family | | |
| | | | <i>Triglochin maritima</i> | seaside arrow-grass |

HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

| Group | Family | Changes to name | Scientific Name | Common Name |
|-------|---------------|------------------------------|---|----------------------------|
| | LAMIACEAE | Mint Family | | |
| | | | <i>Clinopodium douglasii</i> | yerba Buena |
| | | | <i>Glechoma hederace</i> | ground-ivy |
| | | | <i>Lamium amplexicaule</i> | common dead nettle |
| | | | <i>Lamium galeobdolon</i> | yellow archangel |
| | | | <i>Lamium purpureum</i> | purple dead nettle |
| | | | <i>Lycopus uniflorus</i> | northern water horehound |
| | | | <i>Mentha arvensis</i> | field mint |
| | | | <i>Prunella vulgaris</i> | self heal |
| | | | <i>Scutellaria lateriflora</i> | blue skullcap |
| | | | <i>Stachys chamissonis</i> | Cooley's hedge nettle |
| | LILIACEAE | Lily Family | | |
| | | | <i>Erythronium oregonum</i> | white fawn lily |
| | | | <i>Erythronium revolutum</i> | pink fawn lily |
| | | | <i>Fritillaria affinis</i> | chocolate lily |
| | | | <i>Fritillaria camschatcensis</i> | northern riceroot |
| | | | <i>Lilium columbianum</i> | tiger lily |
| | LINNAEACEAE | Linnaea Family | | |
| | | | <i>Linnaea borealis</i> | twinflower |
| | LYTHRACEAE | Loosestrife Family | | |
| | | | <i>Lythrum salicaria</i> | purple loosestrife |
| | MALVACEAE | Mallow Family | | |
| | | | <i>Malva neglecta</i> | dwarf mallow |
| | | | <i>Sidalcea hendersonii</i> | Henderson's checker-mallow |
| | MELANTHIACEAE | (formerly part of LILIACEAE) | | |
| | | | <i>Trillium ovatum</i> | western trillium |
| | | | <i>Zygadenus venenosus</i> | meadow death-camas |
| | MENYANTHACEAE | | | |
| | | | <i>Menyanthes trifoliata</i> | buckbean |
| | MYRICACEAE | Wax Myrtle Family | | |
| | | | <i>Myrica gale</i> | sweet gale |
| | NYCTAGINACEAE | Four O'clock Family | | |
| | | | <i>Abronia latifolia</i> | yellow sand-verbena |
| | NYMPHAEACEAE | Water Lily Family | (includes CABOMBACEAE) | |
| | | | <i>Brasenia schreberi</i> | water shield |
| | | | <i>Nuphar polysepala</i> | Rocky Mountain pond-lily |
| | ONOGRACEAE | Evening Primrose Family | | |
| | | | <i>Circaea alpine</i> | enchanter's nightshade |
| | | | <i>Epilobium angustifolia</i> | fireweed |
| | | | <i>Epilobium brachycarpum</i> | tall annual willowherb |
| | | | <i>Epilobium ciliatum</i> | purple-leaved willowherb |
| | | | <i>Epilobium minutum</i> | small-flowered willowherb |
| | ORCHIDACEAE | Orchid Family | | |
| | | | <i>Calypso bulbosa</i> | fairy-slipper |
| | | | <i>Corallorhiza maculata</i> | spotted coralroot |
| | | | <i>Corallorhiza mertensiana</i> | western coralroot |
| | | | <i>Goodyera oblongifolia</i> | rattlesnake-plantain |
| | | | <i>Listera cordata</i> | heart-leaved twayblade |
| | | | <i>Piperia elegans</i> | elegant rein orchid |
| | | | <i>Piperia transversa</i> | royal rein orchid |
| | | | <i>Platanthera dilatata</i> | white rein orchid |
| | | | <i>Platanthera stricta</i> | slender rein orchid |
| | | | <i>Spiranthes romanzoffiana</i> | hooded ladies' tresses |
| | OROBANCHACEAE | Broomrape Family | (includes some formerly SCROPHULARIACEAE) | |
| | | | <i>Boschniakia hookeri</i> | Vancouver groundcone |

HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

| Group | Family | Changes to name | Scientific Name | Common Name |
|-------|----------------|--------------------|---------------------------------------|-------------------------------|
| | | | <i>Castilleja miniata</i> | common red paintbrush |
| | | | <i>Euphrasia subarctica</i> | arctic eyebright |
| | | | <i>Orobanche californica</i> | California broomrape |
| | | | <i>Orobanche uniflora</i> | naked broomrape |
| | | | <i>Parentucellia viscosa</i> | yellow parentucellia |
| | | | <i>Pedicularis racemosa</i> | sickle-top lousewort |
| | | | <i>Triphysaria pusilla</i> | dwarf owl clover |
| | OXALIDACEAE | Wood Sorrel Family | | |
| | | | <i>Oxalis corniculata</i> | yellow oxalis |
| | PAPAVERACEAE | Poppy Family | (includes FUMERiaceae) | |
| | | | <i>Dicentra formosa</i> | Pacific bleeding heart |
| | PHRYMACEAE | Lopseed Family | (formerly part of SCROPHULARIACEAE) | |
| | | | <i>Mimulus alsinoides</i> | chickweed monkey-flower |
| | | | <i>Mimulus guttatus</i> | yellow monkey-flower |
| | | | <i>Mimulus moschatus</i> | musk-flower |
| | PLANTAGINACEAE | Snapdragon Family | (includes many from SCROPHULARIACEAE) | |
| | | | <i>Collinsia grandiflora</i> | large-flowered blue-eyed Mary |
| | | | <i>Collinsia parviflora</i> | small-flowered blue-eyed Mary |
| | | | <i>Digitalis purpurea</i> | common foxglove |
| | | | <i>Linaria genistifolia</i> | Dalmatian toadflax |
| | | | <i>Linaria vulgaris</i> | butter-and-eggs |
| | | | <i>Penstemon serrulatus</i> | coast penstemon |
| | | | <i>Plantago lanceolata</i> | ribwort plantain |
| | | | <i>Plantago major</i> | common plantain |
| | | | <i>Plantago maritima</i> | sea plantain |
| | | | <i>Veronica arvensis</i> | wall speedwell |
| | | | <i>Veronica beccabunga</i> | American speedwell |
| | | | <i>Veronica filiformis</i> | slender speedwell |
| | | | <i>Veronica officinalis</i> | common speedwell |
| | | | <i>Veronica peregrina</i> | purslane speedwell |
| | | | <i>Veronica scutellata</i> | marsh speedwell |
| | | | <i>Veronica serpyllifolia</i> | thyme-leaved speedwell |
| | POLEMONIACEAE | Phlox Family | | |
| | | | <i>Collomia heterophylla</i> | vari-leaved collomia |
| | | | <i>Phlox gracilis</i> | pink twink |
| | POLYGONACEAE | Knotweed Family | | |
| | | | <i>Fallopia convolvulus</i> | black bindweed |
| | | | <i>Fallopia japonica</i> | Japanese knotweed |
| | | | <i>Fallopia sachalinensis</i> | giant knotweed |
| | | | <i>Persicaria amphibia</i> | water smartweed |
| | | | <i>Persicaria hydropiper</i> | marshpepper smartweed |
| | | | <i>Persicaria lapathifolia</i> | willow weed |
| | | | <i>Persicaria maculosa</i> | lady's thumb |
| | | | <i>Persicaria wallichii</i> | Himalayan knotweed |
| | | | <i>Polygonum aviculare</i> | common knotweed |
| | | | <i>Polygonum douglasii</i> | Douglas' knotweed |
| | | | <i>Polygonum fowleri</i> | Fowler's knotweed |
| | | | <i>Polygonum paronychia</i> | black knotweed |
| | | | <i>Polygonum spergulariiforme</i> | spurry knotweed |
| | | | <i>Rumex acetosella</i> | sheep sorrel |
| | | | <i>Rumex crispus</i> | curled dock |
| | | | <i>Rumex maritimus</i> | golden dock |
| | | | <i>Rumex obtusifolius</i> | bitter dock |
| | | | <i>Rumex occidentalis</i> | western dock |
| | | | <i>Rumex transitorius</i> | willow dock |
| | PORTULACACEAE | Purslane Family | | |

HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

| Group | Family | Changes to name | Scientific Name | Common Name |
|-------|-----------------|------------------|------------------------------------|------------------------------|
| | | | <i>Claytonia exigua</i> | pale springbeauty |
| | | | <i>Claytonia parviflora</i> | streambank springbeauty |
| | | | <i>Claytonia perfoliata</i> | miner's-lettuce |
| | | | <i>Claytonia rubra</i> | redstem springbeauty |
| | | | <i>Claytonia sibirica</i> | Siberian miner's-lettuce |
| | | | <i>Lewisia columbiana</i> | Columbia lewisia |
| | | | <i>Montia fontana</i> | blinks |
| | | | <i>Montia linearis</i> | narrow-leaved montia |
| | | | <i>Montia parvifolia</i> | small-leaved montia |
| | POTAMOGETONACEA | Pondweed Family | | |
| | | | <i>Potamogeton foliosus</i> | closed-leaved pondweed |
| | | | <i>Potamogeton natans</i> | floating-leaved pondweed |
| | PRIMULACEAE | Primrose Family | | |
| | | | <i>Dodecatheon pulchellum</i> | pretty shootingstar |
| | | | <i>Glaux maritima</i> | sea-milkwort |
| | | | <i>Trientalis borealis</i> | broad-leaved starflower |
| | RANUNCULACEAE | Buttercup Family | | |
| | | | <i>Actaea rubra</i> | baneberry |
| | | | <i>Anemone lyalli</i> | Lyall's anemone |
| | | | <i>Aquilegia formosa</i> | Sitka columbine |
| | | | <i>Delphinium menziesii</i> | Menzies' larkspur |
| | | | <i>Ranunculus acris</i> | meadow buttercup |
| | | | <i>Ranunculus flammula</i> | lesser spearwort |
| | | | <i>Ranunculus occidentalis</i> | western buttercup |
| | | | <i>Ranunculus orthorhynchus</i> | straight-beaked buttercup |
| | | | <i>Ranunculus repens</i> | creeping buttercup |
| | | | <i>Ranunculus uncinatus</i> | little buttercup |
| | | | <i>Thalictrum occidentale</i> | western meadowrue |
| | | | <i>Trautvetteria caroliniensis</i> | false bugbane |
| | RHAMNACEAE | Buckthorn Family | | |
| | | | <i>Ceanothus sanguineus</i> | redstem ceanothus |
| | ROSACEAE | Rose Family | | |
| | | | <i>Amelanchier alnifolia</i> | Saskatoon |
| | | | <i>Aphanes australis</i> | small-fruited parsley-piert |
| | | | <i>Aruncus dioicus</i> | goat's-beard |
| | | | <i>Comarum palustre</i> | marsh cinquefoil |
| | | | <i>Crataegus douglasii</i> | black hawthorn |
| | | | <i>Drymocallis glandulosa</i> | sticky cinquefoil |
| | | | <i>Fragaria chiloensis</i> | coastal strawberry |
| | | | <i>Fragaria vesca</i> | wood strawberry |
| | | | <i>Fragaria virginiana</i> | wild strawberry |
| | | | <i>Geum macrophyllum</i> | large-leaved avens |
| | | | <i>Holodiscus discolor</i> | oceanspray |
| | | | <i>Malus fusca</i> | Pacific crab-apple |
| | | | <i>Physocarpus capitatus</i> | Pacific ninebark |
| | | | <i>Potentilla anserina</i> | common silverweed |
| | | | <i>Rosa gymnocarpa</i> | baldhip rose |
| | | | <i>Rosa nutkana</i> | Nootka rose |
| | | | <i>Rubus armeniacus</i> | Himalayan blackberry |
| | | | <i>Rubus laciniatus</i> | cutleaf evergreen blackberry |
| | | | <i>Rubus leucodermis</i> | black raspberry |
| | | | <i>Rubus parviflorus</i> | thimbleberry |
| | | | <i>Rubus spectabilis</i> | salmonberry |
| | | | <i>Rubus ursinus</i> | trailing blackberry |
| | | | <i>Spiraea douglasii</i> | hardhack |
| | RUBIACEAE | Madder Family | | |
| | | | <i>Galium aparine</i> | cleavers |
| | | | <i>Galium trifidum</i> | small bedstraw |
| | | | <i>Galium triflorum</i> | sweet-scented bedstraw |
| | SAXIFRAGACEAE | Saxifrage Family | | |

HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

| Group | Family | Changes to name | Scientific Name | Common Name |
|-------|---------------|------------------------------|---------------------------------|--------------------------|
| | | | <i>Heuchera micrantha</i> | small-flowered alumroot |
| | | | <i>Lithophragma glabrum</i> | smooth fringecup |
| | | | <i>Lithophragma parviflorum</i> | small-flowered fringecup |
| | | | <i>Micranthes ferruginea</i> | Alaska saxifrage |
| | | | <i>Micranthes integrifolia</i> | grassland saxifrage |
| | | | <i>Micranthes rufidula</i> | rusty-haired saxifrage |
| | | | <i>Tellima grandiflora</i> | fringecup |
| | | | <i>Tiarella trifoliata</i> | foamflower |
| | THEMIDACEAE | (formerly part of LILIACEAE) | | |
| | | | <i>Brodiaea coronaria</i> | harvest brodiaea |
| | | | <i>Triteleia hyacinthina</i> | white triteleia |
| | THYMELAEACEAE | | | |
| | | | <i>Daphne laureola</i> | spurge-laurel |
| | TOFIELDIACEAE | | | |
| | | | <i>Triantha glutinosa</i> | sticky false asphodel |
| | URTICACEAE | Nettle Family | | |
| | | | <i>Urtica dioica</i> | stinging nettle |
| | VALERIANACEAE | Valerian Family | | |
| | | | <i>Plectritis congesta</i> | sea blush |
| | | | <i>Valerianella locusta</i> | cornsalad |
| | VIOLACEAE | Violet Family | | |
| | | | <i>Viola adunca</i> | early blue violet |
| | | | <i>Viola glabella</i> | stream violet |
| | | | <i>Viola palustris</i> | marsh violet |
| | | | <i>Viola sempervirens</i> | trailing yellow violet |
| | | | | |